

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## LUXURY AL THURAYA

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 12.09.2022     | 300000812501 | Date of first issue: 12.09.2022 |

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : LUXURY AL THURAYA

Sales Number : 5969181

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Fragrance for consumer product

#### 1.3 Details of the supplier of the safety data sheet

Company : IFF (NEDERLAND) BV  
ZEVENHEUVELENWEG 60  
5048 AN TILBURG

Telephone : +31134642211

Telefax : +31134636032

E-mail address of person  
responsible for the SDS : sds@iff.com

#### 1.4 Emergency telephone

ORFILA (INRS): + 33 (0)1 45 42 59 59

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 H315: Causes skin irritation.

Eye irritation, Category 2 H319: Causes serious eye irritation.

Skin sensitization, Category 1 H317: May cause an allergic skin reaction.

Long-term (chronic) aquatic hazard, Category 2 H411: Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

##### Labeling (REGULATION (EC) No 1272/2008)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## LUXURY AL THURAYA

|                |                              |                             |                                                          |
|----------------|------------------------------|-----------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>12.09.2022 | SDS Number:<br>300000812501 | Date of last issue: -<br>Date of first issue: 12.09.2022 |
|----------------|------------------------------|-----------------------------|----------------------------------------------------------|

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H315 Causes skin irritation.  
H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.  
H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ eye protection/ face protection.  
**Response:**  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

### Hazardous ingredients which must be listed on the label:

|                                                         |                                                                                  |
|---------------------------------------------------------|----------------------------------------------------------------------------------|
| 68155-66-8,<br>54464-57-2,<br>68155-67-9,<br>54464-59-4 | Tetramethyl Acetyloctahydronaphthalenes                                          |
| 118-58-1                                                | benzyl salicylate                                                                |
| 10339-55-6                                              | Ethyl Linalool                                                                   |
| 33704-61-9                                              | Dihydro pentamethylindanone                                                      |
| 127-51-5                                                | Alpha-Isomethyl Ionone                                                           |
| 144020-22-4                                             | Reaction products of acetic anhydride and 1,5,10-trimethyl-1,5,9-cyclodecatriene |
| 115-95-7                                                | linalyl acetate                                                                  |
| 106-22-9,<br>7540-51-4                                  | Citronellol                                                                      |
| 107-75-5                                                | HYDROXYCITRONEL LAL                                                              |
| 67874-81-1                                              | OCTAHYDRO-METHOXY-TETRAMETHYL-METHANOAZULENE                                     |
| 120-57-0                                                | HELIOTROPINE                                                                     |
| 1205-17-0                                               | METHYLENEDIOXYPHENYL METHYLPROPANAL                                              |
| 5989-27-5                                               | (R)-p-mentha-1,8-diene                                                           |
| 78-70-6                                                 | linalool                                                                         |
| 91-64-5                                                 | COUMARIN                                                                         |
| 28645-51-4,<br>63286-42-0                               | OXACYCLOHEPTADEC-10-EN-2-ONE                                                     |
| 106-24-1                                                | geraniol                                                                         |
| 105-87-3                                                | GERANYL ACETATE                                                                  |
| 103-95-7                                                | CYCLAMEN ALDEHYDE                                                                |
| 5462-06-6                                               | METHOXYHYDRATROPALDEHYDE                                                         |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## LUXURY AL THURAYA

Version 1.0      Revision Date: 12.09.2022      SDS Number: 300000812501      Date of last issue: -  
Date of first issue: 12.09.2022

9000-72-0      Styrax Benzoin Gum  
4707-47-5      METHYL DIHYDROXY-DIMETHYLBENZOATE  
7779-30-8, 127-42-4      1-(2,6,6-trimethyl-2-cyclohexen-1-yl)pent-1-en-3-one  
23696-85-7      ROSE KETONE-4  
104-55-2      CINNAMAL

### 2.3 Other hazards

None reasonably foreseeable.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

| Chemical name                                                           | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number                                 |                                                                                                                     | Concentration<br>(% w/w) |
|-------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|--------------------------|
| 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one | 68155-66-8<br>915-730-3<br>01-2119489989-04                                           | Skin Irrit. 2; H315<br>Skin Sens. 1B; H317<br>Aquatic Chronic 2;<br>H411                                            | >= 10 - < 20             |
| benzyl salicylate                                                       | 118-58-1<br>204-262-9<br>01-2119969442-31                                             | Skin Sens. 1B; H317<br>Aquatic Chronic 3;<br>H412<br>Eye Irrit. 2; H319<br><br>M-Factor (Acute aquatic toxicity): 1 | >= 2,5 - < 10            |
| 3-ethoxy-4-hydroxybenzaldehyde                                          | 121-32-4<br>204-464-7                                                                 | Eye Irrit. 2; H319                                                                                                  | >= 1 - < 10              |
| tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) | 63500-71-0<br>405-040-6<br>01-0000015458-64,<br>01-2119455547-30,<br>01-2120086658-39 | Eye Irrit. 2; H319                                                                                                  | >= 1 - < 10              |
| 2-ethyl-3-hydroxy-4-pyrone                                              | 4940-11-8<br>225-582-5<br>01-2120758795-36                                            | Acute Tox. 4; H302                                                                                                  | >= 1 - < 10              |
| 3,7-dimethylnona-1,6-dien-3-ol                                          | 10339-55-6<br>233-732-6                                                               | Eye Irrit. 2; H319<br>Skin Irrit. 2; H315                                                                           | >= 1 - < 10              |

**SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006

**LUXURY AL THURAYA**Version  
1.0Revision Date:  
12.09.2022SDS Number:  
300000812501Date of last issue: -  
Date of first issue: 12.09.2022

|                                                                                                                                     |                                                                                                                                  |                                                                                                                           |               |
|-------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|---------------|
|                                                                                                                                     | 01-2119969272-32                                                                                                                 | Skin Sens. 1B; H317                                                                                                       |               |
| (Z)-3-hexenyl salicylate                                                                                                            | 65405-77-8<br>265-745-8<br>01-2119987320-37                                                                                      | Aquatic Chronic 2;<br>H411<br>Aquatic Acute 1;<br>H400<br><br>M-Factor (Acute aquatic toxicity): 1                        | >= 2,5 - < 10 |
| 1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one                                                                          | 33704-61-9<br>251-649-3<br>01-2119977131-40                                                                                      | Aquatic Chronic 2;<br>H411<br>Skin Sens. 1B; H317<br>Eye Irrit. 2; H319<br>Skin Irrit. 2; H315                            | >= 2,5 - < 10 |
| 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran                                                                      | 1222-05-5<br>214-946-9<br>01-2119488227-29                                                                                       | Aquatic Chronic 1;<br>H410<br>Aquatic Acute 1;<br>H400                                                                    | >= 1 - < 2,5  |
| RM of (3E)-3-methyl-4-(2,6,6-trimethylcyclohex-2-en-1-yl)but-3-en-2-one & (1E)-1-(2,6,6-trimethylcyclohex-2-en-1-yl)pent-1-en-3-one | 127-51-5<br>204-846-3                                                                                                            | Aquatic Chronic 2;<br>H411<br>Skin Sens. 1B; H317<br><br>M-Factor (Acute aquatic toxicity): 1                             | >= 1 - < 2,5  |
| Reaction products of acetic anhydride and 1,5,10-trimethyl-1,5,9-cyclodecatriene                                                    | 144020-22-4<br>482-330-9<br>01-0000020172-83,<br>01-2119430466-41,<br>01-2119445291-45,<br>01-2119445289-30,<br>01-2119894913-22 | Skin Sens. 1B; H317<br>Aquatic Chronic 1;<br>H410<br>Aquatic Acute 1;<br>H400<br><br>M-Factor (Acute aquatic toxicity): 1 | >= 1 - < 2,5  |
| 2-phenylethanol                                                                                                                     | 60-12-8<br>200-456-2<br>01-2119963921-31                                                                                         | Eye Irrit. 2; H319<br>Acute Tox. 4; H302                                                                                  | >= 1 - < 10   |
| linalyl acetate                                                                                                                     | 115-95-7<br>204-116-4                                                                                                            | Skin Irrit. 2; H315<br>Skin Sens. 1; H317<br>Eye Irrit. 2; H319                                                           | >= 1 - < 10   |
| citronellol                                                                                                                         | 106-22-9<br>203-375-0<br>01-2119453995-23                                                                                        | Skin Irrit. 2; H315<br>Skin Sens. 1B; H317<br>Eye Irrit. 2; H319                                                          | >= 1 - < 10   |
| 7-hydroxycitronellal                                                                                                                | 107-75-5<br>203-518-7<br>01-2119973482-31                                                                                        | Eye Irrit. 2; H319<br>Skin Sens. 1B; H317<br><br>M-Factor (Acute aquatic toxicity): 1                                     | >= 1 - < 10   |
| [3R-(3α,3aβ,6β,7β,8α)]-octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene                                               | 67874-81-1<br>267-510-5<br>01-2120228335-61                                                                                      | Skin Sens. 1B; H317<br>Aquatic Acute 1;<br>H400<br>Aquatic Chronic 1;<br>H410                                             | >= 1 - < 2,5  |
| piperonal                                                                                                                           | 120-57-0<br>204-409-7<br>01-2119983608-21                                                                                        | Skin Sens. 1B; H317                                                                                                       | >= 1 - < 10   |
| α,β,2,2,3-pentamethylcyclopent-3-                                                                                                   | 65113-99-7                                                                                                                       | Aquatic Chronic 2;                                                                                                        | >= 1 - < 2,5  |

**SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006

**LUXURY AL THURAYA**Version  
1.0Revision Date:  
12.09.2022SDS Number:  
300000812501Date of last issue: -  
Date of first issue: 12.09.2022

|                                                          |                                                                  |                                                                                                                                                                                             |                     |
|----------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|
| ene-1-butanol                                            | 265-453-0<br>01-2119975588-15                                    | H411<br>Eye Irrit. 2; H319                                                                                                                                                                  |                     |
| $\alpha$ -methyl-1,3-benzodioxole-5-propionaldehyde      | 1205-17-0<br>214-881-6                                           | Skin Sens. 1B; H317<br>Aquatic Chronic 2;<br>H411<br>Repr. 2; H361<br><br>M-Factor (Acute aquatic toxicity): 1                                                                              | $\geq 0,25 - < 1$   |
| (R)-p-mentha-1,8-diene                                   | 5989-27-5<br>227-813-5<br>01-2119529223-47                       | Skin Irrit. 2; H315<br>Skin Sens. 1B; H317<br>Aquatic Chronic 3;<br>H412<br>Flam. Liq. 3; H226<br>Asp. Tox. 1; H304<br>Aquatic Acute 1;<br>H400<br><br>M-Factor (Acute aquatic toxicity): 1 | $\geq 0,25 - < 1$   |
| linalool                                                 | 78-70-6<br>201-134-4<br>01-2119474016-42                         | Skin Irrit. 2; H315<br>Eye Irrit. 2; H319<br>Skin Sens. 1B; H317                                                                                                                            | $\geq 0,1 - < 1$    |
| coumarin                                                 | 91-64-5<br>202-086-7<br>01-2119943756-26,<br>01-2119949300-45    | Acute Tox. 4; H302<br>Skin Sens. 1B; H317                                                                                                                                                   | $\geq 0,1 - < 1$    |
| (10E)-1-oxacycloheptadec-10-en-2-one                     | 28645-51-4<br>814-308-5<br>01-2120768557-38,<br>01-2120103324-74 | Skin Sens. 1B; H317<br>Aquatic Acute 1;<br>H400                                                                                                                                             | $\geq 0,25 - < 1$   |
| Propanedioic acid, 1-(3,3-dimethylcyclohexyl)ethyl ester | 478695-70-4<br>455-260-1<br>01-0000019245-71                     | Aquatic Acute 1;<br>H400<br>Aquatic Chronic 1;<br>H410<br><br>M-Factor (Acute aquatic toxicity): 1                                                                                          | $\geq 0,25 - < 1$   |
| geraniol                                                 | 106-24-1<br>203-377-1<br>01-2119552430-49                        | Skin Irrit. 2; H315<br>Eye Dam. 1; H318<br>Skin Sens. 1; H317                                                                                                                               | $\geq 0,1 - < 1$    |
| geranyl acetate                                          | 105-87-3<br>203-341-5<br>01-2119973480-35                        | Aquatic Chronic 3;<br>H412<br>Skin Sens. 1B; H317<br>Skin Irrit. 2; H315                                                                                                                    | $\geq 0,25 - < 1$   |
| 2,6-di-tert-butyl-p-cresol                               | 128-37-0<br>204-881-4<br>01-2119565113-46,<br>01-2119555270-46   | Aquatic Chronic 1;<br>H410<br>Aquatic Acute 1;<br>H400                                                                                                                                      | $\geq 0,25 - < 1$   |
| 3-p-cumenyl-2-methylpropionaldehyde                      | 103-95-7<br>203-161-7<br>01-2119970582-32                        | Skin Irrit. 2; H315<br>Skin Sens. 1B; H317<br>Aquatic Chronic 3;<br>H412                                                                                                                    | $\geq 0,1 - < 0,25$ |
| 3-(p-methoxyphenyl)-2-                                   | 5462-06-6                                                        | Skin Sens. 1B; H317                                                                                                                                                                         | $\geq 0,1 - < 1$    |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## LUXURY AL THURAYA

Version 1.0      Revision Date: 12.09.2022      SDS Number: 300000812501      Date of last issue: -  
Date of first issue: 12.09.2022

|                                                          |                                                    |                                                                                                                                                |                      |
|----------------------------------------------------------|----------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| methylpropionaldehyde                                    | 226-749-5<br>01-2120769416-45,<br>01-2120629103-67 | M-Factor (Acute aquatic toxicity): 1                                                                                                           |                      |
| 1,4-dioxacyclohexadecane-5,16-dione                      | 54982-83-1<br>259-423-6<br>01-2119524000-64        | Aquatic Acute 1; H400<br>Aquatic Chronic 3; H412                                                                                               | $\geq 0,1 - < 0,25$  |
| Gum benzoin, Siam                                        | 9000-72-0<br>232-556-7                             | Skin Sens. 1B; H317                                                                                                                            | $\geq 0,1 - < 1$     |
| methyl 2,4-dihydroxy-3,6-dimethylbenzoate                | 4707-47-5<br>225-193-0<br>01-2120762759-36         | Skin Sens. 1B; H317                                                                                                                            | $\geq 0,1 - < 1$     |
| 1-(2,6,6-trimethyl-2-cyclohexen-1-yl)pent-1-en-3-one     | 7779-30-8<br>231-926-5                             | Aquatic Chronic 2; H411<br>Skin Irrit. 2; H315<br>Skin Sens. 1B; H317                                                                          | $\geq 0,1 - < 0,25$  |
| 1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one | 23696-85-7<br>245-833-2                            | Skin Sens. 1A; H317<br>Aquatic Chronic 2; H411<br>Skin Irrit. 2; H315<br><br>Acute toxicity estimate<br><br>Acute dermal toxicity: 2.900 mg/kg | $\geq 0,025 - < 0,1$ |
| cinnamaldehyde                                           | 104-55-2<br>203-213-9<br>01-2119935242-45-         | Acute Tox. 4; H312<br>Skin Irrit. 2; H315<br>Eye Irrit. 2; H319<br>Skin Sens. 1A; H317<br>Aquatic Chronic 3; H412                              | $\geq 0,025 - < 0,1$ |

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

- General advice : Take Hazard and Precautionary phrases (section 2) into account.
- If inhaled : Remove from exposure site to fresh air and keep at rest. If victim is unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice.
- In case of skin contact : Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
- In case of eye contact : Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## LUXURY AL THURAYA

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 12.09.2022     | 300000812501 | Date of first issue: 12.09.2022 |

If swallowed : Rinse mouth with water and obtain medical advice.

### 4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes skin irritation.  
May cause an allergic skin reaction.  
Causes serious eye irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Carbondioxide, dry chemical, foam.

Unsuitable extinguishing media : Do not use a direct waterjet on burning material.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire fighting : Water may be ineffective.

### 5.3 Advice for firefighters

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Standard procedure for chemical fires.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).

### 6.2 Environmental precautions

Environmental precautions : Keep away from drains, surface- and groundwater and soil.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## LUXURY AL THURAYA

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 12.09.2022     | 300000812501 | Date of first issue: 12.09.2022 |

### 6.4 Reference to other sections

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.

If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees.

Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.

Advice on protection against fire and explosion : Keep away from ignition sources and naked flame.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in a cool, dry, ventilated area away from heat sources. Keep containers upright and tightly closed when not in use.

### 7.3 Specific end use(s)

Specific use(s) : No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

| Components                                      | CAS-No.  | Value type (Form of exposure) | Control parameters   | Basis  |
|-------------------------------------------------|----------|-------------------------------|----------------------|--------|
| 2,6-di-tert-butyl-p-cresol                      | 128-37-0 | VME                           | 10 mg/m <sup>3</sup> | FR VLE |
| Further information: Indicative exposure limits |          |                               |                      |        |

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name                                      | End Use | Routes of exposure | Potential health effects | Value                     |
|-----------------------------------------------------|---------|--------------------|--------------------------|---------------------------|
| 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2- | Workers | Skin contact       | Long-term local effects  | 0,1011 mg/cm <sup>2</sup> |



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## LUXURY AL THURAYA

Version  
1.0

Revision Date:  
12.09.2022

SDS Number:  
300000812501

Date of last issue: -  
Date of first issue: 12.09.2022

|                                                                         |                                                                                        |              |                            |                   |
|-------------------------------------------------------------------------|----------------------------------------------------------------------------------------|--------------|----------------------------|-------------------|
| naphthyl)ethan-1-one                                                    |                                                                                        |              |                            |                   |
| Remarks:                                                                | Exposure time: 8 h                                                                     |              |                            |                   |
|                                                                         | Workers                                                                                | Skin contact | Long-term systemic effects | 1,73 mg/kg bw/day |
| Remarks:                                                                | Exposure time: 8 h                                                                     |              |                            |                   |
|                                                                         | Workers                                                                                | Inhalation   | Long-term systemic effects | 1,76 mg/m3        |
| Remarks:                                                                | Exposure time: 8 h                                                                     |              |                            |                   |
| 3-ethoxy-4-hydroxybenzaldehyde                                          | Workers                                                                                | Inhalation   | Long-term systemic effects | 49 mg/m3          |
|                                                                         | Workers                                                                                | Inhalation   | Acute systemic effects     | 98 mg/m3          |
|                                                                         | Workers                                                                                | Dermal       | Long-term systemic effects | 7 mg/kg bw/day    |
|                                                                         | Consumers                                                                              | Inhalation   | Long-term systemic effects | 8,75 mg/m3        |
|                                                                         | Consumers                                                                              | Inhalation   | Acute systemic effects     | 17,5 mg/m3        |
|                                                                         | Consumers                                                                              | Dermal       | Long-term systemic effects | 2,5 mg/kg bw/day  |
|                                                                         | Consumers                                                                              | Oral         | Long-term systemic effects | 2,5 mg/kg bw/day  |
| tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) | Workers                                                                                | Inhalation   | Long-term systemic effects | 44,1 mg/m3        |
| Remarks:                                                                | REACH data                                                                             |              |                            |                   |
|                                                                         | Workers                                                                                | Dermal       | Long-term systemic effects | 41,7 mg/kg bw/day |
| Remarks:                                                                | REACH data                                                                             |              |                            |                   |
|                                                                         | Workers                                                                                | Eye contact  | Local effects              |                   |
| Remarks:                                                                | Available hazard data do not enable the derivation of a DNEL for eye irritant effects. |              |                            |                   |
|                                                                         | General population                                                                     | Inhalation   | Long-term systemic effects | 13 mg/m3          |
| Remarks:                                                                | REACH data                                                                             |              |                            |                   |
|                                                                         | General population                                                                     | Dermal       | Long-term systemic effects | 25                |
| Remarks:                                                                | REACH data                                                                             |              |                            |                   |
|                                                                         | General population                                                                     | Oral         | Long-term systemic effects | 7,5 mg/kg bw/day  |
| Remarks:                                                                | REACH data                                                                             |              |                            |                   |

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name                                                 | Environmental Compartment | Value                         |
|----------------------------------------------------------------|---------------------------|-------------------------------|
| 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran | Fresh water               | 0,0044 mg/l                   |
|                                                                | Sea water                 | 0,00044 mg/l                  |
|                                                                | Fresh water sediment      | 2 mg/kg dry weight (d.w.)     |
|                                                                | Sea sediment              | 0,394 mg/kg dry weight (d.w.) |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## LUXURY AL THURAYA

|                |                              |                             |                                                          |
|----------------|------------------------------|-----------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>12.09.2022 | SDS Number:<br>300000812501 | Date of last issue: -<br>Date of first issue: 12.09.2022 |
|----------------|------------------------------|-----------------------------|----------------------------------------------------------|

|  |      |                              |
|--|------|------------------------------|
|  | Soil | 0,31 mg/kg dry weight (d.w.) |
|--|------|------------------------------|

### 8.2 Exposure controls

#### Engineering measures

Where appropriate, use closed systems to transfer and process this material.  
If appropriate, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant.

#### Personal protective equipment

- |                          |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Eye protection           | : | Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur.<br>Equipment should conform to EN 166                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Hand protection          | : |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Material                 | : | Nitrile rubber                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Break through time       | : | > 60 min                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Glove thickness          | : | 0,38 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Material                 | : | Nitrile rubber                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Break through time       | : | > 10 min                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Glove thickness          | : | 0,1 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Remarks                  | : | Avoid skin contact. Use chemically resistant gloves. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Be aware that in daily use the durability of a chemical resistant protective glove can be notably shorter than the break through time measured according to EN 374, due to the numerous outside influences (e.g. temperature). Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. |
| Skin and body protection | : | Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.<br>Personal protection through wearing a tightly closed chemical protection suit and a self-contained breathing apparatus.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Respiratory protection   | : | Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures.<br>No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate                                                                                                                                                                                                                                                                                                                                                                                                                       |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## LUXURY AL THURAYA

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 12.09.2022     | 300000812501 | Date of first issue: 12.09.2022 |

ventilation, etc. are sufficient.

If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:

a) while engineering controls and appropriate safe work practices and/or procedures are being implemented; or  
b) during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or  
c) if normal operational workplace vapor concentration in the air is increased due to heat ;  
d) during emergencies; or  
e) if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit.

Protective measures : To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to this material.  
To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize exposure.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|                                                  |                                   |
|--------------------------------------------------|-----------------------------------|
| Physical state                                   | : liquid                          |
| Odor                                             | : conforms to standard            |
| Odor Threshold                                   | : not determined                  |
| Melting point                                    | : not determined                  |
| Boiling point                                    | : not determined                  |
| Flammability                                     | : not determined                  |
| Upper explosion limit / Upper flammability limit | : not determined                  |
| Lower explosion limit / Lower flammability limit | : not determined                  |
| Flash point                                      | : 106,00 °C<br>Method: closed cup |
| Autoignition temperature                         | : not determined                  |
| Decomposition temperature                        | : not determined                  |
| pH                                               | : not determined                  |
| Viscosity, dynamic                               | : not determined                  |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## LUXURY AL THURAYA

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 12.09.2022     | 300000812501 | Date of first issue: 12.09.2022 |

|                              |   |                |
|------------------------------|---|----------------|
| Viscosity, kinematic         | : | not determined |
| Water solubility             | : | not determined |
| Solubility in other solvents | : | not determined |

|                                        |   |                        |
|----------------------------------------|---|------------------------|
| Partition coefficient: n-octanol/water | : | not determined         |
| Vapor pressure                         | : | 0,03 hPa<br>Calculated |

|                  |   |                 |
|------------------|---|-----------------|
| Relative density | : | 1,0080 - 1,0180 |
|------------------|---|-----------------|

|         |   |                |
|---------|---|----------------|
| Density | : | not determined |
|---------|---|----------------|

### 9.2 Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazards to be specially mentioned.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

|                     |   |                                                                                |
|---------------------|---|--------------------------------------------------------------------------------|
| Hazardous reactions | : | Presents no significant reactivity hazard, by itself or in contact with water. |
|---------------------|---|--------------------------------------------------------------------------------|

### 10.4 Conditions to avoid

|                     |   |                         |
|---------------------|---|-------------------------|
| Conditions to avoid | : | Direct sources of heat. |
|---------------------|---|-------------------------|

### 10.5 Incompatible materials

|                    |   |                                                              |
|--------------------|---|--------------------------------------------------------------|
| Materials to avoid | : | Avoid contact with strong acids, alkali or oxidizing agents. |
|--------------------|---|--------------------------------------------------------------|

### 10.6 Hazardous decomposition products

Carbon monoxide and unidentified organic compounds may be formed during combustion.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.

#### Product:

|                     |   |                                                                      |
|---------------------|---|----------------------------------------------------------------------|
| Acute oral toxicity | : | Acute toxicity estimate: > 2.000 mg/kg<br>Method: Calculation method |
|---------------------|---|----------------------------------------------------------------------|

#### Skin corrosion/irritation

Causes skin irritation.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## LUXURY AL THURAYA

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 12.09.2022     | 300000812501 | Date of first issue: 12.09.2022 |

---

### Components:

#### **1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8-tetramethyl-2-naphthyl)ethan-1-one:**

|         |                   |
|---------|-------------------|
| Species | : human           |
| Method  | : OECD 439        |
| Result  | : Skin irritation |

#### **1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one:**

|                |                                 |
|----------------|---------------------------------|
| Species        | : Human                         |
| Exposure time  | : 0,25 h                        |
| Assessment     | : Causes skin irritation.       |
| Method         | : EPISKIN Human Skin Model Test |
| Result         | : irritating                    |
| GLP            | : yes                           |
| Test substance | : (undiluted)                   |
| Remarks        | : REACH data                    |

|                |                           |
|----------------|---------------------------|
| Species        | : Human                   |
| Method         | : OECD Test Guideline 431 |
| Result         | : No skin irritation      |
| GLP            | : yes                     |
| Test substance | : (undiluted)             |
| Remarks        | : REACH data              |

### **Serious eye damage/eye irritation**

Causes serious eye irritation.

### Components:

#### **3-ethoxy-4-hydroxybenzaldehyde:**

|         |                           |
|---------|---------------------------|
| Species | : Rabbit                  |
| Method  | : OECD Test Guideline 405 |
| Result  | : Eye irritation          |
| Remarks | : Supplier                |

#### **tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans):**

|            |                                            |
|------------|--------------------------------------------|
| Species    | : Rabbit                                   |
| Assessment | : Causes serious eye irritation.           |
| Method     | : Regulation (EC) No. 440/2008, Annex, B.5 |
| Result     | : Eye irritation                           |
| GLP        | : yes                                      |
| Remarks    | : REACH data                               |

### **Respiratory or skin sensitization**

#### **Skin sensitization**

May cause an allergic skin reaction.

#### **Respiratory sensitization**

Not classified based on available information.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## LUXURY AL THURAYA

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 12.09.2022     | 300000812501 | Date of first issue: 12.09.2022 |

---

### Components:

#### **1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:**

|           |                         |
|-----------|-------------------------|
| Test Type | : LLNA                  |
| Species   | : Mouse                 |
| Method    | : OECD 429              |
| Result    | : Causes sensitization. |

#### **1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one:**

|           |                                                      |
|-----------|------------------------------------------------------|
| Test Type | : LLNA                                               |
| Species   | : Mouse                                              |
| Method    | : OECD 429                                           |
| Result    | : The product is a skin sensitizer, sub-category 1B. |
| Remarks   | : REACH data                                         |

|                |                                      |
|----------------|--------------------------------------|
| Test Type      | : repeated insult patch test         |
| Species        | : Humans                             |
| Result         | : Does not cause skin sensitization. |
| Test substance | : 10.% in ethanol/DEP (75:25)        |
| Remarks        | : REACH data                         |

|         |                                             |
|---------|---------------------------------------------|
| Species | : Not tested on animals                     |
| Result  | : Does not cause respiratory sensitization. |
| Remarks | : REACH data                                |

### **Germ cell mutagenicity**

Not classified based on available information.

### Components:

#### **1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:**

|                       |                                                                                                                                                                               |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Genotoxicity in vitro | : Test Type: Ames test<br>Metabolic activation: with and without metabolic activation<br>Method: Mutagenicity (Escherichia coli - reverse mutation assay)<br>Result: negative |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                                                                                         |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Test Type: Chromosome aberration test in vitro<br>Test system: Human lymphocytes<br>Metabolic activation: with and without metabolic activation<br>Method: OECD 473<br>Result: negative |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                      |                                                                                                                  |
|----------------------|------------------------------------------------------------------------------------------------------------------|
| Genotoxicity in vivo | : Test Type: in vivo assay<br>Species: Mouse (male)<br>Method: Mutagenicity (micronucleus test) Result: negative |
|----------------------|------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                       |
|--|-------------------------------------------------------------------------------------------------------|
|  | Test Type: in vivo assay<br>Species: Rat<br>Method: Mutagenicity (micronucleus test) Result: negative |
|--|-------------------------------------------------------------------------------------------------------|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## LUXURY AL THURAYA

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 12.09.2022     | 300000812501 | Date of first issue: 12.09.2022 |

### 3-ethoxy-4-hydroxybenzaldehyde:

Genotoxicity in vitro : Test Type: reverse mutation assay  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Supplier

### Carcinogenicity

Not classified based on available information.

### Reproductive toxicity

Not classified based on available information.

### Components:

#### 3-ethoxy-4-hydroxybenzaldehyde:

Effects on fertility : Species: Rat, male and female  
Application Route: Oral  
General Toxicity Parent: NOAEL: 500 mg/kg body weight  
Method: OECD Test Guideline 421  
Result: Animal testing did not show any effects on fertility.  
Remarks: Supplier

Effects on fetal development : Species: Rat, male and female  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 500 mg/kg body weight  
Teratogenicity: NOAEL F1: 500 mg/kg body weight  
Developmental Toxicity: NOAEL F1: 500 mg/kg body weight  
Embryo-fetal toxicity.: NOAEL F1: 500 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: Not classified  
Remarks: Supplier

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Not classified based on available information.

### Repeated dose toxicity

### Components:

#### 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8-tetramethyl-2-naphthyl)ethan-1-one:

Species : Rat, male and female  
NOAEL : 150 mg/kg  
Application Route : Oral  
Exposure time : 28-day  
Number of exposures : 1x /day  
Method : OECD Test Guideline 407  
Target Organs : Digestive organs, Liver  
Remarks : Repeated dose (28 days) toxicity (oral)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## LUXURY AL THURAYA



|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 12.09.2022     | 300000812501 | Date of first issue: 12.09.2022 |

### Aspiration toxicity

Not classified based on available information.

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

##### **1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran:**

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,452 mg/l  
Exposure time: 21 d  
Test Type: flow-through test  
Method: OECD Test Guideline 204  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,9 mg/l  
Exposure time: 48 h  
Test Type: semi-static test  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0,854 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
  
EbC50 (Pseudokirchneriella subcapitata (green algae)): 0,723 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC: 0,068 mg/l  
Exposure time: 36 d  
Species: Pimephales promelas (fathead minnow)  
Test Type: flow-through test  
Method: OECD 210  
GLP: yes

Toxicity to daphnia and other : NOEC: 0,111 mg/l



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## LUXURY AL THURAYA

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 12.09.2022     | 300000812501 | Date of first issue: 12.09.2022 |

aquatic invertebrates (Chronic toxicity)

Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: semi-static test  
Method: OECD 211

### 12.2 Persistence and degradability

#### Components:

##### **1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 96,3 %  
Exposure time: 28 d  
Method: OECD 301 F  
GLP: yes  
Remarks: Readily biodegradable, according to appropriate OECD test.

##### **benzyl salicylate:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 87 %  
Method: Directive 67/548/EEC Annex V, C.4.F.  
  
Result: Inherently biodegradable.

##### **3-ethoxy-4-hydroxybenzaldehyde:**

Biodegradability : Inoculum: activated sludge  
Result: Readily biodegradable.  
Biodegradation: 88 %  
Exposure time: 14 d  
Method: OECD Test Guideline

### 12.3 Bioaccumulative potential

#### Components:

##### **1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Exposure time: 21 d  
Bioconcentration factor (BCF): 391  
Method: OECD 305

##### **3-ethoxy-4-hydroxybenzaldehyde:**

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow <= 4).

Partition coefficient: n-octanol/water : log Pow: 1,55 - 1,61 (25 °C)  
Method: OECD Test Guideline 107

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## LUXURY AL THURAYA

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 12.09.2022     | 300000812501 | Date of first issue: 12.09.2022 |

---

### 12.4 Mobility in soil

#### Product:

Mobility : Remarks: No data available

#### Components:

##### **1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:**

Distribution among environmental compartments : Adsorption/Soil  
Koc: 12598, log Koc: 4,1

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

#### Product:

Additional ecological information : There is no data available for this product.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of according to local regulations. Avoid disposing into drainage systems and into the environment.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

---

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADR : UN 3082

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## LUXURY AL THURAYA

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 12.09.2022     | 300000812501 | Date of first issue: 12.09.2022 |

**IMDG** : UN 3082

**IATA** : UN 3082

### 14.2 UN proper shipping name

**ADR** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(HEXAMETHYLINDANOPYRAN)

**IMDG** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(HEXAMETHYLINDANOPYRAN)

**IATA** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(HEXAMETHYLINDANOPYRAN)

### 14.3 Transport hazard class(es)

**ADR** : 9

**IMDG** : 9

**IATA** : 9

### 14.4 Packing group

**ADR**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)

**IMDG**  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

**IATA (Cargo)**  
Packing instruction (cargo aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous Dangerous Goods

**IATA\_P (Passenger)**  
Packing instruction (passenger aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous Dangerous Goods

### 14.5 Environmental hazards

**ADR**  
Environmentally hazardous : yes

**IMDG**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## LUXURY AL THURAYA

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 12.09.2022     | 300000812501 | Date of first issue: 12.09.2022 |

Marine pollutant : yes (HEXAMETHYLINDANOPYRAN)

### IATA (Passenger)

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3

safrole (Number on list 28)

REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59). : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Reinforced medical supervision (R4624-18) : The product has no CMR properties

### Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this substance.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## LUXURY AL THURAYA

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 12.09.2022     | 300000812501 | Date of first issue: 12.09.2022 |

### SECTION 16: Other information

#### Full text of H-Statements

|      |                                                         |
|------|---------------------------------------------------------|
| H226 | : Flammable liquid and vapour.                          |
| H302 | : Harmful if swallowed.                                 |
| H304 | : May be fatal if swallowed and enters airways.         |
| H312 | : Harmful in contact with skin.                         |
| H315 | : Causes skin irritation.                               |
| H317 | : May cause an allergic skin reaction.                  |
| H318 | : Causes serious eye damage.                            |
| H319 | : Causes serious eye irritation.                        |
| H361 | : Suspected of damaging fertility or the unborn child.  |
| H400 | : Very toxic to aquatic life.                           |
| H410 | : Very toxic to aquatic life with long lasting effects. |
| H411 | : Toxic to aquatic life with long lasting effects.      |
| H412 | : Harmful to aquatic life with long lasting effects.    |

#### Full text of other abbreviations

|                 |                                               |
|-----------------|-----------------------------------------------|
| Acute Tox.      | : Acute toxicity                              |
| Aquatic Acute   | : Short-term (acute) aquatic hazard           |
| Aquatic Chronic | : Long-term (chronic) aquatic hazard          |
| Asp. Tox.       | : Aspiration hazard                           |
| Eye Dam.        | : Serious eye damage                          |
| Eye Irrit.      | : Eye irritation                              |
| Flam. Liq.      | : Flammable liquids                           |
| Repr.           | : Reproductive toxicity                       |
| Skin Irrit.     | : Skin irritation                             |
| Skin Sens.      | : Skin sensitization                          |
| FR VLE          | : France. Occupational Exposure Limits (INRS) |
| FR VLE / VME    | : Time Weighted Average                       |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## LUXURY AL THURAYA



|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 12.09.2022     | 300000812501 | Date of first issue: 12.09.2022 |

---

of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Other information : In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110].  
In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace". Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports. The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration  $\geq 1.0\%$  due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.

According to Regulation (EC) No. 1907/2006 the information in this safety data sheet is based on the properties of the material known to IFF at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment International Flavors & Fragrances holds no responsibility. This document

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

FR / EN