

Product GRAND PALAIS

Print Date 19.06.2018

Page 1 (17)

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : GRAND PALAIS
IFF Code : 5658870
SDS Number : 300000693385

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Fragrance for consumer product

1.3 Details of the supplier of the safety data sheet

Company : IFF (NEDERLAND) BV
ZEVENHEUVELENWEG 60
5048 AN TILBURG
Netherlands
Telephone : +31134642211
Telefax : +31134636032
E-mail address : sds@iff.com

Responsible/issuing person

1.4 Emergency telephone number

Refer to section 16 for country specific emergency contact number.

2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Chronic aquatic toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Version : 1.0
Revision Date : 19.06.2018

SAFETY DATA SHEET

Product GRAND PALAIS

Print Date 19.06.2018

Page 2 (17)

Hazard statements	:	H315 H317 H319 H411	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.
Precautionary statements	:	Prevention: P261 P273 P280 Response: P333 + P313 P337 + P313 P362 + P364	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Avoid release to the environment. Wear protective gloves/ eye protection/ face protection. If skin irritation or rash occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash it before reuse.

Hazardous components which must be listed on the label:

- 68155-66-8, 54464-57-2, 68155-67-9, 54464-59-4 Tetramethyl Acetyloctahydronaphthalenes
- 118-58-1 Benzyl Salicylate
- 78-70-6, 126-91-0 Linalool
- 144020-22-4 Reaction products of acetic anhydride and 1,5,10-trimethyl-1,5,9-cyclodecatriene
- 106-02-5 PENTADECALACTONE
- 1205-17-0 α -methyl-1,3-benzodioxole-5-propionaldehyde
- 33704-61-9 Dihydro pentamethylindanone
- 5462-06-6 3-(p-methoxyphenyl)-2-methylpropionaldehyde
- 91-64-5 COUMARIN
- 18127-01-0 3-(4-tert-butylphenyl)propionaldehyde
- 138-86-3, 5989-27-5, 5989-54-8 limonene
- 106-24-1 GERANIOL
- 82356-51-2, 63314-79-4 3-methyl-5-Cyclopentadecen-1-one
- 101-86-0 Hexyl Cinnamal

Version : 1.0
Revision Date : 19.06.2018

Product GRAND PALAIS

Print Date 19.06.2018

Page 3 (17)

- 120-57-0 HELIOTROPINE
- 84082-84-8 Vetiveria zizanioides, ext., acetylated
- 103-95-7 CYCLAMEN ALDEHYDE
- 23696-85-7, 23726-93-4 1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one
- 97-54-1 ISOEUGENOL

2.3 Other hazards

None reasonably foreseeable.

3. Composition/information on ingredients

3.1 Substances

Not applicable, product is a mixture.

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
Tetramethyl Acetyloctahydronaphthalenes	68155-66-8, 54464-57-2, 68155-67-9, 54464-59-4 915-730-3 01-2119489989-04	Skin Irrit.2; H315 Skin Sens.1B; H317 Aquatic Chronic1; H410	10 - 20
$\alpha,\beta,2,2,3$ - pentamethylcyclopent-3-ene- 1-butanol	65113-99-7 265-453-0	Aquatic Chronic2; H411 Eye Irrit.2; H319	3 - 10
benzyl salicylate	118-58-1 204-262-9 01-2119969442-31	Skin Sens.1B; H317 Aquatic Chronic3; H412	2,5 - 10
3,7-dimethylnona-1,6-dien-3- ol	10339-55-6 233-732-6 01-2119969272-32	Eye Irrit.2; H319 Skin Irrit.2; H315	3 - 5
linalool	78-70-6, 126-91-0 201-134-4 01-2119474016-42	Skin Irrit.2; H315 Skin Sens.1B; H317 Eye Irrit.2; H319	3 - 5
(Z)-3-hexenyl salicylate	65405-77-8	Aquatic Chronic1; H410	2,5 - 10

Version : 1.0
 Revision Date : 19.06.2018

SAFETY DATA SHEET

Product GRAND PALAIS

Print Date 19.06.2018

Page 4 (17)

	265-745-8 01-2119987320-37	Aquatic Acute1; H400	
(E)-4-(2,6,6-trimethyl-1-cyclohexen-1-yl)-3-buten-2-one	79-77-6 201-224-3, 201-224-3 01-2119449921-34	Aquatic Chronic2; H411	2,5 - 10
Oxacyclohexadecen-2-one	111879-80-2, 34902-57-3 606-092-00-4	Aquatic Acute1; H400 Aquatic Chronic2; H411	2,5 - 10
Reaction products of acetic anhydride and 1,5,10-trimethyl-1,5,9-cyclodecatriene	144020-22-4 482-330-9 01-0000020172-83	Skin Sens.1B; H317 Aquatic Chronic1; H410 Aquatic Acute1; H400	2,5 - 10
pentadecan-15-olide	106-02-5 203-354-6	Skin Sens.1B; H317 Aquatic Chronic2; H411	1 - 2,5
α -methyl-1,3-benzodioxole-5-propionaldehyde	1205-17-0 214-881-6	Skin Sens.1B; H317 Aquatic Chronic2; H411	1 - 2,5
2-ethyl-3-hydroxy-4-pyrone	4940-11-8 225-582-5 01-2120758795-36	Acute Tox.4; H302	1 - 10
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	63500-71-0 603-101-00-3 01-0000015458-64	Eye Irrit.2; H319	1 - 3
Dihydro pentamethylindanone	33704-61-9 251-649-3 01-2119977131-40	Aquatic Chronic2; H411 Skin Sens.1B; H317 Eye Irrit.2; H319 Skin Irrit.2; H315	1 - 2,5
3-(p-methoxyphenyl)-2-methylpropionaldehyde	5462-06-6 226-749-5	Skin Sens.1B; H317	1 - 10
coumarin	91-64-5 202-086-7	Acute Tox.4; H302 Skin Sens.1B; H317	0,1 - 1
3-(4-tert-butylphenyl)propionaldehyde	18127-01-0 242-016-2	Repr.2; H361f Skin Irrit.2; H315 Skin Sens.1B; H317 STOT RE2; H373 Aquatic Chronic3; H412	0,3 - 1

Version : 1.0
 Revision Date : 19.06.2018

SAFETY DATA SHEET

Product GRAND PALAIS

Print Date 19.06.2018

Page 5 (17)

limonene	138-86-3, 5989-27-5, 5989-54-8 205-341-0, 227-813-5, 227-815-6	Flam. Liq.3; H226 Asp. Tox.1; H304 Skin Irrit.2; H315 Skin Sens.1B; H317 Aquatic Acute1; H400 Aquatic Chronic1; H410	0,25 - 1
geraniol	106-24-1 203-377-1 01-2119552430-49, 01-2119560621-44	Skin Irrit.2; H315 Skin Sens.1; H317 Eye Dam.1; H318	0,1 - 1
3-methyl-5-Cyclopentadecen-1-one	82356-51-2, 63314-79-4 429-900-5	Skin Sens.1B; H317 Aquatic Acute1; H400 Aquatic Chronic1; H410	0,25 - 1
α -hexylcinnamaldehyde	101-86-0 639-566-4 01-2119533092-50	Aquatic Chronic2; H411 Skin Sens.1B; H317 Aquatic Acute1; H400	0,25 - 1
Vetiveria zizanioides, ext., acetylated	84082-84-8 282-031-1 01-2120755957-35	Aquatic Chronic2; H411 Skin Sens.1B; H317	0,1 - 0,25
piperonal	120-57-0 204-409-7	Skin Sens.1B; H317	0,1 - 1
2,6-di-tert-butyl-p-cresol	128-37-0 204-881-4 01-2119565113-46, 01-2119555270-46	Aquatic Chronic1; H410 Aquatic Acute1; H400	0,1 - 0,25
3-p-cumenyl-2-methylpropionaldehyde	103-95-7 203-161-7 01-2119970582-32	Skin Irrit.2; H315 Skin Sens.1B; H317 Aquatic Chronic3; H412	0,1 - 0,25
indole	120-72-9 204-420-7	Acute Tox.3; H311 Acute Tox.4; H302	0,1 - 1
1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one	23696-85-7, 23726-93-4 245-833-2	Skin Sens.1A; H317 Aquatic Chronic2; H411 Skin Irrit.2; H315	0,025 - 0,1
isoeugenol	97-54-1	Acute Tox.4; H312	0 - 0,1

Version : 1.0
 Revision Date : 19.06.2018

Product GRAND PALAIS

Print Date 19.06.2018

Page 6 (17)

	202-590-7	Acute Tox.4; H302 Skin Irrit.2; H315 Eye Irrit.2; H319 Skin Sens.1A; H317	
--	-----------	--	--

For the full text of the R-phrases mentioned in this Section, see Section 16.

Components with workplace control parameters

Components	EC-No.	Concentration [%]
benzyl salicylate	204-262-9	0 - 10
linalool	201-134-4	0 - 10

4. First aid measures

4.1 Description of first aid measures

- General advice : Take Hazard and Precautionary phrases (section 2) into account.
- If inhaled : Remove from exposure site to fresh air and keep at rest. If victim is unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice.
- In case of skin contact : Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
- In case of eye contact : Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
- If swallowed : Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No information available.
- Risks : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : No information available.

5. Firefighting measures

5.1 Extinguishing media

Version : 1.0
 Revision Date : 19.06.2018

Product GRAND PALAIS

Print Date 19.06.2018

Page 7 (17)

Suitable extinguishing media : Carbondioxide, dry chemical, foam.

Unsuitable extinguishing media : Do not use a direct waterjet on burning material.

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Water may be ineffective.

5.3 Advice for firefighters

Further information : Standard procedure for chemical fires.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Environmental precautions : Keep away from drains, surface- and groundwater and soil.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Prevent spreading over a wide area (e.g. by containment or oil barriers).

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.

If appropriate, procedures used during the handling of this material

Version : 1.0

Revision Date : 19.06.2018

Product GRAND PALAIS

Print Date 19.06.2018

Page 8 (17)

should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees.

Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.

Advice on protection against fire and explosion : Keep away from ignition sources and naked flame.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in a cool, dry, ventilated area away from heat sources. Keep containers upright and tightly closed when not in use.

7.3 Specific end use(s)

Specific use(s) : No information available.

8. Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

Components	EC-No.	Exposure limit(s)
benzyl salicylate	204-262-9	TWA
linalool	201-134-4	TWA

DNEL

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one

: End Use: Workers
 Exposure routes: Skin contact
 Potential health effects: Long-term local effects
 Exposure time: 8 h
 Value: 0,1011 mg/cm2

Version : 1.0

Revision Date : 19.06.2018

Product GRAND PALAIS

Print Date 19.06.2018

Page 9 (17)

End Use: Workers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Exposure time: 8 h
Value: 1,73 mg/kg bw/day

End Use: Workers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Exposure time: 8 h
Value: 1,76 mg/m³

PNEC

1-(1,2,3,4,5,6,7,8-Octahydro-
2,3,8,8-tetramethyl-2-
naphthyl)ethan-1-one

: Fresh water
Value: 0,0028 mg/l

Marine water
Value: 0,00028 mg/l

Fresh water sediment
Value: 3,73 mg/kg dry weight (d.w.)

Marine sediment
Value: 0,75 mg/kg dry weight (d.w.)

Soil
Value: 0,705 mg/kg dry weight (d.w.)

8.2 Exposure controls

Engineering measures

Where appropriate, use closed systems to transfer and process this material.
If appropriate, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant.

Version : 1.0
Revision Date : 19.06.2018

Product GRAND PALAIS

Print Date 19.06.2018

Page 10 (17)

Personal protective equipment

Respiratory protection : Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient.

If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:

- a) while engineering controls and appropriate safe work practices and/or procedures are being implemented; or
- b) during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or
- c) if normal operational workplace vapor concentration in the air is increased due to heat ;
- d) during emergencies; or
- e) if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit.

Hand protection : Avoid skin contact. Use chemically resistant gloves.

Eye protection : Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur.

Hygiene measures : To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to this material. To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize exposure.

Environmental exposure controls

Version : 1.0
Revision Date : 19.06.2018

Product GRAND PALAIS

Print Date 19.06.2018

Page 11 (17)

General advice : Keep away from drains, surface- and groundwater and soil.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: liquid
Odour	: conforms to standard
Odour Threshold	: not determined
Flash point	: 105 °C
Lower explosion limit	: not determined
Upper explosion limit	: not determined
Flammability (solid, gas)	: not determined
Oxidizing properties	: not determined
Auto-ignition temperature	: not determined
pH	: not determined
Melting point	: not determined
Boiling point	: not determined
Vapour pressure	: 0,02 hPa Calculated
Density	: not determined
Water solubility	: not determined
Partition coefficient: n-octanol/water	: not determined
Solubility in other solvents	: not determined
Viscosity, dynamic	: not determined
Viscosity, kinematic	: not determined
Relative vapour density	: not determined
Evaporation rate	: not determined

9.2 Other information

Refractive index	: not determined
Relative density	: 0,9781 - 0,9881

10. Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Version : 1.0
Revision Date : 19.06.2018

Product GRAND PALAIS

Print Date 19.06.2018

Page 12 (17)

Hazardous reactions : Note: Presents no significant reactivity hazard, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Direct sources of heat.

10.5 Incompatible materials

Materials to avoid : Avoid contact with strong acids, alkali or oxidizing agents.

10.6 Hazardous decomposition products

Hazardous decomposition products : Carbon monoxide and unidentified organic compounds may be formed during combustion.

11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2.000 mg/kg
Method: Calculation method

Skin corrosion/irritation

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one : Species: human
Result: Skin irritation
Method: OECD 439

Serious eye damage/eye irritation

α , β ,2,2,3-pentamethylcyclopent-3-ene-1-butanol : Species: Rabbit
Result: No eye irritation

Respiratory or skin sensitisation

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one : LLNA
Species: Mouse
Result: Causes sensitisation.

Version : 1.0

Revision Date : 19.06.2018

Product GRAND PALAIS

Print Date 19.06.2018

Page 13 (17)

Method: OECD 429

Germ cell mutagenicity

Information on ingredients with chronic toxicity hazard(s) is available upon request.

Carcinogenicity

Information on ingredients with chronic toxicity hazard(s) is available upon request.

Reproductive toxicity

Information on ingredients with chronic toxicity hazard(s) is available upon request.

Target Organ Systemic Toxicant - Single exposure

Information on ingredients with chronic toxicity hazard(s) is available upon request.

Target Organ Systemic Toxicant - Repeated exposure

Information on ingredients with chronic toxicity hazard(s) is available upon request.

Aspiration hazard

No test data available. Ingredients with an aspiration hazard are identified in section 3.

12. Ecological information

12.1 Toxicity

Toxicity to daphnia and other aquatic invertebrates
(Z)-3-hexenyl salicylate : EC50: 2,7 mg/l
Exposure time: 48 h

M-Factor
(Z)-3-hexenyl salicylate : 1

12.2 Persistence and degradability

Biodegradability
(Z)-3-hexenyl salicylate : Result: Not readily biodegradable.
56,8 %
Method: Closed Bottle test

Version : 1.0
Revision Date : 19.06.2018

Product GRAND PALAIS

Print Date 19.06.2018

Page 14 (17)

12.3 Bioaccumulative potential

12.4 Mobility in soil

Mobility : No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Additional ecological information : There is no data available for this product.

13. Disposal considerations

13.1 Waste treatment methods

Product : Dispose of according to local regulations. Avoid disposing into drainage systems and into the environment.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

ADR

UN number : 3082
 Description of the goods : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Octahydro Tetramethyl Naphthalenyl Ethanone)
 Labels : 9
 Packing group : III
 Environmentally hazardous : yes

IATA

UN number : 3082
 Description of the goods : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Octahydro Tetramethyl Naphthalenyl Ethanone)
 Labels : 9
 Packing group : III
 Environmentally hazardous : yes

IMDG

UN number : 3082

Version : 1.0

Revision Date : 19.06.2018

Product GRAND PALAIS

Print Date 19.06.2018

Page 15 (17)

Description of the goods : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
 (Octahydro Tetramethyl Naphthalenyl Ethanone)
 Labels : 9
 Packing group : III
 Marine pollutant : yes (Octahydro Tetramethyl Naphthalenyl Ethanone)
 Special precautions for user : No special precautions required.

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water contaminating class : WGK 3 highly water endangering
 (Germany)

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure if swallowed.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Version : 1.0
 Revision Date : 19.06.2018

SAFETY DATA SHEET

Product GRAND PALAIS

Print Date 19.06.2018

Page 16 (17)

Further information

In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110].

In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace".

Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports.

The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration $\geq 1.0\%$ due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.

According to Regulation (EC) No. 1907/2006 the information in this safety data sheet is based on the properties of the material known to IFF at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment International Flavors & Fragrances holds no responsibility. This document is not intended for quality assurance purposes.

Emergency telephone number

Austria	+43 1 406 43 43
Belgium	+32 70 245 245
Bulgaria	+359 2 9154 409 (N. I. Pirogov). poison_centre@mail.orbitel.bg
Croatia	(+385 1) 2348342
Czech Republic	+420 224 919 293 / +420 224 915 402
Denmark	+45 82 12 12 12
Estonia	16662 (National), International (+372) 626 93 90
Finland	+358 9 471977
France	+ 33 (0)1 45 42 59 59
Germany	+31 13 4642 211
Greece	+31 13 4642 211
Hungary	(+36-80) 201-199
Iceland	+354 543 2222
Ireland	+353 1 8092566 / +353 1 8379964
Italy	+39 06 68593726
Latvia	+371 67042473
Lithuania	+370 5 236 20 52 or +370 687 53378
Luxembourg	+352 8002 5500
Malta	+356 21224071

Version : 1.0
Revision Date : 19.06.2018

SAFETY DATA SHEET

Product GRAND PALAIS

Print Date 19.06.2018

Page 17 (17)

Netherlands	+31 30 2748888 (Only for the purpose of informing medical personnel in cases of acute intoxications).
Norway	+47 22 59 13 00
Poland	+31 13 4642 211
Portugal	808 250 143
Poland	+31 13 4642 211
Portugal	808 250 143
Romania	+31 13 4642 211
Slovakia	+31 13 4642 211
Slovenia	+31 13 4642 211
Spain	+34 91 562 04 20 (only for the purpose of informing medical personnel in cases of acute intoxications).
Sweden	+46 112
United Kingdom	+44 111 (England, Wales & Scotland)

Version : 1.0
Revision Date : 19.06.2018