

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUXURY AL MAJD

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2022	300001033237	Date of first issue: 06.09.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : LUXURY AL MAJD

Sales Number : 6041557

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Fragrance for consumer product

1.3 Details of the supplier of the safety data sheet

Company : IFF (NEDERLAND) BV
ZEVENHEUVELENWEG 60
5048 AN TILBURG

Telephone : +31134642211

Telefax : +31134636032

E-mail address of person responsible for the SDS : sds@iff.com

1.4 Emergency telephone

ORFILA (INRS): + 33 (0)1 45 42 59 59

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Skin sensitization, Category 1	H317: May cause an allergic skin reaction.
Reproductive toxicity, Category 2	H361: Suspected of damaging fertility or the unborn child.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

LUXURY AL MAJD

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2022	300001033237	Date of first issue: 06.09.2022

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal Word : Warning

Hazard Statements :

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H361 Suspected of damaging fertility or the unborn child.
- H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**

- P201 Obtain special instructions before use.
- P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

- P308 + P313 IF exposed or concerned: Get medical advice/ attention.
- P362 + P364 Take off contaminated clothing and wash it before reuse.

Hazardous ingredients which must be listed on the label:

68155-66-8, 54464-57-2, 68155-67-9, 54464-59-4	Tetramethyl Acetyloctahydronaphthalenes
118-58-1	benzyl salicylate
10339-55-6	Ethyl Linalool
1205-17-0	METHYLENEDIOXYPHENYL METHYLPROPANAL
32388-55-9	cedr-8-enyl methyl ketone
7212-44-4	Nerolidol
78-70-6	linalool
127-51-5	Alpha-Isomethyl Ionone
107-75-5	HYDROXYCITRONEL LAL
106-22-9, 7540-51-4	Citronellol
28645-51-4, 63286-42-0	OXACYCLOHEPTADEC-10-EN-2-ONE
70788-30-6, 253454-23-8	TRIMETHYL-PROPYLCYCLOHEXANEPROPANOL
5502-75-0, 13828-37-0	p-Menthan-7-ol
23696-85-7 97-54-1	ROSE KETONE-4 isoeugenol

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUXURY AL MAJD

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2022	300001033237	Date of first issue: 06.09.2022

2.3 Other hazards

None reasonably foreseeable.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	1222-05-5 214-946-9 01-2119488227-29	Aquatic Chronic 1; H410 Aquatic Acute 1; H400	>= 10 - < 20
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	68155-66-8 915-730-3 01-2119489989-04	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Chronic 2; H411	>= 2,5 - < 10
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	63500-71-0 405-040-6 01-0000015458-64, 01-2119455547-30, 01-2120086658-39	Eye Irrit. 2; H319	>= 1 - < 10
benzyl salicylate	118-58-1 204-262-9 01-2119969442-31	Skin Sens. 1B; H317 Aquatic Chronic 3; H412 Eye Irrit. 2; H319 M-Factor (Acute aquatic toxicity): 1	>= 2,5 - < 10
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6 233-732-6 01-2119969272-32	Eye Irrit. 2; H319 Skin Irrit. 2; H315 Skin Sens. 1B; H317	>= 1 - < 10
α -methyl-1,3-benzodioxole-5-propionaldehyde	1205-17-0 214-881-6	Skin Sens. 1B; H317 Aquatic Chronic 2; H411 Repr. 2; H361 M-Factor (Acute aquatic toxicity): 1	>= 3 - < 10

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

LUXURY AL MAJD

Version 1.0 Revision Date: 06.09.2022 SDS Number: 300001033237 Date of last issue: -
 Date of first issue: 06.09.2022

[3R-(3 α ,3 α ,7,8 α)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one	32388-55-9 251-020-3 01-2119969651-28	Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1	>= 2,5 - < 10
(Z)-3-hexenyl salicylate	65405-77-8 265-745-8 01-2119987320-37	Aquatic Chronic 2; H411 Aquatic Acute 1; H400 M-Factor (Acute aquatic toxicity): 1	>= 2,5 - < 10
1,4-dioxacyclohexadecane-5,16-dione	54982-83-1 259-423-6 01-2119524000-64	Aquatic Acute 1; H400 Aquatic Chronic 3; H412	>= 2,5 - < 10
3,7,11-trimethyldodeca-1,6,10-trien-3-ol,mixed isomers	7212-44-4 230-597-5 01-2119457636-29	Aquatic Chronic 1; H410 Aquatic Acute 1; H400 Skin Sens. 1B; H317 Eye Irrit. 2; H319	>= 2,5 - < 10
linalool	78-70-6 201-134-4 01-2119474016-42	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317	>= 1 - < 10
RM of (3E)-3-methyl-4-(2,6,6-trimethylcyclohex-2-en-1-yl)but-3-en-2-one & (1E)-1-(2,6,6-trimethylcyclohex-2-en-1-yl)pent-1-en-3-one	127-51-5 204-846-3	Aquatic Chronic 2; H411 Skin Sens. 1B; H317 M-Factor (Acute aquatic toxicity): 1	>= 1 - < 2,5
[1 α S-(1 α ,4 α ,8 α ,8 α R*)]-1,1a,4,4a,5,6,7,8-octahydro-2,4a,8,8-tetramethylcyclopropa[d]naphthalene	470-40-6 207-426-8	Asp. Tox. 1; H304	>= 1 - < 10
7-hydroxycitronellal	107-75-5 203-518-7 01-2119973482-31	Eye Irrit. 2; H319 Skin Sens. 1B; H317 M-Factor (Acute aquatic toxicity): 1	>= 1 - < 10
[3R-(3.alpha.,3a.beta.,7.beta.,8a.alpha.)]-2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene	469-61-4 207-418-4	Asp. Tox. 1; H304 Aquatic Chronic 1; H410 Aquatic Acute 1; H400 Skin Irrit. 2; H315 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic	>= 0,25 - < 1

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUXURY AL MAJD

Version
1.0

Revision Date:
06.09.2022

SDS Number:
300001033237

Date of last issue: -
Date of first issue: 06.09.2022

		aquatic toxicity): 10	
citronellol	106-22-9 203-375-0 01-2119453995-23	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Eye Irrit. 2; H319	>= 0,1 - < 1
(10E)-1-oxacycloheptadec-10-en-2-one	28645-51-4 814-308-5 01-2120768557-38, 01-2120103324-74	Skin Sens. 1B; H317 Aquatic Acute 1; H400	>= 0,25 - < 1
rel-1-[(1R,6S)-2,2,6-trimethylcyclohexyl]hexan-3-ol	70788-30-6 814-113-5 01-2120766836-38, 01-2120768938-30	Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0,25 - < 1
2,6-di-tert-butyl-p-cresol	128-37-0 204-881-4 01-2119565113-46, 01-2119555270-46	Aquatic Chronic 1; H410 Aquatic Acute 1; H400	>= 0,25 - < 1
cyclopentadecanone	502-72-7 207-951-2 01-2120766374-48	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 0,1 - < 0,25
[3R-(3 α ,3 α β ,7 β ,8 α)]-octahydro-3,8,8-trimethyl-6-methylene-1H-3a,7-methanoazulene	546-28-1 208-898-8	Asp. Tox. 1; H304 Aquatic Chronic 1; H410 Aquatic Acute 1; H400	>= 0,1 - < 0,25
(+/-) trans-3,3-dimethyl-5-(2,2,3-trimethyl-cyclopent-3-en-1-yl)pent-4-en-2-ol	107898-54-4 411-580-3 01-0000015895-58, 01-2119956812-31, 01-0000000316-81	Skin Irrit. 2; H315 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1	>= 0,1 - < 0,25
3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol	3407-42-9 222-294-1	Aquatic Chronic 2; H411 Eye Irrit. 2; H319 Aquatic Acute 1; H400 M-Factor (Acute aquatic toxicity): 1	>= 0,1 - < 0,25
Reaction mass of cis-4-(isopropyl)cyclohexanemethanol and trans-4-(isopropyl)cyclohexanemethanol	5502-75-0 237-539-8 01-2119983532-32	Skin Sens. 1B; H317 Skin Irrit. 2; H315	>= 0,1 - < 1
1-(2,6,6-trimethyl-1,3-	23696-85-7	Skin Sens. 1A; H317	>= 0,0025 - <

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUXURY AL MAJD

Version 1.0 Revision Date: 06.09.2022 SDS Number: 300001033237 Date of last issue: -
Date of first issue: 06.09.2022

cyclohexadien-1-yl)-2-buten-1-one	245-833-2	Aquatic Chronic 2; H411 Skin Irrit. 2; H315 Acute toxicity estimate Acute dermal toxicity: 2.900 mg/kg	0,025
isoeugenol	97-54-1 202-590-7	Acute Tox. 4; H312 Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1A; H317 Acute Tox. 4; H332 STOT SE 3; H335 specific concentration limit Skin Sens. 1A 0,01 - 100,00 %	>= 0 - < 0,01

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

- General advice : Take Hazard and Precautionary phrases (section 2) into account.
- If inhaled : Remove from exposure site to fresh air and keep at rest. If victim is unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice.
- In case of skin contact : Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
- In case of eye contact : Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
- If swallowed : Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

- Risks : Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye irritation.
Suspected of damaging fertility or the unborn child.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUXURY AL MAJD

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2022	300001033237	Date of first issue: 06.09.2022

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Carbondioxide, dry chemical, foam.

Unsuitable extinguishing media : Do not use a direct waterjet on burning material.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire fighting : Water may be ineffective.

5.3 Advice for firefighters

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.
Prevent spreading over a wide area (e.g., by containment or oil barriers).

6.2 Environmental precautions

Environmental precautions : Keep away from drains, surface- and groundwater and soil.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUXURY AL MAJD

Version 1.0 Revision Date: 06.09.2022 SDS Number: 300001033237 Date of last issue: -
Date of first issue: 06.09.2022

work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.

If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees.

Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.

Advice on protection against fire and explosion : Keep away from ignition sources and naked flame.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in a cool, dry, ventilated area away from heat sources.
Keep containers upright and tightly closed when not in use.

7.3 Specific end use(s)

Specific use(s) : No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
2,6-di-tert-butyl-p-cresol	128-37-0	VME	10 mg/m ³	FR VLE
Further information: Indicative exposure limits				

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of exposure	Potential health effects	Value
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	Workers	Skin contact	Long-term local effects	0,1011 mg/cm ²
Remarks:	Exposure time: 8 h			
	Workers	Skin contact	Long-term systemic effects	1,73 mg/kg bw/day
Remarks:	Exposure time: 8 h			
	Workers	Inhalation	Long-term systemic effects	1,76 mg/m ³
Remarks:	Exposure time: 8 h			
tetrahydro-2-isobutyl-4-methylpyran-4-ol,	Workers	Inhalation	Long-term systemic effects	44,1 mg/m ³

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUXURY AL MAJD

Version
1.0

Revision Date:
06.09.2022

SDS Number:
300001033237

Date of last issue: -
Date of first issue: 06.09.2022

mixed isomers (cis and trans)				
Remarks:	REACH data			
	Workers	Dermal	Long-term systemic effects	41,7 mg/kg bw/day
Remarks:	REACH data			
	Workers	Eye contact	Local effects	
Remarks:	Available hazard data do not enable the derivation of a DNEL for eye irritant effects.			
	General population	Inhalation	Long-term systemic effects	13 mg/m3
Remarks:	REACH data			
	General population	Dermal	Long-term systemic effects	25
Remarks:	REACH data			
	General population	Oral	Long-term systemic effects	7,5 mg/kg bw/day
Remarks:	REACH data			

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	Fresh water	0,0044 mg/l
	Sea water	0,00044 mg/l
	Fresh water sediment	2 mg/kg dry weight (d.w.)
	Sea sediment	0,394 mg/kg dry weight (d.w.)
	Soil	0,31 mg/kg dry weight (d.w.)

8.2 Exposure controls

Engineering measures

Where appropriate, use closed systems to transfer and process this material.

If appropriate, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant.

Personal protective equipment

Eye protection : Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur.
Equipment should conform to EN 166

Hand protection

Material : Nitrile rubber
Break through time : > 60 min
Glove thickness : 0,38 mm

Material : Nitrile rubber
Break through time : > 10 min
Glove thickness : 0,1 mm

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUXURY AL MAJD

Version 1.0	Revision Date: 06.09.2022	SDS Number: 300001033237	Date of last issue: - Date of first issue: 06.09.2022
----------------	------------------------------	-----------------------------	--

- | | |
|--------------------------|---|
| Remarks | : Avoid skin contact. Use chemically resistant gloves. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Be aware that in daily use the durability of a chemical resistant protective glove can be notably shorter than the break through time measured according to EN 374, due to the numerous outside influences (e.g. temperature). Please observe the instructions regarding permeability and break-through time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. |
| Skin and body protection | : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Personal protection through wearing a tightly closed chemical protection suit and a self-contained breathing apparatus. |
| Respiratory protection | : Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures.
No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient.

If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:

a) while engineering controls and appropriate safe work practices and/or procedures are being implemented; or
b) during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or
c) if normal operational workplace vapor concentration in the air is increased due to heat ;
d) during emergencies; or
e) if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit. |
| Protective measures | : To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to this material.
To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUXURY AL MAJD

Version 1.0	Revision Date: 06.09.2022	SDS Number: 300001033237	Date of last issue: - Date of first issue: 06.09.2022
----------------	------------------------------	-----------------------------	--

that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize exposure.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Odor	: conforms to standard
Odor Threshold	: not determined
Melting point	: not determined
Boiling point	: not determined
Flammability	: not determined
Upper explosion limit / Upper flammability limit	: not determined
Lower explosion limit / Lower flammability limit	: not determined
Flash point	: 114,00 °C Method: closed cup
Autoignition temperature	: not determined
Decomposition temperature	: not determined
pH	: not determined
Viscosity, dynamic	: not determined
Viscosity, kinematic	: not determined
Water solubility	: not determined
Solubility in other solvents	: not determined
Partition coefficient: n-octanol/water	: not determined
Vapor pressure	: 0,05 hPa Calculated
Relative density	: 0,9870 - 0,9970
Density	: not determined

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUXURY AL MAJD

Version 1.0	Revision Date: 06.09.2022	SDS Number: 300001033237	Date of last issue: - Date of first issue: 06.09.2022
----------------	------------------------------	-----------------------------	--

that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize exposure.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Odor	: conforms to standard
Odor Threshold	: not determined
Melting point	: not determined
Boiling point	: not determined
Flammability	: not determined
Upper explosion limit / Upper flammability limit	: not determined
Lower explosion limit / Lower flammability limit	: not determined
Flash point	: 114,00 °C Method: closed cup
Autoignition temperature	: not determined
Decomposition temperature	: not determined
pH	: not determined
Viscosity, dynamic	: not determined
Viscosity, kinematic	: not determined
Water solubility	: not determined
Solubility in other solvents	: not determined
Partition coefficient: n-octanol/water	: not determined
Vapor pressure	: 0,05 hPa Calculated
Relative density	: 0,9870 - 0,9970
Density	: not determined

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUXURY AL MAJD

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2022	300001033237	Date of first issue: 06.09.2022

Hazardous reactions : Presents no significant reactivity hazard, by itself or in contact with water.

10.4 Conditions to avoid

Conditions to avoid : Direct sources of heat.

10.5 Incompatible materials

Materials to avoid : Avoid contact with strong acids, alkali or oxidizing agents.

10.6 Hazardous decomposition products

Carbon monoxide and unidentified organic compounds may be formed during combustion.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Components:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Species	: human
Method	: OECD 439
Result	: Skin irritation

linalool:

Species	: human
Exposure time	: 48 h
Assessment	: No skin irritation
Method	: closed patch test
Result	: No skin irritation
Test substance	: 20% in petrolatum

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans):

Species	: Rabbit
Assessment	: Causes serious eye irritation.
Method	: Regulation (EC) No. 440/2008, Annex, B.5
Result	: Eye irritation
GLP	: yes

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUXURY AL MAJD

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2022	300001033237	Date of first issue: 06.09.2022

Remarks : REACH data

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Components:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Test Type	: LLNA
Species	: Mouse
Method	: OECD 429
Result	: Causes sensitization.

linalool:

Test Type	: maximisation study
Species	: human
Result	: Did not cause sensitization on laboratory animals.
Test substance	: 20% in petrolatum

Test Type	: closed patch test
Species	: human
Result	: causes no sensitization
Remarks	: Patch test on human volunteers did not demonstrate sensitization properties.

Germ cell mutagenicity

Not classified based on available information.

Components:

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran:

Genotoxicity in vitro	: Test Type: Ames test
	Metabolic activation: with and without metabolic activation
	Method: Mutagenicity (Escherichia coli - reverse mutation assay)
	Result: negative

	Test Type: Chromosome aberration test in vitro
	Metabolic activation: with and without metabolic activation
	Method: OECD 473
	Result: negative

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Genotoxicity in vitro	: Test Type: Ames test
	Metabolic activation: with and without metabolic activation
	Method: Mutagenicity (Escherichia coli - reverse mutation assay)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUXURY AL MAJD

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2022	300001033237	Date of first issue: 06.09.2022

Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes
Remarks: REACH data

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse (male and female)
Application Route: Oral
Method: Regulation (EC) No. 440/2008, Annex, B.12
Result: negative
GLP: yes
Remarks: REACH data

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran:

Species	: Rat, male and female
NOAEL	: >= 150 mg/kg
Application Route	: Oral
Exposure time	: 90-day
Number of exposures	: 1x /day
Method	: OECD 408

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Species	: Rat, male and female
NOAEL	: 150 mg/kg
Application Route	: Oral
Exposure time	: 28-day
Number of exposures	: 1x /day
Method	: OECD Test Guideline 407
Target Organs	: Digestive organs, Liver
Remarks	: Repeated dose (28 days) toxicity (oral)

Aspiration toxicity

Not classified based on available information.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

LUXURY AL MAJD



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2022	300001033237	Date of first issue: 06.09.2022

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,452 mg/l
Exposure time: 21 d
Test Type: flow-through test
Method: OECD Test Guideline 204
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,9 mg/l
Exposure time: 48 h
Test Type: semi-static test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0,854 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

EbC50 (Pseudokirchneriella subcapitata (green algae)): 0,723 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC: 0,068 mg/l
Exposure time: 36 d
Species: Pimephales promelas (fathead minnow)
Test Type: flow-through test
Method: OECD 210
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,111 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: semi-static test

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUXURY AL MAJD

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2022	300001033237	Date of first issue: 06.09.2022

Method: OECD 211

12.2 Persistence and degradability

Components:

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 2 %
Exposure time: 28 d
Method: Modified Sturm Test

Test Type: aerobic
Inoculum: activated sludge
Concentration: 10 mg/l
Result: Primary biodegradation
Biodegradation: 33,8 %
Exposure time: 28 d
Method: OECD 301 B
Remarks: see user defined free text

Test Type: aerobic
Inoculum: activated sludge, adapted
Concentration: 10,97 mg/l
Result: Primary biodegradation
Biodegradation: 28,3 %
Exposure time: 28 d
Method: OECD 301 B
Remarks: see user defined free text

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 96,3 %
Exposure time: 28 d
Method: OECD 301 F
GLP: yes
Remarks: Readily biodegradable, according to appropriate OECD test.

tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans):

Biodegradability : Test Type: aerobic
Inoculum: activated sludge, non-adapted
Concentration: 30 mg/l
Result: Inherently biodegradable.
Biodegradation: 64,8 %
Related to: Biochemical oxygen demand
Exposure time: 60 d
Method: OECD Test Guideline 301D
GLP: no
Remarks: REACH data

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUXURY AL MAJD

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2022	300001033237	Date of first issue: 06.09.2022

12.3 Bioaccumulative potential

Components:

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Exposure time: 28 d
Bioconcentration factor (BCF): 1.584
Method: OECD 305

Partition coefficient: n-octanol/water : log Pow: 5,3 (25 °C)
GLP: no
Remarks: REACH data

log Pow: 5,9 (25 °C)
Method: OECD Test Guideline 117
GLP: yes
Remarks: REACH data

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Exposure time: 21 d
Bioconcentration factor (BCF): 391
Method: OECD 305
GLP: yes

tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans):

Partition coefficient: n-octanol/water : log Pow: 1,65 (23 °C)
Method: Regulation (EC) No. 440/2008, Annex, A.8
GLP: yes
Remarks: REACH data

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

Components:

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran:

Distribution among environmental compartments : Koc: 24547, log Koc: 4,39

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Distribution among environmental compartments : Adsorption/Soil
Koc: 12598, log Koc: 4,1

12.5 Results of PBT and vPvB assessment

Product:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUXURY AL MAJD

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2022	300001033237	Date of first issue: 06.09.2022

12.3 Bioaccumulative potential

Components:

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Exposure time: 28 d
Bioconcentration factor (BCF): 1.584

Partition coefficient: n-octanol/water : log Pow: 5,3 (25 °C)
GLP: no
Remarks: REACH data

log Pow: 5,9 (25 °C)
Method: OECD Test Guideline 117
GLP: yes
Remarks: REACH data

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Exposure time: 21 d
Bioconcentration factor (BCF): 391
Method: OECD 305

tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans):

Partition coefficient: n-octanol/water : log Pow: 1,65 (23 °C)
Method: Regulation (EC) No. 440/2008, Annex, A.8
GLP: yes
Remarks: REACH data

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

Components:

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran:

Distribution among environmental compartments : Koc: 24547, log Koc: 4,39

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Distribution among environmental compartments : Adsorption/Soil
Koc: 12598, log Koc: 4,1

12.5 Results of PBT and vPvB assessment

Product:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUXURY AL MAJD

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2022	300001033237	Date of first issue: 06.09.2022

14.3 Transport hazard class(es)

ADR	:	9
IMDG	:	9
IATA	:	9

14.4 Packing group

ADR	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
Tunnel restriction code	: (-)
IMDG	
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
IATA (Cargo)	
Packing instruction (cargo aircraft)	: 964
Packing instruction (LQ)	: Y964
Packing group	: III
Labels	: Miscellaneous Dangerous Goods
IATA_P (Passenger)	
Packing instruction (passenger aircraft)	: 964
Packing instruction (LQ)	: Y964
Packing group	: III
Labels	: Miscellaneous Dangerous Goods

14.5 Environmental hazards

ADR	
Environmentally hazardous	: yes
IMDG	
Marine pollutant	: yes (HEXAMETHYLINDANOPYRAN)
IATA (Passenger)	
Environmentally hazardous	: yes
IATA (Cargo)	
Environmentally hazardous	: yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUXURY AL MAJD

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2022	300001033237	Date of first issue: 06.09.2022

14.3 Transport hazard class(es)

ADR	:	9
IMDG	:	9
IATA	:	9

14.4 Packing group

ADR	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
Tunnel restriction code	: (-)
IMDG	
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
IATA (Cargo)	
Packing instruction (cargo aircraft)	: 964
Packing instruction (LQ)	: Y964
Packing group	: III
Labels	: Miscellaneous Dangerous Goods
IATA_P (Passenger)	
Packing instruction (passenger aircraft)	: 964
Packing instruction (LQ)	: Y964
Packing group	: III
Labels	: Miscellaneous Dangerous Goods

14.5 Environmental hazards

ADR	
Environmentally hazardous	: yes
IMDG	
Marine pollutant	: yes (HEXAMETHYLINDANOPYRAN)
IATA (Passenger)	
Environmentally hazardous	: yes
IATA (Cargo)	
Environmentally hazardous	: yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUXURY AL MAJD

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2022	300001033237	Date of first issue: 06.09.2022

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 3
REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable

Reinforced medical supervision (R4624-18) : The product has no CMR properties

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of H-Statements

H302	:	Harmful if swallowed.
H304	:	May be fatal if swallowed and enters airways.
H312	:	Harmful in contact with skin.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H319	:	Causes serious eye irritation.
H332	:	Harmful if inhaled.
H335	:	May cause respiratory irritation.
H361	:	Suspected of damaging fertility or the unborn child.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H411	:	Toxic to aquatic life with long lasting effects.
H412	:	Harmful to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUXURY AL MAJD

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2022	300001033237	Date of first issue: 06.09.2022

atory Safety in the Flavor Manufacturing Workplace". Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports. The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration $\geq 1.0\%$ due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.

According to Regulation (EC) No. 1907/2006 the information in this safety data sheet is based on the properties of the material known to IFF at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment International Flavors & Fragrances holds no responsibility. This document is not intended for quality assurance purposes.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

FR / EN