

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

ORYX MUSK ROOM SPRAY



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.11.2022	300001015496	Date of first issue: 25.11.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : ORYX MUSK ROOM SPRAY

Sales Number : 6068556

Cust. Material : ORYX MUSK ROOM SPRAY

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Fragrance for consumer product

1.3 Details of the supplier of the safety data sheet

Company : IFF (NEDERLAND) BV
ZEVENHEUVELENWEG 60
5048 AN TILBURG

Telephone : +31134642211

Telefax : +31134636032

E-mail address of person
responsible for the SDS : sds@iff.com

1.4 Emergency telephone number

ORFILA (INRS): + 33 (0)1 45 42 59 59

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Carcinogenicity, Category 2 H351: Suspected of causing cancer.

Long-term (chronic) aquatic hazard, Category 2 H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

ORYX MUSK ROOM SPRAY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.11.2022	300001015496	Date of first issue: 25.11.2022

Hazard pictograms :



Signal word :

Warning

Hazard statements :

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H351 Suspected of causing cancer.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

P201 Obtain special instructions before use.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Hazardous components which must be listed on the label:

28645-51-4,	OXACYCLOHEPTADEC-10-EN-2-ONE
63286-42-0	
4707-47-5	METHYL DIHYDROXY-DIMETHYLBENZOATE
32210-23-4	4-TERT-BUTYLCYCLOHEXYL ACETATE
33704-61-9	Dihydro pentamethylindanone
67874-81-1	OCTAHYDRO-METHOXY-TETRAMETHYL-METHANOAZULENE
81-14-1	musk ketone
67634-15-5,	ETHYL 2,2-DIMETHYLHYDROCINNAMAL
67634-14-4	
23696-85-7	ROSE KETONE-4

2.3 Other hazards

None reasonably foreseeable.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

ORYX MUSK ROOM SPRAY



Version
1.0

Revision Date:
25.11.2022

SDS Number:
300001015496

Date of last issue: -
Date of first issue: 25.11.2022

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	63500-71-0 405-040-6 603-101-00-3 01-0000015458-64, 01-2119455547-30, 01-2120086658-39	Eye Irrit. 2; H319	>= 10 - < 20
3-methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol	67801-20-1 267-140-4 01-2119940039-39	Aquatic Chronic 2; H411	>= 2,5 - < 10
2-phenylethanol	60-12-8 200-456-2 01-2119963921-31	Eye Irrit. 2; H319 Acute Tox. 4; H302	>= 1 - < 10
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	21145-77-7 216-133-4 01-2119539433-40	Acute Tox. 4; H302 Aquatic Chronic 1; H410 Aquatic Acute 1; H400 M-Factor (Acute aquatic toxicity): 1	>= 1 - < 2,5
(10E)-1-oxacycloheptadec-10-en-2-one	28645-51-4 814-308-5 01-2120768557-38	Skin Sens. 1B; H317 Aquatic Acute 1; H400	>= 1 - < 2,5
methyl 2,4-dihydroxy-3,6-dimethylbenzoate	4707-47-5 225-193-0 01-2120762759-36	Skin Sens. 1B; H317	>= 1 - < 10
4-tert-butylcyclohexyl acetate	32210-23-4 250-954-9 01-2119976286-24	Skin Sens. 1B; H317	>= 1 - < 10
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	33704-61-9 251-649-3 01-2119977131-40	Aquatic Chronic 2; H411 Skin Sens. 1B; H317 Eye Irrit. 2; H319 Skin Irrit. 2; H315	>= 1 - < 2,5
tetrahydro-4-methyl-2-(2-methylprop-1-enyl)pyran	16409-43-1 240-457-5 01-2119976300-42	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Repr. 2; H361f	>= 1 - < 3
[3R-(3 α ,3 α ,6 β ,7 β ,8 α)]-octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene	67874-81-1 267-510-5 01-2120228335-61	Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 1 - < 2,5
2,4-dimethyl-4,4a,5,9b-tetrahydroindeno[1,2-d]-1,3-dioxin	27606-09-3 248-561-2 01-2120234292-65	Acute Tox. 4; H302	>= 1 - < 10

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

ORYX MUSK ROOM SPRAY



Version 1.0 Revision Date: 25.11.2022 SDS Number: 300001015496 Date of last issue: -
Date of first issue: 25.11.2022

musk ketone	81-14-1 201-328-9 609-069-00-7	Carc. 2; H351 Aquatic Chronic 1; H410 Aquatic Acute 1; H400	$\geq 1 - < 2,5$
2,2,2-trichloro-1-phenylethyl acetate	90-17-5 201-972-0 01-2119929625-31	Skin Irrit. 2; H315 Aquatic Chronic 3; H412	$\geq 1 - < 2,5$
1,4-dioxacyclohexadecane-5,16-dione	54982-83-1 259-423-6 01-2119524000-64	Aquatic Acute 1; H400 Aquatic Chronic 3; H412	$\geq 0,25 - < 1$
Reaction mass of 3-(o-ethylphenyl)-2,2-dimethylpropionaldehyde and 3-(pethylphenyl)-2,2-dimethylpropionaldehyde	67634-15-5 916-329-6 01-2120758796-34	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411	$\geq 0,1 - < 0,25$
1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one	23696-85-7 245-833-2	Skin Sens. 1A; H317 Aquatic Chronic 2; H411 Skin Irrit. 2; H315 Acute toxicity estimate Acute dermal toxicity: 2.900 mg/kg	$\geq 0,025 - < 0,1$

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Take Hazard and Precautionary phrases (section 2) into account.
- If inhaled : Remove from exposure site to fresh air and keep at rest. If victim is unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice.
- In case of skin contact : Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
- In case of eye contact : Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
- If swallowed : Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

- Risks : May cause an allergic skin reaction.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

ORYX MUSK ROOM SPRAY



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.11.2022	300001015496	Date of first issue: 25.11.2022

Causes serious eye irritation.
Suspected of causing cancer.

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Carbondioxide, dry chemical, foam.

Unsuitable extinguishing media : Do not use a direct waterjet on burning material.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Water may be ineffective.

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.
Prevent spreading over a wide area (e.g. by containment or oil barriers).

6.2 Environmental precautions

Environmental precautions : Keep away from drains, surface- and groundwater and soil.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

ORYX MUSK ROOM SPRAY



Version 1.0 Revision Date: 25.11.2022 SDS Number: 300001015496 Date of last issue: -
Date of first issue: 25.11.2022

Advice on safe handling : Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.

If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees.
Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.

Advice on protection against fire and explosion : Keep away from ignition sources and naked flame.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in a cool, dry, ventilated area away from heat sources. Keep containers upright and tightly closed when not in use.

7.3 Specific end use(s)

Specific use(s) : No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
2,2,2-trichloro-1-phenylethyl acetate	Workers	Inhalation	Long-term systemic effects	11,2 mg/m ³
	Workers	Dermal	Long-term systemic effects	1,25 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	2 mg/m ³
	Consumers	Dermal	Long-term systemic effects	0,149 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	1,14 mg/kg bw/day
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	Workers	Inhalation	Long-term systemic effects	44,1 mg/m ³
Remarks:	REACH data			

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

ORYX MUSK ROOM SPRAY



Version
1.0

Revision Date:
25.11.2022

SDS Number:
300001015496

Date of last issue: -
Date of first issue: 25.11.2022

	Workers	Dermal	Long-term systemic effects	41,7 mg/kg bw/day
Remarks:	REACH data			
	Workers	Eye contact	Local effects	
Remarks:	Available hazard data do not enable the derivation of a DNEL for eye irritant effects.			
	General population	Inhalation	Long-term systemic effects	13 mg/m3
Remarks:	REACH data			
	General population	Dermal	Long-term systemic effects	25
Remarks:	REACH data			
	General population	Oral	Long-term systemic effects	7,5 mg/kg bw/day
Remarks:	REACH data			
2-phenylethanol	Workers	Inhalation	Long-term systemic effects	59,9 mg/m3
	Workers	Dermal	Long-term systemic effects	21,2 mg/kg
	Workers	Eye contact	Local effects	
	General population	Inhalation	Long-term systemic effects	17,7 mg/m3
	General population	Dermal	Long-term systemic effects	12,7 mg/kg
	General population	Oral	Long-term systemic effects	5,1 mg/kg
	General population	Oral	Acute systemic effects	5,1 mg/kg
	General population	Eye contact	Local effects	

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	Fresh water	2,2 µg/l
	Marine water	0,22 µg/l
	Sewage treatment plant	2,2 mg/l
	Fresh water sediment	1,72 mg/kg dry weight (d.w.)
	Marine sediment	0,345 mg/kg dry weight (d.w.)
	Soil	0,01 mg/kg dry weight (d.w.)
Remarks:	REACH data	

8.2 Exposure controls

Engineering measures

Where appropriate, use closed systems to transfer and process this material.

If appropriate, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

ORYX MUSK ROOM SPRAY



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.11.2022	300001015496	Date of first issue: 25.11.2022

Personal protective equipment

- Eye protection : Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur. Equipment should conform to EN 166
- Hand protection
- Material : Nitrile rubber
- Break through time : > 60 min
- Glove thickness : 0,38 mm
- Material : Nitrile rubber
- Break through time : > 10 min
- Glove thickness : 0,1 mm
- Remarks : Avoid skin contact. Use chemically resistant gloves. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Be aware that in daily use the durability of a chemical resistant protective glove can be notably shorter than the break through time measured according to EN 374, due to the numerous outside influences (e.g. temperature). Please observe the instructions regarding permeability and break-through time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Personal protection through wearing a tightly closed chemical protection suit and a self-contained breathing apparatus.
- Respiratory protection : Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient.
- If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:
- a) while engineering controls and appropriate safe work practices and/or procedures are being implemented; or
- b) during short term maintenance procedures when engineer-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

ORYX MUSK ROOM SPRAY



Version 1.0	Revision Date: 25.11.2022	SDS Number: 300001015496	Date of last issue: - Date of first issue: 25.11.2022
----------------	------------------------------	-----------------------------	--

ing controls are not in normal operation or are not sufficient; or
c)if normal operational workplace vapor concentration in the
air is increased due to heat ;
d)during emergencies; or
e)if engineering controls and operational practices are not
sufficient to reduce airborne concentrations below an estab-
lished occupational exposure limit.

Protective measures : To the extent deemed appropriate, implement pre-placement
and regularly scheduled ascertainment of symptoms and
spirometry testing of lung function for workers who are regu-
larly exposed to this material.
To the extent deemed appropriate, use an experienced air
sampling expert to identify and measure volatile chemicals
that could be present in the workplace air to determine poten-
tial exposures and to ensure the continuing effectiveness of
engineering controls and operational practices to minimize
exposure.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Odour	: conforms to standard
Odour Threshold	: not determined
Melting point	: not determined
Boiling point	: not determined
Flammability	: not determined
Upper explosion limit / Upper flammability limit	: not determined
Lower explosion limit / Lower flammability limit	: not determined
Flash point	: 106,00 °C Method: closed cup
Auto-ignition temperature	: not determined
Decomposition temperature	: not determined
pH	: not determined
Viscosity, dynamic	: not determined
Viscosity, kinematic	: not determined
Water solubility	: not determined
Solubility in other solvents	: not determined
Partition coefficient: n- octanol/water	: not determined
Vapour pressure	: 0,02 hPa Calculated
Relative density	: 1,0065 - 1,0165

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

ORYX MUSK ROOM SPRAY



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.11.2022	300001015496	Date of first issue: 25.11.2022

Density : not determined

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Presents no significant reactivity hazard, by itself or in contact with water.

10.4 Conditions to avoid

Conditions to avoid : Direct sources of heat.

10.5 Incompatible materials

Materials to avoid : Avoid contact with strong acids, alkali or oxidizing agents.

10.6 Hazardous decomposition products

Carbon monoxide and unidentified organic compounds may be formed during combustion.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg
Method: Calculation method

Skin corrosion/irritation

Not classified based on available information.

Components:

1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one:

Species	: Human
Exposure time	: 0,25 h
Assessment	: Causes skin irritation.
Method	: EPISKIN Human Skin Model Test
Result	: irritating
GLP	: yes
Test substance	: (undiluted)
Remarks	: REACH data

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

ORYX MUSK ROOM SPRAY



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.11.2022	300001015496	Date of first issue: 25.11.2022

Species	: Human
Method	: OECD Test Guideline 431
Result	: No skin irritation
GLP	: yes
Test substance	: (undiluted)
Remarks	: REACH data

tetrahydro-4-methyl-2-(2-methylprop-1-enyl)pyran:

Species	: human
Assessment	: No skin irritation
Result	: No skin irritation
Test substance	: 2.0%

2,2,2-trichloro-1-phenylethyl acetate:

Assessment	: Causes skin irritation.
Result	: irritating

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans):

Species	: Rabbit
Assessment	: Causes serious eye irritation.
Method	: Regulation (EC) No. 440/2008, Annex, B.5
Result	: Eye irritation
GLP	: yes
Remarks	: REACH data

2-phenylethanol:

Species	: Rabbit
Assessment	: Causes serious eye irritation.
Result	: Eye irritation
GLP	: no
Remarks	: REACH data

1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one:

Species	: Chicken eye
Assessment	: Causes serious eye irritation.
Method	: OECD 438
Result	: Eye irritation
GLP	: yes
Remarks	: REACH data

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

ORYX MUSK ROOM SPRAY



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.11.2022	300001015496	Date of first issue: 25.11.2022

Respiratory sensitisation

Not classified based on available information.

Components:

1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one:

Test Type	: LLNA
Species	: Mouse
Method	: OECD 429
Result	: The product is a skin sensitiser, sub-category 1B.
Remarks	: REACH data

Test Type	: repeated insult patch test
Species	: Humans
Result	: Does not cause skin sensitisation.
Test substance	: 10.% in ethanol/DEP (75:25)
Remarks	: REACH data

Species	: Not tested on animals
Result	: Does not cause respiratory sensitisation.
Remarks	: REACH data

tetrahydro-4-methyl-2-(2-methylprop-1-enyl)pyran:

Species	: human
Result	: causes no sensitization
Test substance	: 2.0%

2,2,2-trichloro-1-phenylethyl acetate:

Test Type	: Maximisation Test
Species	: Guinea pig
Assessment	: Does not cause skin sensitisation.
Method	: Magnusson-Kligman
Result	: Not a skin sensitizer.
GLP	: No information available.

Remarks	: REACH data
---------	--------------

Test Type	: Maximisation Test
Species	: Humans
Assessment	: Does not cause skin sensitisation.
Method	: Maximisation Test
Result	: Not a skin sensitizer.
GLP	: No information available.

Remarks	: REACH data
---------	--------------

Germ cell mutagenicity

Not classified based on available information.

Components:

tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans):

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

ORYX MUSK ROOM SPRAY



Version 1.0	Revision Date: 25.11.2022	SDS Number: 300001015496	Date of last issue: - Date of first issue: 25.11.2022
----------------	------------------------------	-----------------------------	--

- Genotoxicity in vitro :
- Test Type: reverse mutation assay
Test system: TA1535
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes
Remarks: REACH data
 - Test Type: reverse mutation assay
Test system: TA98
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes
Remarks: REACH data
 - Test Type: reverse mutation assay
Test system: TA100
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes
Remarks: REACH data
 - Test Type: reverse mutation assay
Test system: TA1537
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes
Remarks: REACH data
 - Test Type: reverse mutation assay
Test system: WP2 uvrA
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes
Remarks: REACH data
- Genotoxicity in vivo :
- Test Type: In vivo micronucleus test
Species: Mouse (male and female)
Application Route: Oral
Method: Regulation (EC) No. 440/2008, Annex, B.12
Result: negative
GLP: yes
Remarks: REACH data
- 2-phenylethanol:**
- Genotoxicity in vitro :
- Test Type: Chromosome aberration test in vitro
Test system: mammalian cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

ORYX MUSK ROOM SPRAY



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.11.2022	300001015496	Date of first issue: 25.11.2022

Result: negative
GLP: yes
Remarks: REACH data

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Not classified based on available information.

Components:

2-phenylethanol:

Effects on foetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Strain: Sprague-Dawley
Application Route: Dermal
Duration of Single Treatment: 24 h
General Toxicity Maternal: NOAEL: 430 mg/kg body weight
Developmental Toxicity: NOEL: 140 mg/kg body weight
Method: No information available.
Result: Not classified
GLP: yes
Remarks: REACH data

Test Type: Pre-natal
Species: Rabbit
Strain: NZW
Application Route: Oral
General Toxicity Maternal: NOAEL: 50 mg/kg body weight
Developmental Toxicity: NOEL: 50 mg/kg body weight
Method: OECD Test Guideline 414
Result: Not classified
GLP: yes
Remarks: REACH data

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

2-phenylethanol:

Species : Rat, male and female
NOAEL : 510 mg/kg
Application Route : Dermal
Exposure time : 90-day
Number of exposures : 1x /day
Method : OECD Test Guideline 411
GLP : no

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

ORYX MUSK ROOM SPRAY



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.11.2022	300001015496	Date of first issue: 25.11.2022

Symptoms	:	No adverse effects
Assessment	:	The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
Remarks	:	REACH data

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---	---

SECTION 12: Ecological information

12.1 Toxicity

Components:

1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one:

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 1,49 mg/l Exposure time: 96 h Method: OECD Test Guideline 204 GLP: yes Remarks: REACH data
------------------	---	---

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0,61 mg/l Exposure time: 96 h Method: OECD Test Guideline 202 Remarks: REACH data
---	---	---

Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 0,835 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: REACH data
----------------------------------	---	---

	:	NOEC (Pseudokirchneriella subcapitata (green algae)): 0,404 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: REACH data
--	---	---

M-Factor (Acute aquatic toxicity)	:	1
-----------------------------------	---	---

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

ORYX MUSK ROOM SPRAY



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.11.2022	300001015496	Date of first issue: 25.11.2022

12.2 Persistence and degradability

Components:

tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans):

Biodegradability : Test Type: aerobic
Inoculum: activated sludge, non-adapted
Concentration: 30 mg/l
Result: Inherently biodegradable.
Biodegradation: 64,8 %
Related to: Biochemical oxygen demand
Exposure time: 60 d
Method: OECD Test Guideline 301D
GLP: no
Remarks: REACH data

2-phenylethanol:

Biodegradability : Test Type: aerobic
Inoculum: activated sludge, non-adapted
Concentration: 0,1214 mg/l
Result: Readily biodegradable.
Biodegradation: 100 %
Related to: Chemical oxygen demand
Exposure time: 28 d
Kinetic:
10 d: 78,6 %
14 d: 93,1 %
28 d: 100 %
Method: OECD Test Guideline 301B
GLP: no
Remarks: REACH data

12.3 Bioaccumulative potential

Components:

tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans):

Partition coefficient: n-octanol/water : log Pow: 1,65 (23 °C)
Method: Regulation (EC) No. 440/2008, Annex, A.8
GLP: yes
Remarks: REACH data

2-phenylethanol:

Partition coefficient: n-octanol/water : log Pow: 1,3 (20 °C)
Method: OECD Test Guideline 117
GLP: yes
Remarks: REACH data

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

ORYX MUSK ROOM SPRAY



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.11.2022	300001015496	Date of first issue: 25.11.2022

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	: UN 3082
IMDG	: UN 3082
IATA	: UN 3082

14.2 UN proper shipping name

ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ACETYL HEXAMETHYL TETRALIN)
IMDG	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ACETYL HEXAMETHYL TETRALIN)
IATA	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

ORYX MUSK ROOM SPRAY



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.11.2022	300001015496	Date of first issue: 25.11.2022

(ACETYL HEXAMETHYL TETRALIN)

14.3 Transport hazard class(es)

ADR	:	9
IMDG	:	9
IATA	:	9

14.4 Packing group

ADR	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
Tunnel restriction code	: (-)
IMDG	
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft)	: 964
Packing instruction (LQ)	: Y964
Packing group	: III
Labels	: Miscellaneous Dangerous Goods

IATA_P (Passenger)

Packing instruction (passenger aircraft)	: 964
Packing instruction (LQ)	: Y964
Packing group	: III
Labels	: Miscellaneous Dangerous Goods

14.5 Environmental hazards

ADR	
Environmentally hazardous	: yes

IMDG	
Marine pollutant	: yes (ACETYL HEXAMETHYL TETRALIN)

IATA (Passenger)	
Environmentally hazardous	: yes

IATA (Cargo)	
Environmentally hazardous	: yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

ORYX MUSK ROOM SPRAY



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.11.2022	300001015496	Date of first issue: 25.11.2022

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Reinforced medical supervision (R4624-18) : The product has no CMR properties

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of H-Statements

H302	: Harmful if swallowed.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H319	: Causes serious eye irritation.
H351	: Suspected of causing cancer.
H361f	: Suspected of damaging fertility.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

ORYX MUSK ROOM SPRAY



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.11.2022	300001015496	Date of first issue: 25.11.2022

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Carc.	: Carcinogenicity
Eye Irrit.	: Eye irritation
Repr.	: Reproductive toxicity
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information : In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110].
In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace".
Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

ORYX MUSK ROOM SPRAY



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.11.2022	300001015496	Date of first issue: 25.11.2022

you are strongly urged to review both of these reports.
The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration $\geq 1.0\%$ due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.

According to Regulation (EC) No. 1907/2006 the information in this safety data sheet is based on the properties of the material known to IFF at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment International Flavors & Fragrances holds no responsibility. This document is not intended for quality assurance purposes.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

FR / EN