

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORYX PATCHOULI WOOD COLOGNE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2022	300001033260	Date of first issue: 06.09.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : ORYX PATCHOULI WOOD COLOGNE

Sales Number : 6142862

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Fragrance for consumer product

1.3 Details of the supplier of the safety data sheet

Company : IFF (NEDERLAND) BV
ZEVENHEUVELENWEG 60
5048 AN TILBURG

Telephone : +31134642211

Telefax : +31134636032

E-mail address of person
responsible for the SDS : sds@iff.com

1.4 Emergency telephone

ORFILA (INRS): + 33 (0)1 45 42 59 59

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 H315: Causes skin irritation.

Eye irritation, Category 2 H319: Causes serious eye irritation.

Skin sensitization, Category 1 H317: May cause an allergic skin reaction.

Long-term (chronic) aquatic hazard, Category 2 H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

ORYX PATCHOULI WOOD COLOGNE

Version 1.0	Revision Date: 06.09.2022	SDS Number: 300001033260	Date of last issue: - Date of first issue: 06.09.2022
----------------	------------------------------	-----------------------------	--

Hazard pictograms :



Signal Word : Warning

Hazard Statements :
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P273 Avoid release to the environment.
P280 Wear protective gloves/ eye protection/ face protection.

Response:

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Hazardous ingredients which must be listed on the label:

68155-66-8, 54464-57-2, 68155-67-9, 54464-59-4	Tetramethyl Acetyloctahydronaphthalenes
78-70-6	linalool
115-95-7	linalyl acetate
33704-61-9	Dihydro pentamethylindanone
106-22-9, 7540-51-4	Citronellol
70788-30-6, 253454-23-8	TRIMETHYL-PROPYLCYCLOHEXANEPROPANOL
5989-27-5	(R)-p-mentha-1,8-diene
87-44-5	Beta-Caryophyllene
28645-51-4, 63286-42-0	OXACYCLOHEPTADEC-10-EN-2-ONE
127-51-5	Alpha-Isomethyl Ionone
80-56-8, 7785- 26-4	pin-2(3)-ene
128-51-8	NOPYL ACETATE
4707-47-5	METHYL DIHYDROXY-DIMETHYLBENZOATE
105-87-3	GERANYL ACETATE
81786-73-4, 81786-74-5, 81786-75-6, 86115-11-9, 2020341-69-7	3,4,5,6,6-pentamethylhept-3-en-2-one (and isomers)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORYX PATCHOULI WOOD COLOGNE

Version 1.0 Revision Date: 06.09.2022 SDS Number: 300001033260 Date of last issue: -
Date of first issue: 06.09.2022

127-91-3 BETA-PINENES
13466-78-9 3,7,7-trimethylbicyclo[4.1.0]hept-3-ene
5392-40-5 citral
97-53-0 EUGENOL
23696-85-7 ROSE KETONE-4
104-55-2 CINNAMAL

2.3 Other hazards

None reasonably foreseeable.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number		Concentration (% w/w)
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	68155-66-8 915-730-3 01-2119489989-04	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Chronic 2; H411	>= 10 - < 20
Resin acids and Rosin acids, hydrogenated, Me esters	8050-15-5 232-476-2	Aquatic Chronic 3; H412	>= 2,5 - < 10
2,6-dimethyloct-7-en-2-ol	18479-58-8 242-362-4 01-2119457274-37	Eye Irrit. 2; H319 Skin Irrit. 2; H315	>= 1 - < 10
linalool	78-70-6 201-134-4 01-2119474016-42	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317	>= 1 - < 10
linalyl acetate	115-95-7 204-116-4	Skin Irrit. 2; H315 Skin Sens. 1; H317 Eye Irrit. 2; H319	>= 1 - < 10
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	33704-61-9 251-649-3 01-2119977131-40	Aquatic Chronic 2; H411 Skin Sens. 1B; H317 Eye Irrit. 2; H319 Skin Irrit. 2; H315	>= 2,5 - < 10
citronellol	106-22-9 203-375-0 01-2119453995-23	Skin Irrit. 2; H315 Skin Sens. 1B; H317	>= 1 - < 10

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

ORYX PATCHOULI WOOD COLOGNEVersion
1.0Revision Date:
06.09.2022SDS Number:
300001033260Date of last issue: -
Date of first issue: 06.09.2022

rel-1-[(1R,6S)-2,2,6-trimethylcyclohexyl]hexan-3-ol	70788-30-6 814-113-5 01-2120766836-38, 01-2120768938-30	Eye Irrit. 2; H319 Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 2,5 - < 10
4h-Indeno [4,5-d]-1,3-dioxole, 3a,5,6,7,8,8b-hexahydro-2,2,6,6,7,8,8-heptamethyl	823178-41-2 457-070-4 01-0000019329-63	Aquatic Chronic 2; H411	>= 1 - < 2,5
3,4,5,6,6-pentamethyl-2-heptanol	87118-95-4 401-030-0 01-0000015093-78	Aquatic Chronic 2; H411	>= 1 - < 2,5
cis-2-tert-butylcyclohexyl acetate	88-41-5 243-718-1 01-2119970713-33	Aquatic Chronic 2; H411	>= 1 - < 2,5
2,4-dimethyl-4,4a,5,9b-tetrahydroindeno[1,2-d]-1,3-dioxin	27606-09-3 248-561-2 01-2120234292-65	Acute Tox. 4; H302	>= 1 - < 10
(R)-p-mentha-1,8-diene	5989-27-5 227-813-5 01-2119529223-47	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Chronic 3; H412 Flam. Liq. 3; H226 Asp. Tox. 1; H304 Aquatic Acute 1; H400 M-Factor (Acute aquatic toxicity): 1	>= 1 - < 2,5
4-(1-ethoxyvinyl)-3,3,5,5-tetramethylcyclohexanone	36306-87-3 252-961-2	Skin Irrit. 2; H315 Aquatic Chronic 2; H411	>= 1 - < 2,5
caryophyllene	87-44-5 201-746-1	Asp. Tox. 1; H304 Skin Sens. 1B; H317	>= 0,1 - < 1
(10E)-1-oxacycloheptadec-10-en-2-one	28645-51-4 814-308-5 01-2120768557-38, 01-2120103324-74	Skin Sens. 1B; H317 Aquatic Acute 1; H400	>= 0,25 - < 1
RM of (3E)-3-methyl-4-(2,6,6-trimethylcyclohex-2-en-1-yl)but-3-en-2-one & (1E)-1-(2,6,6-trimethylcyclohex-2-en-1-yl)pent-1-en-3-one	127-51-5 204-846-3	Aquatic Chronic 2; H411 Skin Sens. 1B; H317 M-Factor (Acute aquatic toxicity): 1	>= 0,25 - < 1
pin-2(3)-ene	80-56-8 201-291-9 01-2119519223-49	Flam. Liq. 3; H226 Asp. Tox. 1; H304 Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Acute Tox. 4; H302	>= 0,25 - < 1

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORYX PATCHOULI WOOD COLOGNE

Version
1.0

Revision Date:
06.09.2022

SDS Number:
300001033260

Date of last issue: -
Date of first issue: 06.09.2022

		M-Factor (Acute aquatic toxicity): 1	
[3R-(3.alpha.,3a.beta.,7.beta.,8a.alpha.)]-2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene	469-61-4 207-418-4	Asp. Tox. 1; H304 Aquatic Chronic 1; H410 Aquatic Acute 1; H400 Skin Irrit. 2; H315	>= 0,25 - < 1
nopyl acetate	128-51-8 204-891-9	M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10 Skin Sens. 1B; H317 Aquatic Chronic 2; H411 Eye Irrit. 2; H319	>= 0,25 - < 1
methyl 2,4-dihydroxy-3,6-dimethylbenzoate	4707-47-5 225-193-0 01-2120762759-36	Skin Sens. 1B; H317	>= 0,1 - < 1
Reaction mass of 1-methyl-3-(4-methyl-3-pentenyl)cyclohex-3-ene-1-carbaldehyde and 1-methyl-4-(4-methyl-3-pentenyl)cyclohex-3-ene-1-geranyl acetate	52475-86-2 915-712-5 01-2120735080-68	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0,25 - < 1
2,6-di-tert-butyl-p-cresol	105-87-3 203-341-5 01-2119973480-35	Aquatic Chronic 3; H412 Skin Sens. 1B; H317 Skin Irrit. 2; H315	>= 0,25 - < 1
3,4,5,6,6-pentamethylhept-3-en-2-one (and isomers)	128-37-0 204-881-4 01-2119565113-46, 01-2119555270-46	Aquatic Chronic 1; H410 Aquatic Acute 1; H400	>= 0,25 - < 1
[3R-(3α,3αβ,7β,8αα)]-octahydro-3,8,8-trimethyl-6-methylene-1H-3a,7-methanoazulene	81786-73-4 939-627-8 01-2119980043-42	Skin Sens. 1B; H317 Aquatic Chronic 2; H411	>= 0,25 - < 1
[3R-(3α,3αβ,7β,8αα)]-octahydro-3,8,8-trimethyl-6-methylene-1H-3a,7-methanoazulene	546-28-1 208-898-8	Asp. Tox. 1; H304 Aquatic Chronic 1; H410 Aquatic Acute 1; H400	>= 0,1 - < 0,25
1,4-dioxacyclohexadecane-5,16-dione	54982-83-1 259-423-6 01-2119524000-64	Aquatic Acute 1; H400 Aquatic Chronic 3; H412	>= 0,1 - < 0,25
(-)-pin-2(10)-ene	127-91-3 242-060-2 01-2119519230-54	Asp. Tox. 1; H304 Skin Irrit. 2; H315 Flam. Liq. 3; H226 Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 1;	>= 0,1 - < 0,25

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORYX PATCHOULI WOOD COLOGNE

Version
1.0

Revision Date:
06.09.2022

SDS Number:
300001033260

Date of last issue: -
Date of first issue: 06.09.2022

		H410	
		M-Factor (Acute aquatic toxicity): 1	
7-methyl-3-methylenoocta-1,6-diene	123-35-3 204-622-5 01-2119514321-56	Asp. Tox. 1; H304 Skin Irrit. 2; H315 Flam. Liq. 3; H226 Eye Irrit. 2; H319 Aquatic Chronic 2; H411 Aquatic Acute 1; H400	>= 0,1 - < 0,25
3,7,7-trimethylbicyclo[4.1.0]hept-3-ene	13466-78-9 236-719-3	Flam. Liq. 3; H226 Asp. Tox. 1; H304 Skin Sens. 1; H317 Skin Irrit. 2; H315 Aquatic Chronic 2; H411 Acute Tox. 4; H332	>= 0,1 - < 0,25
allyl (3-methylbutoxy)acetate	67634-00-8 266-803-5	Acute Tox. 4; H302 Skin Irrit. 2; H315 Acute Tox. 2; H330	>= 0,1 - < 1
p-mentha-1,4-diene	99-85-4 202-794-6 01-2120780478-40	Asp. Tox. 1; H304 Flam. Liq. 3; H226 Repr. 2; H361 Aquatic Chronic 2; H411	>= 0,1 - < 0,25
citral	5392-40-5 226-394-6 01-2119462829-23	Skin Irrit. 2; H315 Skin Sens. 1; H317 Eye Irrit. 2; H319	>= 0,1 - < 1
eugenol	97-53-0 202-589-1 01-2119971802-33	Eye Irrit. 2; H319 Skin Sens. 1B; H317	>= 0,1 - < 1
		M-Factor (Acute aquatic toxicity): 1	
1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one	23696-85-7 245-833-2	Skin Sens. 1A; H317 Aquatic Chronic 2; H411 Skin Irrit. 2; H315	>= 0,025 - < 0,1
		Acute toxicity estimate	
		Acute dermal toxicity: 2.900 mg/kg	
cinnamaldehyde	104-55-2 203-213-9 01-2119935242-45-	Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1A; H317 Aquatic Chronic 3; H412	>= 0,0025 - < 0,025

For explanation of abbreviations see section 16.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORYX PATCHOULI WOOD COLOGNE

Version 1.0	Revision Date: 06.09.2022	SDS Number: 300001033260	Date of last issue: - Date of first issue: 06.09.2022
----------------	------------------------------	-----------------------------	--

SECTION 4: First aid measures

4.1 Description of first-aid measures

- | | |
|-------------------------|---|
| General advice | : Take Hazard and Precautionary phrases (section 2) into account. |
| If inhaled | : Remove from exposure site to fresh air and keep at rest. If victim is unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice. |
| In case of skin contact | : Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist. |
| In case of eye contact | : Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist. |
| If swallowed | : Rinse mouth with water and obtain medical advice. |

4.2 Most important symptoms and effects, both acute and delayed

- | | |
|-------|---|
| Risks | : Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye irritation. |
|-------|---|

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

- | | |
|--------------------------------|---|
| Suitable extinguishing media | : Carbondioxide, dry chemical, foam. |
| Unsuitable extinguishing media | : Do not use a direct waterjet on burning material. |

5.2 Special hazards arising from the substance or mixture

- | | |
|---------------------------------------|-----------------------------|
| Specific hazards during fire fighting | : Water may be ineffective. |
|---------------------------------------|-----------------------------|

5.3 Advice for firefighters

- | | |
|--|--|
| Special protective equipment for fire-fighters | : Wear self-contained breathing apparatus for firefighting if necessary. |
| Further information | : Standard procedure for chemical fires. |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORYX PATCHOULI WOOD COLOGNE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2022	300001033260	Date of first issue: 06.09.2022

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.
Prevent spreading over a wide area (e.g., by containment or oil barriers).

6.2 Environmental precautions

Environmental precautions : Keep away from drains, surface- and groundwater and soil.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.

If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees.

Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.

Advice on protection against fire and explosion : Keep away from ignition sources and naked flame.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in a cool, dry, ventilated area away from heat sources. Keep containers upright and tightly closed when not in use.

7.3 Specific end use(s)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORYX PATCHOULI WOOD COLOGNE

Version 1.0 Revision Date: 06.09.2022 SDS Number: 300001033260 Date of last issue: -
Date of first issue: 06.09.2022

Specific use(s) : No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

		Value type (Form of exposure)		Basis
2,6-di-tert-butyl-p-cresol	128-37-0	VME	10 mg/m ³	FR VLE
Further information: Indicative exposure limits				

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

		Routes of exposure	Potential health effects	Value
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	Workers	Skin contact	Long-term local effects	0,1011 mg/cm ²
Remarks:	Exposure time: 8 h			
	Workers	Skin contact	Long-term systemic effects	1,73 mg/kg bw/day
Remarks:	Exposure time: 8 h			
	Workers	Inhalation	Long-term systemic effects	1,76 mg/m ³
Remarks:	Exposure time: 8 h			

8.2 Exposure controls

Engineering measures

Where appropriate, use closed systems to transfer and process this material.
If appropriate, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant.

Personal protective equipment

Eye protection : Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur.
Equipment should conform to EN 166

Hand protection

Material : Nitrile rubber
Break through time : > 60 min
Glove thickness : 0,38 mm

Material : Nitrile rubber
Break through time : > 10 min
Glove thickness : 0,1 mm

Remarks : Avoid skin contact. Use chemically resistant gloves. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORYX PATCHOULI WOOD COLOGNE

Version 1.0	Revision Date: 06.09.2022	SDS Number: 300001033260	Date of last issue: - Date of first issue: 06.09.2022
----------------	------------------------------	-----------------------------	--

from it. Be aware that in daily use the durability of a chemical resistant protective glove can be notably shorter than the break through time measured according to EN 374, due to the numerous outside influences (e.g. temperature). Please observe the instructions regarding permeability and break-through time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Personal protection through wearing a tightly closed chemical protection suit and a self-contained breathing apparatus.

Respiratory protection : Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures.
No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient.

If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:

- a) while engineering controls and appropriate safe work practices and/or procedures are being implemented; or
- b) during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or
- c) if normal operational workplace vapor concentration in the air is increased due to heat ;
- d) during emergencies; or
- e) if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit.

Protective measures : To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to this material.
To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORYX PATCHOULI WOOD COLOGNE

Version 1.0	Revision Date: 06.09.2022	SDS Number: 300001033260	Date of last issue: - Date of first issue: 06.09.2022
----------------	------------------------------	-----------------------------	--

exposure.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Color	: yellow to dark yellow
Odor	: conforms to standard
Odor Threshold	: not determined
Melting point	: not determined
Boiling point	: not determined
Flammability	: not determined
Upper explosion limit / Upper flammability limit	: not determined
Lower explosion limit / Lower flammability limit	: not determined
Flash point	: 91,00 °C Method: closed cup
Autoignition temperature	: not determined
Decomposition temperature	: not determined
pH	: not determined
Viscosity, dynamic	: not determined
Viscosity, kinematic	: not determined
Water solubility	: not determined
Solubility in other solvents	: not determined
Partition coefficient: n-octanol/water	: not determined
Vapor pressure	: 0,09 hPa Calculated
Relative density	: 0,9510 - 0,9610
Density	: not determined

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORYX PATCHOULI WOOD COLOGNE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2022	300001033260	Date of first issue: 06.09.2022

Hazardous reactions : Presents no significant reactivity hazard, by itself or in contact with water.

10.4 Conditions to avoid

Conditions to avoid : Direct sources of heat.

10.5 Incompatible materials

Materials to avoid : Avoid contact with strong acids, alkali or oxidizing agents.

10.6 Hazardous decomposition products

Carbon monoxide and unidentified organic compounds may be formed during combustion.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Skin corrosion/irritation

Causes skin irritation.

Components:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Species : human
Method : OECD 439
Result : Skin irritation

2,6-dimethyloct-7-en-2-ol:

Species : Rabbit
Exposure time : 4 h
Assessment : Causes skin irritation.
Method : Read across
Result : irritating
GLP : yes
Remarks : REACH data

Species : human
Exposure time : 48 h
Method : closed patch test
Result : No skin irritation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORYX PATCHOULI WOOD COLOGNE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2022	300001033260	Date of first issue: 06.09.2022

linalool:

Species	: human
Exposure time	: 48 h
Assessment	: No skin irritation
Method	: closed patch test
Result	: No skin irritation
Test substance	: 20% in petrolatum

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

2,6-dimethyloct-7-en-2-ol:

Species	: Rabbit
Assessment	: Causes serious eye irritation.
Method	: Draize Test
Result	: Moderate eye irritation
GLP	: yes
Test substance	: (undiluted)
Remarks	: REACH data

linalool:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: Eye irritation

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Components:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Test Type	: LLNA
Species	: Mouse
Method	: OECD 429
Result	: Causes sensitization.

2,6-dimethyloct-7-en-2-ol:

Test Type	: maximisation study
Species	: human
Result	: Did not cause sensitization on laboratory animals.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORYX PATCHOULI WOOD COLOGNE

Version 1.0	Revision Date: 06.09.2022	SDS Number: 300001033260	Date of last issue: - Date of first issue: 06.09.2022
----------------	------------------------------	-----------------------------	--

Test substance : 4.0% in petrolatum

Species : Guinea pig
Assessment : Does not cause skin sensitization.
Method : OECD Test Guideline 406
Result : Not a skin sensitizer.
GLP : yes

Test substance : 5.0%
Remarks : REACH data

linalool:

Test Type : maximisation study
Species : human
Result : Did not cause sensitization on laboratory animals.
Test substance : 20% in petrolatum

Test Type : closed patch test
Species : human
Result : causes no sensitization
Remarks : Patch test on human volunteers did not demonstrate sensitization properties.

Germ cell mutagenicity

Not classified based on available information.

Components:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: Mutagenicity (Escherichia coli - reverse mutation assay)
Result: negative

Test Type: Chromosome aberration test in vitro
Test system: Human lymphocytes
Metabolic activation: with and without metabolic activation
Method: OECD 473
Result: negative

Genotoxicity in vivo : Test Type: in vivo assay
Species: Mouse (male)
Method: Mutagenicity (micronucleus test)
Result: negative

Test Type: in vivo assay
Species: Rat
Method: Mutagenicity (micronucleus test)
Result: negative

2,6-dimethyloct-7-en-2-ol:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORYX PATCHOULI WOOD COLOGNE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2022	300001033260	Date of first issue: 06.09.2022

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes
Remarks: REACH data

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes
Remarks: REACH data

Test Type: Chromosome aberration test in vitro
Test system: Human lymphocytes
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative
GLP: yes
Remarks: REACH data

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:

2,6-dimethyloct-7-en-2-ol:

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat, female
Strain: Sprague-Dawley
Application Route: Oral
General Toxicity Maternal: NOAEL: 1.000 mg/kg body weight
Developmental Toxicity: NOAEL: 1.000 mg/kg body weight
Method: Study for effects on embryo-fetal development
Result: Not classified
GLP: yes
Remarks: Read across
REACH data

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORYX PATCHOULI WOOD COLOGNE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2022	300001033260	Date of first issue: 06.09.2022

Repeated dose toxicity

Components:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Species	: Rat, male and female
NOAEL	: 150 mg/kg
Application Route	: Oral
Exposure time	: 28-day
Number of exposures	: 1x /day
Method	: OECD Test Guideline 407
Target Organs	: Digestive organs, Liver
Remarks	: Repeated dose (28 days) toxicity (oral)

2,6-dimethyloct-7-en-2-ol:

Species	: Rat, male and female
NOAEL	: 500 mg/kg
NOAEL	: 500 mg/kg
Application Route	: Oral
Number of exposures	: 1x /day
Method	: Read across
GLP	: yes
Remarks	: REACH data

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---

SECTION 12: Ecological information

12.1 Toxicity

Components:

[3R-(3.alpha.,3a.beta.,7.beta.,8a.alpha.)]-2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene:

Toxicity to daphnia and other aquatic invertebrates	: EC50 : 0,044 mg/l Exposure time: 48 h Remarks: RIFM
---	---

M-Factor (Acute aquatic toxicity)	: 10
-----------------------------------	------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORYX PATCHOULI WOOD COLOGNE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2022	300001033260	Date of first issue: 06.09.2022

M-Factor (Chronic aquatic toxicity) : 10

12.2 Persistence and degradability

Components:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 96,3 %
Exposure time: 28 d
Method: OECD 301 F
GLP: yes
Remarks: Readily biodegradable, according to appropriate OECD test.

Resin acids and Rosin acids, hydrogenated, Me esters:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 82 %
Exposure time: 28 d
Method: OECD Test Guideline 302C
Remarks: RIFM

2,6-dimethyloct-7-en-2-ol:

Biodegradability : Test Type: aerobic
Inoculum: activated sludge, non-adapted
Concentration: 10 mg/l
Result: Readily biodegradable.
Biodegradation: 72 %
Exposure time: 28 d
Method: OECD 301 B
GLP: yes
Remarks: REACH data

12.3 Bioaccumulative potential

Components:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Exposure time: 21 d
Bioconcentration factor (BCF): 391
Method: OECD 305
GLP: yes

2,6-dimethyloct-7-en-2-ol:

Bioaccumulation : Bioconcentration factor (BCF): 64,8
Method: see user defined free text
Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORYX PATCHOULI WOOD COLOGNE

Version 1.0	Revision Date: 06.09.2022	SDS Number: 300001033260	Date of last issue: - Date of first issue: 06.09.2022
----------------	------------------------------	-----------------------------	--

(CAESAR models), etc.
Bioaccumulation is unlikely.
REACH data

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

Components:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Distribution among environmental compartments : Adsorption/Soil
Koc: 12598, log Koc: 4,1

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of according to local regulations. Avoid disposing into drainage systems and into the environment.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORYX PATCHOULI WOOD COLOGNE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2022	300001033260	Date of first issue: 06.09.2022

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	UN 3082
IMDG	:	UN 3082
IATA	:	UN 3082

14.2 UN proper shipping name

ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALPHA-CEDRENE)
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALPHA-CEDRENE)
IATA	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALPHA-CEDRENE)

14.3 Transport hazard class(es)

ADR	:	9
IMDG	:	9
IATA	:	9

14.4 Packing group

ADR	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
Tunnel restriction code	: (-)
IMDG	
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
IATA (Cargo)	
Packing instruction (cargo aircraft)	: 964
Packing instruction (LQ)	: Y964
Packing group	: III
Labels	: Miscellaneous Dangerous Goods
IATA P (Passenger)	
Packing instruction (passenger aircraft)	: 964
Packing instruction (LQ)	: Y964
Packing group	: III
Labels	: Miscellaneous Dangerous Goods

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORYX PATCHOULI WOOD COLOGNE

Version 1.0	Revision Date: 06.09.2022	SDS Number: 300001033260	Date of last issue: - Date of first issue: 06.09.2022
----------------	------------------------------	-----------------------------	--

14.5 Environmental hazards

ADR

Environmentally hazardous : yes

IMDG

Marine pollutant : yes (ALPHA-CEDRENE)

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:
Number on list 3

safrole (Number on list 28)
dibutyl phthalate (Number on list 51b, 30)
bis(2-ethylhexyl) phthalate (Number on list 51a, 30)
acetaldehyde (Number on list 28)

REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59). : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Reinforced medical supervision (R4624-18) : The product has no CMR properties

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORYX PATCHOULI WOOD COLOGNE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2022	300001033260	Date of first issue: 06.09.2022

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of H-Statements

H226	: Flammable liquid and vapour.
H302	: Harmful if swallowed.
H304	: May be fatal if swallowed and enters airways.
H312	: Harmful in contact with skin.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H319	: Causes serious eye irritation.
H330	: Fatal if inhaled.
H332	: Harmful if inhaled.
H361	: Suspected of damaging fertility or the unborn child.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Asp. Tox.	: Aspiration hazard
Eye Irrit.	: Eye irritation
Flam. Liq.	: Flammable liquids
Repr.	: Reproductive toxicity
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitization
FR VLE	: France. Occupational Exposure Limits (INRS)
FR VLE / VME	: Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORYX PATCHOULI WOOD COLOGNE

Version 1.0	Revision Date: 06.09.2022	SDS Number: 300001033260	Date of last issue: - Date of first issue: 06.09.2022
----------------	------------------------------	-----------------------------	--

Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information : In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110].
In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace".
Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports.
The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration $\geq 1.0\%$ due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.

According to Regulation (EC) No. 1907/2006 the information in this safety data sheet is based on the properties of the material known to IFF at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment International Flavors & Fragrances holds no responsibility. This document is not intended for quality assurance purposes.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORYX PATCHOULI WOOD COLOGNE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2022	300001033260	Date of first issue: 06.09.2022

ance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

FR / EN