

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



PETALE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.10.2022	300001050493	Date of first issue: 06.10.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : PETALE

Sales Number : 6144592

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Fragrance for consumer product

1.3 Details of the supplier of the safety data sheet

Company : IFF (NEDERLAND) BV
ZEVENHEUVELENWEG 60
5048 AN TILBURG

Telephone : +31134642211

Telefax : +31134636032

E-mail address of person
responsible for the SDS : sds@iff.com

1.4 Emergency telephone number

ORFILA (INRS): + 33 (0)1 45 42 59 59

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Category 2	H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

PETALE

Version 1.0	Revision Date: 06.10.2022	SDS Number: 300001050493	Date of last issue: - Date of first issue: 06.10.2022
----------------	------------------------------	-----------------------------	--

Hazard pictograms :



Signal word : Warning

Hazard statements :

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H411 Toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

- P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/ eye protection/ face protection.

Response:

- P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
- P337 + P313 If eye irritation persists: Get medical advice/ attention.
- P362 + P364 Take off contaminated clothing and wash it before reuse.

Hazardous components which must be listed on the label:

68155-66-8, 54464-57-2, 68155-67-9, 54464-59-4	Tetramethyl Acetyloctahydronaphthalenes
10339-55-6	Ethyl Linalool
4707-47-5	METHYL DIHYDROXY-DIMETHYLBENZOATE
106-22-9, 7540-51-4	Citronellol
106-24-1	geraniol
7212-44-4	Nerolidol
115-95-7	linalyl acetate
5989-27-5	(R)-p-mentha-1,8-diene
476332-65-7	Heptamethyl Decahydroindenofuran
28645-51-4, 63286-42-0	OXACYCLOHEPTADEC-10-EN-2-ONE
78-70-6	linalool
5462-06-6	METHOXYHYDRATROPALDEHYDE
127-91-3	BETA-PINENES
23696-85-7	ROSE KETONE-4

2.3 Other hazards

None reasonably foreseeable.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



PETALE

Version 1.0 Revision Date: 06.10.2022 SDS Number: 300001050493 Date of last issue: -
Date of first issue: 06.10.2022

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	1222-05-5 214-946-9 01-2119488227-29	Aquatic Chronic 1; H410 Aquatic Acute 1; H400	>= 2,5 - < 10
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	68155-66-8 915-730-3 01-2119489989-04	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Chronic 2; H411	>= 2,5 - < 10
3-ethoxy-4-hydroxybenzaldehyde	121-32-4 204-464-7	Eye Irrit. 2; H319	>= 1 - < 10
vanillin	121-33-5 204-465-2 01-2119516040-60	Eye Irrit. 2; H319	>= 1 - < 10
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6 233-732-6 01-2119969272-32	Eye Irrit. 2; H319 Skin Irrit. 2; H315 Skin Sens. 1B; H317	>= 1 - < 10
2-phenylethanol	60-12-8 200-456-2 01-2119963921-31	Eye Irrit. 2; H319 Acute Tox. 4; H302	>= 1 - < 10
2-ethyl-3-hydroxy-4-pyrone	4940-11-8 225-582-5 01-2120758795-36	Acute Tox. 4; H302	>= 1 - < 10
3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol	3407-42-9 222-294-1	Aquatic Chronic 2; H411 Eye Irrit. 2; H319 Aquatic Acute 1; H400 M-Factor (Acute aquatic toxicity): 1	>= 1 - < 2,5
methyl 2,4-dihydroxy-3,6-dimethylbenzoate	4707-47-5 225-193-0 01-2120762759-36	Skin Sens. 1B; H317	>= 1 - < 10
(Z)-3-hexenyl salicylate	65405-77-8 265-745-8	Aquatic Chronic 2; H411	>= 1 - < 2,5

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**PETALE**

Version 1.0 Revision Date: 06.10.2022 SDS Number: 300001050493 Date of last issue: -
 Date of first issue: 06.10.2022

	01-2119987320-37	Aquatic Acute 1; H400 M-Factor (Acute aquatic toxicity): 1	
citronellol	106-22-9 203-375-0 01-2119453995-23	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Eye Irrit. 2; H319	>= 1 - < 10
ethyl 2-ethyl-6,6-dimethylcyclohex-2-ene-1-carboxylate	57934-97-1 261-020-5 01-2120139916-47-	Aquatic Chronic 3; H412	>= 1 - < 2,5
geraniol	106-24-1 203-377-1 01-2119552430-49	Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317	>= 1 - < 3
2H-Indeno[4,5-b] furan, decahydro-2,6,6,7,8,8,-hexamethyl	338735-71-0 440-030-5 01-0000018447-64	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 4; H413	>= 1 - < 2,5
3,7,11-trimethyldodeca-1,6,10-trien-3-ol,mixed isomers	7212-44-4 230-597-5 01-2119457636-29	Aquatic Chronic 1; H410 Aquatic Acute 1; H400 Skin Sens. 1B; H317 Eye Irrit. 2; H319	>= 0,25 - < 1
linalyl acetate	115-95-7 204-116-4	Skin Irrit. 2; H315 Skin Sens. 1; H317 Eye Irrit. 2; H319	>= 0,1 - < 1
(R)-p-mentha-1,8-diene	5989-27-5 227-813-5 01-2119529223-47	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Chronic 3; H412 Flam. Liq. 3; H226 Asp. Tox. 1; H304 Aquatic Acute 1; H400 M-Factor (Acute aquatic toxicity): 1	>= 0,25 - < 1
decahydro heptamethyl indenofuran	476332-65-7 449-360-4 01-0000018977-51	Skin Sens. 1B; H317 Aquatic Chronic 1; H410	>= 0,25 - < 1
1,4-dioxacyclohexadecane-5,16-dione	54982-83-1 259-423-6 01-2119524000-64	Aquatic Acute 1; H400 Aquatic Chronic 3; H412	>= 0,25 - < 1
(10E)-1-oxacycloheptadec-10-en-2-one	28645-51-4 814-308-5 01-2120768557-38	Skin Sens. 1B; H317 Aquatic Acute 1; H400	>= 0,25 - < 1
linalool	78-70-6 201-134-4 01-2119474016-42	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317	>= 0,1 - < 1
3-(p-methoxyphenyl)-2-methylpropionaldehyde	5462-06-6 226-749-5 01-2120769416-45,	Skin Sens. 1B; H317 M-Factor (Acute	>= 0,1 - < 1

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



PETALE

Version 1.0 Revision Date: 06.10.2022 SDS Number: 300001050493 Date of last issue: -
Date of first issue: 06.10.2022

	01-2120629103-67	aquatic toxicity): 1	
(-)-pin-2(10)-ene	127-91-3 242-060-2 01-2119519230-54	Asp. Tox. 1; H304 Skin Irrit. 2; H315 Flam. Liq. 3; H226 Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1	>= 0,1 - < 0,25
p-mentha-1,4-diene	99-85-4 202-794-6 01-2120780478-40	Asp. Tox. 1; H304 Flam. Liq. 3; H226 Repr. 2; H361 Aquatic Chronic 2; H411	>= 0,1 - < 0,25
1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one	23696-85-7 245-833-2	Skin Sens. 1A; H317 Aquatic Chronic 2; H411 Skin Irrit. 2; H315 Acute toxicity estimate Acute dermal toxicity: 2.900 mg/kg	>= 0,025 - < 0,1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Take Hazard and Precautionary phrases (section 2) into account.
- If inhaled : Remove from exposure site to fresh air and keep at rest. If victim is unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice.
- In case of skin contact : Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
- In case of eye contact : Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
- If swallowed : Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

- Risks : Causes skin irritation.
May cause an allergic skin reaction.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



PETALE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.10.2022	300001050493	Date of first issue: 06.10.2022

Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Carbondioxide, dry chemical, foam.

Unsuitable extinguishing media : Do not use a direct waterjet on burning material.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Water may be ineffective.

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.
Prevent spreading over a wide area (e.g. by containment or oil barriers).

6.2 Environmental precautions

Environmental precautions : Keep away from drains, surface- and groundwater and soil.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid excessive inhalation of concentrated vapors. Follow

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



PETALE

Version 1.0 Revision Date: 06.10.2022 SDS Number: 300001050493 Date of last issue: -
Date of first issue: 06.10.2022

good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.

If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees.

Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.

Advice on protection against fire and explosion : Keep away from ignition sources and naked flame.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in a cool, dry, ventilated area away from heat sources.
Keep containers upright and tightly closed when not in use.

7.3 Specific end use(s)

Specific use(s) : No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	Workers	Skin contact	Long-term local effects	0,1011 mg/cm2
Remarks:	Exposure time: 8 h			
	Workers	Skin contact	Long-term systemic effects	1,73 mg/kg bw/day
Remarks:	Exposure time: 8 h			
	Workers	Inhalation	Long-term systemic effects	1,76 mg/m3
Remarks:	Exposure time: 8 h			
geraniol	Workers	Inhalation	Long-term systemic effects	161,6 mg/m3
Remarks:	REACH data			
	Workers	Dermal	Long-term systemic effects	12,5 mg/kg bw/day

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



PETALE

Version
1.0

Revision Date:
06.10.2022

SDS Number:
300001050493

Date of last issue: -
Date of first issue: 06.10.2022

Remarks:	REACH data			
	Workers	Dermal	Long-term local effects	11800 µg/cm²
Remarks:	REACH data			
	Workers	Dermal	Acute local effects	
Remarks:	Available hazard data do not enable the derivation of a DNEL for dermal irritant effects.			
	General population	Inhalation	Long-term systemic effects	47,8 mg/m3
Remarks:	REACH data			
	General population	Dermal	Long-term systemic effects	7,5 mg/kg bw/day
Remarks:	REACH data			
	General population	Dermal	Long-term local effects	11800 µg/cm²
Remarks:	REACH data			
	General population	Dermal	Acute local effects	
Remarks:	Available hazard data do not enable the derivation of a DNEL for dermal irritant effects.			
	General population	Oral	Long-term systemic effects	13,75 mg/kg bw/day
Remarks:	REACH data			
	General population	Eye contact	Local effects	
Remarks:	Available hazard data do not enable the derivation of a DNEL for eye irritant effects.			
3-ethoxy-4-hydroxybenzaldehyde	Workers	Inhalation	Long-term systemic effects	49 mg/m3
	Workers	Inhalation	Acute systemic effects	98 mg/m3
	Workers	Dermal	Long-term systemic effects	7 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	8,75 mg/m3
	Consumers	Inhalation	Acute systemic effects	17,5 mg/m3
	Consumers	Dermal	Long-term systemic effects	2,5 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	2,5 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	Fresh water	0,0044 mg/l
	Marine water	0,00044 mg/l
	Fresh water sediment	2 mg/kg dry weight (d.w.)
	Marine sediment	0,394 mg/kg dry weight (d.w.)
	Soil	0,31 mg/kg dry

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



PETALE

Version 1.0	Revision Date: 06.10.2022	SDS Number: 300001050493	Date of last issue: - Date of first issue: 06.10.2022
----------------	------------------------------	-----------------------------	--

		weight (d.w.)
--	--	---------------

8.2 Exposure controls

Engineering measures

Where appropriate, use closed systems to transfer and process this material.
If appropriate, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant.

Personal protective equipment

- | | | |
|--------------------------|---|--|
| Eye protection | : | Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur.
Equipment should conform to EN 166 |
| Hand protection | : | |
| Material | : | Nitrile rubber |
| Break through time | : | > 60 min |
| Glove thickness | : | 0,38 mm |
| Material | : | Nitrile rubber |
| Break through time | : | > 10 min |
| Glove thickness | : | 0,1 mm |
| Remarks | : | Avoid skin contact. Use chemically resistant gloves. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Be aware that in daily use the durability of a chemical resistant protective glove can be notably shorter than the break through time measured according to EN 374, due to the numerous outside influences (e.g. temperature). Please observe the instructions regarding permeability and break-through time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. |
| Skin and body protection | : | Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Personal protection through wearing a tightly closed chemical protection suit and a self-contained breathing apparatus. |
| Respiratory protection | : | Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures.
No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient. |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



PETALE

Version 1.0	Revision Date: 06.10.2022	SDS Number: 300001050493	Date of last issue: - Date of first issue: 06.10.2022
----------------	------------------------------	-----------------------------	--

If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:

a) while engineering controls and appropriate safe work practices and/or procedures are being implemented; or
b) during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or
c) if normal operational workplace vapor concentration in the air is increased due to heat ;
d) during emergencies; or
e) if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit.

Protective measures : To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to this material.
To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize exposure.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Odour	: conforms to standard
Odour Threshold	: not determined
Melting point	: not determined
Boiling point	: not determined
Flammability	: not determined
Upper explosion limit / Upper flammability limit	: not determined
Lower explosion limit / Lower flammability limit	: not determined
Flash point	: 113 °C Method: closed cup
Auto-ignition temperature	: not determined
Decomposition temperature	: not determined
pH	: not determined
Viscosity, dynamic	: not determined
Viscosity, kinematic	: not determined

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



PETALE

Version 1.0	Revision Date: 06.10.2022	SDS Number: 300001050493	Date of last issue: - Date of first issue: 06.10.2022
----------------	------------------------------	-----------------------------	--

Water solubility : not determined
Solubility in other solvents : not determined

Partition coefficient: n-octanol/water : not determined
Vapour pressure : 0,03 hPa
Calculated

Relative density : not determined
Density : not determined

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Presents no significant reactivity hazard, by itself or in contact with water.

10.4 Conditions to avoid

Conditions to avoid : Direct sources of heat.

10.5 Incompatible materials

Materials to avoid : Avoid contact with strong acids, alkali or oxidizing agents.

10.6 Hazardous decomposition products

Carbon monoxide and unidentified organic compounds may be formed during combustion.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg
Method: Calculation method

Skin corrosion/irritation

Causes skin irritation.

Components:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



PETALE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.10.2022	300001050493	Date of first issue: 06.10.2022

Species	:	human
Method	:	OECD 439
Result	:	Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

geraniol:

Species	:	Rabbit
Exposure time	:	1 h
Assessment	:	Causes serious eye damage.
Method	:	OECD Test Guideline 405
Result	:	Severe eye irritation
GLP	:	no
Remarks	:	REACH data

2H-Indeno[4,5-b] furan, decahydro-2,6,6,7,8,8,-hexamethyl:

Method	:	On animal welfare grounds the eye irritation test was omitted.
Result	:	Assumed an eye irritant based based on skin irritation data.

3-ethoxy-4-hydroxybenzaldehyde:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Eye irritation
Remarks	:	Supplier

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Test Type	:	LLNA
Species	:	Mouse
Method	:	OECD 429
Result	:	Causes sensitisation.

Germ cell mutagenicity

Not classified based on available information.

Components:

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran:

Genotoxicity in vitro	:	Test Type: Ames test
		Metabolic activation: with and without metabolic activation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



PETALE

Version 1.0	Revision Date: 06.10.2022	SDS Number: 300001050493	Date of last issue: - Date of first issue: 06.10.2022
----------------	------------------------------	-----------------------------	--

Method: Mutagenicity (Escherichia coli - reverse mutation assay)

Result: negative

Test Type: Chromosome aberration test in vitro

Metabolic activation: with and without metabolic activation

Method: OECD 473

Result: negative

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Genotoxicity in vitro

: Test Type: Ames test

Metabolic activation: with and without metabolic activation

Method: Mutagenicity (Escherichia coli - reverse mutation assay)

Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD 473

Result: negative

Genotoxicity in vivo

: Test Type: in vivo assay

Species: Mouse (male)

Method: Mutagenicity (micronucleus test)

Result: negative

Test Type: in vivo assay

Species: Rat

Method: Mutagenicity (micronucleus test)

Result: negative

3-ethoxy-4-hydroxybenzaldehyde:

Genotoxicity in vitro

: Test Type: reverse mutation assay

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Remarks: Supplier

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:

3-ethoxy-4-hydroxybenzaldehyde:

Effects on fertility

: Species: Rat, male and female

Application Route: Oral

General Toxicity - Parent: NOAEL: 500 mg/kg body weight

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



PETALE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.10.2022	300001050493	Date of first issue: 06.10.2022

Method: OECD Test Guideline 421
Result: Animal testing did not show any effects on fertility.
Remarks: Supplier

Effects on foetal development : Species: Rat, male and female
Application Route: Oral
General Toxicity Maternal: NOAEL: 500 mg/kg body weight
Teratogenicity: NOAEL F1: 500 mg/kg body weight
Developmental Toxicity: NOAEL F1: 500 mg/kg body weight
Embryo-foetal toxicity: NOAEL F1: 500 mg/kg body weight
Method: OECD Test Guideline 414
Result: Not classified
Remarks: Supplier

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran:

Species : Rat, male and female
NOAEL : ≥ 150 mg/kg
Application Route : Oral
Exposure time : 90-day
Number of exposures : 1x /day
Method : OECD 408

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Species : Rat, male and female
NOAEL : 150 mg/kg
Application Route : Oral
Exposure time : 28-day
Number of exposures : 1x /day
Method : OECD Test Guideline 407
Target Organs : Digestive organs, Liver
Remarks : Repeated dose (28 days) toxicity (oral)

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



PETALE

Version 1.0	Revision Date: 06.10.2022	SDS Number: 300001050493	Date of last issue: - Date of first issue: 06.10.2022
----------------	------------------------------	-----------------------------	--

(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,452 mg/l
Exposure time: 21 d
Test Type: flow-through test
Method: OECD Test Guideline 204
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,9 mg/l
Exposure time: 48 h
Test Type: semi-static test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0,854 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

EbC50 (Pseudokirchneriella subcapitata (green algae)): 0,723 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC: 0,068 mg/l
Exposure time: 36 d
Species: Pimephales promelas (fathead minnow)
Test Type: flow-through test
Method: OECD 210
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,111 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: semi-static test
Method: OECD 211

12.2 Persistence and degradability

Components:

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran:

Biodegradability : Result: Not readily biodegradable.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



PETALE

Version 1.0	Revision Date: 06.10.2022	SDS Number: 300001050493	Date of last issue: - Date of first issue: 06.10.2022
----------------	------------------------------	-----------------------------	--

Biodegradation: 2 %
Exposure time: 28 d
Method: Modified Sturm Test

Test Type: aerobic
Inoculum: activated sludge
Concentration: 10 mg/l
Result: Primary biodegradation
Biodegradation: 33,8 %
Exposure time: 28 d
Method: OECD 301 B
Remarks: see user defined free text

Test Type: aerobic
Inoculum: activated sludge, adapted
Concentration: 10,97 mg/l
Result: Primary biodegradation
Biodegradation: 28,3 %
Exposure time: 28 d
Method: OECD 301 B
Remarks: see user defined free text

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 96,3 %
Exposure time: 28 d
Method: OECD 301 F
GLP: yes
Remarks: Readily biodegradable, according to appropriate OECD test.

3-ethoxy-4-hydroxybenzaldehyde:

Biodegradability : Inoculum: activated sludge
Result: Readily biodegradable.
Biodegradation: 88 %
Exposure time: 14 d
Method: OECD Test Guideline 301C

12.3 Bioaccumulative potential

Components:

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Exposure time: 28 d
Bioconcentration factor (BCF): 1.584
Method: OECD 305

Partition coefficient: n-octanol/water : log Pow: 5,3 (25 °C)
GLP: no
Remarks: REACH data

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



PETALE

Version 1.0	Revision Date: 06.10.2022	SDS Number: 300001050493	Date of last issue: - Date of first issue: 06.10.2022
----------------	------------------------------	-----------------------------	--

log Pow: 5,9 (25 °C)
Method: OECD Test Guideline 117
GLP: yes
Remarks: REACH data

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Exposure time: 21 d
Bioconcentration factor (BCF): 391
Method: OECD 305
GLP: yes

3-ethoxy-4-hydroxybenzaldehyde:

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow <= 4).

Partition coefficient: n-octanol/water : log Pow: 1,55 - 1,61 (25 °C)
Method: OECD Test Guideline 107

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

Components:

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran:

Distribution among environmental compartments : Koc: 24547, log Koc: 4,39

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Distribution among environmental compartments : Adsorption/Soil
Koc: 12598, log Koc: 4,1

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



PETALE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.10.2022	300001050493	Date of first issue: 06.10.2022

12.7 Other adverse effects

Product:

Additional ecological information : There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: Dispose of according to local regulations. Avoid disposing into drainage systems and into the environment.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	: UN 3082
IMDG	: UN 3082
IATA	: UN 3082

14.2 UN proper shipping name

ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPYRAN)
IMDG	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPYRAN)
IATA	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPYRAN)

14.3 Transport hazard class(es)

ADR	: 9
IMDG	: 9
IATA	: 9

14.4 Packing group

ADR	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



PETALE

Version 1.0	Revision Date: 06.10.2022	SDS Number: 300001050493	Date of last issue: - Date of first issue: 06.10.2022
----------------	------------------------------	-----------------------------	--

Tunnel restriction code : (-)

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous Dangerous Goods

IATA_P (Passenger)

Packing instruction (passenger aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous Dangerous Goods

14.5 Environmental hazards

ADR

Environmentally hazardous : yes

IMDG

Marine pollutant : yes (HEXAMETHYLINDANOPYRAN)

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3

bis(2-ethylhexyl) phthalate (Number on list 51a, 30)

REACH - Candidate List of Substances of Very High : Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



PETALE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.10.2022	300001050493	Date of first issue: 06.10.2022

Concern for Authorisation (Article 59).

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Reinforced medical supervision (R4624-18) : The product has no CMR properties

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of H-Statements

H226	: Flammable liquid and vapour.
H302	: Harmful if swallowed.
H304	: May be fatal if swallowed and enters airways.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H361	: Suspected of damaging fertility or the unborn child.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.
H413	: May cause long lasting harmful effects to aquatic life.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Asp. Tox.	: Aspiration hazard
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Flam. Liq.	: Flammable liquids
Repr.	: Reproductive toxicity
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

PETALE



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.10.2022	300001050493	Date of first issue: 06.10.2022

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information

: In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110].
In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace".
Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports.
The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration $\geq 1.0\%$ due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.

According to Regulation (EC) No. 1907/2006 the information in this safety data sheet is based on the properties of the ma-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



PETALE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.10.2022	300001050493	Date of first issue: 06.10.2022

terial known to IFF at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment International Flavors & Fragrances holds no responsibility. This document is not intended for quality assurance purposes.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

FR / EN