

Product SAPPHIRE

Print Date 24.01.2014

Page 1 (14)

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : AMBER GRIS 30AB

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Fragrance for consumer product

1.3 Details of the supplier of the safety data sheet

Company : IFF (NEDERLAND) BV
ZEVENHEUVELENWEG 60
5048 AN TILBURG

Telephone : +31134642211

Telefax : +31134636032

E-mail address : sds@iff.com

Responsible/issuing person

1.4 Emergency telephone number

+31 13 4642 211

2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2

H315: Causes skin irritation.

Skin sensitization, Category 1

H317: May cause an allergic skin reaction.

Chronic aquatic toxicity, Category 1

H410: Very toxic to aquatic life with long lasting effects.

Classification (67/548/EEC, 1999/45/EC)

Sensitising

R43: May cause sensitization by skin contact.

Irritant

R38: Irritating to skin.

Dangerous for the environment

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Version : 1.0

Revision Date : 24.01.2014

ROYAUME DU PARFUM INTERNATIONAL

R.P.I 46 rue de Poissonnière 75002 PARIS - Téléphone + 33 (0) 1 42 89 31 73 - Fax + 33 (0) 970 63 31 90- E-Mail : c.himeur.rpi@gmail.com
S.A.R.L au capital de 91 800 € - RCS PARIS B 408 182 814 00074 - TVA INTRACOMMUNAUTAIRE FR 844 081 828 14 APE 514L

Product SAPPHIRE

Print Date 24.01.2014

Page 2 (14)

Signal word : Warning

Hazard statements : H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
 P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
 P273 Avoid release to the environment.
 P280 Wear protective gloves.

Response:
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
 P391 Collect spillage.

Disposal:
 P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

- 68155-66-8 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one
- 118-58-1 benzyl salicylate
- 82356-51-2 3-methyl-5-Cyclopentadecen-1-one
- 127-51-5 3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one

2.3 Other hazards

None reasonably foreseeable.

3. Composition/information on ingredients

3.1 Substances

Not applicable, product is a mixture.

3.2 Mixtures

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
1-(1,2,3,4,5,6,7,8-Octahydro-	68155-66-8, 54464-57-	Xi; R38	Skin Irrit.2; H315	20 - 25

Version : 1.0
 Revision Date : 24.01.2014

SAFETY DATA SHEET

Product SAPPHIRE

Print Date 24.01.2014

Page 3 (14)

2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	2, 68155-67-9 915-730-3 01-2119489989-04	Xi; R43 N; R51/53	Skin Sens.1; H317 Aquatic Chronic2; H411	
1,4-dioxacycloheptadecane-5,17-dione	105-95-3 203-347-8 01-2119976314-33	N; R51/53	Aquatic Chronic2; H411	10 - 20
benzyl salicylate	118-58-1 204-262-9 01-2119969442-31	Xi; R43 N; R51/53	Skin Sens.1B; H317 Aquatic Chronic2; H411	10 - 20
(+/-) trans-3,3-dimethyl-5-(2,2,3-trimethyl-cyclopent-3-en-1-yl)-pent-4-en-2-ol	107898-54-4 411-580-3 01-0000015895-58	N; R50/53 Xi; R38	Skin Irrit.2; H315 Eye Irrit.2; H319 Aquatic Acute1; H400 Aquatic Chronic1; H410	2,5 - 3
[3R-(3.alpha.,3a.beta.,7.beta.,8a.alpha.)]-2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene	469-61-4 207-418-4	N; R50/53 Xn; R65	Asp. Tox.1; H304 Aquatic Chronic1; H410	2,5 - 10
3-methyl-5-Cyclopentadecen-1-one	82356-51-2, 63314-79-4 429-900-5	R43 N; R50	Skin Sens.1; H317 Aquatic Acute1; H400	1 - 2,5
A mixture of: (E)-oxacyclohexadec-12-en-2-one and (E)-oxacyclohexadec-13-en-2-one and a) (Z)-oxacyclohexadec-(12)-en-2-one and b) (Z)-oxacyclohexadec-(13)-en-2-one	111879-80-2 606-092-00-4	N; R50/53	Aquatic Acute1; H400 Aquatic Chronic1; H410	0,25 - 2,5
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	127-51-5 204-846-3	R43 N; R51/53 Xi; R36/38	Skin Sens.1B; H317 Aquatic Chronic2; H411 Skin Irrit.2; H315	1 - 2,5
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	33704-61-9 251-649-3 01-2119977131-40	N; R51/53	STOT RE2; H373 Aquatic Chronic2; H411	0,25 - 1
(Z)-3-hexenyl salicylate	65405-77-8 265-745-8	Xi; R43 N; R50/53	Skin Sens.1B; H317 Aquatic Chronic1; H410 Aquatic Acute1; H400	0,25 - 1

Version : 1.0
 Revision Date : 24.01.2014

ROYAUME DU PARFUM INTERNATIONAL

R.P.I 46 rue de Poissonnière 75002 PARIS - Téléphone + 33 (0) 1 42 89 31 73 - Fax + 33 (0) 970 63 31 90- E-Mail : c.himeur.rpi@gmail.com
 S.A.R.L au capital de 91 800 € - RCS PARIS B 408 182 814 00074 - TVA INTRACOMMUNAUTAIRE FR 844 081 828 14 APE 514L

Product SAPPHIRE

Print Date 24.01.2014

Page 4 (14)

limonene	138-86-3, 5989-27-5, 5989-54-8 205-341-0, 227-813-5 227-815-6	R10 Xi; R38 R43 N; R50-R53	Flam. Liq.3; H226 Skin Sens.1B; H317 Aquatic Chronic1; H410 Skin Irrit.2; H315 Asp. Tox.1; H304 Aquatic Acute1; H400	0,25 - 1
pin-2(3)-ene	80-56-8 201-291-9 01-2119519223-49	R10 Xi; R38 Xn; R65 R43	Flam. Liq.3; H226 Asp. Tox.1; H304 Skin Irrit.2; H315 Skin Sens.1B; H317	0,1 - 1
Balsams, Peru Extractives and their physically modified derivatives such as tinctures, concretes, absolutes, essential oils oleoresins, terpenes, terpene-free fractions, distillates, residues, etc., obtained from Myroxylon balsamum pereirae, Leguminosae.	8007-00-9 232-352-8	Xi; R43	Skin Sens.1; H317	0,1 - 1
benzyl benzoate	120-51-4 204-402-9	Xn; R22 N; R51/53	Acute Tox.4; H302 Aquatic Chronic2; H411	0,25 - 2,5
Terpineol, acetate	8007-35-0 232-357-5 01-2119977127-29	N; R51/53	Aquatic Chronic2; H411	0,25 - 2,5
#-methyl-1,3-benzodioxole- 5-propionaldehyde	1205-17-0 214-881-6	Xi; R43 N; R51/53	Skin Sens.1B; H317 Aquatic Chronic2; H411	0,25 - 1
pin-2(10)-ene	127-91-3 204-872-5	R10 R43 Xn; R65 Xi; R38	Asp. Tox.1; H304 Skin Irrit.2; H315 Flam. Liq.3; H226 Skin Sens.1B; H317	0,1 - 1

For the full text of the R-phrases mentioned in this Section, see Section 16.

4. First aid measures

4.1 Description of first aid measures

- General advice : Take Risk and Safety phrases (section 15) into account.
- If inhaled : Remove from exposure site to fresh air and keep at rest. Obtain medical advice.

Version : 1.0
Revision Date : 24.01.2014

ROYAUME DU PARFUM INTERNATIONAL

R.P.I. 46 rue de Poissonnière 75002 PARIS - Téléphone + 33 (0) 1 42 89 31 73 - Fax + 33 (0) 970 63 31 90- E-Mail : c.himeur.rpi@gmail.com
S.A.R.L au capital de 91 800 € - RCS PARIS B 408 182 814 00074 - TVA INTRACOMMUNAUTAIRE FR 844 081 828 14 APE 514L

Product SAPPHIRE

Print Date 24.01.2014

Page 5 (14)

In case of skin contact : Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.

In case of eye contact : Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

If swallowed : Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

Risks : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Carbondioxide, dry chemical, foam.

Unsuitable extinguishing media : Do not use a direct waterjet on burning material.

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Water may be ineffective.

5.3 Advice for firefighters

Further information : Standard procedure for chemical fires.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Environmental precautions : Keep away from drains, surface- and groundwater and soil.

6.3 Methods and materials for containment and cleaning up

Version : 1.0

Revision Date : 24.01.2014

Product SAPPHIRE

Print Date 24.01.2014

Page 6 (14)

Methods for cleaning up : Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Prevent spreading over a wide area (e.g. by containment or oil barriers).

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.

If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees. Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.

Advice on protection against fire and explosion : Keep away from ignition sources and naked flame.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in a cool, dry, ventilated area away from heat sources. Keep containers upright and tightly closed when not in use.

7.3 Specific end uses

Specific use(s) : No information available.

8. Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Version : 1.0
Revision Date : 24.01.2014

Product SAPPHIRE

Print Date 24.01.2014

Page 7 (14)

Engineering measures

Where appropriate, use closed systems to transfer and process this material.

If appropriate, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant.

Personal protective equipment

Respiratory protection : Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient.

If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:

- a) while engineering controls and appropriate safe work practices and/or procedures are being implemented; or
- b) during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or
- c) if normal operational workplace vapor concentration in the air is increased due to heat ;
- d) during emergencies; or
- e) if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit.

Hand protection : Avoid skin contact. Use chemically resistant gloves.

Eye protection : Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur.

Hygiene measures : To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to this material. To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and

Version : 1.0

Revision Date : 24.01.2014

ROYAUME DU PARFUM INTERNATIONAL

R.P.I. 46 rue de Poissonnière 75002 PARIS - Téléphone + 33 (0) 1 42 89 31 73 - Fax + 33 (0) 970 63 31 90- E-Mail : c.himeur.rpi@gmail.com
 S.A.R.L au capital de 91 800 € - RCS PARIS B 408 182 814 00074 - TVA INTRACOMMUNAUTAIRE FR 844 081 828 14 APE 514L

Product SAPPHIRE

Print Date 24.01.2014

Page 8 (14)

operational practices to minimize exposure.

Environmental exposure controls

General advice : Keep away from drains, surface- and groundwater and soil.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: liquid
Colour	: yellow to orange
Odour	: conforms to standard
Odour Threshold	: not determined
Flash point	: 104 °C
Lower explosion limit	: not determined
Upper explosion limit	: not determined
Flammability (solid, gas)	: not determined
Oxidizing properties	: not determined
Autoignition temperature	: not determined
pH	: not determined
Melting point	: not determined
Boiling point	: not determined
Vapour pressure	: 0,04 hPa Calculated
Density	: not determined
Water solubility	: not determined
Partition coefficient: n-octanol/water	: not determined
Solubility in other solvents	: not determined
Viscosity, dynamic	: not determined
Viscosity, kinematic	: not determined
Relative vapour density	: not determined
Evaporation rate	: not determined

9.2 Other information

Refractive index	: not determined
Relative density	: 0,9980 - 1,0080

10. Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Version : 1.0
 Revision Date : 24.01.2014

Product SAPPHIRE

Print Date 24.01.2014

Page 9 (14)

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Note: Presents no significant reactivity hazard, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Direct sources of heat.

10.5 Incompatible materials

Materials to avoid : Avoid contact with strong acids, alkali or oxidizing agents.

10.6 Hazardous decomposition products

Hazardous decomposition products : Carbon monoxide and unidentified organic compounds may be formed during combustion.

11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Skin corrosion/irritation

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one : Species: human
 Result: Skin irritation
 Method: OECD 439

Serious eye damage/eye irritation

3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one : Species: rabbit
 Result: Severe eye irritation

Respiratory or skin sensitization

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one : LLNA
 Species: mouse
 Result: Causes sensitization.
 Method: OECD 429

Germ cell mutagenicity

Information on ingredients with chronic toxicity hazard(s) is available upon request.

Version : 1.0

Revision Date : 24.01.2014

Product SAPPHIRE

Print Date 24.01.2014

Page 10 (14)

Carcinogenicity

Information on ingredients with chronic toxicity hazard(s) is available upon request.

Reproductive toxicity

Information on ingredients with chronic toxicity hazard(s) is available upon request.

Target Organ Systemic Toxicant - Single exposure

Information on ingredients with chronic toxicity hazard(s) is available upon request.

Target Organ Systemic Toxicant - Repeated exposure

Information on ingredients with chronic toxicity hazard(s) is available upon request.

Aspiration hazard

No test data available. Ingredients with an aspiration hazard are identified in section 3.

12. Ecological information

12.1 Toxicity

Toxicity to daphnia and other aquatic invertebrates

[3R-(3.alpha.,3a.beta.,7.beta.,8a.alpha.)]-2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene
: EC50: 0,044 mg/l
Exposure time: 48 h
Remarks:
RIFM

M-Factor

[3R-(3#,3a#,7#,8a#)]-2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene
: 10

12.2 Persistence and degradability

12.3 Bioaccumulative potential

12.4 Mobility in soil

Mobility : no data available

12.5 Results of PBT and vPvB assessment

Version : 1.0

Revision Date : 24.01.2014

ROYAUME DU PARFUM INTERNATIONAL

R.P.I 46 rue de Poissonnière 75002 PARIS - Téléphone + 33 (0) 1 42 89 31 73 - Fax + 33 (0) 970 63 31 90- E-Mail : c.himeur.rpi@gmail.com
S.A.R.L au capital de 91 800 € - RCS PARIS B 408 182 814 00074 - TVA INTRACOMMUNAUTAIRE FR 844 081 828 14 APE 514L

Product SAPPHIRE

Print Date 24.01.2014

Page 11 (14)

This product contains no substance considered to be persistent, bioaccumulating nor toxic (PBT),. This product contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

12.6 Other adverse effects

Additional ecological information : There is no data available for this product.

13. Disposal considerations

13.1 Waste treatment methods

Product : Dispose of according to local regulations. Avoid disposing into drainage systems and into the environment.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

ADR

UN number : 3082

Description of the goods : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (3,3-DIMETHYL-5-(2,2,3-TRIMETHYL-3-CYCLOPENTEN-1-YL)-4-PENTEN-2-OL)

Labels : 9

Packing group : III

Environmentally hazardous : yes

IATA

UN number : 3082

Description of the goods : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (3,3-DIMETHYL-5-(2,2,3-TRIMETHYL-3-CYCLOPENTEN-1-YL)-4-PENTEN-2-OL)

Labels : 9

Packing group : III

Environmentally hazardous : yes

IMDG

UN number : 3082

Description of the goods : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (3,3-DIMETHYL-5-(2,2,3-TRIMETHYL-3-CYCLOPENTEN-1-YL)-4-PENTEN-2-OL)

Labels : 9

Packing group : III

Marine pollutant : yes

Version : 1.0

Revision Date : 24.01.2014

Product SAPPHIRE

Print Date 24.01.2014

Page 12 (14)

Special precautions for user : No special precautions required.

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Labelling — EU Directives 67/548/EEC or 1999/45/EC —

Symbol(s) : Xi Irritant
 N Dangerous for the environment

R-phrases(s) : R38 Irritating to skin.
 R43 May cause sensitization by skin contact.
 R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-phrases(s) : S24 Avoid contact with skin.
 S37 Wear suitable gloves.
 S61 Avoid release to the environment. Refer to special instructions/ Safety data sheets.

Notification status

REACH : Not in compliance with the inventory
 CH INV : Not in compliance with the inventory
 US.TSCA : Not On TSCA Inventory
 DSL : This product contains the following components that are not on the Canadian DSL nor NDSL lists.

AICS : Not in compliance with the inventory
 NZIoC : Not in compliance with the inventory
 ENCS : Not in compliance with the inventory
 ISHL : Not in compliance with the inventory
 KECI : Not in compliance with the inventory
 PICCS : Not in compliance with the inventory
 IECSC : Not in compliance with the inventory
 Water contaminating class (Germany) : WGK 3 highly water endangering

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Version : 1.0
 Revision Date : 24.01.2014

Product SAPPHIRE

Print Date 24.01.2014

Page 13 (14)

16. Other information

Full text of R-phrases referred to under sections 2 and 3

R10	Flammable.
R22	Harmful if swallowed.
R36/38	Irritating to eyes and skin.
R38	Irritating to skin.
R43	May cause sensitization by skin contact.
R50	Very toxic to aquatic organisms.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R53	May cause long-term adverse effects in the aquatic environment.
R65	Harmful: may cause lung damage if swallowed.

Full text of H-Statements referred to under sections 2 and 3.

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Further information

In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110]. In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace".

Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports.

The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration $\geq 1.0\%$ due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.

Version : 1.0
 Revision Date : 24.01.2014

ROYAUME DU PARFUM INTERNATIONAL

R.P.I 46 rue de Poissonnière 75002 PARIS - Téléphone + 33 (0) 1 42 89 31 73 - Fax + 33 (0) 970 63 31 90- E-Mail : c.himeur.rpi@gmail.com
 S.A.R.L au capital de 91 800 € - RCS PARIS B 408 182 814 00074 - TVA INTRACOMMUNAUTAIRE FR 844 081 828 14 APE 514L

SAFETY DATA SHEET

Product SAPPHIRE

Print Date 24.01.2014

Page 14 (14)

According to Regulation (EC) No. 1907/2006 the information in this safety data sheet is based on the properties of the material known to IFF at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment International Flavors & Fragrances holds no responsibility. This document is not intended for quality assurance purposes.

Version : 1.0
Revision Date : 24.01.2014

ROYAUME DU PARFUM INTERNATIONAL

R.P.I 46 rue de Poissonnière 75002 PARIS - Téléphone + 33 (0) 1 42 89 31 73 - Fax + 33 (0) 970 63 31 90- E-Mail : c.himeur.rpi@gmail.com
S.A.R.L au capital de 91 800 € - RCS PARIS B 408 182 814 00074 - TVA INTRACOMMUNAUTAIRE FR 844 081 828 14 APE 514L