

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## TOBACCO

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 01.04.2021     | 300000893496 | Date of first issue: 01.04.2021 |

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name : 6014950 TOBACCO  
IFF Code : 6014950

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Fragrance for consumer product

### 1.3 Details of the supplier of the safety data sheet

Company : IFF (NEDERLAND) BV  
ZEVENHEUVELENWEG 60  
5048 AN TILBURG  
Telephone : +31134642211  
Telefax : +31134636032  
E-mail address of person responsible for the SDS : sds@iff.com

### 1.4 Emergency telephone number

ORFILA (INRS): + 33 (0)1 45 42 59 59

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

|                                                |                                                             |
|------------------------------------------------|-------------------------------------------------------------|
| Skin irritation, Category 2                    | H315: Causes skin irritation.                               |
| Eye irritation, Category 2                     | H319: Causes serious eye irritation.                        |
| Skin sensitisation, Category 1                 | H317: May cause an allergic skin reaction.                  |
| Long-term (chronic) aquatic hazard, Category 1 | H410: Very toxic to aquatic life with long lasting effects. |

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements :

|      |                                                       |
|------|-------------------------------------------------------|
| H315 | Causes skin irritation.                               |
| H317 | May cause an allergic skin reaction.                  |
| H319 | Causes serious eye irritation.                        |
| H410 | Very toxic to aquatic life with long lasting effects. |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## TOBACCO

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 01.04.2021     | 300000893496 | Date of first issue: 01.04.2021 |

Precautionary statements :

### Prevention:

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ eye protection/ face protection.

### Response:

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

Hazardous components which must be listed on the label:

|                                                         |                                              |
|---------------------------------------------------------|----------------------------------------------|
| 68155-66-8,<br>54464-57-2,<br>68155-67-9,<br>54464-59-4 | Tetramethyl Acetyloctahydronaphthalenes      |
| 32388-55-9                                              | cedr-8-enyl methyl ketone                    |
| 33704-61-9                                              | Dihydro pentamethylindanone                  |
| 67874-81-1                                              | OCTAHYDRO-METHOXY-TETRAMETHYL-METHANOAZULENE |
| 91-64-5                                                 | COUMARIN                                     |
| 120-57-0                                                | HELIOTROPINE                                 |
| 78-70-6, 126-<br>91-0                                   | Linalool                                     |
| 476332-65-7                                             | Heptamethyl Decahydroindenofuran             |
| 97-53-0                                                 | EUGENOL                                      |
| 82356-51-2,<br>63314-79-4                               | Methylcyclopentadecenone                     |
| 115-95-7                                                | linalyl acetate                              |
| 138-86-3,<br>5989-27-5,<br>5989-54-8                    | limonene                                     |
| 8046-22-8,<br>8024-04-2                                 | Dipteryx Odorata Bean Extract                |
| 4180-23-8                                               | Anethole                                     |
| 104-55-2                                                | CINNAMAL                                     |
| 23696-85-7                                              | ROSE KETONE-4                                |
| 97-54-1                                                 | ISOEUGENOL                                   |

### 2.3 Other hazards

None reasonably foreseeable.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## TOBACCO

Version  
1.0

Revision Date:  
01.04.2021

SDS Number:  
300000893496

Date of last issue: -  
Date of first issue: 01.04.2021

### 3.2 Mixtures

#### Components

| Chemical name                                                                                          | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number | Classification                                                                                                            | Concentration<br>(% w/w) |
|--------------------------------------------------------------------------------------------------------|-------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|--------------------------|
| 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one                                | 68155-66-8<br>915-730-3<br>01-2119489989-04           | Skin Irrit. 2; H315<br>Skin Sens. 1B; H317<br>Aquatic Chronic 1;<br>H410                                                  | >= 30 - < 50             |
| [3R-(3α,3a,7,8α)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one | 32388-55-9<br>251-020-3<br>01-2119969651-28           | Skin Sens. 1B; H317<br>Aquatic Acute 1;<br>H400<br>Aquatic Chronic 1;<br>H410<br><br>M-Factor (Acute aquatic toxicity): 1 | >= 10 - < 20             |
| vanillin                                                                                               | 121-33-5<br>204-465-2<br>01-2119516040-60             | Eye Irrit. 2; H319                                                                                                        | >= 1 - < 10              |
| 3-ethoxy-4-hydroxybenzaldehyde                                                                         | 121-32-4<br>204-464-7                                 | Eye Irrit. 2; H319                                                                                                        | >= 1 - < 10              |
| 1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one                                             | 33704-61-9<br>251-649-3<br>01-2119977131-40           | Aquatic Chronic 2;<br>H411<br>Skin Sens. 1B; H317<br>Eye Irrit. 2; H319<br>Skin Irrit. 2; H315                            | >= 2,5 - < 10            |
| [3R-(3α,3aβ,6β,7β,8α)]-octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene                  | 67874-81-1<br>267-510-5<br>01-2120228335-61           | Skin Sens. 1B; H317<br>Aquatic Acute 1;<br>H400<br>Aquatic Chronic 1;<br>H410                                             | >= 2,5 - < 10            |
| coumarin                                                                                               | 91-64-5<br>202-086-7<br>01-2119943756-26              | Acute Tox. 4; H302<br>Skin Sens. 1B; H317                                                                                 | >= 1 - < 10              |
| piperonal                                                                                              | 120-57-0<br>204-409-7<br>01-2119983608-21             | Skin Sens. 1B; H317                                                                                                       | >= 1 - < 10              |
| [1aS-(1aα,4aβ,8aR*)]-1,1a,4,4a,5,6,7,8-octahydro-2,4a,8,8-tetramethylcyclopropa[d]naphthalene          | 470-40-6<br>207-426-8                                 | Asp. Tox. 1; H304                                                                                                         | >= 1 - < 10              |
| linalool                                                                                               | 78-70-6<br>201-134-4<br>01-2119474016-42              | Skin Irrit. 2; H315<br>Skin Sens. 1B; H317<br>Eye Irrit. 2; H319                                                          | >= 1 - < 10              |
| [3R-(3.alpha.,3a.beta.,7.beta.,8a.alpha                                                                | 469-61-4<br>207-418-4                                 | Asp. Tox. 1; H304<br>Aquatic Chronic 1;                                                                                   | >= 0,25 - < 1            |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## TOBACCO

Version 1.0      Revision Date: 01.04.2021      SDS Number: 300000893496      Date of last issue: -  
Date of first issue: 01.04.2021

|                                                                                                                            |                                              |                                                                                                                                                                                                                                       |                 |
|----------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| .)]-2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene                                                      |                                              | H410<br>Aquatic Acute 1;<br>H400<br><br>M-Factor (Acute aquatic toxicity): 10<br>M-Factor (Chronic aquatic toxicity): 10                                                                                                              |                 |
| decahydro heptamethyl indenofuran                                                                                          | 476332-65-7<br>449-360-4<br>01-0000018977-51 | Skin Sens. 1B; H317<br>Aquatic Chronic 1;<br>H410                                                                                                                                                                                     | >= 0,25 - < 1   |
| eugenol                                                                                                                    | 97-53-0<br>202-589-1<br>01-2119971802-33     | Eye Irrit. 2; H319<br>Skin Sens. 1B; H317<br><br>M-Factor (Acute aquatic toxicity): 1                                                                                                                                                 | >= 0,1 - < 1    |
| 3-methyl-5-Cyclopentadecen-1-one                                                                                           | 82356-51-2<br>429-900-5<br>01-0000017618-62  | Skin Sens. 1B; H317<br>Aquatic Acute 1;<br>H400<br>Aquatic Chronic 1;<br>H410                                                                                                                                                         | >= 0,25 - < 1   |
| linalyl acetate                                                                                                            | 115-95-7<br>204-116-4                        | Skin Irrit. 2; H315<br>Skin Sens. 1; H317<br>Eye Irrit. 2; H319                                                                                                                                                                       | >= 0,1 - < 1    |
| limonene                                                                                                                   | 138-86-3<br>205-341-0<br>601-029-00-7        | Flam. Liq. 3; H226<br>Skin Sens. 1B; H317<br>Asp. Tox. 1; H304<br>Aquatic Chronic 1;<br>H410<br>Skin Irrit. 2; H315<br>Aquatic Acute 1;<br>H400<br><br>M-Factor (Acute aquatic toxicity): 1<br>M-Factor (Chronic aquatic toxicity): 1 | >= 0,25 - < 1   |
| [3R-(3 $\alpha$ ,3 $\alpha$ $\beta$ ,7 $\beta$ ,8 $\alpha$ )]-octahydro-3,8,8-trimethyl-6-methylene-1H-3a,7-methanoazulene | 546-28-1<br>208-898-8                        | Asp. Tox. 1; H304<br>Aquatic Chronic 1;<br>H410<br>Aquatic Acute 1;<br>H400                                                                                                                                                           | >= 0,1 - < 0,25 |
| Balsams, tonka bean                                                                                                        | 8024-04-2<br>232-460-5<br>01-2120770923-47   | Acute Tox. 4; H302<br>Aquatic Chronic 3;<br>H412<br>Skin Sens. 1; H317                                                                                                                                                                | >= 0,1 - < 0,25 |
| (E)-anethole                                                                                                               | 4180-23-8<br>224-052-0<br>01-2119979097-22   | Skin Sens. 1B; H317                                                                                                                                                                                                                   | >= 0,1 - < 1    |
| cinnamaldehyde                                                                                                             | 104-55-2<br>203-213-9                        | Acute Tox. 4; H312<br>Skin Irrit. 2; H315                                                                                                                                                                                             | >= 0,1 - < 1    |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## TOBACCO

Version 1.0      Revision Date: 01.04.2021      SDS Number: 300000893496      Date of last issue: -  
Date of first issue: 01.04.2021

|                                                                                                              |                                           |                                                                                                                                                                  |                         |
|--------------------------------------------------------------------------------------------------------------|-------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                                                                                                              | 01-2119935242-45-                         | Eye Irrit. 2; H319<br>Skin Sens. 1A; H317                                                                                                                        |                         |
| 1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one                                                     | 23696-85-7<br>245-833-2                   | Skin Sens. 1A; H317<br>Aquatic Chronic 2; H411<br>Skin Irrit. 2; H315                                                                                            | $\geq 0,025 - < 0,1$    |
| Reaction mass of [1S-(1,3a,4,8a)]-decahydro-4,8,8-trimethyl-9-methylene-1,4-methanoazulene and caryophyllene | 475-20-7<br>904-919-6<br>01-2120739837-39 | Skin Sens. 1B; H317<br>Aquatic Chronic 1; H410<br>Skin Irrit. 2; H315<br>Aquatic Acute 1; H400<br>Asp. Tox. 1; H304<br><br>M-Factor (Acute aquatic toxicity): 10 | $\geq 0,0025 - < 0,025$ |
| isoeugenol                                                                                                   | 97-54-1<br>202-590-7                      | Acute Tox. 4; H312<br>Acute Tox. 4; H302<br>Skin Irrit. 2; H315<br>Eye Irrit. 2; H319<br>Skin Sens. 1A; H317<br>Acute Tox. 4; H332<br>STOT SE 3; H335            | $\geq 0 - < 0,01$       |

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General advice : Take Hazard and Precautionary phrases (section 2) into account.
- If inhaled : Remove from exposure site to fresh air and keep at rest. If victim is unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice.
- In case of skin contact : Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
- In case of eye contact : Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
- If swallowed : Rinse mouth with water and obtain medical advice.

### 4.2 Most important symptoms and effects, both acute and delayed

- Risks : Causes skin irritation.  
May cause an allergic skin reaction.  
Causes serious eye irritation.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## TOBACCO

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 01.04.2021     | 300000893496 | Date of first issue: 01.04.2021 |

### 4.3 Indication of any immediate medical attention and special treatment needed

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Carbondioxide, dry chemical, foam.

Unsuitable extinguishing media : Do not use a direct waterjet on burning material.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Water may be ineffective.

### 5.3 Advice for firefighters

Further information : Standard procedure for chemical fires.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).

### 6.2 Environmental precautions

Environmental precautions : Keep away from drains, surface- and groundwater and soil.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

### 6.4 Reference to other sections

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## TOBACCO

Version 1.0      Revision Date: 01.04.2021      SDS Number: 300000893496      Date of last issue: -  
Date of first issue: 01.04.2021

chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.

If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees.

Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.

Advice on protection against fire and explosion : Keep away from ignition sources and naked flame.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in a cool, dry, ventilated area away from heat sources.  
Keep containers upright and tightly closed when not in use.

### 7.3 Specific end use(s)

Specific use(s) : No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name                                                          | End Use            | Exposure routes | Potential health effects   | Value             |
|-------------------------------------------------------------------------|--------------------|-----------------|----------------------------|-------------------|
| 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one | Workers            | Skin contact    | Long-term local effects    | 0,1011 mg/cm2     |
| Remarks:                                                                | Exposure time: 8 h |                 |                            |                   |
|                                                                         | Workers            | Skin contact    | Long-term systemic effects | 1,73 mg/kg bw/day |
| Remarks:                                                                | Exposure time: 8 h |                 |                            |                   |
|                                                                         | Workers            | Inhalation      | Long-term systemic effects | 1,76 mg/m3        |
| Remarks:                                                                | Exposure time: 8 h |                 |                            |                   |
| 3-ethoxy-4-hydroxybenzaldehyde                                          | Workers            | Inhalation      | Long-term systemic effects | 49 mg/m3          |
|                                                                         | Workers            | Inhalation      | Acute systemic effects     | 98 mg/m3          |
|                                                                         | Workers            | Dermal          | Long-term systemic         | 7 mg/kg           |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## TOBACCO

Version 1.0      Revision Date: 01.04.2021      SDS Number: 300000893496      Date of last issue: -  
Date of first issue: 01.04.2021

|  |           |            | effects                    | bw/day           |
|--|-----------|------------|----------------------------|------------------|
|  | Consumers | Inhalation | Long-term systemic effects | 8,75 mg/m3       |
|  | Consumers | Inhalation | Acute systemic effects     | 17,5 mg/m3       |
|  | Consumers | Dermal     | Long-term systemic effects | 2,5 mg/kg bw/day |
|  | Consumers | Oral       | Long-term systemic effects | 2,5 mg/kg bw/day |

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name                                                          | Environmental Compartment | Value                         |
|-------------------------------------------------------------------------|---------------------------|-------------------------------|
| 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one | Fresh water               | 0,0028 mg/l                   |
|                                                                         | Marine water              | 0,00028 mg/l                  |
|                                                                         | Fresh water sediment      | 3,73 mg/kg dry weight (d.w.)  |
|                                                                         | Marine sediment           | 0,75 mg/kg dry weight (d.w.)  |
|                                                                         | Soil                      | 0,705 mg/kg dry weight (d.w.) |

## 8.2 Exposure controls

### Engineering measures

Where appropriate, use closed systems to transfer and process this material.  
If appropriate, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant.

### Personal protective equipment

Eye protection : Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur.  
Equipment should conform to EN 166

#### Hand protection

Material : Nitrile rubber  
Break through time : > 60 min  
Glove thickness : 0,38 mm

Material : Nitrile rubber  
Break through time : > 10 min  
Glove thickness : 0,1 mm

Avoid skin contact. Use chemically resistant gloves. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Be aware that in daily use the durability of a chemical resistant protective glove can be notably shorter than the break through time measured according to EN 374, due to the numerous outside influences (e.g. temperature). Please



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## TOBACCO

|                |                              |                             |                                                          |
|----------------|------------------------------|-----------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>01.04.2021 | SDS Number:<br>300000893496 | Date of last issue: -<br>Date of first issue: 01.04.2021 |
|----------------|------------------------------|-----------------------------|----------------------------------------------------------|

observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other.

**Respiratory protection** : Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures.  
No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient.

If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:

a)while engineering controls and appropriate safe work practices and/or procedures are being implemented; or  
b)during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or  
c)if normal operational workplace vapor concentration in the air is increased due to heat ;  
d)during emergencies; or  
e)if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit.

**Protective measures** : To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to this material.  
To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize exposure.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

9 / 19

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## TOBACCO

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 01.04.2021     | 300000893496 | Date of first issue: 01.04.2021 |

|                                                  |                                   |
|--------------------------------------------------|-----------------------------------|
| Appearance                                       | : liquid                          |
| Odour                                            | : conforms to standard            |
| pH                                               | : not determined                  |
| Melting point                                    | : not determined                  |
| Boiling point                                    | : not determined                  |
| Flash point                                      | : 113,00 °C<br>Method: closed cup |
| Flammability (solid, gas)                        | : not determined                  |
| Upper explosion limit / Upper flammability limit | : not determined                  |
| Lower explosion limit / Lower flammability limit | : not determined                  |
| Vapour pressure                                  | : 0,02 hPa<br>Calculated          |
| Relative vapour density                          | : not determined                  |
| Relative density                                 | : 1,0110 - 1,0210                 |
| Density                                          | : not determined                  |
| Water solubility                                 | : not determined                  |
| Solubility in other solvents                     | : not determined                  |
| Partition coefficient: n-octanol/water           | : not determined                  |
| Decomposition temperature                        | : not determined                  |
| Viscosity, dynamic                               | : not determined                  |
| Viscosity, kinematic                             | : not determined                  |
| Oxidizing properties                             | : not determined                  |

### 9.2 Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazards to be specially mentioned.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

|                     |                                                                                                                                               |
|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| Hazardous reactions | : Presents no significant reactivity hazard, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidizing agents. |
|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|

### 10.4 Conditions to avoid

|                     |                           |
|---------------------|---------------------------|
| Conditions to avoid | : Direct sources of heat. |
|---------------------|---------------------------|

### 10.5 Incompatible materials

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## TOBACCO

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 01.04.2021     | 300000893496 | Date of first issue: 01.04.2021 |

Materials to avoid : Avoid contact with strong acids, alkali or oxidizing agents.

### 10.6 Hazardous decomposition products

Carbon monoxide and unidentified organic compounds may be formed during combustion.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg  
Method: Calculation method

#### Skin corrosion/irritation

Causes skin irritation.

#### Components:

##### 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Species : human  
Method : OECD 439  
Result : Skin irritation

##### 1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one:

Species : human  
Exposure time : 0,25 h  
Method : EPISKIN Human Skin Model Test  
Result : Skin irritation

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Components:

##### vanillin:

Remarks : No data available

##### 3-ethoxy-4-hydroxybenzaldehyde:

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Eye irritation  
Remarks : Supplier

##### 1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one:

Species : Chicken eye

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## TOBACCO

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 01.04.2021     | 300000893496 | Date of first issue: 01.04.2021 |

Method : OECD 438  
Result : Eye irritation  
GLP : yes

### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### Respiratory sensitisation

Not classified based on available information.

#### Components:

##### 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Test Type : LLNA  
Species : Mouse  
Method : OECD 429  
Result : Causes sensitisation.

##### 1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one:

Test Type : LLNA  
Species : Mouse  
Method : OECD 429  
Result : Skin sensitization

Test Type : repeated insult patch test  
Species : Humans  
Result : Does not cause skin sensitisation.  
Test substance : 10.% in ethanol/DEP (75:25)

Result : Does not cause respiratory sensitisation.

#### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Genotoxicity in vitro : Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Method: Mutagenicity (Escherichia coli - reverse mutation assay)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Test system: Human lymphocytes  
Metabolic activation: with and without metabolic activation  
Method: OECD 473  
Result: negative

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## TOBACCO

|                |                              |                             |                                                          |
|----------------|------------------------------|-----------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>01.04.2021 | SDS Number:<br>300000893496 | Date of last issue: -<br>Date of first issue: 01.04.2021 |
|----------------|------------------------------|-----------------------------|----------------------------------------------------------|

Genotoxicity in vivo : Test Type: in vivo assay  
Species: Mouse (male)  
Method: Mutagenicity (micronucleus test)  
Result: negative

Test Type: in vivo assay  
Species: Rat  
Method: Mutagenicity (micronucleus test)  
Result: negative

### Carcinogenicity

Not classified based on available information.

### Reproductive toxicity

Not classified based on available information.

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

### Repeated dose toxicity

Not classified based on available information.

### Components:

#### 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

|                     |                                           |
|---------------------|-------------------------------------------|
| Species             | : Rat, male and female                    |
| NOAEL               | : 150 mg/kg                               |
| Application Route   | : Oral                                    |
| Exposure time       | : 28-day                                  |
| Number of exposures | : 1x /day                                 |
| Method              | : OECD Test Guideline 407                 |
| Target Organs       | : Digestive organs, Liver                 |
| Remarks             | : Repeated dose (28 days) toxicity (oral) |

### Aspiration toxicity

Not classified based on available information.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

#### 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

|                  |                                                                                                                                                    |
|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| Toxicity to fish | : LC50 (Lepomis macrochirus (Bluegill sunfish)): 1,3 mg/l<br>Exposure time: 96 h<br>Test Type: semi-static test<br>Method: OECD Test Guideline 203 |
|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## TOBACCO

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 01.04.2021     | 300000893496 | Date of first issue: 01.04.2021 |

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,38 mg/l  
Exposure time: 48 h  
Test Type: semi-static test  
Method: OECD Test Guideline 202  
Remarks: IFF

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 2,6 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201

Toxicity to microorganisms : NOEC : > 100 mg/l  
Exposure time: 42 h  
Test Type: static test  
Method: OECD 301 F

Toxicity to fish (Chronic toxicity) : NOEC: 0,16 mg/l  
Exposure time: 30 d  
Species: Danio rerio (zebra fish)  
Test Type: semi-static test  
Method: OECD 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,028 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD 211

### 12.2 Persistence and degradability

#### Components:

##### **1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8-tetramethyl-2-naphthyl)ethan-1-one:**

Biodegradability : Concentration: 100 mg/l  
Result: Not readily biodegradable.  
Biodegradation: 11 %  
Exposure time: 28 d  
Method: OECD Test Guideline 302C

##### **[3R-(3 $\alpha$ ,3a,7,8 $\alpha$ )]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 36 %  
Method: Directive 67/548/EEC Annex V, C.4.C.

### 12.3 Bioaccumulative potential

#### Components:

##### **1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8-tetramethyl-2-naphthyl)ethan-1-one:**



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## TOBACCO

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 01.04.2021     | 300000893496 | Date of first issue: 01.04.2021 |

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)  
Exposure time: 21 d  
Bioconcentration factor (BCF): 391  
Method: OECD 305  
GLP: yes

### 12.4 Mobility in soil

**Product:**

Mobility : Remarks: No data available

**Components:**

**1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:**

Distribution among : Adsorption/Soil  
environmental compartments Koc: 12598, log Koc: 4,1

### 12.5 Results of PBT and vPvB assessment

**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Other adverse effects

**Product:**

Additional ecological : There is no data available for this product.  
information

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of according to local regulations. Avoid disposing into drainage systems and into the environment.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

---

## SECTION 14: Transport information

### 14.1 UN number

ADR : UN 3082

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## TOBACCO

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 01.04.2021     | 300000893496 | Date of first issue: 01.04.2021 |

**IMDG** : UN 3082

**IATA** : UN 3082

### 14.2 UN proper shipping name

**ADR** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(Octahydro Tetramethyl Naphthalenyl Ethanone)

**IMDG** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(Octahydro Tetramethyl Naphthalenyl Ethanone)

**IATA** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(Octahydro Tetramethyl Naphthalenyl Ethanone)

### 14.3 Transport hazard class(es)

**ADR** : 9

**IMDG** : 9

**IATA** : 9

### 14.4 Packing group

**ADR**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)

**IMDG**  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

**IATA (Cargo)**  
Packing instruction (cargo aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Class 9 - Miscellaneous dangerous substances and articles

**IATA\_P (Passenger)**  
Packing instruction (passenger aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Class 9 - Miscellaneous dangerous substances and articles

### 14.5 Environmental hazards

**ADR**  
Environmentally hazardous : yes

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## TOBACCO

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 01.04.2021     | 300000893496 | Date of first issue: 01.04.2021 |

### IMDG

Marine pollutant : yes (Octahydro Tetramethyl Naphthalenyl Ethanone)

#### IATA (Passenger)

Environmentally hazardous : yes

#### IATA (Cargo)

Environmentally hazardous : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

## SECTION 16: Other information

### Full text of H-Statements

|      |                                                         |
|------|---------------------------------------------------------|
| H226 | : Flammable liquid and vapour.                          |
| H302 | : Harmful if swallowed.                                 |
| H304 | : May be fatal if swallowed and enters airways.         |
| H312 | : Harmful in contact with skin.                         |
| H315 | : Causes skin irritation.                               |
| H317 | : May cause an allergic skin reaction.                  |
| H319 | : Causes serious eye irritation.                        |
| H332 | : Harmful if inhaled.                                   |
| H335 | : May cause respiratory irritation.                     |
| H400 | : Very toxic to aquatic life.                           |
| H410 | : Very toxic to aquatic life with long lasting effects. |
| H411 | : Toxic to aquatic life with long lasting effects.      |
| H412 | : Harmful to aquatic life with long lasting effects.    |

### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## TOBACCO

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 01.04.2021     | 300000893496 | Date of first issue: 01.04.2021 |

for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110].

In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace".

Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports.

The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration  $\geq 1.0\%$  due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.

According to Regulation (EC) No. 1907/2006 the information in this safety data sheet is based on the properties of the material known to IFF at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment International Flavors & Fragrances holds no responsibility. This document is not intended for quality assurance purposes.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## TOBACCO

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 01.04.2021     | 300000893496 | Date of first issue: 01.04.2021 |

### Classification of the mixture:

|                   |      |
|-------------------|------|
| Skin Irrit. 2     | H315 |
| Eye Irrit. 2      | H319 |
| Skin Sens. 1      | H317 |
| Aquatic Chronic 1 | H410 |

### Classification procedure:

|                    |
|--------------------|
| Calculation method |
| Calculation method |
| Calculation method |
| Calculation method |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG\_EU / EN