How are we doing? Please help us improve Stack Overflow. Take our short survey





Profiles ▼

John Zwinck


- Member for 16 years, 3 months U Last seen more than a week ago



Stats

248,418	21.6m	5,528	125	
reputation	reached	answers	questions	

Badges View all badges



Top tags

View all tags


python	5,838 score 1,680 posts 30 posts %
C++ •	5,565 score 2,069 posts 37 posts %
C •	2,251 score 861 posts 15 posts %
pandas	1,334 score 410 posts 7 posts %
numpy	1,182 score 404 posts 7 posts %
linux •	1,122 score 415 posts 7 posts %

Top posts

View all questions, answers, and articles




A 2578	Difference between git stash pop and git stash apply	Mar 8, 2013
A 681	What does `set -x` do?	Mar 29, 2016
A 560	Download large file in python with requests	Aug 30, 2016
A 524	Simplify Chained Comparison	Oct 22, 2014
A 315	How can I do a recursive find/replace of a string with awk or sed?	Oct 18, 2009
A 299	Why is the empty dictionary a dangerous default value in Python?	Oct 12, 2014
A 247	How to use git commands after enable gitlab's second-factor authentication	Aug 5, 2018
A 247	Convert string to buffer Node	May 25, 2016
A 241	Inline conditions in Lua (a == b ? "yes" : "no")?	Apr 2, 2011
A 225	"In-source builds are not allowed" in cmake	Aug 5, 2017



Top network posts

View all network posts



Communities



248.4k
4.1k
2.4k
ge 943
636