

Application version or milestone Naming Schemes

Asked 15 years, 11 months ago Modified 15 years, 8 months ago

Viewed 3k times



4



I'm looking for "schemes" for application version or milestone naming.

I'd like to find a naming scheme that suits my current project but I think we should gather here the more interesting schemes to share knowledge and ideas on the subject.

You also should provide the number of possible name with the proposed scheme or an estimate.

For example :

- [OGRE \(Object-Oriented-Graphic-Rendering-Engine\)](#) : [each version](#) is named like one of "[The Great Old Ones](#)" from [Lovecraft's "The Call of Cthulhu" mythos](#) - 67 possible names.
- [Ubuntu \(Linux based OS\)](#) : [as explained here](#)

The development codename of a release takes the form "Adjective Animal". So for example:

Warty Warthog (Ubuntu 4.10), Hoary Hedgehog (Ubuntu 5.04), Breezy Badger (Ubuntu 5.10), are the first three releases of Ubuntu. In general, people refer to the release using the adjective, like "warty" or "breezy".

That allow a finite but very big possible name count.

- Some hardware and software releases are named like **real world big cities** - hundreds of possible names;
- Some hardware and software releases are named like **(Greek-Roman-whatever) mythology gods or king/warlord/emperor** - tenths of possible names my mythology;
- etc.

For my own project I'm thinking about using a naming scheme that would be to name public releases like popular software principles/philosophies/rules/pattern like DRY, KISS, YAGNI, Singleton, Factory, Visitor, etc. But it feel maybe a little too much...computer-geek. :)

naming-conventions

version

milestone

Share

Improve this question

Follow

edited Apr 6, 2009 at 16:34



Mihai Limbășan

67.2k ● 4 ● 50 ● 59

asked Jan 10, 2009 at 1:28



Klaim

69.5k ● 36 ● 135 ● 190

5 Answers

Sorted by:

Highest score (default)



5

The problem with programming terms as project names is that they're confusing for most users. They'd make great internal codenames.



I've heard major rivers used as project names - Nile, Brisbane, etc.



check out http://en.wikipedia.org/wiki/List_of_rivers



Releasing in alphabetical order helps users remember which version is more recent.

Share Improve this answer

answered Jan 10, 2009 at 1:34

Follow



akatakritos

9,848 ● 1 ● 24 ● 30

Having internal code names and separate public release names is interesting, thanks for the suggestion! Now that I think about it, computer software development popular principles and patterns could be confusing in the devs team chats... – Klaim Jan 10, 2009 at 1:56



I personally find naming release versions of a software product after mythological creatures, furry animals and geographic landmarks all just a bit new age and

5



pretentious. Fine for a beta or internal working codename maybe, but there's no substitute for proper version numbers when releasing to your end users.



Just my 2c



Kev

Share Improve this answer

answered Jan 10, 2009 at 2:38

Follow



Kev

120k ● 53 ● 305 ● 391



We used to use all the different names from hell and its mythology. Our production server was my favorite: Horus.

2



Share Improve this answer

answered Jan 10, 2009 at 1:32

Follow



Tom Anderson

10.8k ● 3 ● 48 ● 64



How about using [collective noun](#) pairs (apostrophes left out deliberately):

1

aardvarks armoury



blacksmiths anvil



crow murder




tanks clank

snipe wisp

Share Improve this answer

Follow

answered Jan 10, 2009 at 1:33



[Mitch Wheat](#)

300k ● 44 ● 477 ● 550



1



frankly i don't get Ubuntu's release naming scheme - too many names thrown at us too often. Windows can get way with XP and Vista every now and then (every 3-4 years?) but Ubuntu is too aggressive with hodgepodge of names every 6 mos.

to answer your question - what's wrong with good old 8.10 and 9.04? KISS indeed

Share Improve this answer

answered Jan 10, 2009 at 1:39

Follow



[webwesen](#)

1,262 ● 4 ● 17 ● 31

The version number scheme is not a problem and is already set. The problem is more to give "human-friendly" names to my software's public releases (one for several versions numbers), for easier user feedback (the name is displayed in big chars inside the application) and subtle marketing purposes... – [Klaim](#) Jan 10, 2009 at 1:51

e.g. like Apple's OS scheme - 10.4 = Tiger, 10.5 = Leopard etc. You can use either name and most people are familiar with both – [philsquared](#) Apr 6, 2009 at 17:39

after a while these names do not mean much - was "Mouse" before the "Elephant"? or the other way? whereas 10.4 and 10.5 leave no ambiguity – [webwesen](#) Jun 4, 2009 at 14:54
