



# FreeMemory

- Member for 16 years, 4 months (Last seen this week




#### Stats


8,604	5.0m	58	23
reputation	reached	answers	questions

### **About**


Software developer working for a Wall St. firm, but with a passion for systems and C programming.

## Badges View all badges









# Top tags c • 529 score 34 posts 42 posts % C++ 369 score 17 posts 21 posts %

C++	369 score 17 posts 21 posts %
malloc	74 score 3 posts 4 posts %
operators	34 score 3 posts 4 posts %
linux	31 score 9 posts 11 posts %
java	26 score 9 posts 11 posts %

## Top posts

### View all questions, answers, and articles

All	Question	s Answers Articles Score Newest	
A	316	return statement vs exit() in main()	Jan 20, 2009
Q	130	What is the difference between vmalloc and kmalloc?	Sep 22, 2008
A	58	Red-Black Trees	Aug 21, 2008
A	47	Why is the use of alloca() not considered good practice?	Jun 19, 2009
A	32	How do you spawn another process in C?	Aug 21, 2008
A	27	What is the best way to free memory after returning from an error?	Feb 20, 2009
A	23	What is the difference between '==' and '='?	Jun 17, 2009
Q	17	Distinguishing instruments in a music file [closed]	Mar 30, 2009
A	16	Non-blocking version of system()	Jun 16, 2009
A	16	Is it possible to make a Bash file run as root in crontab?	Jun 18, 2009

# Communities

View all 🗷

Stack Overflow	8.6k	
5 Software Engineering	135	
Super User	113	
Server Fault	101	
Meta Stack Exchange	101	