

List Comprehension in an Open Office Spreadsheet

Asked 16 years, 2 months ago Modified 3 years ago Viewed 369 times



3



List Comprehension is a very useful code mechanism that is found in several languages, such as Haskell, Python, and Ruby (just to name a few off the top of my head). I'm familiar with the construct.

I find myself working on an Open Office Spreadsheet and I need to do something fairly common: I want to count all of the values in a range of cells that fall between a high and low bounds. I instantly thought that list comprehension would do the trick, but I can't find anything analogous in Open Office. There is a function called "COUNTIF", and it something similar, but not quite what I need.

Is there a construct in Open Office that could be used for list comprehension?

[openoffice.org](#)


[list-comprehension](#)

Share

Improve this question

Follow

asked Oct 8, 2008 at 6:44



[jcchurch](#)

121 ● 1 ● 5

2 Answers

Sorted by:

Highest score (default)



1



CountIf can count values equal to one chosen.

Unfortunately it seems that there is no good candidate for such function. Alternatively you can use additional column with If to display 1 or 0 if the value fits in range or not accordingly:

```
=If(AND({list_cell}>=MinVal; {list_cell}<=MaxVal);  
1; 0)
```



Then only thing left is to sum up this additional column.

[Share](#) [Improve this answer](#)

answered Oct 9, 2008 at 13:04

[Follow](#)



[sdkpoly](#)

321 ● 2 ● 8



0



Assuming:

- your range is A1:A10
- your lower bound is at B1
- your upper bound is at B2

then what you want can be achieved by:

```
=COUNTIFS(A1:A10, ">" & B1, A1:A10, "<" & B2)
```

(you might need to change commas into semicolons, depending on your language preference for decimal

point)

Quoting from the installed OpenOffice documentation:

The logical relation between criteria can be defined as logical AND (conjunction). In other words, if and only if all given criteria are met, a value from the corresponding cell of the given Func_Range is taken into calculation.

This function is part of the Open Document Format for Office Applications (OpenDocument) standard Version 1.2. (ISO/IEC 26300:2-2015)

Share Improve this answer

Follow

answered Dec 9, 2021 at 13:50



[tzot](#)

95.8k ● 30 ● 149 ● 208
