

Could not disable session resumption requested by OpenSSL client

Asked 9 years, 8 months ago Modified 9 years ago Viewed 409 times



0



I'm developing `SSL` mutual authentication in android to connect to a `HTTPS` website using OpenSSL library. I want to disable session resumption requested by client in OpenSSL; In other words, it is expected from the client not to sent previous session ID in the "Client Hello" message, but it sends.

I tried using `SSL_CTX_set_session_cache_mode(ctx, SSL_SESS_CACHE_OFF)` , but nothing changed.

Can anyone help me disable session reuse?

Thanks

authentication

openssl

session

Share Follow

edited Dec 22, 2015 at 12:04



BhushanK

1,243 ● 6 ● 24 ● 39

asked Apr 8, 2015 at 7:03



user3406222

307 ● 3 ● 11

You're attempting to disable on the server or the Android client? – [RoraZ](#) Apr 8, 2015 at 11:18

I want to disable from client-side. – [user3406222](#) Apr 8, 2015 at 20:45

Are you setting the cache mode of the `SSL_CTX` prior to the first connection using that ctx, or afterwards?
– [frasertweedale](#) Apr 9, 2015 at 1:01

[You also need to turn off session tickets.](#) – [RoraZ](#) Apr 9, 2015 at 12:02 

It's set prior to the first connection – [user3406222](#) Apr 11, 2015 at 9:48

Related questions

1 [Fail to use d2i_SSL_SESSION to unserialise...](#)

4 [OpenSSL Client-side Certificate-based Authentication...](#)

2 [openssl s_client losing connection after each request](#)

 [Load 7 more related questions](#)