Firas Assaad

🎂 Member for 16 years, 2 months   🕐 Last seen more than a month ago

🐦 ⓖ 🔗 firasassaad.com   📍 Netherlands

Profile   Activity

Stats

25,720	3.1m	113	16
reputation	reached	answers	questions

About

Hi. :D

Email: assaad.firas -(at)- gmail

Badges

View all badges

16	63
gold badges	silver badges

Electorate	Jun 22, 2010
Populist	Dec 11, 2014
Fanatic	Sep 4, 2009

Pundit	Nov 2, 2010
Taxonomist	Mar 15, 2010
Favorite Question	Jul 31, 2015

79
bronze badges

ruby	Aug 8, 2012
c++	Jan 18, 2012
Disciplined	Apr 23, 2011

Top tags

View all tags

c#	770 score	13 posts	10 posts %
.net	681 score	6 posts	5 posts %
c++	581 score	31 posts	24 posts %
ruby	168 score	24 posts	19 posts %
c	62 score	10 posts	8 posts %
java	62 score	7 posts	5 posts %

Top posts

View all [questions](#), [answers](#), and [articles](#)

| All | Questions | Answers | Articles | | Score | Newest |

A	674	How can I find the method that called the current method?	Oct 5, 2008
A	477	What is the difference between private and protected members of C++ classes?	Oct 22, 2008
A	182	Difference between hard wrap and soft wrap?	Nov 26, 2008
A	177	Is there a VB.NET equivalent for C#'s '??' operator?	Dec 31, 2008
A	137	Equivalent of ctrl c in command to cancel a program	Feb 5, 2009
A	46	What is "for" in Ruby	Sep 30, 2008
A	42	Which is recommended: "static public" or "public static"	Oct 27, 2008
A	41	Double value returns 0	Dec 14, 2008
Q	40	What technologies do C++ programmers need to know? [closed]	Sep 30, 2008

A	29	How do you list the currently available objects in the current scope in ruby?	Oct 23, 2008

Top network posts

	29	How do you add a scripting language to a game?
	22	Workaround to losing the OpenGL context when Android pauses?
	18	How many threads should an Android game use?
	17	How do 3D game engines render 3D environments to a 2D screen?
	9	Custom extensible file format for 2d tiled maps

Communities
View all ⤢

	Stack Overflow	25.7k
51	Area 51	3.9k
	Game Development	3.6k
	Meta Stack Exchange	264
	Software Engineering	111