

# I GIVE CRAP ANSWERS

- Member for 16 years, 2 months 🕓 Last seen more than 5 years ago



**Activity** 

#### Stats


18,849	1.4m	301	1
reputation	reached	answers	question


#### **About**


Hacks anything as long as it has a functional subset.

# Badges

View all badges







Top tags View all tags

erlang	863 score 211 posts 70 posts %
erlang-otp •	134 score 22 posts 7 posts %
database	112 score 10 posts 3 posts %
git	48 score 7 posts 2 posts %
performance	46 score 11 posts 4 posts %
algorithm	36 score 16 posts 5 posts %

### Top posts

View all questions, answers, and articles

All	Question	ns Answers Articles Score Newest	
A	102	NoSql vs Relational database	Nov 12, 2010
Α	75	Why code-as-data?	Nov 10, 2010
A	63	Is there a regular expression to detect a valid regular expression?	Oct 5, 2008
A	59	Advantages of Binary Search Trees over Hash Tables	Nov 9, 2010
A	56	emacs create new file with ido enabled	Feb 28, 2011
A	43	Why big companies use Mnesia instead of using Riak or CouchDB	Apr 20, 2014
A	38	How to write "a==b? X: Y" in Erlang, in other words how to write a C-style ternary operator?	May 23, 2011
A	37	How did WhatsApp achieve 2 million connections per server?	Mar 1, 2014
A	30	Speeding Up Python	Oct 6, 2008
A	28	What is the Git equivalent for revision number?	Nov 7, 2010

## Top network posts



Erlang code to list all IP addresses

### Communities

Stack Overflow 18.8k

Code Review 181

Super User 101

Theoretical Computer Sc... 101