



 Network profile

Adriaan Moors

 Member for 14 years, 10 months  Last seen more than 9 years ago

 github.com/adriaanm  San Francisco, CA

Profile

Activity

Stats

4,296
reputation

105k
reached

13
answers

0
questions

About

Scala Tech Lead at Typesafe.

Badges

[View all badges](#)



1
gold badge



19
silver badges

 Guru

Aug 18, 2012

Great Answer

Jan 15, 2015

Enlightened

Jun 17, 2010

Good Answer

× 2

Mar 1, 2017



10

bronze badges

Critic

Jul 10, 2013

Commentator

Nov 19, 2013

Nice Answer × 4

Apr 19, 2016

Top tags

[View all tags](#)

scala

415 score 12 posts 92 posts %

higher-kinded-types

320 score 2 posts 15 posts %

types

315 score 1 posts 8 posts %

generics

315 score 1 posts 8 posts %

type-constructor

315 score 1 posts 8 posts %

variance

38 score 2 posts 15 posts %

Top posts

View all [questions](#), [answers](#), and [articles](#)

[All](#)[Questions](#)[Answers](#)[Articles](#)[Score](#)[Newest](#)

315

[What is a higher kinded type in Scala?](#)

Jun 21, 2011



30

[When is @uncheckedVariance needed in Scala, and why is it used in GenericTraversableTemplate?](#)

Mar 16, 2010



14

[In Scala 2, type inference fails on Set made with .toSet?](#)

May 25, 2011



11

[What does "trait A <: B" mean?](#)

Feb 19, 2010



9

[Why do I need an explicit evidence type / why does this Scala type bound fail?](#)

Dec 12, 2011



8

[Can extractors be customized with parameters in the body of a case statement \(or anywhere else that an extractor would be used\)?](#)

Mar 16, 2010



8

[When is @uncheckedVariance needed in Scala, and why is it used in GenericTraversableTemplate?](#)

Mar 17, 2010



7

[How do Scala parser combinators compare to Haskell's Parsec?](#)

Mar 16, 2010



7

[Keeping information when using induction?](#)

Feb 4, 2011



5

Context bounds shortcut with higher
kinded-types

Jun 22, 2011

Communities



Stack Overflow

4.3k