

Earth Engine

Explorer to the unknown

- Member for 13 years, 6 months Last seen more than a month ago
- Melbourne, Victoria, Australia



Stats

10,396	1.5m	94	122
reputation	reached	answers	questions

About


When working I focused on writing efficient code with the highest level of abstraction, so the result code can be used in many different situations with minimal modification.

At work I use C#/C++/Java, but I am currently writing a Rust interpreter for continuation calculus.

Badges View all badges








Top tags View all tags


c#	42 score	46 posts	21 posts %
haskell	38 score	33 posts	15 posts %
rust	17 score	25 posts	12 posts %
java	14 score	e 20 posts	9 posts %



Top posts

View all questions, answers, and articles

All	Question	ns Answers Articles Score Newest	
A	218	close vs shutdown socket?	May 5, 2014
Q	91	What are the correct link options to use std::thread in GCC under linux?	Dec 27, 2011
Q	76	Java how to call method by reflection with primitive types as arguments	Nov 16, 2012
Q	63	Use MonadRef to implement MonadCont	Jun 16, 2014
Q	55	How to capture a unique_ptr into a lambda expression?	Nov 23, 2011
Q	31	Is Haskell suitable for quantum computing?	Aug 27, 2013
Q	22	Are there a thing call "semi-monad" or "counter-monad"?	Dec 20, 2012
Q	19	"Eta reduce" is not always held in Haskell?	Nov 3, 2013



Top Meta posts


Q 1 A 0



Is it a wrong icon assigned to "firefox" tag?

Top network posts

View all network posts



Communities

View all [2



Code Review	495	
Unix & Linux	463	
[] Super User	430	
Arqade	397	