Profiles **▼**



Coincoin

- A Member for 16 years, 4 months Last seen more than 4 years ago
- Montreal, Canada



Activity

Stats


| 28,536 | 4.6m | 218 | 8 |
|------------|---------|---------|-----------|
| reputation | reached | answers | questions |

About

A guy with the attention span of a dead goldfish who has been having a blast in the industry for more than 10 years. Mostly specialized in game and graphics programming, from custom software 3D renderers to accelerated hardware pipeline programming.

Badges

View all badges



Top tags

View all tags

| c# • | 1,387 score 103 posts 46 posts % |
|---------------|----------------------------------|
| .net • | 1,106 score 52 posts 23 posts % |
| C++ • | 264 score 33 posts 15 posts % |
| vb.net | 242 score 8 posts 4 posts % |
| visual-studio | 64 score 9 posts 4 posts % |
| | |


53 score 18 posts 8 posts %

winforms

Top posts

View all questions, answers, and articles

| All | Question | ns Answers Articles Score Newest | |
|-----|----------|---|--------------|
| A | 529 | How can I find the method that called the current method? | Mar 8, 2012 |
| A | 485 | Run a task every x-minutes with Windows Task Scheduler | Nov 22, 2010 |
| A | 233 | Why is there no ForEach extension method on IEnumerable? | Sep 19, 2008 |
| A | 129 | Reading a C/C++ data structure in C# from a byte array | Aug 5, 2008 |
| A | 63 | How do you handle huge if-conditions? | Aug 8, 2008 |
| A | 58 | Case-insensitive string comparison in C++ | Aug 14, 2008 |
| Q | 53 | How to add a whole directory or project output to WiX package | Jan 5, 2009 |
| A | 47 | Overload a C++ function according to the return value | Oct 22, 2008 |
| | | | |



Communities

View all 🔼

| Stack Overflow | 28.5k |
|---------------------|-------|
| Server Fault | 113 |
| [] Super User | 101 |
| Meta Stack Exchange | 101 |
| Arqade | 101 |
| | |