Profiles **▼**



jason



⚠ Member for 16 years ◯ Last seen more than 8 years ago



Activity

Stats

| 241,280 | 28.3m | 2,027 | 18 |
|------------|---------|---------|-----------|
| reputation | reached | answers | questions |

About

Some of my favorite answers:

What are the differences between NP, NP-Complete and NP-Hard?

Why do we need boxing and unboxing in C#?


Can anyone explain this algorithm for calculating large factorials?


What is memoization and how can I use it in Python?


Primitive cast and assignments in Java

mapreduce - how to anonymize a column's values

Badges View all badges








Top tags

View all tags




| linq • | 2,141 score 268 posts 13 posts % |
|-----------|----------------------------------|
| algorithm | 1,351 score 112 posts 5 posts % |
| generics | 1,351 score 96 posts 5 posts % |
| string | 1,286 score 67 posts 3 posts % |

Top posts


View all questions, answers, and articles

| VICVV | | ons, answers, and articles | |
|-------|----------|---|--------------|
| All | Question | ns Answers Articles Score Newest | |
| A | [1899] | What are the differences between NP, NP-Complete and NP-Hard? | Dec 7, 2009 |
| A | 621 | Equation for testing if a point is inside a circle | Jan 26, 2009 |
| A | 572 | Java 8 Lambda function that throws exception? | Aug 12, 2013 |
| A | 550 | Best way to specify whitespace in a String.Split operation | May 24, 2011 |
| A | 545 | Why do we need boxing and unboxing in C#? | Jan 21, 2010 |
| A | 450 | Inconsistent Accessibility: Parameter type is less accessible than method | Jun 3, 2011 |
| | | | |



Top network posts

View all network posts



Communities

View all [7]

| Stack Overflow | 241.3k |
|------------------------|--------|
| Meta Stack Exchange | 1.8k |
| 5 Software Engineering | 220 |
| % Ask Different | 210 |
| Cryptography | 181 |
| | |