How to save the output of a console application

Asked 16 years, 3 months ago Modified 16 years ago Viewed 8k times



11

I need advice on how to have my C# console application display text to the user through the standard output while still being able access it later on. The actual feature I would like to implement is to dump the entire output buffer to a text file at the end of program execution.







The workaround I use while I don't find a cleaner approach is to subclass Textwriter overriding the writing methods so they would both write to a file and call the original stdout writer. Something like this:

```
public class DirtyWorkaround {
 private class DirtyWriter : TextWriter {
   private TextWriter stdoutWriter;
   private StreamWriter fileWriter;
   public DirtyWriter(string path, TextWriter stdoutWriter) {
      this.stdoutWriter = stdoutWriter;
      this.fileWriter = new StreamWriter(path);
   }
   override public void Write(string s) {
      stdoutWriter.Write(s);
     fileWriter.Write(s);
     fileWriter.Flush();
   }
   // Same as above for WriteLine() and WriteLine(string),
   // plus whatever methods I need to override to inherit
   // from TextWriter (Encoding.Get I guess).
 }
 public static void Main(string[] args) {
   using (DirtyWriter dw = new DirtyWriter("path", Console.Out)) {
     Console.SetOut(dw);
     // Teh codez
   }
 }
}
```

See that it writes to and flushes the file all the time. I'd love to do it only at the end of the execution, but I couldn't find any way to access to the output buffer.

Also, excuse inaccuracies with the above code (had to write it ad hoc, sorry;).



Share Improve this question Follow



6 Answers

Sorted by:

Highest score (default)





The perfect solution for this is to use <u>log4net</u> with a console appender and a file appender. There are many other appenders available as well. It also allows you to turn the different appenders off and on at runtime.



6

Share Improve this answer Follow

answered Sep 14, 2008 at 4:45









Very nice idea! Indeed what I need is a logger. That way I can store much more information than what is simply shown to the user (and bug him much less). Many times the best solution comes from a different approach, coming from someone external to the problem.

- André Chalella Sep 14, 2008 at 4:59
- 2 I think in this case it might be overkill to use a 3rd party library when it may take only a small amount of work to add the necessary functionality to the system. – Wedge Sep 14, 2008 at 9:21
- 3 I agree that log4net is a pretty heavy dependency to take here. Jeff Atwood Sep 14, 2008 at 10:48

This feels like more of a hack than the approach posed in the question. – Martin Clarke Sep 14, 2008 at 18:30

Nice point. I'll check that cost when I get back to work this week. The main pro I find here is that it is easier to save debug info in the file without having it on screen. Also, serial I/O is the main bottleneck in my project. — André Chalella Sep 15, 2008 at 1:59



I don't think there's anything wrong with your approach.

5

If you wanted reusable code, consider implementing a class called MultiWriter or somesuch that takes as input two (or N?) TextWriter streams and distributes all writs, flushes, etc. to those streams. Then you can do this file/console thing, but just as easily you can split any output stream. Useful!



Share Improve this answer Follow

answered Sep 14, 2008 at 4:06



The problem with my approach is that I'm keeping the file open and flushing it all the time. And, I guess, opening and closing the file at every write would be cumbersome. Your idea of a MultiWriter is very clever, though:) – André Chalella Sep 14, 2008 at 4:52



1

Probably not what you want, but just in case... Apparently, <u>PowerShell implements</u> a version of the venerable tee command. Which is pretty much intended for exactly this purpose. So... smoke 'em if you got 'em.



Share Improve this answer Follow

answered Sep 14, 2008 at 4:12




159k • 36 • 235 • 240





I would say mimic the diagnostics that .NET itself uses (Trace and Debug).







Check out the <u>Trace Listeners Collection</u> to see what I mean.

Share

edited Sep 14, 2008 at 10:02

answered Sep 14, 2008 at 6:22



Rob Cooper **28.9k** • 26 • 105 • 142

Follow

Improve this answer




Consider refactoring your application to separate the user-interaction portions from the business logic. In my experience, such a separation is quite beneficial to the structure of your program. 0

For the particular problem you're trying to solve here, it becomes straightforward for the user-interaction part to change its behavior from <code>console.WriteLine</code> to file I/O.



Share Improve this answer Follow

answered Sep 14, 2008 at 6:39





I'm working on implementing a similar feature to capture output sent to the Console and save it to a log while still passing the output in real time to the normal Console so it doesn't break the application (eg. if it's a console application!).



If you're still trying to do this in your own code by saving the console output (as opposed to using a logging system to save just the information you really care about), I think you can avoid the flush after each write, as long as you also override Flush() and make sure it flushes the original stdoutwriter you saved as well as your filewriter. You want to do this in case the application is trying to flush a partial line to the console for immediate display (such as an input prompt, a progress indicator, etc), to override the normal line-buffering.

If that approach has problems with your console output being buffered too long, you might need to make sure that WriteLine() flushes stdoutWriter (but probably doesn't need to flush fileWriter except when your Flush() override is called). But I would think that the original Console.out (actually going to the console) would automatically

flush its buffer upon a newline, so you shouldn't have to force it.

You might also want to override Close() to (flush and) close your filewriter (and probably stdoutwriter as well), but I'm not sure if that's really needed or if a Close() in the base TextWriter would issue a Flush() (which you would already override) and you might rely on application exit to close your file. You should probably test that it gets flushed on exit, to be sure. And be aware that an abnormal exit (crash) likely won't flush buffered output. If that's an issue, flushing filewriter on newline may be desirable, but that's another tricky can of worms to work out.

Share Improve this answer Follow

answered Dec 15, 2008 at 18:21

