Profiles **▼**



Tony DiNitto

Member for 12 years, 9 months Last seen more than a month ago

RouteTycoon.com • Austin, TX

Profile Activity

Stats

1,22956k1423reputationreachedanswersquestions


About


Previously a student Turing School of Software & Design. Currently a student of Ruby.

Badges View all badges










Top tags View all tags

ruby	64 score 28 posts 76 posts %
arrays	1 score 9 posts 24 posts %
regex	1 score 4 posts 11 posts %
splat	1 score 2 posts 5 posts %
string	0 score 5 posts 14 posts %
hash	0 score 3 posts 8 posts %

Top posts


View all questions, answers, and articles

All	Question	ns Answers Articles Score Newest	
A	56	ruby's <=> operator and sort method	Jan 18, 2015
Q	8	Java: Declaring a multidimensional array without specifying the size of the array (eg. new int[10][])	Mar 27, 2012
Q	6	GitHub makes my green squares less green the more I commit. Why?	Apr 7, 2015
Q	3	In Java, why do certain variables need initialization at first and others only need declaration?	Apr 9, 2012
A	2	How to point to a deep nested element in hash?	Jun 18, 2015
Q	2	How does Javascript execute code when duplicate named functions are declared?	Jul 30, 2015
A	2	Why do I need two ends here	Nov 3, 2015
Q	2	Preferred style for displaying multiple lines using `puts`	Nov 18, 2015
Q		In HTML5, a <div> is technically a block-level element, but behaves as an</div>	Sep 5, 2012



Top network posts

View all network posts



Communities

View all 🔼