

Reliability

Notes

Output Created		18-MAY-2026 23:20:43
Comments		
Input	Data	C: \Users\user\Desktop\paper .sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	270
	Matrix Input	C: \Users\user\Desktop\paper .sav
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=pcq1 pcq2 pcq3 pcq4 pcq5 pcq6 /SCALE('Self-Efficacy') ALL /MODEL=ALPHA.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.00

[DataSet1] C:\Users\user\Desktop\paper.sav

Scale: Self-Efficacy

Case Processing Summary

		N	%
Cases	Valid	270	100.0
	Excluded ^a	0	.0
	Total	270	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.862	6

Reliability

Notes

Output Created		18-MAY-2026 23:20:43
Comments		
Input	Data	C: \Users\user\Desktop\paper .sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	270
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=pcq7 pcq8 pcq9 pcq10 pcq11 pcq12 /SCALE('Hope') ALL /MODEL=ALPHA.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Scale: Hope

Case Processing Summary

		N	%
Cases	Valid	270	100.0
	Excluded ^a	0	.0
	Total	270	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.867	6

Reliability

Notes

Output Created		18-MAY-2026 23:20:43
Comments		
Input	Data	C: \Users\user\Desktop\paper .sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	270
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=pcq13_r pcq14 pcq15 pcq16 pcq17 pcq18 /SCALE ('Resilience') ALL /MODEL=ALPHA.

Notes

Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Scale: Resilience

Case Processing Summary

		N	%
Cases	Valid	270	100.0
	Excluded ^a	0	.0
	Total	270	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.859	6

Reliability

Notes

Output Created		18-MAY-2026 23:20:43
Comments		
Input	Data	C:\Users\user\Desktop\paper.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	270
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=pcq19 pcq20_r pcq21 pcq22 pcq23_r pcq24 /SCALE (‘Optimism’) ALL /MODEL=ALPHA.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Scale: Optimism

Case Processing Summary

		N	%
Cases	Valid	270	100.0
	Excluded ^a	0	.0
	Total	270	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.845	6