

```

* =====.
* STAGE 8: REGRESSION ANALYSIS.
* =====.

* Model 1: H1 – PsyCap Work Engagement.
REGRESSION
  /MISSING LISTWISE
  /STATISTICS COEFF OUTS R ANOVA COLLIN TOL
  /CRITERIA=PIN(.05) POUT(.10)
  /NOORIGIN
  /DEPENDENT uwes_total_mean
  /METHOD=ENTER pcq_total_mean
  /RESIDUALS DURBIN.

```

Regression

Notes

Output Created		05-MAY-2026 08:30:39
Comments		
Input	Data	C:\Users\user\Desktop\paper.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	270
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.

Notes

Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA COLLIN TOL /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT uwes_total_mean /METHOD=ENTER pcq_total_mean /RESIDUALS DURBIN.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01
	Memory Required	5280 bytes
	Additional Memory Required for Residual Plots	0 bytes

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	PCQ total mean ^b	.	Enter

a. Dependent Variable: UWES total mean

b. All requested variables entered.

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	.533 ^a	.284	.281	.77053	2.096

a. Predictors: (Constant), PCQ total mean

b. Dependent Variable: UWES total mean

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	63.004	1	63.004	106.119	.000 ^b
	Residual	159.115	268	.594		
	Total	222.119	269			

a. Dependent Variable: UWES total mean

b. Predictors: (Constant), PCQ total mean

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	1.690	.251		6.742	.000
	PCQ total mean	.587	.057	.533	10.301	.000

Coefficients^a

Model		Collinearity Statistics	
		Tolerance	VIF
1	(Constant)		
	PCQ total mean	1.000	1.000

a. Dependent Variable: UWES total mean

Collinearity Diagnostics^a

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions	
				(Constant)	PCQ total mean
1	1	1.982	1.000	.01	.01
	2	.018	10.596	.99	.99

a. Dependent Variable: UWES total mean

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	2.6192	5.1874	4.2263	.48396	270
Residual	-2.45152	1.89578	.00000	.76909	270
Std. Predicted Value	-3.321	1.986	.000	1.000	270
Std. Residual	-3.182	2.460	.000	.998	270

a. Dependent Variable: UWES total mean

```
* Model 2: H2 — PsyCap    Job Satisfaction.
REGRESSION
  /MISSING LISTWISE
  /STATISTICS COEFF OUTS R ANOVA COLLIN TOL
  /CRITERIA=PIN(.05) POUT(.10)
  /NOORIGIN
  /DEPENDENT msq_total_mean
  /METHOD=ENTER pcq_total_mean
  /RESIDUALS DURBIN.
```

Regression

Notes

Output Created		05-MAY-2026 08:30:39
Comments		
Input	Data	C:\Users\user\Desktop\ \paper.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	270
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA COLLIN TOL /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT msq_total_mean /METHOD=ENTER pcq_total_mean /RESIDUALS DURBIN.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01
	Memory Required	5280 bytes
	Additional Memory Required for Residual Plots	0 bytes

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	PCQ total mean ^b	.	Enter

a. Dependent Variable: MSQ total mean

b. All requested variables entered.

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	.485 ^a	.235	.232	.60572	2.003

a. Predictors: (Constant), PCQ total mean

b. Dependent Variable: MSQ total mean

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	30.238	1	30.238	82.417	.000 ^b
	Residual	98.327	268	.367		
	Total	128.566	269			

a. Dependent Variable: MSQ total mean

b. Predictors: (Constant), PCQ total mean

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	1.937	.197		9.830	.000
	PCQ total mean	.407	.045	.485	9.078	.000

Coefficients^a

Model		Collinearity Statistics	
		Tolerance	VIF
1	(Constant)		
	PCQ total mean	1.000	1.000

a. Dependent Variable: MSQ total mean

Collinearity Diagnostics^a

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions	
				(Constant)	PCQ total mean
1	1	1.982	1.000	.01	.01
	2	.018	10.596	.99	.99

a. Dependent Variable: MSQ total mean

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	2.5807	4.3599	3.6941	.33527	270
Residual	-1.92097	1.37291	.00000	.60459	270
Std. Predicted Value	-3.321	1.986	.000	1.000	270
Std. Residual	-3.171	2.267	.000	.998	270

a. Dependent Variable: MSQ total mean

* Model 3: H3 – Job Satisfaction Work Engagement.

REGRESSION

/MISSING LISTWISE

/STATISTICS COEFF OUTS R ANOVA COLLIN TOL

/CRITERIA=PIN(.05) POUT(.10)

/NOORIGIN

/DEPENDENT uwes_total_mean

/METHOD=ENTER msq_total_mean

/RESIDUALS DURBIN.

Regression

Notes

Output Created		05-MAY-2026 08:30:39
Comments		
Input	Data	C:\Users\user\Desktop\ \paper.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	270
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA COLLIN TOL /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT uwes_total_mean /METHOD=ENTER msq_total_mean /RESIDUALS DURBIN.
Resources	Processor Time	00:00:00.03
	Elapsed Time	00:00:00.02
	Memory Required	5280 bytes
	Additional Memory Required for Residual Plots	0 bytes

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	MSQ total mean ^b	.	Enter

a. Dependent Variable: UWES total mean

b. All requested variables entered.

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	.651 ^a	.424	.422	.69110	2.219

a. Predictors: (Constant), MSQ total mean

b. Dependent Variable: UWES total mean

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	94.117	1	94.117	197.055	.000 ^b
	Residual	128.002	268	.478		
	Total	222.119	269			

a. Dependent Variable: UWES total mean

b. Predictors: (Constant), MSQ total mean

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	1.066	.229		4.653	.000
	MSQ total mean	.856	.061	.651	14.038	.000

Coefficients^a

Model		Collinearity Statistics	
		Tolerance	VIF
1	(Constant)		
	MSQ total mean	1.000	1.000

a. Dependent Variable: UWES total mean

Collinearity Diagnostics^a

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions	
				(Constant)	MSQ total mean
1	1	1.983	1.000	.01	.01
	2	.017	10.799	.99	.99

a. Dependent Variable: UWES total mean

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	2.4774	5.3009	4.2263	.59150	270
Residual	-1.80302	1.95694	.00000	.68981	270
Std. Predicted Value	-2.957	1.817	.000	1.000	270
Std. Residual	-2.609	2.832	.000	.998	270

a. Dependent Variable: UWES total mean