

Master Metadata Taxonomy — Ana Vanzin Research Platforms

Status: draft v0.1
Date: 2026-07-10
Scope: [anavanzin.com](#), [iconocracia.com](#), Mnemosyne Viva and active Iconocracia research repositories
Canonical target: Mnemosyne Viva corpus-data-enriched.schema.json

Purpose

This document defines a unified metadata taxonomy for Ana Vanzin's active research platforms. Its immediate goal is to align existing corpus, website, dashboard, tracker and workspace data with the new Mnemosyne Viva JSON Schema without breaking current publication layers, filters or research workflows.

The standard should be treated as a bridge between three layers:

1. **Research source of truth:** coding ledgers, Airtable-like schemas, corpus records, codebooks and provenance files.
2. **Publication surface:** [anavanzin.com](#), [iconocracia.com](#), Mnemosyne Viva, static pages and archive cards.
3. **Research tools:** dashboards, sprint trackers, companion apps, atlas prototypes and local notebooks.

Audited projects

Project	Repository / source	Role	Schema status
Mnemosyne Viva	anavvanzin/mnemosyne-viva	Public archive site and current target schema	Canonical publication schema exists
Iconocracy Corpus	anavvanzin/iconocracy-corpus	Research corpus and export pipeline	Richest source, needs mapping
anavanzin.com public repo	anavvanzin/anavvanzin.github.io	Personal site and older Iconocracia corpus surface	Parallel schema, partially divergent
anavanzicom	anavvanzin/anavanzicom	Cloudflare starter placeholder	No content metadata to migrate
Research	anavvanzin/Research	Meta-workspace, docs, Airtable plans, import maps	Strong planning/crosswalk layer
Atlas Celeste	anavvanzin/atlas-celeste	Gamified thesis sprint tracker	Thematic only, not corpus data

Project	Repository / source	Role	Schema status
Thesis Dashboard	anavvanzin/iconocracia-thesis-dashboard	Corpus/progress dashboard consumer	Thin item model, consumer of API

Canonical record model

Identity

Field	Type	Required	Rule
id	string	yes	Stable public sigla, e.g. FR-013, BE-CONGO-1912, SCOUT-001. Do not use UUID as the public id.
uuid	string	no	Internal alternate id when inherited from research ledgers.
slug	string	no	Web-safe page slug, derived from id/title when needed.
legacy_ids	array[string]	no	Old ids, local database ids, UUIDs, or filename-derived keys.

Descriptive core

Field	Type	Required	Rule
title	string	yes	Human-readable item title.
creator	string	no	Artist, engraver, issuer, designer or institution when known.
date	string	yes	Display date or date text. Preserve raw uncertainty.
year	integer	no	Normalized year when confidently extractable.
period	string	no	Raw period label.
period_norm	string	no	Normalized period bucket.
country	string	yes	Current schema accepts string. Preferred future form: ISO alpha-2 code plus labels.
country_pt	string	no	Portuguese display label.
region	string	no	Regional or imperial/colonial circulation note.
description	string	no	Short public-facing description.

Material and visual classification

Field	Type	Required	Rule
medium	string	no	Raw support/medium value.
medium_norm	string	no	Controlled support/medium vocabulary.
motif	array[string]	yes	Core motifs, raw but cleaned.
motif_str	string	no	Display-optimized joined motif string.

Field	Type	Required	Rule
tags	array[string]	no	Analytical tags, lower-case where possible.
tags_str	string	no	Display/indexing string derived from tags.

Source, rights and citation

Field	Type	Required	Rule
url	string	yes	Primary source or record URL.
source_archive	string	no	Archive, repository, museum, collection, database.
institution	string	no	Holding institution or issuer.
rights	string	no	Per-item rights/license statement.
citation_abnt	string	no	ABNT NBR 6023:2025 citation string.
citation_chicago	string	no	Chicago citation string for English-facing surfaces.
external_identifiers	object	no	ARK, accession number, catalog id, DOI, handle, etc.

Image and IIIF

Field	Type	Required	Rule
thumbnail_url	string	no	Preferred small image.
url_image_download	string	no	Direct image download URL.
url_iiif	string	no	IIIF manifest or image API URL.
iiif_source	string	no	IIIF provider.
iiif_note	string	no	IIIF caveats or access note.
local_image_path	string	no	Local archival path. Do not assume it exists in public repos.
image_sha256	string	no	Integrity checksum, when available.
image_protocol	string	no	iiif,direct,playwright-required,blocked,unknown.

Image preference order for public UI:

1. thumbnail_url
2. url_image_download
3. url_iiif
4. local_image_path, only if served publicly

Iconographic classification

All fields below live under `iconographic_metadata`. The current Mnemosyne Viva schema allows these fields and blocks unknown keys inside this object.

Field	Type	Rule
<code>allegorical_figure</code>	string	Marianne, Justitia, Britannia, Germania, Columbia, República, etc.
<code>iconclass</code>	string or array[string]	Iconclass notations. Keep internal thesis tags distinct from official Iconclass.
<code>attributes</code>	array[string]	Visual attributes, objects, regalia, bodily marks, architecture/cadre.
<code>pathosformel</code>	string	Warburgian formula or cluster label.
<code>visual_regime</code>	string	Visual regime coding, distinct from top-level <code>regime</code> only if needed.
<code>state_function</code>	string	Juridical-political function of the figure.
<code>contract_visual_sexual</code>	string	Interpretive note for Contrato Sexual Visual.
<code>coloniality_of_seeing</code>	string	Colonial/racialized visual relation or caution note.
<code>purification_indicators</code>	array[string]	Current target type. See modeling warning below.
<code>endurecimiento_score</code>	number	Current target range: 0..1.
<code>atlas_panel</code>	string	Public display panel, chapter or atlas grouping.

Coding and provenance extension

The current target schema does not yet provide a home for all coding/provenance fields. Add these at top level, or in a future `coding_metadata` object, rather than forcing them into `iconographic_metadata`.

Recommended future fields:

Field	Type	Rule
<code>coded_by</code>	string	Human/AI coder id or role.
<code>coded_at</code>	string	ISO timestamp.
<code>codebook_version</code>	string	LPAI/codebook version.
<code>coding_confidence</code>	number	Numeric confidence if used.
<code>uncertainty_note</code>	string	Motivo de incerteza / QA note.
<code>adjudication_status</code>	string	pending, resolved, disputed, etc.
<code>adjudication_log</code>	array	Decision trail.
<code>retrieved_at</code>	string	Acquisition timestamp.

Field	Type	Rule
retrieved_from	string	Source system.
retrieval_agent	string	Script/agent used.
source_domain	string	Domain extracted from URL.
dataset_release_id	string	Release manifest id.

Controlled vocabularies

Countries

Use a three-part model:

- `country_code`: ISO 3166-1 alpha-2 where possible.
- `country`: current public label or English label.
- `country_pt`: Portuguese label.

Known issue: UK should become GB for ISO compatibility, while display may remain Reino Unido / United Kingdom.

Regime

Canonical values:

- FUNDACIONAL
- NORMATIVO
- MILITAR
- CONTRA_ALEGORIA

Allow case-insensitive import aliases:

- `fundacional`
- `normativo`
- `militar`
- `contra-alegoria`
- `contra_alegoria`

Medium / support

Canonical support values should be normalized from:

- `moeda`
- `selo`
- `monumento`

- escultura
- arquitetura forense
- estampa
- gravura
- frontispício
- papel-moeda
- cartaz
- pintura
- fotografia
- texto
- papel

Known issue: papel and papel-moeda must not collapse silently.

Ten purification indicators

Keep the thesis indicators as a structured numeric block in the research source of truth:

1. desincorporacao
2. rigidez_postural
3. dessexualizacao
4. uniformizacao_facial
5. heraldizacao
6. enquadramento_arquitetonico
7. apagamento_narrativo
8. monocromatizacao
9. serialidade
10. inscricao_estatal

Modeling warning: the current Mnemosyne Viva public schema uses purification_indicators as array[string], while the research codebooks use ten numeric fields. Treat the string array as a public display layer, not as the analytic source of truth.

ENDURECIMENTO score

Canonical public target:

- iconographic_metadata.endurecimento_score: number from 0 to 1.

Source variants:

- 0..3 mean in current Iconocracia exports.
- 0..4 appears in some codebook corrections.

Migration rule:

1. Resolve whether the current analytic scale is 0..3 or 0..4 for each dataset.
2. Preserve raw indicator values.
3. Emit normalized public score:
 - if source is 0..3: `score_public = raw / 3`
 - if source is 0..4: `score_public = raw / 4`
4. Record the source scale in `codebook_version` or `indicator_scale`.

Compatibility matrix

Platform	Compatibility with Mnemosyne schema	Main action
Mnemosyne Viva	Native target	Populate dormant <code>iconographic_metadata</code> ; document legacy <code>vault_note</code> ; do not regenerate stats from the public 95-item file
iconocracy-corpus	High, with blockers	Promote sigla ids, move CSV-only fields into JSON, normalize scores, add rights/Chicago/IIIF
anavanzin.github.io	Medium	Collapse duplicate corpus trees; lift provenance from filenames; enrich JSON-LD and align <code>data/corpus.json</code>
anavanzicom	None	Treat as placeholder; no migration until real content exists
Research	High as planning layer	Use <code>import-map.csv</code> as PT/EN crosswalk; keep repo as documentation/meta workspace, not corpus storage
atlas-celeste	Thematic only	Do not migrate; optionally consume validated corpus later via a namespaced loader
thesis-dashboard	Consumer only	Update API consumer after companion/API emits unified records

Project-specific migration notes

Mnemosyne Viva

Current canonical fields:

- Required: `id`, `title`, `country`, `date`, `regime`, `url`, `motif`
- Optional: `period`, `creator`, `institution`, `source archive`, `medium`, `description`, `rights`, `tags`, `citations`, `image/IIIF URLs`, `iconographic_metadata`
- Generated: `acervo.json`, `stats.json`, `performance.json`

Immediate work:

1. Keep `corpus-data-enriched.json` as the authored public file.
2. Populate `iconographic_metadata` gradually, starting with `allegorical_figure`, `attributes`, `visual_regime`, `endurecimiento_score`.
3. Convert `vault_note` into a documented legacy alias or move it to `provenance_note`.

4. Never regenerate `stats.json` from the 95-item public file unless the intended public total changes.

Iconocracy Corpus

Blockers:

- Public id mismatch: UUID vs sigla.
- CSV-only descriptive fields missing from JSON.
- `endurecimiento_score` scale mismatch.
- Numeric indicator block vs string-array public schema.
- Missing rights, Chicago, IIIF.

Migration rule:

1. Use sigla as public id.
2. Keep UUID as `uuid`.
3. Promote descriptive CSV fields into JSON.
4. Normalize ENDURECIMENTO to 0..1.
5. Preserve all ten raw indicators in a future `coding_metadata.purification_scores` or schema extension.

anavanzin.com public repo

Current issue:

- Two corpus trees expose 30 specimen pages with divergent metadata.
- Sitemap points to the weaker tree.
- Structured Person, Article, and VisualArtwork nodes are incomplete.
- Provenance, creator and source institution exist mostly in filenames or prose, not records.

Migration rule:

1. Pick one canonical corpus tree.
2. Add `rel=canonical` to duplicates or collapse them.
3. Populate missing required/aspirational fields in `data/corpus.json`.
4. Enrich VisualArtwork JSON-LD from the unified item model.
5. Add profile identifiers, especially ORCID if available, Lattes, UFSC and social links.

anavanzicom

No migration. The repository is a Cloudflare starter template. It can be ignored for metadata alignment unless it becomes the real `anavanzin.com` implementation.

Research workspace

Use as governance layer:

- `docs/airtable/import-map.csv` is the strongest PT/EN crosswalk.
- Airtable docs capture the relational source model.
- Codebook decision records resolve conceptual fields.
- Release manifests should become dataset cards.

Do not move enriched corpus data into this repo unless the workspace becomes a true monorepo.

Atlas Celeste

No corpus migration. It stores progress/game state only. If future cards consume corpus data, add:

- versioned JSON import/export for state
- namespaced ids for tracker cards vs corpus records
- live read-only loader from validated `corpus-data-enriched.json`

Thesis Dashboard

Treat as a consumer of the companion/API layer:

1. Add stable item ids in API response.
2. Normalize country codes, especially UK to GB.
3. Replace `item.endurecemento_score` with `nested/normalized path` when the API changes.
4. Add missing source/image/rights fields to the API, not only the dashboard.

Master migration plan

Phase 0 — Freeze and inventory

Deliverables:

- Archive current schemas and exports.
- Confirm true source of truth for 328-record corpus.
- Confirm scale: 0..3 or 0..4 for each indicator dataset.
- Confirm canonical domain mapping for `anavanzin.com` and `iconocracia.com`.

Acceptance criteria:

- No unknown active corpus exports.
- One source-of-truth statement for each platform.

Phase 1 — Canonical crosswalk

Deliverables:

- `metadata-crosswalk-v0.1.csv`
- PT/EN aliases from `Airtable/import-map/codebook` to `Mnemosyne` fields.
- Field status: direct, transform, missing, deprecated, generated.

Priority mappings:

- `sigla` → `id`
- `uuid` → `uuid`
- `purificacao_composto` → `iconographic_metadata.endurecimento_score`
- `regime_iconocratico` → `regime` or `visual_regime`, with definitions clarified
- 10 indicators → structured numeric extension + public label array

Acceptance criteria:

- All required `Mnemosyne` fields have a source or defaulting rule.

Phase 2 — Schema patch

Deliverables:

- `corpus-data-enriched.schema.json v0.2`
- Backward-compatible with current 95 public items.
- Adds optional `uuid`, `country_code`, `external_identifiers`, and a `coding_metadata` object.

Recommended schema change:

Keep current public fields but add:

```
{
  "coding_metadata": {
    "type": "object",
    "additionalProperties": false,
    "properties": {
      "indicator_scale": { "type": "string" },
      "purification_scores": { "type": "object" },
      "coded_by": { "type": "string" },
      "coded_at": { "type": "string" },
      "codebook_version": { "type": "string" },
      "confidence": { "type": "number" },
      "uncertainty_note": { "type": "string" },
      "adjudication_status": { "type": "string" }
    }
  }
}
```

```
}  
}
```

Acceptance criteria:

- Existing Mnemosyne public file still validates.
- New enriched corpus can carry numeric indicators without semantic loss.

Phase 3 — Build export pipeline

Deliverables:

- Converter from Iconocracy Corpus source/export to Mnemosyne enriched JSON.
- Validation script.
- Report of dropped/empty fields.

Transform rules:

- public id = sigla
- uuid retained as alternate id
- normalized endurecimiento_score
- raw indicator values preserved
- image URL preference order preserved
- country code/name labels derived, not overwritten

Acceptance criteria:

- 328-record private export validates.
- 95-item public subset validates.
- No current acervo filters break.

Phase 4 — Platform alignment

Deliverables:

- Mnemosyne Viva consumes v0.2 enriched schema.
- anavanzin.com corpus pages use the same item model.
- Thesis dashboard consumes unified API response.
- Atlas Celeste remains separate unless explicitly connected.

Acceptance criteria:

- anavanzin.com and iconocracia.com no longer maintain divergent corpus field semantics.
- Duplicate corpus pages are canonicalized.
- JSON-LD is generated from the same metadata source.

Phase 5 — Governance and monitoring

Deliverables:

- Dataset card per release.
- Schema changelog.
- GitHub Action for schema validation.
- Image URL validation.
- Performance history.
- Compatibility check for public pages.

Acceptance criteria:

- Any schema-breaking change fails CI.
- Issues open only on actual failures.
- Release notes include field additions, deprecations and migration transforms.

Priority backlog

High priority

1. Resolve 0..3 vs 0..4 indicator scale.
2. Decide whether to extend schema for numeric `purification_scores`.
3. Promote sigla to public id across exports.
4. Move CSV-only fields into JSON export.
5. Add rights and source institution per item.

Medium priority

1. Add Chicago citation field.
2. Normalize country code/display labels.
3. Add IIIF and image acquisition fields.
4. Enrich JSON-LD on anavanzin.com.
5. Collapse or canonicalize duplicate corpus pages.

Low priority

1. Add ORCID and sameAs links to profile structured data.
2. Add versioned state export to Atlas Celeste.
3. Make thesis dashboard derive panel counts from actual unified records.

Naming rules

- Use **ENDURECIMENTO** in Portuguese in analytical/theoretical contexts.
- Use `endurecimento_score` as the machine field.
- Use `Contrato Sexual Visual` and `Feminilidade de Estado` as original thesis concepts, not external attributions.
- Keep `Pathosformel`, `Nachleben`, and `Zwischenraum` in German.
- Keep `Iconclass` separate from internal feminist or thesis tags.

Non-goals

- Do not force Atlas Celeste progress data into the corpus schema.
- Do not treat `anavanzicom` as a content-bearing source until it is no longer a starter template.
- Do not replace the research source of truth with the public 95-item Mnemosyne file.
- Do not flatten numeric indicators into strings without preserving analytic values elsewhere.

Next implementation PRs

1. **Schema v0.2 PR** in `mnemosyne-viva`: add optional `coding_metadata`, `uuid`, `country_code`, `external_identifiers`, and document `vault_note` deprecation.
2. **Crosswalk PR** in `iconocracy-corpus`: add `metadata-crosswalk-v0.1.csv` and migration script draft.
3. **anavanzin.com metadata PR** in `anavvanzin.github.io`: canonicalize corpus trees and enrich JSON-LD.
4. **Dashboard API alignment PR** in `companion/dashboard` stack: expose stable ids, country normalization and nested indicators.