



Turn every SOW promise into proof a client can approve.

For web agencies that need a clear approval trail.

BLUEPRINT HACKATHON

One SOW,
six clear checks,
one approval trail.

Built during Blueprint 2026

The work may be finished, but the approval trail is scattered.

01

Scope

The promise starts in the SOW.

02

Proof

Screenshots and test results end up somewhere else.

03

Decision

The approval gets buried in email or chat.

04

Billing

By invoicing time, the evidence trail is gone.

Greenlit keeps the promise, proof, decision, and invoice handoff together.

The same promise stays connected from contract to approval.

1



2



3



4

Confirm

Turn the SOW into clear criteria your team approves.

Observe

Run typed browser checks against the approved staging build.

Decide

Give one reviewer the promise, result, evidence, and deadline.

Record

Keep the decision with the details needed for invoicing.


Your team confirms the criteria, the browser checks the work, and your client makes the call.

A polished success message is not proof.

The test site says the form worked even though the request returned 500. Greenlit records that failure alongside the exact criterion.


AC-04 · FAILED CHECK

The page showed success, but the server returned HTTP 500.



Synthetic walkthrough evidence; no retained transaction was created.

The client sees the promise, not a test dashboard.



The original SOW clause

Expected result and actual result

Evidence and the deadline

Approve or request changes

The walkthrough ends in an invoice-ready sample.


The sample receipt keeps the milestone value, revision, observed build, and local-only decision in one place.

What it is

A printable summary of the approval and invoice handoff.

What it is not

A signature, certification, payment record, or guarantee.



Gemini drafts the criteria, but people make every decision.

ARCHITECTURE

Next.js on Vercel
Gemini with Zod validation
Cloudflare Queue and browser worker
Supabase with row-level security

TRUST BOUNDARIES

Criteria confirmed by a person
Typed, allowlisted checks
Signed jobs and callbacks
Private evidence that expires

A stateless web app, queued runners, and frozen criteria keep every run repeatable.

Built during the hackathon, tested end to end.

Build Built from scratch during Blueprint 2026 as a full agency-to-client flow.

Verify Typecheck, lint, tests, build, migrations, and browser flows all passed.

Explore Try the live walkthrough, then review the source and architecture.

greenlitproof.vercel.app

[github.com/
anayagarwalla-ai/greenlit](https://github.com/anayagarwalla-ai/greenlit)