


C drive C:\Program Files\mosquitto

In cmd which should be entered


mosquitto -v



```
C:\Windows\System32\cmd.e  X + v
Microsoft Windows [Version 10.0.22631.4169]
(c) Microsoft Corporation. All rights reserved.

C:\Program Files>
```

Commend



```
C:\Windows\System32\cmd.e  X + v
Microsoft Windows [Version 10.0.22631.4169]
(c) Microsoft Corporation. All rights reserved.



C:\Program Files\mosquitto>mosquitto -v
1726308641: mosquitto version 2.0.18 starting
1726308641: Using default config.
1726308641: Starting in local only mode. Connections will only be possible from clients running on this machine.
1726308641: Create a configuration file which defines a listener to allow remote access.
1726308641: For more details see https://mosquitto.org/documentation/authentication-methods/
1726308641: Opening ipv4 listen socket on port 1883.
1726308641: Error: Only one usage of each socket address (protocol/network address/port) is normally permitted.



1726308641: Opening ipv6 listen socket on port 1883.
1726308641: Error: Only one usage of each socket address (protocol/network address/port) is normally permitted.

C:\Program Files\mosquitto>
```


My pc Firewall Server private configuration

Indound Rules then New Rule click






Mqtt Explorer configuration



Then advanced click



Then topic add

Then back

Then code upload

Cmd commands

Ipconfig

192.168.21.169

Your pc ip address example: **192.168.21.169**

1st:

**netsh interface portproxy add v4tov4 listenaddress=192.168.21.169 listenport=1883
connectaddress=127.0.0.1 connectport=1883**

nijer pc ip address listenaddress : 192.168.21.169

2nd:

Then cmd **run administrator** jabo

**netsh interface portproxy add v4tov4 listenaddress=192.168.21.169 listenport=1883
connectaddress=127.0.0.1 connectport=1883**

3rd:

netsh interface portproxy show all

Anayet Hossain

