My Project

Generated by Doxygen 1.8.7

Sun Apr 12 2015 23:15:28

Contents

1 Hierarchical Index **1**

1.1 Class Hierarchy . . . 1

2 Class Index **3**

2.1 Class List . . . 3

3 Class Documentation **5**

3.1 CPU Class Reference . . . 5

3.1.1 Detailed Description . . . 5

3.1.2 Member Function Documentation . . . 6

3.1.2.1 centerWindow . . . 6

3.1.2.2 showStats . . . 6

3.2 MainWindow Class Reference . . . 6

3.2.1 Detailed Description . . . 7

3.2.2 Member Function Documentation . . . 7

3.2.2.1 centerWindow . . . 7

3.2.2.2 showTime . . . 8

3.3 Memory Class Reference . . . 8

3.3.1 Detailed Description . . . 8

3.3.2 Constructor & Destructor Documentation . . . 9

3.3.2.1 Memory . . . 9

3.4 Sett Class Reference . . . 9

3.4.1 Detailed Description . . . 9

3.4.2 Constructor & Destructor Documentation . . . 10

3.4.2.1 Sett . . . 10

3.4.3 Member Function Documentation . . . 10

3.4.3.1 centerWindow . . . 10

3.5 Usr Class Reference . . . 10

3.5.1 Detailed Description . . . 11

3.5.2 Constructor & Destructor Documentation . . . 11

3.5.2.1 Usr . . . 11

3.5.3 Member Function Documentation . . . 12

3.5.3.1 centerWindow 12

Index **13**

Chapter 1

Hierarchical Index

1.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

QDialog
- CPU 5
- Memory 8
- Sett 9
- Usr 10

QMainWindow
- MainWindow 6

Chapter 2

Class Index

2.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

CPU
Provide an example 5
MainWindow
Provide an example 6
Memory
Provide an example 8
Sett
Provide an example 9
Usr
Provide an example 10

Chapter 3

Class Documentation

3.1 CPU Class Reference

Provide an example.

`#include <cpu.h>`

Inheritance diagram for CPU:



Public Member Functions

- **CPU** (QWidget *parent=0)
- void showStats ()

  Writes the current foreground and background color of characters printed on the console into the argument color.
- void centerWindow ()

  Writes the current foreground and background color of characters printed on the console into the argument color.

3.1.1 Detailed Description

Provide an example.

This class is meant as an example. It is not useful by itself rather its usefulness is only a function of how much it helps the reader. It is in a sense defined by the person who reads it and otherwise does not exist in any real form.

Note

Attempts at zen rarely work.

Author

Author

Camilla Lambrocco

Version

Revision

1.1

Date

Date

4/12/2015

3.1.2 Member Function Documentation

3.1.2.1 void CPU::centerWindow ( )

Writes the current foreground and background color of characters printed on the console into the argument color.

Returns

Void.

3.1.2.2 void CPU::showStats ( )

Writes the current foreground and background color of characters printed on the console into the argument color.

Returns

Void.

The documentation for this class was generated from the following files:

- cpu.h
- cpu.cpp

3.2 MainWindow Class Reference

Provide an example.

```
#include <mainwindow.h>
```

Inheritance diagram for MainWindow:



Public Member Functions

- **MainWindow** (QWidget *parent=0)
- void centerWindow ()

  Writes the current foreground and background color of characters printed on the console into the argument color.
- void showTime ()

  Writes the current foreground and background color of characters printed on the console into the argument color.

3.2.1 Detailed Description

Provide an example.

This class is meant as an example. It is not useful by itself rather its usefulness is only a function of how much it helps the reader. It is in a sense defined by the person who reads it and otherwise does not exist in any real form.

Note

Attempts at zen rarely work.

Author

Author

Camilla Lambrocco

Version

Revision

1.1

Date

Date

4/12/2015

3.2.2 Member Function Documentation

3.2.2.1 void MainWindow::centerWindow ( )

Writes the current foreground and background color of characters printed on the console into the argument color.

Returns

Void.

3.2.2.2 void MainWindow::showTime ( )

Writes the current foreground and background color of characters printed on the console into the argument color.

Returns

Void.

The documentation for this class was generated from the following files:

- mainwindow.h
- mainwindow.cpp

3.3 Memory Class Reference

Provide an example.

```
#include <memory.h>
```

Inheritance diagram for Memory:



Public Member Functions

- Memory (QWidget *parent=0)

  Memory::Memory.
- void **update** ()
- void **refresh** ()
- void **centerWindow** ()

3.3.1 Detailed Description

Provide an example.

This class is meant as an example. It is not useful by itself rather its usefulness is only a function of how much it helps the reader. It is in a sense defined by the person who reads it and otherwise does not exist in any real form.

Note

Attempts at zen rarely work.

Author

Author

Camilla Lambrocco

Version

Revision

1.1

Date

Date

4/12/2015

3.3.2 Constructor & Destructor Documentation

3.3.2.1 Memory::Memory (QWidget * *parent* = 0) [explicit]

Memory::Memory.

Parameters

parent	

The documentation for this class was generated from the following files:

- memory.h
- memory.cpp

3.4 Sett Class Reference

Provide an example.

```
#include <sett.h>
```

Inheritance diagram for Sett:



Public Member Functions

- Sett (QWidget *parent=0)

  Sett::Sett.
- void centerWindow ()

  Writes the current foreground and background color of characters printed on the console into the argument color.

3.4.1 Detailed Description

Provide an example.

This class is meant as an example. It is not useful by itself rather its usefulness is only a function of how much it helps the reader. It is in a sense defined by the person who reads it and otherwise does not exist in any real form.

Note

Attempts at zen rarely work.

Author

Author

Camilla Lambrocco

Version

Revision

1.1

Date

Date

4/12/2015

3.4.2 Constructor & Destructor Documentation

3.4.2.1 Sett::Sett (QWidget * *parent* = 0) [explicit]

Sett::Sett.

Parameters

parent	

3.4.3 Member Function Documentation

3.4.3.1 void Sett::centerWindow ( )

Writes the current foreground and background color of characters printed on the console into the argument color.

Returns

Void.

The documentation for this class was generated from the following files:

- sett.h
- sett.cpp

3.5 Usr Class Reference

Provide an example.

```
#include <usr.h>
```

Inheritance diagram for Usr:



Public Member Functions

- Usr (QWidget *parent=0)

  Usr::Usr.
- void centerWindow ()

  Writes the current foreground and background color of characters printed on the console into the argument color.

3.5.1 Detailed Description

Provide an example.

This class is meant as an example. It is not useful by itself rather its usefulness is only a function of how much it helps the reader. It is in a sense defined by the person who reads it and otherwise does not exist in any real form.

Note

Attempts at zen rarely work.

Author

Author

Camilla Lambrocco

Version

Revision

1.1

Date

Date

4/12/2015

3.5.2 Constructor & Destructor Documentation

3.5.2.1 Usr::Usr (QWidget * *parent* = 0) [explicit]

Usr::Usr.

Parameters

parent	

3.5.3 Member Function Documentation

3.5.3.1 void Usr::centerWindow ( )

Writes the current foreground and background color of characters printed on the console into the argument color.

Returns

Void.

The documentation for this class was generated from the following files:

- usr.h
- usr.cpp

Index

Memory, 8
    Memory, 9

Sett, 9
    Sett, 10

Usr, 10
    Usr, 11