AMENDMENT NO. 1
REQUEST FOR LEASE PROPOSALS NO. 0MO2177
USGS (+ BLM, MSHA & 4th Agency) - Rolla, MO (0MO2177)

Please refer to **Request for Lease Proposal Number 0MO2177** that solicits lease proposals for office, lab, and warehouse space in **Rolla, MO.** Please note that the following have been amended:

1. RLP Section 1.04 UNIQUE REQUIREMENTS, Subparagraph N shall be replaced with the following:

   "N. The USGS warehouse space shall have access to a commonly shared 16' wide x 12' high overhead door with a loading dock. The loading dock requirement can be met in multiple ways (sunken, lifts, or scissor lifts). A minimum 16-foot clear height shall be provided from anything affixed to the structure above in the warehouse and caged storage space."

2. RLP Section 1.06 LIST OF RLP DOCUMENTS (OCT 2023), Exhibit B1 – USGS Agency Requirements, dated August 2023 (49 pages) shall be replaced with the attached Exhibit B1 – USGS Agency Requirements, dated December 2023 (49 pages).

3. Lease Section 3.54 DRIVE-IN DOORS (ADDED) shall be deleted:

4. Lease Section 3.55, LOADING DOCK – SHELL (WAREHOUSE) (MAY 2014)) (ADDED) MODIFIED, Subparagraph A shall be replaced with the following:

   A. Lessor shall provide 1 shared loading dock in the building's common space for the Government tenants. In lieu of a loading dock, a scissor lift can be provided along with an overhead door.

LESSOR INITIALS	DATE	GOVERNMENT INITIALS	DATE