Defense Logistics Agency (DLA) Document Services
RFQ Purchase PWS

I. OVERVIEW

A. The Defense Logistics Agency (DLA) seeks to purchase **twenty (20)** Multifunctional Devices (MFDs), accessories and office document devices (hereafter collectively referred to as "devices") **OUTSIDE THE CONTIGUOUS UNITED STATES (OCONUS) – [SOUTH KOREA].** This contract is in support of **[USAG HUMPHREYS IMCOM]**. Specific details are found in sections **II** and **III**.

B. The services associated with the devices sought are Delivery (section **IV**), Manufacturer's Warranty (section **V**), Reports (section **VI**), Network Functionality (section **XII**), and Network Security (section **IX**).

C. Each proposer's contract line item number (CLIN) prices shall be all inclusive, as DLA does not intend to pay any amount in addition to a contractor's prices for the currently established CLINs. DLA intends for each contractor to recoup all its costs associated with the performance of this contract, and each and every stated requirement therein, through its prices for each currently established CLIN. DLA does not intend to add any additional CLINs or otherwise separately pay/reimburse/etc. for performance of any requirement set forth in this PWS or otherwise set forth in the Request for Proposals.

II. DEVICES AND CONFIGURATIONS

A. All devices shall meet the following requirements:

1. Equipment shall be Trade Agreement Act (TAA) compliant.
2. All equipment, including all parts, accessories and finishers, provided from Contractor shall be new (not refurbished or remanufactured) at contract award or modification for option to increase quantity. New means composed of previously unused components, whether manufactured from virgin material, recovered material in the form of raw material, or materials and by-products generated from, and reused within, an original manufacturing process; provided that the supplies meet contract requirements, including but not limited to, performance, reliability, and life expectancy.
3. Automatic Full Duplex Monochrome and Color
4. Print resolution of at least 1,200 x 1,200 DPI
5. Support the following:
    a. Microsoft Windows 11 or higher
    b. MacOS 13 or higher desktop operating system
    c. Microsoft Server 2016 or higher server operating systems
6. A minimum of 6 Gigabyte of memory
7. Print drivers shall be capable of Page Description Language (PDL) to support Adobe PS3, PCL5E and PCL6
8. Delivered with up-to-date software/firmware and drivers, with 32-bit and 64-bit architecture driver support
9. Operate using standard U.S. office 120-volt 60 hertz (Hz) alternating current (AC) electrical current. In the event that 20 amp or higher is offered, the Contractor shall clearly identify these models in proposals and in all price lists. No external transformers shall be used as an exception. The contractor shall also identify the power plug part number required.
10. Include a printed or digital (via compact disc (CD) or download link, referred to in the Quick Reference Desk Guide operator's manual, in English, for each device.
11. Print Rate: Minimum of 45 Pages Per Minute

12. Copy Rate: Minimum of 45 Pages Per Minute
13. Support Paper Stock/Basis Weight of 20# and 80#
14. Support Paper size of 8½" x 11", 8½" x 14", and # 10 envelopes (4⅛" x 9½")
15. Two (2) Paper Trays [550 Sheet Minimum/Tray] – Up to 8½" x 14"
16. Capable of printing on adhesive labeling
17. Scanner must support JPEG, PDF, and TIFF formats and be capable of scan-to-email and network folder destinations.
18. Scanner surface size to accommodate letter (8 ½" x 11") and legal paper (8 ½" x 14").
19. Recommended monthly print volume: 10,000 impressions.
20. In addition to all requirements in section **II.A**, all devices shall be delivered with one full set of starter (or standard yield) toner cartridges installed and an additional full set of HIGH yield toner cartridges.

    a. Each toner set includes:

    - Black
    - Cyan
    - Magenta
    - Yellow

B. In addition to all requirements in section **II.A**, all A4 devices shall collate documents.

C. Devices shall meet the following security requirements:

1. Devices with hard disk drives (HDDs) or solid-state drives (SSDs), hereafter collectively referred to as "hard drives," shall have clear, purge, and verification security capabilities as defined in NIST SP 800-88 Revision 1 (Guidelines for Media Sanitization) and shall be encrypted.

    a. Clear is defined as a method of sanitization achieved by applying logical techniques to sanitize data in all user-addressable storage locations for protection against simple non-invasive data recovery techniques using the same interface available to the user; typically applied through the standard read and write commands to the storage device, such as by rewriting with a new value or using a menu option to reset the device to the factory state (where rewriting is not supported).

    b. Purge is defined as a method of sanitization achieved by applying physical or logical techniques that renders Target Data recovery infeasible using state of the art laboratory techniques.

    c. Verification is defined as the process of testing the media to ensure the information cannot be read.

    d. Encryption shall meet a minimum of FIPS 140-3 Software Cryptography.

2. All Universal Serial Bus (USB) ports/memory card slots on the devices shall be disabled when delivered except: the printer port used to connect the device to a single computer; Common Access Card (CAC) readers; and any USB ports needed for servicing/maintaining equipment. Additionally, unused ports, protocols and services on each device shall be able to be enabled/disabled by the local IT administrator.

3. All Non-Classified Internet Protocol Router (NIPR) devices, shall have analog fax only. Note: The analog fax function shall be configured to separate/isolate the fax controller from the network controller. **SIPR (Secret Internet Protocol Router) devices shall NOT have the hardware capability for faxing.**

    a. Shall integrate seamlessly with currently available print on-demand solutions approved for DISA Networks (e.g., equivalent to "Follow Me," "Follow You," "Push" or "Pull" printing).

    b. Shall have secure scanning functionality that complies with Federal Information

Processing Standard (FIPS) 140-2 or 140-3 encryption with routing and full integration to standard network infrastructure destinations, which include: Scan-to-Email, Scan-to-Folder, Scan-to-Network, Scan-to-Server and Scan-to-PC. Scanned documents shall be made available as a TIFF, JPEG and as a PDF file format. The default scan resolution shall be 300 x 300 DPI. The default scan output file type shall be PDF. Devices shall have Optical Character Recognition (OCR) to process and produce text-searchable documents to the scan destination. Note: Full integration does not mean scanning proprietary back-end content, document or records management systems to support customized indexing or metadata requirements.

D. Proposers shall provide original equipment manufacturer (OEM) specification sheets, to include proposed configurations, specifically describing how the devices shall be configured to meet all requirements (for example, additional paper trays and finishers that will be included) with proposal to the Contracting Officer (KO).

E. Proposers shall provide Letter(s) of Supply from the manufacturer as proof that they are an authorized dealer for all devices provided.

III. PURCHASE SPECIFICATIONS:

A. **Twenty (20) Color MFPs** - Minimum 45 pages per minute. Capable of 120VAC +/- 10% 60Hz. Networkable Duplex Mono/Color Multifunctional Printers. With Scan, Copy, Print and CAC Capabilities.

IV. DELIVERY:

A. 20 MFPs W/ NIPR Smartcard Readers:

B. Ship to:

Supply & Service Division
Bldg # 6953, AMB, Unit # 15801
Camp Humphreys, Pyeongtaek-si, Gyeonggi-do, Republic of Korea 17709

V. MANUFACTURER'S WARRANTY

A. The Contractor shall provide a minimum one (1) year manufacturer's OCONUS warranty with each MFD to replace or repair defective devices.

B. Telephonic Support: 24 hours a day, 7 days a week, 365 days a year (excluding U.S. holidays).

C. Type of Service: On-site (Time-to-React: 2 Government Working Days).

VI. REPORTS

A. The Contractor shall provide the following reports:

1. Delivery Report (Appendix #1) shall be submitted to the DLA POC.

2. Device Listing Report (Microsoft Excel format) shall be submitted via Wide Area Work Flow (WAWF) to the COR with the invoice. The report shall contain an accurate listing of all devices under contract (model, serial number, location).

VII. INVOICING

A. All invoices shall be submitted with the Device Listing Report via Wide Area Work Flow (WAWF) and shall be submitted in United States Dollars. The following website provides additional information regarding WAWF including information for "vendors getting started" with the system: https://wawf.eb.mil/xhtml/unauth/help/help.xhtml.

B. Invoices submitted without the applicable reports shall not be paid. The Government shall not incur any interest penalty as a result of delay in payment to a Contractor due to non-compliance.

VIII. NETWORK FUNCTIONALITY

A. **DOD policy prohibits the publication of network configuration information; therefore, DOD installations shall not fill out pre-installation site surveys. The required information shall be provided at time of delivery.**

B. The Contractor shall provide devices that shall operate on and coexist on a network supporting all of the following:

1. Internet Protocol Version 4 (IPv4),
2. Internet Protocol Version 6 (IPv6),
3. A hybrid of IPv4 and IPv6.

C. The Proposer shall provide documentation and support to DLA for STIG compliant network configurations based on agency hardware/software.

IX. NETWORK SECURITY

A. The Contractor shall provide devices that can be configured to comply with the current DISA Security Technical Implementation Guide (STIG) titled Multifunction Device and Network Printer STIG (latest version and release), available at: https://cyber.mil/.

B. All devices shall support Simple Network Management Protocol (SNMP) version 3 (v3). Versions 1 and 2 (SNMPv1/SNMPv2) shall be disabled.

C. All hard drives that are put into service within Federal agencies shall remain in their custody. In the instance where a device is removed by the Contractor, all hard drives, whether internal, external, or otherwise, shall remain in possession of the Government and not be removed with the device.

D. Contractors shall monitor industry standard vulnerability sites (e.g. http://nvd.nist.gov/, https://www.us-cert.gov/ncas/alerts, http://oval.mitre.org/) and take appropriate actions if their equipment is subject to a known vulnerability. When vulnerabilities are identified by the Contractor, DLA or its Customers, the Contractor shall provide remediation for distribution to all installed equipment in accordance with USCYBERCOM TASKORD regulations unless a different time period is directed by USCYBERCOM via DLA. The TASKORD is For Official Use Only. The following is authorized to be quoted from the TASKORD for reference:

1. Assured Compliance Assessment Solution (ACAS) assigns severity scores of critical, high, medium and low to plug-in findings.

    a. Critical findings reflect discovery of a common vulnerability and exposure (CVE) that poses significant risk to the confidentiality, integrity, and availability of DODIN Networks. Actions to mitigate or remediate critical vulnerabilities shall be initiated upon discover with the goal of mitigation/remediation within seven (7) calendar days.

    b. Findings with a severity score of high shall be addressed in the same manner as vulnerabilities addressed via Information Assurance Vulnerability Alert (IAVA) directives and mitigated or remediated within twenty-one (21) calendar days of discovery.

    c. Findings with severity scores of medium and low shall be addressed in accordance with local Approving Official (AO), Information System Security Manager (ISSM), or Information System Security Officer (ISSO) guidance until further notice.

    d. In all instances, DOD components shall consider exposure to threat, mission impact, sensitivity of data, and current mitigating security controls when prioritizing implementation of fix actions.

E. In the event remediation cannot be achieved within the mandated timeline, the Contractor shall provide a Plan of Action and Milestones and receive approval thereof by the DLA Customer's agency Authorizing Official or designee for risk acceptance.

F. All MFDs shall be International Organization for Standardization (ISO)/International Electrotechnical Commission (IEC) 15408 (Common Criteria) certified IAW CNSSP-11 using the National Information Assurance Partnership (NIAP) approved criteria or equivalent.

1. A device shall be acceptable if it is included on both the NIAP CCEVS Product Compliant List (https://www.niap-ccevs.org/Product/) and the Common Criteria Portal Certified Products list (http://www.commoncriteriaportal.org/products/).

2. All devices shall have current ISO/IEC 15408 certification and recertification, if applicable, before the Contractor can schedule lab time for testing. See section **X.F.** Guidance for Common Criteria Maintenance and Reevaluation is available at: https://www.niap-ccevs.org/documents_and_guidance/ ccevs/ scheme-pub-6.pdf

G. All devices shall be capable of obtaining accreditation through the Risk Management Framework (RMF) for DOD Information Technology (IT). As part of this, the Contractor agrees to provide all requested information and work in good faith with DLA so the DLA Customers can expeditiously obtain RMF accreditation prior to device delivery. The Contractor shall also provide devices for vulnerability and STIG testing to DLA or DLA Customer's site. The Contractor further agrees that if the quoted device(s) does not obtain RMF accreditation, the contractor shall remove the device(s). Information regarding RMF is found in Risk Management Framework (RMF) for DOD Information Technology (IT) Instruction 8510.1 dated 12 March 2014: http://www.dtic.mil/whs/directives/corres/pdf/851001_2014.pdf. In order to maintain RMF and STIG compliance, devices are required to be delivered with the most up-to-date firmware, as outlined in section **II.A.3**.

H. For all unclassified devices: The Contractor shall supply a SMARTCARD Public Key Infrastructure (PKI) Solution which is compliant with DODI 8520.03 and NIST FIPS 201 (PIV) standards. The contractor shall provide card readers that shall read and process all approved CAC and PIV cards. The Contractor shall maintain compliance with DOD-wide SMARTCARD and DOD PKI standards and support all approved physical cards.

X. TESTING

A. All devices proposed in response to the contract shall be tested for compliance with Network Security as defined in section **IX** after award.

B. The estimated time for testing is twenty (20) business days per device. Testing and approval shall be performed by the DLA Document Services EMS Division in conjunction with the Contractor's assistance. The Contractor shall provide onsite engineering assistance and other support necessary to configure, setup, and test the equipment as needed.

1. DLA tests devices to meet DOD RMF and STIG Compliance. If all devices pass the preliminary testing process, DLA shall submit a compliance memorandum to the Contractor informing them that the devices have passed the preliminary testing process. In some cases, prior to being added to the DLA Customer's network, additional analyst support shall be required from the Contractor. If required by DLA, the Contractor shall deliver test devices to the DLA Customer prior to proceeding with device delivery. DLA shall exercise due diligence to assist with technical mitigation and resolve any questions and/or concerns raised by that agency during the testing review process.

2. If the devices do not pass any of the testing procedures for any reason, DLA shall not proceed with delivery of said devices at the DLA Customer locations and DLA may terminate all or part of the contract.

C. A device shall not be tested if it cannot meet the specifications as outlined in sections **II** and **III**.

D. Devices shall be delivered to the test lab with all required accessories, software, and firmware TO INCLUDE the external, lockable, removable hard drive as referenced in section **II.F.** Output paper handling accessories are not tested and shall not be delivered to the lab.

E. Approved devices previously submitted to DLA for testing are not required to be re-tested.

F. If not already tested, the Contractor shall deliver the devices for each Volume Band series to DLA Document Services located at 430 Mifflin Avenue, Building 430, New Cumberland, PA 17070, for testing. Delivery coordination shall take place within **five (5) business days** of contract award. The MFD Configuration Manager can be reached at (717) 265-3131.

G. The Contractor shall resolve non-compliance issues as quickly as possible. If the issues cannot be resolved within fourteen (14) calendar days, the test shall be suspended. After the non-compliance issues are resolved by the Contractor, the suspended session shall be scheduled when lab time is next available. If requested by DLA, the Contractor shall remove their devices from the lab to avoid delaying the next scheduled test, at no additional cost to the Government.

H. For all devices tested and placed on the DLA contract, the Contractor shall collaborate with the DLA Configuration Manager to develop the testing results package. The Contractor shall develop the device Implementation Guide. The Implementation Guide shall provide step-by-step instructions and screenshots to configure the devices in accordance with the testing results. Government acceptance of the Implementation Guide is at the discretion of the DLA EMS Division.

I. The security requirements set forth in this PWS are minimum device specifications and have been identified as the basic requirements common across Government agencies. These are the minimum security requirements applicable to all devices awarded under this contract. Each ordering activity may have its own hardware/software acceptance processes. All devices shall be subject to ordering activity hardware/software evaluation processes at the order level. If the device fails a security evaluation, the Contractor may select a different technology or mitigate the failed controls to fulfill this requirement. The Contractor shall be available to meet with the information technology (IT) and security personnel at a mutually convenient time during the evaluation process and shall identify a mutually acceptable solution. The Contractor shall provide the necessary equipment or expertise to complete security testing and integration into the existing environment. At the order level, the DLA Customer agency may require the Contractor to ship devices to a specific location for testing at time of order award.

J. If, during the life of the contract, a requirement in section **VIII** and **IX** is changed, updated or revised, the Contractor shall comply with the most current version of the requirement.

K. The Contractor shall remove all hardware from the DLA test lab within ten (10) calendar days upon notification of test completion.

XI. SUPPLY CHAIN RISK MANAGEMENT

A. **As part of its proposal**, the Proposer shall provide written documentation demonstrating how the integrity and security of all equipment, components thereof, repair parts and consumables it will provide and/or use in performing this contract will meet the standards set forth in National Institute of Standards and Technology (NIST) Special Publication 800-161, Rev 1, Cybersecurity Supply Chain Risk Management Practices for Systems and Organizations. This documentation shall clearly demonstrate how the Proposer is taking effective measures to mitigate the risks of foreign intelligence services, terrorist groups, or others from inserting unwanted functionality into the supplies and/or services DLA receives through this contract. Additionally, this documentation shall provide specific details of what—

1. Policies the Proposer has in place to prevent both (a) the use of counterfeit or altered equipment, components thereof, consumables and parts and (b) their introduction into the Proposer's supply chain;
2. Security procedures the Proposer uses to track the chain of custody of equipment, components thereof, consumables and parts, to include while this material is in storage and in transit; and
3. Steps the Proposer takes to ensure the integrity and authenticity of equipment, components thereof, repair parts and consumables to prevent tampering so they will perform according to specifications without additional unwanted functionality.

B. The Contractor shall continuously meet the standards of NIST Special Publication 800-161 Rev. 1

while taking effective measures to mitigate the risks of foreign intelligence services, terrorist groups, or others from inserting unwanted functionality into the supplies and/or services provided through this contract. Upon request, the Contractor shall provide written documentation meeting all requirements set forth in part A, above.

XII. INSTALLATION SECURITY REQUIREMENTS

A. The Contractor shall comply with all Federal, DoD and local rules and regulations to obtain Government installation access in order to meet all response times identified within the PWS.

B. The Contractor shall comply with Government base access requirements as set forth in the base/command regulations.

C. The Contractor shall be responsible for any and all fees associated with the application process and/or enrollment to access any installation or facility.

XIII. GENERAL CONDITIONS

A. The Contractor shall assign a single point of contact (POC) to coordinate with the KO in all aspects of this contract within three (3) business days of receipt of the order. The Contractor shall provide its assigned POC's name, title, business address, phone number and email address to the KO.

B. The Contractor shall comply with the Section 508 accessibility requirements. By submission of its quote, the Proposer affirms that its Electronic Information Technology (EIT) supplies and services are accessible as outlined in the law, the standard, and FAR Subpart 39.2. The Proposer shall submit their completed Voluntary Product Accessible Template (VPAT®) with their quote. The most recent VPAT can be downloaded at: https://www.itic.org/policy/accessibility/vpat.

C. Device make/models must be included on the NIAP CCEVS Product Compliant List (https://www.niap-ccevs.org/Product/).

XIV. APPENDICES

A. Appendix #1: Delivery Report

B. Appendix #2: VPAT® Template

Appendix #1

DELIVERY REPORT

Activity Name	DLA Customer Address
DLA Customer POC Phone #	**DLA Customer POC Email**
Contractor Name/Contract # (last 4 digits only)	**Period of Performance (PoP) Start Date**

CLIN#	Manufacturer	Model #	Serial #	Install Date	Building #	Floor #/Room #

Continue on back if additional space is required.

Note: A Delivery Schedule or Spreadsheet can be used as an attachment to this delivery report.

Appendix #2 **[Company] Accessibility Conformance Report**

(Based on VPAT® Version 2.4)

Name of Product/Version:

Report Date:

Product Description:

Contact Information:

Notes:

Evaluation Methods Used:

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes / No) Level AA (Yes / No) Level AAA (Yes / No)
Web Content Accessibility Guidelines 2.1	Level A (Yes / No) Level AA (Yes / No) Level AAA (Yes / No)
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	(Yes / No)
EN 301 549 Accessibility requirements suitable for public procurement of ICT products and services in Europe, - V3.1.1 (2019-11)	(Yes / No)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports**: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports**: Some functionality of the product does not meet the criterion.
- **Does Not Support**: The majority of product functionality does not meet the criterion.
- **Not Applicable**: The criterion is not relevant to the product.
- **Not Evaluated**: The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

Revised Section 508 Report

Notes:

Chapter 3: Functional Performance Criteria (FPC)

Notes:

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision. Where a visual mode of operation is provided, ICT shall provide at least one mode of operation that does not require user vision.		
302.2 With Limited Vision. Where a visual mode of operation is provided, ICT shall provide at least one mode of operation that enables users to make use of limited vision.		
302.3 Without Perception of Color. Where a visual mode of operation is provided, ICT shall provide at least one visual mode of operation that does not require user perception of color.		
302.4 Without Hearing. Where an audible mode of operation is provided, ICT shall provide at least one mode of operation that does not require user hearing.		
302.5 With Limited Hearing. Where an audible mode of operation is provided, ICT shall provide at least one mode of operation that enables users to make use of limited hearing.		
302.6 Without Speech. Where speech is used for input, control, or operation, ICT shall provide at least one mode of operation that does not require user speech.		
302.7 With Limited Manipulation. Where a manual mode of operation is provided, ICT shall provide at least one mode of operation that does not require fine motor control or simultaneous manual operations.		
302.8 With Limited Reach and Strength. Where a manual mode of operation is provided, ICT shall provide at least one mode of operation that is operable with limited reach and limited strength.		
302.8 With Limited Reach and Strength. Where a manual mode of operation is provided, ICT shall provide at least one mode of operation that is operable with limited reach and limited strength.		
302.9 With Limited Language, Cognitive, and Learning Abilities. ICT shall provide features making its use by individuals with limited cognitive, language, and learning abilities simpler and easier.		

Chapter 4: Hardware

Notes:

Criteria	Conformance Level	Remarks and Explanations
402.1 General. (Closed Functionality) ICT with closed functionality shall be operable without requiring the user to attach or install assistive technology other than personal headsets or other audio couplers, and shall conform to 402.	Heading cell – no response required	Heading cell – no response required
402.2.1 Information Displayed On-Screen. Speech output shall be provided for all information displayed on-screen.		
402.2.2 Transactional Outputs. Where transactional outputs are provided, the speech output shall audibly provide all information necessary to verify a transaction.		
402.2.3 Speech Delivery Type and Coordination. Speech output shall be delivered through a mechanism that is readily available to all users, including, but not limited to, an industry standard connector or a telephone handset. Speech shall be recorded or digitized human, or synthesized. Speech output shall be coordinated with information displayed on the screen.		
402.2.4 User Control. Speech output for any single function shall be automatically interrupted when a transaction is selected. Speech output shall be		

Criteria	Conformance Level	Remarks and Explanations
capable of being repeated and paused.		
402.2.5 Braille Instructions. Where speech output is required by 402.2, braille instructions for initiating the speech mode of operation shall be provided. Braille shall be contracted and shall conform to 36 CFR part 1191, Appendix D, Section 703.3.1.		
402.3.1 Private Listening. Where ICT provides private listening, it shall provide a mode of operation for controlling the volume. Where ICT delivers output by an audio transducer typically held up to the ear, a means for effective magnetic wireless coupling to hearing technologies shall be provided.		
402.3.2 Non-private Listening. Where ICT provides non-private listening, incremental volume control shall be provided with output amplification up to a level of at least 65 dB. A function shall be provided to automatically reset the volume to the default level after every use.		
402.4 Characters on Display Screens. At least one mode of characters displayed on the screen shall be in a sans serif font. Where ICT does not provide a screen enlargement feature, characters shall be 3/16 inch (4.8 mm) high minimum based on the uppercase letter "I". Characters shall contrast with their background with either light characters on a dark background or dark characters on a light background.		
402.5 Characters on Variable Message Signs. Characters on variable message signs shall conform to section 703.7 Variable Message Signs of ICC A117.1:2009.		
403.1 Biometrics Where provided, biometrics shall not be the only means for user identification or control.		
404.1 Preservation of Information Provided for Accessibility ICT that transmits or converts information or communication shall not remove non-proprietary information provided for accessibility or shall restore it upon delivery.		
405.1 Privacy. The same degree of privacy of input and output shall be provided to all individuals. When speech output required by 402.2 is enabled, the screen shall not blank automatically.		
406.1 Standard Connections Where data connections used for input and output are provided, at least one of each type of connection shall conform to industry standard non-proprietary formats.		
407.2 Contrast. Where provided, keys and controls shall contrast visually from background surfaces. Characters and symbols shall contrast visually from background surfaces with either light characters or symbols on a dark background or dark characters or symbols on a light background.		
407.3.1 Tactilely Discernible. Input controls shall be operable by touch and tactilely discernible without activation.		
407.3.2 Alphabetic Keys. Where provided, individual alphabetic keys shall be arranged in a QWERTY-based keyboard layout and the ''F'' and ''J'' keys shall be tactilely distinct from the other keys.		
407.3.3 Numeric Keys. Where provided, numeric keys shall be arranged in a 12-key ascending or descending keypad layout. The number five key shall be tactilely distinct from the other keys. Where the ICT provides an alphabetic overlay on numeric keys, the relationships between letters and digits shall conform to ITU?T Recommendation E.161		
407.4 Key Repeat. Where a keyboard with key repeat is provided, the delay before the key repeat feature is activated shall be fixed at, or adjustable to, 2 seconds minimum.		
407.5 Timed Response. Where a timed response is required, the user shall be alerted visually, as well as by touch or sound, and shall be given the opportunity to indicate that more time is needed.		

Criteria	Conformance Level	Remarks and Explanations
407.6 Operation. (General） At least one mode of operation shall be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to activate operable parts shall be 5 pounds (22.2 N) maximum.		
407.7 Tickets, Fare Cards, and Keycards. Where tickets, fare cards, or keycards are provided, they shall have an orientation that is tactilely discernible if orientation is important to further use of the ticket, fare card, or keycard.		
407.8.1 Vertical Reference Plane. Operable parts shall be positioned for a side reach or a forward reach determined with respect to a vertical reference plane. The vertical reference plane shall be located in conformance to 407.8.2 or 407.8.3.		
407.8.1.1 Vertical Plane for Side Reach. Where a side reach is provided, the vertical reference plane shall be 48 inches (1220 mm) long minimum.		
407.8.1.2 Vertical Plane for Forward Reach. Where a forward reach is provided, the vertical reference plane shall be 30 inches (760 mm) long minimum.		
407.8.2 Side Reach. Operable parts of ICT providing a side reach shall conform to 407.8.2.1 or 407.8.2.2. The vertical reference plane shall be centered on the operable part and placed at the leading edge of the maximum protrusion of the ICT within the length of the vertical reference plane. Where a side reach requires a reach over a portion of the ICT, the height of that portion of the ICT shall be 34 inches (865 mm) maximum.		
407.8.2.1 Unobstructed Side Reach. Where the operable part is located 10 inches (255 mm) or less beyond the vertical reference plane, the operable part shall be 48 inches (1220 mm) high maximum and 15 inches (380 mm) high minimum above the floor.		
407.8.2.2 Obstructed Side Reach. Where the operable part is located more than 10 inches (255 mm), but not more than 24 inches (610 mm), beyond the vertical reference plane, the height of the operable part shall be 46 inches (1170 mm) high maximum and 15 inches (380 mm) high minimum above the floor. The operable part shall not be located more than 24 inches (610 mm) beyond the vertical reference plane.		
407.8.3 Forward Reach. Operable parts of ICT providing a forward reach shall conform to 407.8.3.1 or 407.8.3.2. The vertical reference plane shall be centered, and intersect with, the operable part. Where a forward reach allows a reach over a portion of the ICT, the height of that portion of the ICT shall be 34 inches (865 mm) maximum.		
407.8.3.1 Unobstructed forward reach. Where the operable part is located at the leading edge of the maximum protrusion within the length of the vertical reference plane of the ICT, the operable part shall be 48 inches (1220 mm) high maximum and 15 inches (380 mm) high minimum above the floor.		
407.8.3.2 Obstructed Forward Reach. Where the operable part is located beyond the leading edge of the maximum protrusion within the length of the vertical reference plane, the operable part shall conform to 407.12.3.2. The maximum allowable forward reach to an operable part shall be 25 inches (635 mm).		
407.8.3.2.1 Height. Where the operable part is located less than 20 inches (510 mm) beyond the vertical reference plane, the operable part shall be 48 inches (1220 mm) high maximum. Where the operable part is located 20 inches (510 mm) to 25 inches (635 mm) beyond the vertical reference plane, the operable part shall be 44 inches (1120 mm) high maximum.		
407.8.3.2.2 Knee and Toe Space. Knee and toe space under ICT shall be 27 inches (685 mm) high minimum, 25 inches (635 mm) deep maximum, and 30 inches (760 mm) wide minimum and shall be clear of obstructions.		
408.2 Display Screens (General) Where stationary ICT provides one or more display screens, at least one of each type of display screen shall be visible from a point located 40 inches (1015 mm) above the floor space where the display screen is		

Criteria	Conformance Level	Remarks and Explanations
viewed.		
408.3 General. (Flashing) Where ICT emits lights in flashes, there shall be no more than three flashes in any one-second period.		
409.1 Status Indicators. Status indicators, including all locking or toggle controls or keys (e.g., Caps Lock and Num Lock keys), shall be discernible visually and by touch or sound.		
410.1 Color Coding. Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.		
411.1 Audible Signals. Where provided, audible signals or cues shall not be used as the only means of conveying information, indicating an action, or prompting a response.		
412.2.1 Volume Gain for Wireline Telephones. Volume gain conforming to 47 CFR 68.317 shall be provided on analog and digital wireline telephones.		
412.2.2 Volume Gain for Non-Wireline ICT. A method for increasing volume shall be provided for non-wireline ICT.		
412.3.1 Wireless Handsets. ICT in the form of wireless handsets shall conform to ANSI/IEEE C63.19-2011 (incorporated by reference, see 702.5.1).		
412.3.2 Wireline Handsets. ICT in the form of wireline handsets, including cordless handsets, shall conform to TIA-1083-B (incorporated by reference, see 702.9.1).		
412.4 Digital Encoding of Speech. ICT in IP-based networks shall transmit and receive speech that is digitally encoded in the manner specified by ITU-T Recommendation G.722.2 (incorporated by reference, see 702.7.2) or IETF RFC 6716 (incorporated by reference, see 702.8.1).		
412.5 Real-Time Text Functionality (HCO and VCO Support) Reserved. (Pending the outcome of rulemaking of the Federal Communications Commission(FCC) as discussed in Section III.D (Major Issues-Real-Time Text))		
412.5 Real-Time Text Functionality (Interoperability) Reserved. (Pending the outcome of rulemaking of the Federal Communications Commission(FCC) as discussed in Section III.D (Major Issues-Real-Time Text))		
412.5 Real-Time Text Functionality (Compatibility with Interactive Voice Response). Reserved. (Pending the outcome of rulemaking of the Federal Communications Commission(FCC) as discussed in Section III.D (Major Issues-Real-Time Text))		
412.6 Caller ID. Where provided, caller identification and similar telecommunications functions shall be visible and audible.		
412.7 Video Communication. Where ICT provides real-time video functionality, the quality of the video shall be sufficient to support communication using sign language.		
412.8.1 TTY Connectability. ICT shall include a standard non-acoustic connection point for TTYs.		
412.8.2 Voice and Hearing Carry Over. ICT shall provide a microphone capable of being turned on and off to allow the user to intermix speech with TTY use.		
412.8.3 Signal Compatibility. ICT shall support all commonly used cross-manufacturer non-proprietary standard TTY signal protocols where the system interoperates with the Public Switched Telephone Network (PSTN).		
412.8.4 Voice Mail and Other Messaging Systems. Where provided, voice mail, auto-attendant, interactive voice response, and caller identification systems shall be usable with a TTY.		
413.1.1 Decoding and Display of Closed Captions. Players and displays shall decode closed caption data and support display of captions.		
413.1.2 Pass-Through of Closed Caption		

Criteria	Conformance Level	Remarks and Explanations
Data. Cabling and ancillary equipment shall pass through caption data.		
414.1.1 Digital Television Tuners. Digital television tuners shall provide audio description processing that conforms to ATSC A/53 Digital Television Standard, Part 5 (2014) (incorporated by reference, see 702.2.1). Digital television tuners shall provide processing of audio description when encoded as a Visually Impaired (VI) associated audio service that is provided as a complete program mix containing audio description according to the ATSC A/53 standard.		
414.1.2 Other ICT. ICT other than digital television tuners shall provide audio description processing.		
415.1.1 Caption Controls. Where ICT provides operable parts for volume control, ICT shall also provide operable parts for caption selection.		
415.1.2 Audio Description Controls. Where ICT provides operable parts for program selection, ICT shall also provide operable parts for the selection of audio description.		
6.2.1.2 Concurrent Voice and Text. Where ICT supports two-way voice communication in a specified context of use, and enables a user to communicate with another user by RTT, it shall provide a mechanism to select a mode of operation which allows concurrent voice and text.		
6.2.2.2 Programmatically Determinable Send and Receive Direction. Where ICT has RTT send and receive capabilities, the send/receive direction of transmitted text shall be programmatically determinable, unless the RTT has closed functionality..		

Chapter 5: Software

Notes:

Criteria	Conformance Level	Remarks and Explanations
502.2.1 User Control of Accessibility Features. Platforms shall provide user control over platform features that are defined in the platform documentation as accessibility features.		
502.2.2 No Disruption of Accessibility Features. Software shall not disrupt platform features that are defined in the platform documentation as accessibility features.		
502.3.1 Object Information. The object role, state(s), boundary, name, and description shall be programmatically determinable.		
502.3.2 Modification of Object Information. States and properties that can be set by the user shall be capable of being set programmatically, including through assistive technology.		
502.3.3 Row, Column, and Headers. If an object is in a table, the occupied rows and columns, and any headers associated with those rows or columns, shall be programmatically determinable.		
502.3.4 Values. Any current value(s), and any set or range of allowable values associated with an object, shall be programmatically determinable.		
502.3.5 Modification of Values. Values that can be set by the user shall be capable of being set programmatically, including through assistive technology.		
502.3.6 Label Relationships. Any relationship that a component has as a label for another component, or of being labeled by another component, shall be programmatically determinable.		
502.3.7 Hierarchical Relationships. Any hierarchical (parent-child) relationship that a component has as a container for, or being contained by, another component shall be programmatically determinable.		
502.3.8 Text The content of text objects, text attributes, and the boundary of text rendered to the screen, shall be programmatically determinable.		
502.3.9 Modification of Text Text that can be set by the user shall be capable of being set programmatically, including through assistive technology.		
502.3.10 List of Actions A list of all actions that can be executed on an object shall be programmatically determinable.		
502.3.11 Actions on Objects. Applications shall allow assistive technology to programmatically execute available actions on objects.		
502.3.13 Modification of Focus Cursor. Focus, text insertion point, and selection attributes that can be set by the user shall be capable of being set programmatically, including through the use of assistive Technology.		
502.3.14 Event Notification. Notification of events relevant to user interactions, including but not limited to, changes in the component's state(s), value, name, description, or boundary, shall be available to assistive technology.		
502.4 Platform Accessibility Features. Platforms and platform software shall conform to the requirements in ANSI/HFES 200.2, Human Factors Engineering of Software User Interfaces — Part 2: Accessibility (incorporated by reference in Chapter 1) listed below: Section 9.3.3 Enable sequential entry of multiple (chorded) keystrokes. 2. Section 9.3.4 Provide adjustment of delay before key acceptance. 3. Section 9.3.5 Provide adjustment of same-key double-strike acceptance. 4. Section 10.6.7 Allow users to choose visual alternative for audio output. 5. Section 10.6.8 Synchronize audio equivalents for visual events.		

Criteria	Conformance Level	Remarks and Explanations
6. Section 10.6.9 Provide speech output services. 7. Section 10.7.1 Display any captions provided.		
503.2 User Preferences. Applications shall permit user preferences from platform settings for color, contrast, font type, font size, and focus cursor.		
503.3 Alternative User Interfaces. Where an application provides an alternative user interface that functions as assistive technology, the application shall use platform and other industry standard accessibility services.		
503.4.1 Caption Controls. Where user controls are provided for volume adjustment, ICT shall provide user controls for the selection of captions at the same menu level as the user controls for volume or program selection.		
503.4.2 Audio Description Controls. Where user controls are provided for program selection, ICT shall provide user controls for the selection of audio description at the same menu level as the user controls for volume or program selection.		

Chapter 6: Support Documentation and Services

Notes:

Criteria	Conformance Level	Remarks and Explanations
602.2 Accessibility and Compatibility Features. Documentation shall list and explain how to use the accessibility and compatibility features required by Chapters 4 and 5. Documentation shall include accessibility features that are built-in and accessibility features that provide compatibility with assistive technology.		
602.3 Electronic Support Documentation. Documentation in electronic format, including Web-based self-service support, shall conform to Level A and Level AA Success Criteria and Conformance Requirements in WCAG (incorporated by reference, see 702.10.1).		
602.4 Alternate Formats for Non-electronic Support Documentation. Where support documentation is only provided in non-electronic formats, alternate formats usable by individuals with disabilities shall be provided upon request.		
603.2 Information on Accessibility and Compatibility Features. ICT support services shall include information on the accessibility and compatibility features required by 602.2.		
603.3 Accommodation of Communication Needs. Support services shall be provided directly to the user or through a referral to a point of contact. Such ICT support services shall accommodate the communication needs of individuals with disabilities.		

WCAG Report – Printer Driver

Notes:

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content (Level A): All non-text content that is presented to the user has a text alternative that serves the equivalent purpose, except for the situations listed below.		
1.2.1 Audio-only and Video-only (Prerecorded) (Level A): For prerecorded audio-only and prerecorded video-only media, the following are true, except when the audio or video is a media alternative for text and is clearly labeled as such: - Prerecorded Audio-only - Prerecorded Video-only		
1.2.2 Captions (Prerecorded) (Level A): Captions are provided for all prerecorded audio content in synchronized media, except when the media is a media alternative for text and is clearly labeled as such.		
1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A): An alternative for time-based media or audio description of the prerecorded video content is provided for synchronized media, except when the media is a media alternative for text and is clearly labeled as such.		
1.2.4 Captions (Live) (Level AA): Captions are provided for all live audio content in synchronized media.		
1.2.5 Audio Description (Prerecorded) (Level AA): Audio description is provided for all prerecorded video content in synchronized media.		
1.3.1 Info and Relationships (Level A): Information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text.		
1.3.2 Meaningful Sequence (Level A): When the sequence in which content is presented affects its meaning, a correct reading sequence can be programmatically determined.		
1.3.3 Sensory Characteristics (Level A): Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components such as shape, color, size, visual location, orientation, or sound.		
1.3.4 Orientation (Level AA): Content does not restrict its view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.		
1.3.5 Identify Input Purpose (Level AA): The purpose of each input field collecting information about the user can be programmatically determined when: The input field serves a purpose identified in the Input Purposes for User Interface Components section; and The content is implemented using technologies with support for identifying the expected meaning for form input data.		
1.4.1 Use of Color (Level A): Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.		
1.4.2 Audio Control (Level A): If any audio on a Web page plays automatically for more than 3 seconds, either a mechanism is available to pause or stop the audio, or a mechanism is available to control audio volume independently from the overall system volume level.		
1.4.3 Contrast (Minimum) (Level AA): The visual presentation of text and images of text has a contrast ratio of at least 4.5:1, except for the following:		
1.4.4 Resize text (Level AA): Except for captions and images of text, text can be resized without assistive technology up to 200 percent without loss of content or functionality.		
1.4.5 Images of Text (Level AA): If the technologies being used can achieve the visual presentation, text is used to convey information rather than images of text.		
1.4.10 Reflow (Level AA): Content can be presented without loss of information or functionality, and without requiring scrolling in two dimensions for: ・Vertical scrolling content at a width equivalent to 320 CSS pixels; ・Horizontal scrolling content at a height equivalent to 256 CSS pixels.		
1.4.11 Non-text Contrast (Level AA): The visual presentation of the following have a contrast ratio of at least 3:1 against adjacent color(s):		

Criteria	Conformance Level	Remarks and Explanations
▪User Interface Components: Visual information required to identify user interface components and states, except for inactive components or where the appearance of the component is determined by the user agent and not modified by the author; ▪Graphical Objects: Parts of graphics required to understand the content, except when a particular presentation of graphics is essential to the information being conveyed.		
1.4.12 Text Spacing (Level AA): In content implemented using markup languages that support the following text style properties, no loss of content or functionality occurs by setting all of the following and by changing no other style property: Line height (line spacing) to at least 1.5 times the font size; Spacing following paragraphs to at least 2 times the font size; Letter spacing (tracking) to at least 0.12 times the font size; Word spacing to at least 0.16 times the font size.		
1.4.13 Content on Hover or Focus (Level AA): Where receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden, the following are true: Dismissible: A mechanism is available to dismiss the additional content without moving pointer hover or keyboard focus, unless the additional content communicates an input error or does not obscure or replace other content; Hoverable: If pointer hover can trigger the additional content, then the pointer can be moved over the additional content without the additional content disappearing; Persistent : The additional content remains visible until the hover or focus trigger is removed, the user dismisses it, or its information is no longer valid.		
2.1.1 Keyboard (Level A): All functionality of the content is operable through a keyboard interface without requiring specific timings for individual keystrokes, except where the underlying function requires input that depends on the path of the user's movement and not just the endpoints.		
2.1.2 No Keyboard Trap (Level A): If keyboard focus can be moved to a component of the page using a keyboard interface, then focus can be moved away from that component using only a keyboard interface, and, if it requires more than unmodified arrow or tab keys or other standard exit methods, the user is advised of the method for moving focus away.		
2.1.4 Character Key Shortcuts (Level A): If a keyboard shortcut is implemented in content using only letter (including upper- and lower-case letters), punctuation, number, or symbol characters, then at least one of the following is true: Turn off: A mechanism is available to turn the shortcut off; Remap: A mechanism is available to remap the shortcut to use one or more non-printable keyboard characters (e.g. Ctrl, Alt, etc); Active only on focus: The keyboard shortcut for a user interface component is only active when that component has focus.		
2.2.1 Timing Adjustable (Level A): For each time limit that is set by the content, at least one of the following is true: • Turn off: The user is allowed to turn off the time limit before encountering it; or • Adjust: The user is allowed to adjust the time limit before encountering it over a wide range that is at least ten times the length of the default setting; or • Extend: The user is warned before time expires and given at least 20 seconds to extend the time limit with a simple action (for example, "press the space bar"), and the user is allowed to extend the time limit at least ten times; or • Real-time Exception: The time limit is a required part of a real-time event (for example, an auction), and no alternative to the time limit is possible; or • Essential Exception: The time limit is essential and extending it would invalidate the activity; or • 20 Hour Exception: The time limit is longer than 20 hours.		
2.2.2 Pause, Stop, Hide (Level A): For moving, blinking, scrolling, or auto- updating information, all of the following are true: •Moving, blinking, scrolling: For any moving, blinking or scrolling information that (1) starts automatically, (2) lasts more than five seconds, and (3) is presented in parallel with other content, there is a mechanism for the user to pause, stop, or hide it unless the movement, blinking, or scrolling is part of an activity where it is		

Criteria	Conformance Level	Remarks and Explanations
essential; and •Auto-updating: For any auto-updating information that (1) starts automatically and (2) is presented in parallel with other content, there is a mechanism for the user to pause, stop, or hide it or to control the frequency of the update unless the auto-updating is part of an activity where it is essential.		
2.3.1 Three Flashes or Below Threshold (Level A): Web pages do not contain anything that flashes more than three times in any one second period, or the flash is below the general flash and red flash thresholds.		
2.4.1 Bypass Blocks (Level A): A mechanism is available to bypass blocks of content that are repeated on multiple Webpages.		
2.4.2 Page Titled (Level A): Web pages have titles that describe topic or purpose.		
2.4.3 Focus Order (Level A): If a Web page can be navigated sequentially and the navigation sequences affect meaning or operation, focusable components receive focus in an order that preserves meaning and operability.		
2.4.4 Link Purpose (In Context) (Level A): The purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined link context, except where the purpose of the link would be ambiguous to users in general.		
2.4.5 Multiple Ways (Level AA): More than one way is available to locate a Web page within a set of Web pages except where the Web Page is the result of, or a step in, a process.		
2.4.6 Headings and Labels (Level AA): Headings and labels describe topic or purpose.		
2.4.7 Focus Visible (Level AA): Any keyboard operable user interface has a mode of operation where the keyboard focus indicator is visible.		
2.5.1 Pointer Gestures (Level A): All functionality that uses multipoint or path- based gestures for operation can be operated with a single pointer without a path-based gesture, unless a multipoint or path-based gesture is essential.		
2.5.2 Pointer Cancellation (Level A): For functionality that can be operated using a single pointer, at least one of the following is true: No Down-Event: The down-event of the pointer is not used to execute any part of the function; Abort or Undo: Completion of the function is on the up-event, and a mechanism is available to abort the function before completion or to undo the function after completion; Up Reversal: The up-event reverses any outcome of the preceding down-event; Essential: Completing the function on the down-event is essential.		
2.5.3 Label in Name (Level A): For user interface components with labels that include text or images of text, the name contains the text that is presented visually.		
2.5.4 Motion Actuation (Level A): Functionality that can be operated by device motion or user motion can also be operated by user interface components and responding to the motion can be disabled to prevent accidental actuation, except when: Supported Interface: The motion is used to operate functionality through an accessibility supported interface; Essential: The motion is essential for the function and doing so would invalidate the activity.		
3.1.1 Language of Page (Level A): The default human language of each Web page can be programmatically determined.		
3.1.2 Language of Parts (Level AA): The human language of each passage or phrase in the content can be programmatically determined except for proper names, technical terms, words of indeterminate language, and words or phrases that have become part of the vernacular of the immediately surrounding text.		
3.2.1 On Focus (Level A): When any user interface component receives focus, it does not initiate a change of context.		
3.2.2 On Input (Level A): Changing the setting of any user interface component does not automatically cause a change of context unless the user has been advised of the behavior before using the component.		
3.2.3 Consistent Navigation (Level AA): Navigational mechanisms that are repeated on multiple Web pages within a set of Web pages occur in the same relative order each time they are repeated, unless a change is initiated by the user.		

Criteria	Conformance Level	Remarks and Explanations
3.2.4 Consistent Identification (Level AA): Components that have the same functionality within a set of Web pages are identified consistently.		
3.3.1 Error Identification (Level A): If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.		
3.3.2 Labels or Instructions (Level A): Labels or instructions are provided when content requires user input.		
3.3.3 Error Suggestion (Level AA): If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.		
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA): For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true: 1. Reversible: Submissions are reversible. 2. Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them. 3. Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.		
4.1.1 Parsing (Level A): In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.		
4.1.2 Name, Role, Value (Level A): For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and values that can be set by the user can be programmatically set; and notification of changes to these items is available to user agents, including assistive technologies.		
4.1.3 Status Messages (Level AA): In content implemented using markup languages, status messages can be programmatically determined through role or properties such that they can be presented to the user by assistive technologies without receiving focus.		

WCAG Report – Remote UI

Notes:

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content (Level A): All non-text content that is presented to the user has a text alternative that serves the equivalent purpose, except for the situations listed below.		
1.2.1 Audio-only and Video-only (Prerecorded) (Level A): For prerecorded audio-only and prerecorded video-only media, the following are true, except when the audio or video is a media alternative for text and is clearly labeled as such: - Prerecorded Audio-only - Prerecorded Video-only		
1.2.2 Captions (Prerecorded) (Level A): Captions are provided for all prerecorded audio content in synchronized media, except when the media is a media alternative for text and is clearly labeled as such.		
1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A): An alternative for time-based media or audio description of the prerecorded video content is provided for synchronized media, except when the media is a media alternative for text and is clearly labeled as such.		
1.2.4 Captions (Live) (Level AA): Captions are provided for all live audio content in synchronized media.		
1.2.5 Audio Description (Prerecorded) (Level AA): Audio description is provided for all prerecorded video content in synchronized media.		
1.3.1 Info and Relationships (Level A): Information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text.		
1.3.2 Meaningful Sequence (Level A): When the sequence in which content is presented affects its meaning, a correct reading sequence can be programmatically determined.		
1.3.3 Sensory Characteristics (Level A): Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components such as shape, color, size, visual location, orientation, or sound.		
1.3.4 Orientation (Level AA): Content does not restrict its view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.		
1.3.5 Identify Input Purpose (Level AA): The purpose of each input field collecting information about the user can be programmatically determined when: The input field serves a purpose identified in the Input Purposes for User Interface Components section; and The content is implemented using technologies with support for identifying the expected meaning for form input data.		
1.4.1 Use of Color (Level A): Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.		
1.4.2 Audio Control (Level A): If any audio on a Web page plays automatically for more than 3 seconds, either a mechanism is available to pause or stop the audio, or a mechanism is available to control audio volume independently from the overall system volume level.		
1.4.3 Contrast (Minimum) (Level AA): The visual presentation of text and images of text has a contrast ratio of at least 4.5:1, except for the following:		
1.4.4 Resize text (Level AA): Except for captions and images of text, text can be resized without assistive technology up to 200 percent without loss of content or functionality.		
1.4.5 Images of Text (Level AA): If the technologies being used can achieve the visual presentation, text is used to convey information rather than images of text.		
1.4.10 Reflow (Level AA): Content can be presented without loss of information or functionality, and without requiring scrolling in two dimensions for: ・Vertical scrolling content at a width equivalent to 320 CSS pixels; ・Horizontal scrolling content at a height equivalent to 256 CSS pixels.		

Criteria	Conformance Level	Remarks and Explanations
1.4.11 Non-text Contrast (Level AA): The visual presentation of the following have a contrast ratio of at least 3:1 against adjacent color(s): ・User Interface Components: Visual information required to identify user interface components and states, except for inactive components or where the appearance of the component is determined by the user agent and not modified by the author; ・Graphical Objects: Parts of graphics required to understand the content, except when a particular presentation of graphics is essential to the information being conveyed.		
1.4.12 Text Spacing (Level AA): In content implemented using markup languages that support the following text style properties, no loss of content or functionality occurs by setting all of the following and by changing no other style property: Line height (line spacing) to at least 1.5 times the font size; Spacing following paragraphs to at least 2 times the font size; Letter spacing (tracking) to at least 0.12 times the font size; Word spacing to at least 0.16 times the font size.		
1.4.13 Content on Hover or Focus (Level AA): Where receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden, the following are true: Dismissible: A mechanism is available to dismiss the additional content without moving pointer hover or keyboard focus, unless the additional content communicates an input error or does not obscure or replace other content; Hoverable: If pointer hover can trigger the additional content, then the pointer can be moved over the additional content without the additional content disappearing; Persistent : The additional content remains visible until the hover or focus trigger is removed, the user dismisses it, or its information is no longer valid.		
2.1.1 Keyboard (Level A): All functionality of the content is operable through a keyboard interface without requiring specific timings for individual keystrokes, except where the underlying function requires input that depends on the path of the user's movement and not just the endpoints.		
2.1.2 No Keyboard Trap (Level A): If keyboard focus can be moved to a component of the page using a keyboard interface, then focus can be moved away from that component using only a keyboard interface, and, if it requires more than unmodified arrow or tab keys or other standard exit methods, the user is advised of the method for moving focus away.		
2.1.4 Character Key Shortcuts (Level A): If a keyboard shortcut is implemented in content using only letter (including upper- and lower-case letters), punctuation, number, or symbol characters, then at least one of the following is true: Turn off: A mechanism is available to turn the shortcut off; Remap: A mechanism is available to remap the shortcut to use one or more non-printable keyboard characters (e.g. Ctrl, Alt, etc); Active only on focus: The keyboard shortcut for a user interface component is only active when that component has focus.		
2.2.1 Timing Adjustable (Level A): For each time limit that is set by the content, at least one of the following is true: • Turn off: The user is allowed to turn off the time limit before encountering it; or • Adjust: The user is allowed to adjust the time limit before encountering it over a wide range that is at least ten times the length of the default setting; or • Extend: The user is warned before time expires and given at least 20 seconds to extend the time limit with a simple action (for example, "press the space bar"), and the user is allowed to extend the time limit at least ten times; or • Real-time Exception: The time limit is a required part of a real-time event (for example, an auction), and no alternative to the time limit is possible; or • Essential Exception: The time limit is essential and extending it would invalidate the activity; or • 20 Hour Exception: The time limit is longer than 20 hours.		
2.2.2 Pause, Stop, Hide (Level A): For moving, blinking, scrolling, or auto- updating information, all of the following are true: •Moving, blinking, scrolling: For any moving, blinking or scrolling information that (1) starts automatically, (2) lasts more than five seconds, and (3) is presented in parallel with other content, there is a		

Criteria	Conformance Level	Remarks and Explanations
mechanism for the user to pause, stop, or hide it unless the movement, blinking, or scrolling is part of an activity where it is essential; and •Auto-updating: For any auto-updating information that (1) starts automatically and (2) is presented in parallel with other content, there is a mechanism for the user to pause, stop, or hide it or to control the frequency of the update unless the auto-updating is part of an activity where it is essential.		
2.3.1 Three Flashes or Below Threshold (Level A): Web pages do not contain anything that flashes more than three times in any one second period, or the flash is below the general flash and red flash thresholds.		
2.4.1 Bypass Blocks (Level A): A mechanism is available to bypass blocks of content that are repeated on multiple Webpages.		
2.4.2 Page Titled (Level A): Web pages have titles that describe topic or purpose.		
2.4.3 Focus Order (Level A): If a Web page can be navigated sequentially and the navigation sequences affect meaning or operation, focusable components receive focus in an order that preserves meaning and operability.		
2.4.4 Link Purpose (In Context) (Level A): The purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined link context, except where the purpose of the link would be ambiguous to users in general.		
2.4.5 Multiple Ways (Level AA): More than one way is available to locate a Web page within a set of Web pages except where the Web Page is the result of, or a step in, a process.		
2.4.6 Headings and Labels (Level AA): Headings and labels describe topic or purpose.		
2.4.7 Focus Visible (Level AA): Any keyboard operable user interface has a mode of operation where the keyboard focus indicator is visible.		
2.5.1 Pointer Gestures (Level A): All functionality that uses multipoint or path- based gestures for operation can be operated with a single pointer without a path-based gesture, unless a multipoint or path-based gesture is essential.		
2.5.2 Pointer Cancellation (Level A): For functionality that can be operated using a single pointer, at least one of the following is true: No Down-Event: The down-event of the pointer is not used to execute any part of the function; Abort or Undo: Completion of the function is on the up-event, and a mechanism is available to abort the function before completion or to undo the function after completion; Up Reversal: The up-event reverses any outcome of the preceding down-event; Essential: Completing the function on the down-event is essential.		
2.5.3 Label in Name (Level A): For user interface components with labels that include text or images of text, the name contains the text that is presented visually.		
2.5.4 Motion Actuation (Level A): Functionality that can be operated by device motion or user motion can also be operated by user interface components and responding to the motion can be disabled to prevent accidental actuation, except when: Supported Interface: The motion is used to operate functionality through an accessibility supported interface; Essential: The motion is essential for the function and doing so would invalidate the activity.		
3.1.1 Language of Page (Level A): The default human language of each Web page can be programmatically determined.		
3.1.2 Language of Parts (Level AA): The human language of each passage or phrase in the content can be programmatically determined except for proper names, technical terms, words of indeterminate language, and words or phrases that have become part of the vernacular of the immediately surrounding text.		
3.2.1 On Focus (Level A): When any user interface component receives focus, it does not initiate a change of context.		
3.2.2 On Input (Level A): Changing the setting of any user interface component does not automatically cause a change of context unless the user has been advised of the behavior before using the component.		
3.2.3 Consistent Navigation (Level AA): Navigational mechanisms that are repeated on multiple Web pages within a set of Web pages occur in		

Criteria	Conformance Level	Remarks and Explanations
the same relative order each time they are repeated, unless a change is initiated by the user.		
3.2.4 Consistent Identification (Level AA): Components that have the same functionality within a set of Web pages are identified consistently.		
3.3.1 Error Identification (Level A): If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.		
3.3.2 Labels or Instructions (Level A): Labels or instructions are provided when content requires user input.		
3.3.3 Error Suggestion (Level AA): If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.		
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA): For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true: 4. Reversible: Submissions are reversible. 5. Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them. 6. Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.		
4.1.1 Parsing (Level A): In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.		
4.1.2 Name, Role, Value (Level A): For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and values that can be set by the user can be programmatically set; and notification of changes to these items is available to user agents, including assistive technologies.		
4.1.3 Status Messages (Level AA): In content implemented using markup languages, status messages can be programmatically determined through role or properties such that they can be presented to the user by assistive technologies without receiving focus.		