Project #1: Component Remanufacturing Facility

1.0 Project Overview – Construct Component Remanufacturing Facility (CRF):
This project requires the design and construction of a new CRF facility at Anniston Army Depot (ANAD) to support depot-level remanufacturing of vehicle systems, with the overhauling over 4,500 various parts/assemblies for 19 combat vehicles and restoring them to original or new condition in appearance, performance, and life expectancy. The primary objective is to deliver improved efficiency, increase Army readiness, accommodate modernized processes and equipment, implement best practices using state-of-the-art technology, and provide an agile and appropriate facility for the remanufacturing of components for existing and next-generation combat vehicles. This project seeks to balance proven construction methodologies with innovative solutions that promote sustainability, efficiency, and long-term value. The demolition of up to 3 buildings may be included within this scope of work.

2.0 Core Regulatory Compliance:
All design and construction activities must strictly adhere to the latest versions of the Unified Facilities Criteria (UFC), including but not limited to:

- UFC 1-200-01: DoD Building Code
- All relevant architectural, structural, mechanical, electrical, and fire protection UFCs.
- All installation-specific regulations and standards for ANAD.

3.0 General Scope of Work for Demolition of up to 3 Buildings & Construction of New Facility:

3.1 Demolition of Buildings:
The Contractor shall furnish all labor, materials, equipment, and supervision necessary to perform a comprehensive hazardous materials survey, subsequent abatement, and complete demolition and removal of the buildings. The Contractor shall then restore the site to the conditions specified herein.

- **Phase I: Hazardous Materials Survey and Abatement**
  - The Contractor shall conduct a comprehensive hazardous materials survey of Buildings.
  - Upon approval of the survey and abatement plan, the Contractor shall perform complete abatement of all identified hazardous materials in accordance with all applicable regulations.

- **Phase II: Site Preparation and Utility Disconnection**
  - Establish secure site boundaries with fencing and post appropriate warning signs.
  - Implement approved traffic and environmental controls.

- Coordinate with ANAD Public Works and utility companies to locate, shut off, and cap all utilities. All utilities (electrical, water, sewer, gas, communications) shall be disconnected and demolished back to their respective main connection points.
- Additional Geo-technical and Site Investigations/Evaluations may be required to confirm selected site validation and suitability.
- The contractor may be required to relocate displaced operations generated from demolition activities.

- **Phase III: Building Demolition**
    - Demolition of Buildings shall only commence after all hazardous materials have been abated and the clearance report is approved.
    - Demolish all building structures, including foundations, slabs-on-grade, and any substructures, to a minimum depth of 4 feet below the existing grade.
    - Remove all associated mechanical, electrical, and plumbing (MEP) systems and equipment.

- **Phase IV: Waste Management and Disposal**
    - Segregate demolition debris as detailed in the approved Waste Management Plan to be prepared and submitted by the contractor to the Contracting Officer and Owner Representatives.
    - Dispose of all recyclables, non-recyclable debris and hazardous materials in a government supplied metal container. The contractor is required to provide planned disposal quantities for each waste category (solid waste, hazardous waste and non-hazardous waste debris to the Contracting Officer for all waste streams.

- **Phase V: Site Restoration**
    - The buildings to be demolished are within the project limits of construction/new facility footprint. Where applicable, at project boundaries and other areas impacted by demolition activities, the follow will apply:
        - Backfill all excavations resulting from demolition with approved fill material, compacted to 90% density.
        - Grade the entire site to ensure positive drainage.
        - Where appropriate, match existing adjoining surfaces in type and specification, whether gravel, grass, reinforced concrete, asphalt, etc.
        - Remove all temporary fencing, controls, and equipment, leaving the site in a clean, safe, and stable condition.
        - Upon completion, where buildings demolished are located within the new facility footprint, the contractor may prep the area in accordance with design and construction plans.

3.2 Construction of a new CRF:
The Contractor shall furnish all labor, materials, equipment, and supervision necessary to build a new CRF at the new site location.

- **Building concept:** The facility will consist of Component Remanufacturing Facility with flexible high bay areas that will house a large amount of equipment, including cranes and state-of-the-art manufacturing equipment, design will enable installation and operation of the process equipment, and is intended to include industrial process areas (for disassembly, cleaning, welding, machining, chemical cleaning and electroplating, hydraulic repair and testing, painting, assembly, and staging/buffer areas), support areas (administrative space, parts and tool storage, locker rooms, break rooms, and shower facilities), building systems (fire protection and alarm systems, cyber security, building and industrial information systems, and Energy Monitoring Control Systems (EMCS) connections). Heating and air conditioning, Measures in accordance with the Department of War (DoW) Minimum Antiterrorism for Buildings standards, Access for individuals with disabilities, Cybersecurity Measures, and Sustainability/ Energy measures will be provided.

- **Equipment Process Flow and Design:** Contractor to provide industrial engineering design support to determine industrial equipment requirement, cost and process layout for the new CRF facility. This information should inform and guide the facility design. Please note: Although the facility design needs to be driven by the industrial equipment, there is currently no plan to procure or install equipment as part of this contract.

- **Supporting facilities** anticipated to be required are utility services and connection for electric, exterior lighting, water, a water storage tank, natural gas, sanitary sewer, industrial sewer, compressed air, fire pumps, and information systems to include fiber optic cable service, site improvements including a retaining wall, access roads, a containment area, parking, fencing, sidewalks, curbs, storm sewer and culverts, lightning protection system, facility perimeter fall protection and signage, storm drainage.

- **Gross area:** The estimated size of the Component Remanufacturing Facility is 175,000 SF. This figure is preliminary and may be revised through the project design process.

- **Building height and features**:
  Anticipate a mixture of high-bay and low-bay industrial space with appropriate storage, support, and administrative space.

- **Site-specific constraints and concerns:**
  - The facility should be designed to enhance process efficiency and reduced material movement and storage.

- Existing adjacent roadways may need to be extended, reconfigured, etc. to accommodate the new facility and POV parking requirements.
- The building façade and roof design must meet the architectural requirements per ANAD design standards. The project must also meet antiterrorism / force protection requirements.
- Fire & Emergency Access: The design of facility and surrounding roads must accommodate fire truck and emergency vehicle access.
- Flood Plain: The proposed project site is located within the 100-yr flood plain and design consideration are to be include.
- Utility Coordination: The contractor will be responsible for coordinating with ANAD DPW to confirm utility, parking, street lighting, and other site requirements as part of the project.

Note: An example 35% design is included in this project scope for informational purposes only and should be used as a reference document. Citing will be discussed during Industry Day.



D1 FIRST FLOOR PLAN - OVERALL

SCALE: 1/32" = 1'-0"

PLAN NORTH

GENERAL SHEET NOTES

1. FOR ARCHITECTURAL GENERAL NOTES, MATERIAL LEGEND, AND ABBREVIATIONS REFER TO SHEET A-001.
2. REFERENCE LIFE SAFETY DRAWINGS FOR FIRE RATED WALL LOCATIONS. ALL FIRE RATED WALLS AND SMOKE PARTITIONS ARE CONTINUOUS ACROSS ALL DOOR OPENINGS.
3. REFER TO FINISH SCHEDULE FOR ADDITIONAL FINISH INFORMATION. ALL FLOOR FINISHES TO BE CONTINUOUS UNDER MILLWORK AND EQUIPMENT UNLESS NOTED OTHERWISE.
4. THE FIRST FLOOR FINISHED FLOOR ELEVATION IS 100'-0" UNLESS NOTED OTHERWISE. REFERENCE CIVIL FOR FINISH FLOOR DATUMS
5. PROVIDE 48-INCH TALL AND 8-INCH DIAMETER CONCRETE FILL STEEL PIPE BOLLARD AT ALL BUILDING CORNERS, INSIDE AND OUTSIDE OF OVERHEAD DOORS, 4 CORNERS OF EXPOSED COLUMNS, AND 4 CORNERS OF EXTERIOR GROUND MOUNTED EQUIPMENT. ALL BOLLARDS ARE TO BE PAINTED WITH SAFETY YELLOW OR COLOR SELECTED BY DPW.
6. PROVIDE 42-INCH TALL AND CONTINUOUS STEEL BUMPER RAIL AT EACH SIDE OF ALL AISLES WIDER THAN 10 FEET. ALL BUMPER RAILS ARE TO BE PAINTED WITH SAFETY YELLOW OR COLOR SELECTED BY DPW.
7. DESIGNER OF THE RECORD TO COORDINATE WITH USERS AND ADD FLOOR STRIPPING AND MARKING FOR PEDESTRIAN PATHWAYS

ROOM SCHEDULE

100	RECEPTION	132	SUP OFFICE
101	ADMIN AREA	133	COMM
102	OFFICE	134	ELEC
103	OFFICE	135	BUFFER
104	OFFICE	136	CORRIDOR
105	MOTHER'S	137	WOMEN'S
106	CONF	138	WOMENS LOCKER ROOM
107	PRINT ROOM	139	MEN'S
108	CORRIDOR	140	MENS LOCKER ROOM
109	CONF	141	BREAK
110A	CORRIDOR	142	FIRE PUMP
110B	VENDING	143	CENTRAL PLANT
110C	CORRIDOR	144	COMM
111	WOMEN'S	145	ELEC
112	MEN'S	146	PLATING
113	ENTRY	147	CHEMICAL STAGING
114	JAN	148	ELEC
115	WOMEN'S LOCKER	149	COMM
116	MEN'S LOCKER	150	CHEMICAL STAGING
117	CONTROL ROOM	151	PLATING STAGING
118	SERVER	152	SUP OFFICE
119	BREAK	153	WORK ROOM
120	FIRE BOTTLE STORAGE	154	OVENS
121	FIRE BOTTLE	155	LASER
122	DRY POWDER CHARGING	156	CORRIDOR
123	ELEC	157	MASKING AREA
124	COMM	158	PAINTING
125	MACHINE SHOP	159	POWDER STOR
126	WASH AREA	160	SUP OFFICE
128	DISASSEMBLY	161	COMM
129	SUP OFFICE	162	MAIN CORRIDOR
130	SUP OFFICE	163	MHE CHARGING
131	ASSEMBLY	164	ELEC
		165	COMM

KEY PLAN

A	B	C	D
E	F	G	H
J	K	L	M

PLAN NORTH

NOT FOR CONSTRUCTION

US Army Corps of Engineers ®

MARK	DESCRIPTION	DATE
3	DRAFT RFP	07/25/2025
2	FINAL PDR	04/11/2025
1	DRAFT PDR	03/14/2025

US ARMY CORPS OF ENGINEERS
ANNISTON ARMY DEPOT
ALABAMA

BURNS AND McDONNELL
9400 WARD PARKWAY,
KANSAS CITY, MO 64114
#164982

DESIGNED BY: B. BORTZ	ISSUE DATE: 04/05/2024
DRAWN BY: B. AMES	SOLICITATION NO.: -
CHECKED BY: T. KIM	CONTRACT NO.: -
SUBMITTED BY: W. KING	-
SIZE: ANSI D	FILE NAME:

COMPONENT REMANUFACTURING FACILITY (CRF)
ANNISTON ARMY DEPOT, AL
CRF
PROJECT #164892

OVERALL FIRST FLOOR PLAN

SHEET ID
CRF
A-010

DRAFT RFP



D1 MEZZANINE PLAN - OVERALL
SCALE: 1/32" = 1'-0"

0 16' 32' 64'

PLAN NORTH

GENERAL SHEET NOTES

1. FOR ARCHITECTURAL GENERAL NOTES, MATERIAL LEGEND, AND ABBREVIATIONS REFER TO SHEET A-001.
2. REFERENCE LIFE SAFETY DRAWINGS FOR FIRE RATED WALL LOCATIONS. ALL FIRE RATED WALLS AND SMOKE PARTITIONS ARE CONTINUOUS ACROSS ALL DOOR OPENINGS.
3. REFER TO FINISH SCHEDULE FOR ADDITIONAL FINISH INFORMATION. ALL FLOOR FINISHES TO BE CONTINUOUS UNDER MILLWORK AND EQUIPMENT UNLESS NOTED OTHERWISE.
4. THE FIRST FLOOR FINISHED FLOOR ELEVATION IS 100'-0" UNLESS NOTED OTHERWISE. REFERENCE CIVIL FOR FINISH FLOOR DATUMS
5. PROVIDE 48-INCH TALL AND 8-INCH DIAMETER CONCRETE FILL STEEL PIPE BOLLARD AT ALL BUILDING CORNERS, INSIDE AND OUTSIDE OF OVERHEAD DOORS, 4 CORNERS OF EXPOSED COLUMNS, AND 4 CORNERS OF EXTERIOR GROUND MOUNTED EQUIPMENT. ALL BOLLARDS ARE TO BE PAINTED WITH SAFETY YELLOW OR COLOR SELECTED BY DPW.
6. PROVIDE 42-INCH TALL AND CONTINUOUS STEEL BUMPER RAIL AT EACH SIDE OF ALL AISLES WIDER THAN 10 FEET. ALL BUMPER RAILS ARE TO BE PAINTED WITH SAFETY YELLOW OR COLOR SELECTED BY DPW.
7. DESIGNER OF THE RECORD TO COORDINATE WITH USERS AND ADD FLOOR STRIPPING AND MARKING FOR PEDESTRIAN PATHWAYS

SHEET KEYNOTES

ROOM SCHEDULE

201	MAINTENANCE MEZZ
202	RO

KEY PLAN

A	B	C	D
E	F	G	H
J	K	L	M

PLAN NORTH

NOT FOR CONSTRUCTION

US Army Corps of Engineers ®

MARK	DESCRIPTION	DATE
3	DRAFT RFP	07/25/2025
2	FINAL PDR	04/11/2025
1	DRAFT PDR	03/14/2025

DESIGNED BY: B. BORTZ
DRAWN BY: B. AMES
CHECKED BY: T. KIM
SUBMITTED BY: W. KING
SIZE: ANSI D
ISSUE DATE: 04/05/2024
SOLICITATION NO.: -
CONTRACT NO.: -
FILE NAME:

US ARMY CORPS OF ENGINEERS
ANNISTON ARMY DEPOT
ALABAMA

BURNS AND McDONNELL
9400 WARD PARKWAY,
KANSAS CITY, MO 64114
#164982

COMPONENT REMANUFACTURING FACILITY (CRF)
ANNISTON ARMY DEPOT, AL
CRF
PROJECT #164892

OVERALL MEZZANINE PLAN

SHEET ID
CRF
A-011

DRAFT RFP



D1 ROOF PLAN - OVERALL

SCALE: 1/32" = 1'-0"

GENERAL SHEET NOTES

1. ALL MEMBRANE ROOF SLOPES ARE 1/2" PER 1'-0" UNLESS NOTED OTHERWISE.
2. ALL STANDING SEAM METAL ROOF SLOPES ARE 1" PER 1'-0" UNLESS NOTED OTHERWISE
3. EPDM ROOFING SYSTEM:
   - EPDM ROOFING MEMBRANE W/ WALKING PAD
   - ROOF COVERBOARD
   - 2 LAYERS OF R-30 ROOF INSULATION
   - CLASS I VAPOR RETARDER
   - CONCRETE
   - METAL ROOF DECK
4. GUTTER, GUTTER BRACKET, GUTTER STRAP, DOWNSPOUT, AND CONDUCTOR MUST BE DESIGNED TO MEET SMACNA - ARCHITECTURAL SHEET METAL MANUAL REQUIREMENTS AND IPC.
5. ALL PENETRATIONS MAY NOT BE SHOWN ON THIS DRAWING. COORDINATE ALL ROOF PENETRATIONS WITH MECHANICAL AND ELECTRICAL DRAWINGS AS REQUIRED.
6. ROOF DECK AND STRUCTURE SLOPED TO ACCOMPLISH ROOF SLOPE(S) AS INDICATED. COORDINATE WITH STRUCTURAL DRAWINGS.
7. PROVIDE CRICKETS AS INDICATED ON DRAWING AS WELL AS AT ANY EQUIPMENT CURBING, ROOF HATCH, ETC. USE TAPERED INSULATION TO CREATE CRICKETS.
8. PROVIDE WALKING PAD FROM ROOF TOP STAIR PENTHOUSE TO ALL ROOF TOP EQUIPMENT
9. PROVIDE OVERFLOW SCUPPER AT EACH SCUPPER LOCATION

SHEET KEYNOTES

LEGEND

DS	DOWNSPOUT
EJ	EXPANSION JOINT
	DIRECTION OF DOWNWARD SLOPE
	SNOW GUARD / ICE GUARD
	MECHANICAL EQUIPMENT

KEY PLAN

A	B	C	D
E	F	G	H
J	K	L	M

PLAN NORTH

NOT FOR CONSTRUCTION

US Army Corps of Engineers ®

MARK	DESCRIPTION	DATE
3	DRAFT RFP	07/25/2025
2	FINAL PDR	04/11/2025
1	DRAFT PDR	03/14/2025

DESIGNED BY: B. BORTZ	ISSUE DATE: 04/05/2024
DRAWN BY: B. AMES	SOLICITATION NO.: -
CHECKED BY: T. KIM	CONTRACT NO.: -
SUBMITTED BY: W. KING	-
SIZE: ANSI D	FILE NAME:

US ARMY CORPS OF ENGINEERS
ANNISTON ARMY DEPOT
ALABAMA

BURNS AND McDONNELL
9400 WARD PARKWAY,
KANSAS CITY, MO 64114
#164982

COMPONENT REMANUFACTURING FACILITY (CRF)
ANNISTON ARMY DEPOT, AL
CRF
PROJECT #164892

OVERALL ROOF PLAN

SHEET ID
CRF
A-021

DRAFT RFP



A1 FIRST FLOOR PLAN - AREA A

SCALE: 1/8" = 1'-0"

PLAN NORTH

0 4' 8' 16'

SHEET KEYNOTES

LEGEND

- PAINT EQUIPMENT (UESC)
- PAINT EQUIPMENT TROLLEY (UESC)
- PLATING PLATFORM (UESC)
- PLATING EQUIPMENT (UESC)

KEY PLAN

A	B	C	D
E	F	G	H
J	K	L	M

PLAN NORTH

NOT FOR CONSTRUCTION

US Army Corps of Engineers ®

MARK	DESCRIPTION	DATE
3	DRAFT RFP	07/25/2025
2	FINAL PDR	04/11/2025
1	DRAFT PDR	03/14/2025

DESIGNED BY: B. BORTZ	ISSUE DATE: 04/05/2024
DRAWN BY: B. AMES	SOLICITATION NO.: -
CHECKED BY: T. KIM	CONTRACT NO.: -
SUBMITTED BY: W. KING	-
SIZE: ANSI D	FILE NAME:

US ARMY CORPS OF ENGINEERS
ANNISTON ARMY DEPOT
ALABAMA

BURNS AND McDONNELL
9400 WARD PARKWAY,
KANSAS CITY, MO 64114
#164892

COMPONENT REMANUFACTURING FACILITY (CRF)
ANNISTON ARMY DEPOT, AL
CRF
PROJECT #164892

FIRST FLOOR PLAN - AREA A

SHEET ID
CRF
A-101

DRAFT RFP



A1 FIRST FLOOR PLAN - AREA B

SCALE: 1/8" = 1'-0"

SHEET KEYNOTES

5.18	EXTERIOR STAIR W/ GUARDRAIL AND HANDRAIL
14.04	FREE-STANDING 3-TON BRIDGE CRANE

LEGEND

- PAINT EQUIPMENT (UESC)
- PAINT EQUIPMENT TROLLEY (UESC)
- PLATING PLATFORM (UESC)
- PLATING EQUIPMENT (UESC)

KEY PLAN

A	B	C	D
E	F	G	H
J	K	L	M

PLAN NORTH

NOT FOR CONSTRUCTION

US Army Corps of Engineers ®

MARK	DESCRIPTION	DATE
3	DRAFT RFP	07/25/2025
2	FINAL PDR	04/11/2025
1	DRAFT PDR	03/14/2025

DESIGNED BY: B. BORTZ
DRAWN BY: B. AMES
CHECKED BY: T. KIM
SUBMITTED BY: W. KING
SIZE: ANSI D
FILE NAME:
ISSUE DATE: 04/05/2024
SOLICITATION NO.: -
CONTRACT NO.: -

US ARMY CORPS OF ENGINEERS
ANNISTON ARMY DEPOT
ALABAMA

BURNS AND McDONNELL
9400 WARD PARKWAY,
KANSAS CITY, MO 64114
#164982

COMPONENT REMANUFACTURING FACILITY (CRF)
ANNISTON ARMY DEPOT, AL
CRF
PROJECT #164892

FIRST FLOOR PLAN - AREA B

SHEET ID
CRF
A-102

DRAFT RFP



A3 FIRST FLOOR PLAN - AREA C
SCALE: 1/8" = 1'-0"

PLAN NORTH

SHEET KEYNOTES

LEGEND

- PAINT EQUIPMENT (UESC)
- PAINT EQUIPMENT TROLLEY (UESC)
- PLATING PLATFORM (UESC)
- PLATING EQUIPMENT (UESC)

KEY PLAN

A	B	C	D
E	F	G	H
J	K	L	M

PLAN NORTH

NOT FOR CONSTRUCTION

US Army Corps of Engineers ®

MARK	DESCRIPTION	DATE
3	DRAFT RFP	07/25/2025
2	FINAL PDR	04/11/2025
1	DRAFT PDR	03/14/2025

DESIGNED BY: B. BORTZ
DRAWN BY: B. AMES
CHECKED BY: T. KIM
SUBMITTED BY: W. KING
SIZE: ANSI D
FILE NAME:
ISSUE DATE: 04/05/2024
SOLICITATION NO.: -
CONTRACT NO.: -

US ARMY CORPS OF ENGINEERS
ANNISTON ARMY DEPOT
ALABAMA

BURNS AND McDONNELL
9400 WARD PARKWAY,
KANSAS CITY, MO 64114
#164982

COMPONENT REMANUFACTURING FACILITY (CRF)
ANNISTON ARMY DEPOT, AL
CRF
PROJECT #164892

FIRST FLOOR PLAN - AREA C

SHEET ID
CRF
A-103

DRAFT RFP



A4 FIRST FLOOR PLAN - AREA D

SCALE: 1/8" = 1'-0"

0 4' 8' 16'

PLAN NORTH

SHEET KEYNOTES

LEGEND

- PAINT EQUIPMENT (UESC)
- PAINT EQUIPMENT TROLLEY (UESC)
- PLATING PLATFORM (UESC)
- XXX PLATING EQUIPMENT (UESC)

KEY PLAN

A	B	C	D
E	F	G	H
J	K	L	M

PLAN NORTH

NOT FOR CONSTRUCTION

US Army Corps of Engineers ®

MARK	DESCRIPTION	DATE
3	DRAFT RFP	07/25/2025
2	FINAL PDR	04/11/2025
1	DRAFT PDR	03/14/2025

DESIGNED BY: B. BORTZ
DRAWN BY: B. AMES
CHECKED BY: T. KIM
SUBMITTED BY: W. KING
SIZE: ANSI D
FILE NAME:
ISSUE DATE: 04/05/2024
SOLICITATION NO.: -
CONTRACT NO.: -

US ARMY CORPS OF ENGINEERS
ANNISTON ARMY DEPOT
ALABAMA

BURNS AND McDONNELL
9400 WARD PARKWAY,
KANSAS CITY, MO 64114
#164982

COMPONENT REMANUFACTURING FACILITY (CRF)
ANNISTON ARMY DEPOT, AL
CRF
PROJECT #164892

FIRST FLOOR PLAN - AREA D

SHEET ID
CRF
A-104

DRAFT RFP

DRAFT RFP



A1 FIRST FLOOR PLAN - AREA E
SCALE: 1/8" = 1'-0"

PLAN NORTH

SHEET KEYNOTES

LEGEND

- PAINT EQUIPMENT (UESC)
- PAINT EQUIPMENT TROLLEY (UESC)
- PLATING PLATFORM (UESC)
- PLATING EQUIPMENT (UESC)

US Army Corps of Engineers ®

MARK	DESCRIPTION	DATE
3	DRAFT RFP	07/25/2025
2	FINAL PDR	04/11/2025
1	DRAFT PDR	03/14/2025

DESIGNED BY: B. BORTZ
DRAWN BY: B. AMES
CHECKED BY: T. KIM
SUBMITTED BY: W. KING
SIZE: ANSI D
FILE NAME:
ISSUE DATE: 04/05/2024
SOLICITATION NO.: -
CONTRACT NO.: -

US ARMY CORPS OF ENGINEERS
ANNISTON ARMY DEPOT
ALABAMA

BURNS AND McDONNELL
9400 WARD PARKWAY,
KANSAS CITY, MO 64114
#164982

COMPONENT REMANUFACTURING FACILITY (CRF)
ANNISTON ARMY DEPOT, AL
CRF
PROJECT #164892
FIRST FLOOR PLAN - AREA E

KEY PLAN

A	B	C	D
E	F	G	H
J	K	L	M

PLAN NORTH

NOT FOR CONSTRUCTION

SHEET ID
CRF
A-105



A1 FIRST FLOOR PLAN - AREA F

SCALE: 1/8" = 1'-0"

0 4' 8' 16'

PLAN NORTH

SHEET KEYNOTES

14.04	FREE-STANDING 3-TON BRIDGE CRANE

LEGEND

- PAINT EQUIPMENT (UESC)
- PAINT EQUIPMENT TROLLEY (UESC)
- PLATING PLATFORM (UESC)
- PLATING EQUIPMENT (UESC)

XXX

KEY PLAN

A	B	C	D
E	F	G	H
J	K	L	M

PLAN NORTH

NOT FOR CONSTRUCTION

US Army Corps of Engineers ®

MARK	DESCRIPTION	DATE
3	DRAFT RFP	07/25/2025
2	FINAL PDR	04/11/2025
1	DRAFT PDR	03/14/2025

DESIGNED BY: B. BORTZ
DRAWN BY: B. AMES
CHECKED BY: T. KIM
SUBMITTED BY: W. KING
SIZE: ANSI D
FILE NAME:
ISSUE DATE: 04/05/2024
SOLICITATION NO.: -
CONTRACT NO.: -

US ARMY CORPS OF ENGINEERS
ANNISTON ARMY DEPOT
ALABAMA

BURNS AND McDONNELL
9400 WARD PARKWAY,
KANSAS CITY, MO 64114
#164982

COMPONENT REMANUFACTURING FACILITY (CRF)
ANNISTON ARMY DEPOT, AL
CRF
PROJECT #164892

FIRST FLOOR PLAN - AREA F

SHEET ID
CRF
A-106

DRAFT RFP

DRAFT RFP



A3 FIRST FLOOR PLAN - AREA G

SCALE: 1/8" = 1'-0"

SHEET KEYNOTES

LEGEND

- PAINT EQUIPMENT (UESC)
- PAINT EQUIPMENT TROLLEY (UESC)
- PLATING PLATFORM (UESC)
- PLATING EQUIPMENT (UESC)

KEY PLAN

A	B	C	D
E	F	G	H
J	K	L	M

PLAN NORTH

NOT FOR CONSTRUCTION

US Army Corps of Engineers ®

MARK	DESCRIPTION	DATE
3	DRAFT RFP	07/25/2025
2	FINAL PDR	04/11/2025
1	DRAFT PDR	03/14/2025

DESIGNED BY: B. BORTZ	ISSUE DATE: 04/05/2024
DRAWN BY: B. AMES	SOLICITATION NO.: -
CHECKED BY: T. KIM	CONTRACT NO.: -
SUBMITTED BY: W. KING	-
SIZE: ANSI D	FILE NAME:

US ARMY CORPS OF ENGINEERS
ANNISTON ARMY DEPOT
ALABAMA

BURNS AND McDONNELL
9400 WARD PARKWAY,
KANSAS CITY, MO 64114
#164982

COMPONENT REMANUFACTURING FACILITY (CRF)
ANNISTON ARMY DEPOT, AL
CRF
PROJECT #164892

FIRST FLOOR PLAN - AREA G

SHEET ID
CRF
A-107



A4 FIRST FLOOR PLAN - AREA H

SCALE: 1/8" = 1'-0"

PLAN NORTH

0 4' 8' 16'

SHEET KEYNOTES

LEGEND

- PAINT EQUIPMENT (UESC)
- PAINT EQUIPMENT TROLLEY (UESC)
- PLATING PLATFORM (UESC)
- PLATING EQUIPMENT (UESC)

KEY PLAN



PLAN NORTH

NOT FOR CONSTRUCTION

US Army Corps of Engineers ®

MARK	DESCRIPTION	DATE
3	DRAFT RFP	07/25/2025
2	FINAL PDR	04/11/2025
1	DRAFT PDR	03/14/2025

DESIGNED BY: B. BORTZ
DRAWN BY: B. AMES
CHECKED BY: T. KIM
SUBMITTED BY: W. KING
SIZE: ANSI D
FILE NAME:
ISSUE DATE: 04/05/2024
SOLICITATION NO.: -
CONTRACT NO.: -

US ARMY CORPS OF ENGINEERS
ANNISTON ARMY DEPOT
ALABAMA

BURNS AND McDONNELL
9400 WARD PARKWAY,
KANSAS CITY, MO 64114
#164982

COMPONENT REMANUFACTURING FACILITY (CRF)
ANNISTON ARMY DEPOT, AL
CRF
PROJECT #164892

FIRST FLOOR PLAN - AREA H

SHEET ID
CRF
A-108

DRAFT RFP



A1 FIRST FLOOR PLAN - AREA J
SCALE: 1/8" = 1'-0"

0 4' 8' 16'

SHEET KEYNOTES

3.03	CAST-IN-PLACE CONCRETE ABA COMPLIANT RAMP
3.04	CAST-IN-PLACE CONCRETE STAIR
5.04	FIXED GUARDRAIL
5.05	REMOVABLE GUARDRAIL

KEY PLAN

A	B	C	D
E	F	G	H
J	K	L	M

PLAN NORTH

NOT FOR CONSTRUCTION

US Army Corps of Engineers ®

MARK	DESCRIPTION	DATE
3	DRAFT RFP	07/25/2025
2	FINAL PDR	04/11/2025
1	DRAFT PDR	03/14/2025

DESIGNED BY: B. BORTZ
DRAWN BY: B. AMES
CHECKED BY: T. KIM
SUBMITTED BY: W. KING
SIZE: ANSI D
FILE NAME:
ISSUE DATE: 04/05/2024
SOLICITATION NO.: -
CONTRACT NO.: -

US ARMY CORPS OF ENGINEERS
ANNISTON ARMY DEPOT
ALABAMA

BURNS AND McDONNELL
9400 WARD PARKWAY,
KANSAS CITY, MO 64114
#164982

COMPONENT REMANUFACTURING FACILITY (CRF)
ANNISTON ARMY DEPOT, AL
CRF
PROJECT #164892

FIRST FLOOR PLAN - AREA J

SHEET ID
CRF
A-109

DRAFT RFP



A1 FIRST FLOOR PLAN - AREA K

SCALE: 1/8" = 1'-0"

0 4' 8' 16'

PLAN NORTH

SHEET KEYNOTES

5.04	FIXED GUARDRAIL
5.05	REMOVABLE GUARDRAIL

US Army Corps of Engineers ®

MARK	DESCRIPTION	DATE
3	DRAFT RFP	07/25/2025
2	FINAL PDR	04/11/2025
1	DRAFT PDR	03/14/2025

DESIGNED BY: B. BORTZ
DRAWN BY: B. AMES
CHECKED BY: T. KIM
SUBMITTED BY: W. KING
SIZE: ANSI D
ISSUE DATE: 04/05/2024
SOLICITATION NO.: -
CONTRACT NO.: -
FILE NAME: -

US ARMY CORPS OF ENGINEERS
ANNISTON ARMY DEPOT
ALABAMA

BURNS AND McDONNELL
9400 WARD PARKWAY,
KANSAS CITY, MO 64114
#164982

COMPONENT REMANUFACTURING FACILITY (CRF)
ANNISTON ARMY DEPOT, AL
CRF
PROJECT #164892

FIRST FLOOR PLAN - AREA K

KEY PLAN

A	B	C	D
E	F	G	H
J	K	L	M

PLAN NORTH

NOT FOR CONSTRUCTION

SHEET ID
CRF
A-110

DRAFT RFP