

B1146 - USDB TEXTILES WAREHOUSE
EXPANSION & RENOVATION
Original Bid Drawings: 2/21/25
ADDENDUM #2, Revision 2 – 4/1/2026

1. **Sheet A3, A1 South Addition Floor Plan:**
 - a. Changed Garage Door from 8'-0" wide to 10'-0" wide.
 - b. Added vinyl strip door kit weather protection to garage door.
 - c. Changed wall behind drinking fountain from Type "C1" to Type "1C".
2. **Sheet A4, B1 South Elevation:** Graphically changed the 8'-0" wide garage door to 10'-0" wide.
3. **Sheet A5, B1 Door Types:** Added "Note: All stained wood doors to match and be factory finished."
4. **Sheet A5, C4 Wall Type 1:** Added Wall Type "1C", reducing wall to 8'-0" high with a 45-degree beveled top back to existing wall.
5. **Sheet A5, Room Finish Schedule:** Added Comment "5. Paint full wall behind drinking fountains, Janitor's sink, eye wash, etc. to be Epoxy Paint."
6. **Sheet A6, Specifications 09250 Gypsum Board, Note 13:** Changed water resistant gypsum wall board behind the drinking fountain wall from "green board" to "purple board."
7. **Sheet E2, Light Fixture Schedule (Basis of Design):** The two Light Fixture Schedules have been combined into one.

END