DocuSign Envelope ID: 88475F19-AD36-411D-B79A-CDEEC92A0411

REMOVE AND REPLACE PUBLIC ADDRESS SYSTEM

WEST PALM BEACH VAMC
7305 NORTH MILITARY TRAIL
WEST PALM BEACH FL, 33410-6400

VA PROJECT #: 548-22-100

PROJECT SITE MAP



DRAWING LIST

GENERAL			
G-001	COVER	1	4
G-002	GENERAL INFORMATION	2	4
G-003	ICRA INFORMATION AND DETAILS	3	4
G-004	PRE-CONSTRUCTION RISK ASSESSMENT FORMS	4	4
TECHNOLOGY			
T-001	TECHNOLOGY GENERAL NOTES, SYMBOL LEGEND, AND ABBREVIATIONS	1	32
T-101	BASEMENT FLOOR SE PAMNS	2	32
T-102	BASEMENT FLOOR CENT PAMNS	3	32
T-103	BASEMENT FLOOR NW PAMNS	4	32
T-104	BASEMENT FLOOR E PAMNS	5	32
T-105	CLC NE PAMNS	6	32
T-106	CLC SW PAMNS	7	32
T-111	FIRST FLOOR SE PAMNS	8	32
T-112	FIRST FLOOR CENT PAMNS	9	32
T-113	FIRST FLOOR NW PAMNS	10	32
T-114	FIRST FLOOR E PAMNS	11	32
T-115	FIRST FLOOR S PAMNS	12	32
T-121	SECOND FLOOR SE PAMNS	13	32
T-122	SECOND FLOOR CENT PAMNS	14	32
T-123	SECOND FLOOR NW PAMNS	15	32
T-131	THIRD FLOOR SE PAMNS	16	32
T-132	THIRD FLOOR CENT PAMNS	17	32
T-133	THIRD FLOOR NW PAMNS	18	32
T-141	FOURTH FLOOR SE PAMNS	19	32
T-142	FOURTH FLOOR CENT PAMNS	20	32
T-143	FOURTH FLOOR NW PAMNS	21	32
T-151	FIFTH FLOOR PAMNS SE	22	32
T-152	FIFTH FLOOR PAMNS NW	23	32
T-161	SIXTH FLOOR PAMNS	24	32
T-171	SEVENTH FLOOR PAMNS	25	32
T-181	EIGHTH FLOOR PAMNS	26	32
T-191	NINTH FLOOR PAMNS	27	32
T-192	TENTH FLOOR PAMNS	28	32
T-401	TECHNOLOGY ENLARGEMENTS	29	32
T-402	TECHNOLOGY ENLARGEMENTS	30	32
T-501	TECHNOLOGY DETAILS	31	32
T-601	PAMNS RISER DIAGRAM	32	32

PROJECT LOCATION MAP



PROJECT IMAGE

FULLY SPRINKLERED

100% CONSTRUCTION DOCUMENTS

#	Revisions:	Date

CONSULTANTS:

APOGEE CONSULTING GROUP, P.A. 52644 RALEIGH, NC

STATE OF FLORIDA DAVID JEFFERY RICHARD AR0015577 REGISTERED ARCHITECT 12/16/2022

PROJECT MANAGER

ACG Project Number 22-038

APOGEE Engineers | Architects

Headquarters:
Apogee Consulting Group, P.A.
1151 Kildaire Farm Road, Suite 120
Cary, North Carolina 27511
www.acg-pa.com 919-858-7420

© COPYRIGHT Apogee Consulting Group, P.A.

Office of Construction and Facilities Management

VA U.S. Department of Veterans Affairs

Drawing Title: COVER

Location: WEST PALM BEACH VAMC, 7305 NORTH MILITARY TRAIL, WEST PALM BEACH FL, 33410-6400

Project Title: REMOVE AND REPLACE PUBLIC ADDRESS SYSTEM

Approved

Date: DECEMBER 14, 2022 | Checked: DJR | Drawn: LMB

VA PROJECT NUMBER: 548-22-100

Building Number: AS NOTED

Drawing Number: G-001

Dwg 1 of 4

12/13/2022 11:30:32 AM C:\Users\bajarias\Documents\A_23-038_West_Palm_Beach-Replace_PAMNS-FL_bajarias32LDE.rvt

VA FORM 08-6231

DocuSign Envelope ID: 88475F19-AD36-411D-B79A-CDEEC92A0411

GENERAL SYMBOL LEGEND

Symbol	Description
DETAIL # 1 / PAGE # A8.1	WALL SECTION SYMBOL
DETAIL # 1 / PAGE # A8.1	BUILDING SECTION SYMBOL
DETAIL # 1 / PAGE # A8.1	DETAIL SECTION SYMBOL
DETAIL # 1 / PAGE # A8.1	INTERIOR ELEVATION SYMBOL
DETAIL # 1 / PAGE # A8.1	EXTERIOR ELEVATION SYMBOL
XX.X	COLUMN GRID
XX.X	WALL GRID (REPRESENTS FACE OF EXISTING WALL)
ELEVATION 0'-0"	ELEVATION SYMBOL
ROOM NAME 101A	ROOM DESIGNATION SYMBOL
	ROOF SLOPE DIRECTION SYMBOL
1	REVISION NOTE
	BREAK LINE
1 / A8.1	ENLARGED DETAIL CALLOUT
NORTH NORTH	VIEW NORTH ARROW
0 4 8 16	TYPICAL GRAPHIC SCALE

ARCHITECTURAL SYMBOL LEGEND

Symbol	Description
#	TYPICAL KEYNOTE
#	DEMOLITION KEYNOTE
101	DOOR NUMBER
MATL 1'-0"	CEILING/ SOFFIT HEIGHT
	TOILET ACCESSORY
#	WINDOW TYPE
12 / 6	ROOF PITCH SYMBOL

ABBREVIATIONS

AFF	ABOVE FINISHED FLOOR
ACP/APC	ACOUSTIC CEILING PANEL/ ACOUSTIC PANEL CEILING
ACT	ACOUSTIC(AL) TILE
ADJ	ADJUSTABLE
ADT'L	ADDITIONAL
AGG	AGGREGATE
ALT	ALTERNATE
AL	ALUMINUM
APPROX	APPROXIMATE(LY)
ASPH	ASPHALT
AUTO	AUTOMATIC
B/O	BOTTOM OF
BD	BOARD
BLDG	BUILDING
BLKG	BLOCKING
BOT	BOTTOM
BRG	BEARING
℄	CENTERLINE
C/C	CENTER TO CENTER
CJ	CONTROL JOINT
CLL	CONTRACT LIMIT LINE
CEM	CEMENT(ITIOUS)
CMU	CONCRETE MASONRY UNIT
CLG	CEILING
CLR	CLEAR
COL	COLUMN
CONC	CONCRETE
CONST	CONSTRUCTION
CONT	CONTINUOUS
CPT	CARPET
CT	CERAMIC TILE
CTR	CENTER(ED)
DF	DRINKING FOUNTAIN
DS	DOWNSPOUT
DBL	DOUBLE
DEG	DEGREE
DEMO	DEMOLITION
DET/DTL	DETAIL
DIA	DIAMETER
DIM	DIMENSION
DN	DOWN
DWG(S)	DRAWING(S)
E	EAST
EC	ELECTRICAL CONTRACTOR
EHO	ELECTRICAL HOLD OPEN
EJ	EXPANSION JOINT
EW	EACH WAY
EA	EACH
EIFS	EXTERIOR INSULATION FINISH SYSTEM
EL	ELEVATION
ELEC	ELECTRIC(AL)
ELEV	ELEVATOR
EMER	EMERGENCY
EQ	EQUAL
EQUIP	EQUIPMENT
EXIST	EXISTING
EXT	EXTERIOR
EWC	ELECTRIC WATER COOLER

FD	FLOOR DRAIN
FE	FIRE EXTINGUISHER
FFE	FINISH FLOOR ELEVATION
FV	FIELD VERIFY
FEC	FIRE EXTINGUISHER CABINET
FDN	FOUNDATION
FIN	FINISH
FLSHG	FLASHING
FLR	FLOOR
FRMG	FRAMING
FT	FOOT/FEET
FTG	FOOTING
GC	GENERAL CONTRACTOR
GA	GAUGE
GALV	GALVANIZED
GEN	GENERAL
GYP	GYPSUM
HM	HOLLOW METAL
HDWR	HARDWARE
HOL	HOLLOW
HOR	HORIZONTAL
HT	HEIGHT
HVAC	HEATING/VENTILATION/AIR CONDITIONING
ID	INSIDE DIAMETER
IN	INCH
INCL	INCLUDING
INSUL	INSULATION
INT	INTERIOR
JAN	JANITOR
JT	JOINT
LAV	LAVATORY
LB(S)	POUND(S)
L/S	LANDSCAPE
LT	LIGHT
MO	MASONRY OPENING
MAS	MASONRY
MAT'L	MATERIAL
MAX	MAXIMUM
MECH	MECHANICAL
MFR	MANUFACTURER
MIN	MINIMUM
MISC	MISCELLANEOUS
MTD	MOUNTED
MTL	METAL
N	NORTH
NIC	NOT IN CONTRACT
NTS	NOT TO SCALE
NOM	NOMINAL
OC	ON CENTER
OD	OUTSIDE DIAMETER
O TO O	OUT TO OUT
OPNG	OPENING
OPP	OPPOSITE
OVHD	OVERHEAD

PEB	PRE-ENGINEERED BUILDING
PJF	PREFORMED JOINT FILLER
PT	PRESSURE TREATED
PERIM	PERIMETER
PL	PLATE
PLAM	PLASTIC LAMINATE
PLBG	PLUMBING
PLYWD	PLYWOOD
PNT	PAINT
PR	PAIR
PTD	PAINTED
PWR	POWER
RB	RUBBER BASE
RD	ROOF DRAIN
RO	ROUGH OPENING
RAD	RADIUS
REC	RECESSED
REINF	REINFORCED
REQ'D	REQUIRED
REV	REVISED (REVISION)
RM	ROOM
S	SOUTH
SB	SPLASH BLOCK
SF	SQUARE FEET
SS	STAINLESS STEEL
SIM	SIMILAR
SPEC	SPECIFICATIONS
SQ	SQUARE
STD	STANDARD
STL	STEEL
STOR	STORAGE
STRUCT	STRUCTURAL
SUSP	SUSPENDED
T&G	TONGUE AND GROOVE
T/O	TOP OF
TELE	TELEPHONE
TRTD	TREATED
TS	TUBE STEEL
TYP	TYPICAL
UNFIN	UNFINISHED
UNO	UNLESS NOTED OTHERWISE
VCT	VINYL COMPOSITION TILE
VIF	VERIFY IN FIELD
VERT	VERTICAL
W	WEST
W/	WITH
W/O	WITHOUT
WC	WATER CLOSET
WWF	WELDED WIRE FABRIC
WD	WOOD
WH	WATER HEATER
WT	WEIGHT

LIFE SAFETY GENERAL NOTES

A. REFER TO ELECTRICAL DRAWINGS FOR INFORMATION CONCERNING POWER, LIGHTING AND COMMUNICATION SYSTEM(S).

B. REFER TO ELECTRICAL DRAWING FOR FIRE ALARM NOTIFICATION AND EMERGENCY EGRESS LIGHTING LOCATIONS.

C. THIS PROJECT IS ALL PUBLIC ADDRESS SYSTEM RENOVATION. NO CHANGES ARE MADE TO EGRESS PATHS OR FIRE RATINGS OUTSIDE THE CONSTRUCTION LIMITS.

D. SPRAY APPLIED FIREPROOFING PRESENT ON STRUCTURAL MEMBERS AND FLOOR/ROOF DECK ABOVE. REPAIR OR REPLACE ALL FIREPROOFING DAMAGED AS A RESULT OF CONSTRUCTION.

E. SEE ICRA TYPICAL CONDITIONS APPLICABLE THROUGHOUT ROOMS AND CORRIDORS ON SHEET 1/G-003.

CODE STANDARDS AND EXECUTIVE ORDERS

PURPOSE: THE PUBLIC BUILDINGS AMENDMENT ACT OF 1988, PUBLIC LAW (PUB. L.) 100-678 REQUIRES FEDERAL AGENCIES TO FOLLOW NATIONAL RECOGNIZED "MODEL" BUILDING CODES. THE FEDERAL PARTICIPATION IN THE DEVELOPMENT AND USE OF VOLUNTARY STANDARDS, OFFICE OF MANAGEMENT AND BUDGET (OMB) CIRCULAR A-119, REQUIRES ALL EXECUTIVE AGENCIES TO RELY ON VOLUNTARY STANDARDS, BOTH DOMESTIC AND INTERNATIONAL, WHENEVER FEASIBLE, AND TO PARTICIPATE IN VOLUNTARY STANDARD BODIES.

GENERAL: VA HAS ADOPTED THE LATEST EDITION OF THE FOLLOWING CODES AND STANDARDS AS A MINIMUM FOR ALL PROJECTS PERFORMED IN THE MODERNIZATION, ALTERATION, ADDITION, OR IMPROVEMENT OF ITS REAL PROPERTY AND THE CONSTRUCTION OF NEW STRUCTURES. VA DESIGN MANUALS AND MASTER SPECIFICATIONS SPECIFY OTHER CODES AND STANDARDS THAT VA FOLLOWS ON ITS PROJECTS:

• VA DIRECTIVES, DESIGN MANUALS, MASTER SPECIFICATIONS, VA NATIONAL CAD STANDARD APPLICATION GUIDE, AND OTHER GUIDANCE ON THE TECHNICAL INFORMATION LIBRARY (TIL) (HTTP://WWW.CFM.VA.GOV/TIL/).

• INTERNATIONAL BUILDING CODE (IBC) 2021 (ONLY WHEN SPECIFICALLY REFERENCED IN VA DESIGN DOCUMENTS, SEE NOTES BELOW)

• NFPA 101 LIFE SAFETY CODE 2021 (SEE NOTES BELOW)

• NFPA NATIONAL FIRE CODES WITH THE EXCEPTION OF NFPA 5000 AND NFPA 900

• OCCUPATIONAL, SAFETY AND HEALTH ADMINISTRATION (OSHA) STANDARDS.

• VA SEISMIC DESIGN REQUIREMENTS, H-18-8

• NATIONAL ELECTRICAL CODE (NEC)

• ARCHITECTURAL BARRIERS ACT ACCESSIBILITY STANDARDS (ABAAS) INCLUDING VA SUPPLEMENT, BARRIER FREE DESIGN STANDARD (PG-18-13)

• FEDERAL LEADERSHIP IN HIGH PERFORMANCE AND SUSTAINABLE BUILDINGS: MEMORANDUM OF UNDERSTANDING (MOU)

• THE PROVISIONS FOR CONSTRUCTION AND SAFETY SIGNS. STATED IN THE GENERAL REQUIREMENTS SECTION 01010 OF THE VA MASTER CONSTRUCTION SPECIFICATION.

LOCAL CODES: AS AN AGENCY OF THE FEDERAL GOVERNMENT, VA IS NOT SUBJECT TO LOCAL IMPOSITION OF CODE ENFORCEMENT PROCEDURES (DRAWING REVIEWS, BUILDING PERMITS, INSPECTIONS, FEES, ETC.). VA MUST FUNCTION AS THE AUTHORITY HAVING JURISDICTION (AHJ) AND THUS HAS THE RESPONSIBILITY TO GUARD PUBLIC HEALTH AND SAFETY THROUGH ENFORCING ITS ADOPTED CODES. HOWEVER, LOCAL AUTHORITIES SHOULD BE NOTIFIED ABOUT PLANNED PROJECTS AND GIVEN OPPORTUNITY TO REVIEW DRAWINGS PROVIDED THAT VA DOES NOT PAY FOR REVIEW OR INSPECTION FEES.

NOTES:

1. NFPA 101 PRIMARILY ADDRESSES LIFE SAFETY AND FIRE PROTECTION FEATURES WHILE THE IBC ADDRESSES A WIDE RANGE OF CONSIDERATIONS, INCLUDING, BUT NOT LIMITED TO, STRUCTURAL STRENGTH, SEISMIC STABILITY, SANITATION, ADEQUATE LIGHT AND VENTILATION, AND ENERGY CONSERVATION. VA BUILDINGS MUST MEET THE REQUIREMENTS OF NFPA 101 AND DOCUMENTS REFERENCED BY NFPA 101 IN ORDER TO COMPLY WITH THE ACCREDITATION REQUIREMENTS OF THE JOINT COMMISSION. THEREFORE, DESIGNS SHALL COMPLY WITH THE REQUIREMENTS OF THE LATEST EDITION OF NFPA 101 AND DOCUMENTS REFERENCED THEREIN. DESIGN FEATURES NOT ADDRESSED BY NFPA 101 OR DOCUMENTS REFERENCED THEREIN SHALL COMPLY WITH THE REQUIREMENTS OF THE LATEST EDITION OF THE IBC OR AS OTHERWISE ADDRESSED ABOVE IN THIS PROGRAM GUIDE. FOR DESIGN FEATURES THAT ARE ADDRESSED BY BOTH THE IBC AS WELL AS NFPA 101 OR A DOCUMENT REFERENCED BY NFPA 101, THE REQUIREMENTS OF NFPA 101 OR THE DOCUMENT REFERENCED BY NFPA 101 SHALL BE USED EXCLUSIVELY (THIS APPLIES EVEN IF THE IBC REQUIREMENTS ARE DIFFERENT).

2. CONFLICTS BETWEEN NATIONALLY RECOGNIZED CODES AND STANDARDS AND VA REQUIREMENTS – SHOULD A CONFLICT EXIST BETWEEN VA REQUIREMENTS AND VA ADOPTED NATIONALLY RECOGNIZED CODES AND STANDARDS, THE CONFLICT SHALL BE BROUGHT TO THE ATTENTION OF VA. THE RESOLUTION OF THE CONFLICT SHALL BE MADE BY THE AUTHORITY HAVING JURISDICTION FOR VA TO ENSURE A CONSISTENCY SYSTEM WIDE.

GENERAL NOTES

1. INDICATIONS OF PROJECT LIMITS OR LINES OF DEMARCATION ARE SHOWN FOR GENERAL SCOPE DEFINITION AND REFLECT THE UNDERSTANDING OF THE DESIGNER AS TO THE LIMITATIONS OF THE WORK AREA IN AN OCCUPIED AREA. ACTUAL CONTRACT LIMITS ARE TO BE DETERMINED BY AGREEMENT BETWEEN THE COR/VA AND CONTRACTOR BEFORE THE START OF THE WORK.
2. DRAWINGS ARE PREPARED USING PRODUCT DIMENSIONS AND DETAILS FROM BASIS OF DESIGN PRODUCT. PRODUCTS MAY CHANGE IN DIMENSION AND DETAIL BEFORE THEY ARE INCORPORATED INTO WORK. PRODUCTS FROM OTHER MANUFACTURER'S ARE ALSO ACCEPTABLE. DIMENSIONS AND DETAILS FOR ALTERNATE PRODUCTS MAY VARY FROM BASIS OF DESIGN. CONTRACTOR SHALL VERIFY INSTALLATION REQUIREMENTS FOR ALL PRODUCTS TO BE INCORPORATED INTO WORK (INCLUDING THICKNESS FOR RECESSED OR SEMI-RECESSED PRODUCTS) AND IS REPONSIBLE FOR ACCOMODATING AND COORDINATING CHANGES TO OTHER MATERIALS OR PRODUCTS THAT ARE NECESSARY BECAUSE OF THESE DIFFERENCES.
3. THE DRAWINGS AND SPECIFICATIONS ARE SEPARATED INTO DISCIPLINES FOR CONVENIENCE. THE SEPARATIONS ARE USED ONLY FOR THE PURPOSES OF CONVENIENCE AND REFERENCE AND IN NO WAY DO THEY DEFINE OR LIMIT THE SCOPE OR INTENT OF ANY PART OF THE DRAWINGS AND SPECIFICATIONS AS A WHOLE. THE FACT THAT THE DRAWINGS ARE SEPARATED IN NO WAY SUGGESTS THAT THE WORK IS NOT TO BE CONSTRUCTED AS A COMPLETE, INTEGRATED AND UNIFIED WHOLE.
4. THE DRAWINGS AND SPECIFICATIONS, INCLUDING DRAWINGS PREPARED BY SPECIFIC ENGINEERING DISCIPLINES ARE COMPLEMENTARY; ITEMS SHOWN IN ANY ONE LOCATION IN THE DRAWINGS SHALL BE CONSIDERED TO BE REQUIREMENTS OF THE CONTRACT FOR CONSTRUCTION. IN THE EVENT OF AN INCONSISTENCY BETWEEN THE DRAWINGS AND SPECIFICATIONS, OR WITHIN EITHER DOCUMENT, THE CONTRACTOR SHALL SEEK CLARIFICATION OR INTERPRETATION FROM THE COR/VA PRIOR TO BIDDING. WHERE INCONSISTENCIES ARE NOT CLARIFIED PRIOR TO BIDDING, AND WHERE THE ACTUAL SOLUTION OR INTENT CANNOT BE REASONABLY INFERRED, THE CONTRACTOR SHALL PROVIDE THE BETTER QUALITY OR GREATER QUANTITY OF WORK.
5. THE CONTRACTOR SHALL NOTIFY THE COR/VA IMMEDIATELY SHOULD DISCREPANCIES BE FOUND IN THE DRAWINGS AND SPECIFICATIONS.
6. THE CONTRACTOR IS RESPONSIBLE FOR CHECKING ALL FIELD CONDITIONS AND DIMENSIONS AS THEY RELATE TO THIS PROJECT, FOR EACH PHASE. SHOULD DISCREPANCIES EXIST BETWEEN THE WORK INDICATED AND ACTUAL FIELD CONDITIONS, NOTIFY THE COR/VA PRIOR TO PROCEEDING WITH THE WORK.
7. DO NOT SCALE THE DRAWINGS. DRAWING SCALES AS INDICATED ARE FOR REFERENCE ONLY AND ARE NOT INTENDED TO ACCURATELY DEPICT ACTUAL OR DESIGNATED CONDITIONS. WRITTEN DIMENSIONS SHALL GOVERN.
8. COORDINATE WORK OF ALL TRADES PRIOR TO STARTING CONSTRUCTION.
9. REFER TO ALL OTHER TRADE DRAWINGS AND SPECIFICATIONS FOR ADDITIONAL INFORMATION ON THIS PROJECT.

DEMOLITION NOTES

1. KEY NOTES AND DRAWINGS ARE INTENDED TO GRAPHICALLY REPRESENT GENERAL WORK AND DO NOT PORTRAY FULL SCOPE OF THE PROJECT. SEE SPECIFICATIONS FOR DETAILED REQUIREMENTS.
2. REMOVE EXISTING CONSTRUCTION AS DESIGNATED HEREIN AND CLEAR AREA OF DEBRIS PRIOR TO PROCEEDING WITH NEW CONSTRUCTION.
3. EXISTING EQUIPMENT REMOVED SHALL BE PROPERLY DISPOSED OF, OFF PROJECT GROUNDS. COORDINATE WITH COR/VA.
4. AT AREAS INDICATED TO BE PATCHED AND REPAIRED, FOR ADDITION AND RENOVATION PROJECTS: THE CONSTRUCTION AND ASSEMBLY OF THE PATCH OR REPAIR SHALL MATCH THE ASSEMBLY AND INTEGRITY OF THE ADJACENT EXISTING CONSTRUCTION, FOR FIRE RATING, MATERIALS, FINISH, THICKNESS, AND QUALITY.
5. COORDINATE WORKING HOURS ALLOWED FOR DEMOLITION AND WASTE REMOVAL WITH COR/VA.
6. NOTIFY COR/VA OF ANY DEMOLITION REQUIRED AND NOT INDICATED FOR INSTALLATION OF ELECTRICAL OR DATA ITEMS. AFTER SUCH DEMOLITION AND INSTALLATION, PATCH OR REPLACE MATERIALS AND FINISHES TO MATCH EXISTING.
7. CONTRACTOR SHALL PROTECT AREA ADJACENT TO THE DEMOTION AND NEW CONSTRUCTION WORK TO PREVENT DAMAGES, (IF DAMAGED REPAIR, RE-PATCH, SAND SMOOTH AND REFINISH TO MATCH EXISTING.) REPAIR OR REPLACE ITEMS DAMAGED DURING CONSTRUCTION ACTIVITIES AT NO ADDITIONAL COST.
8. THE INFORMATION CONTAINED IN THESE DEMOLITION DOCUMENTS DEFINES GENERAL SCOPE ONLY AND DOES NOT RELIEVE THE CONTRACTOR OF THE RESPONSIBILITY OF PROVIDING ALL DEMOLITION REQUIRED FOR THE COMPLETION OF THE PROJECT.
9. DO NOT ENCROACH ON ADJACENT OCCUPIED AREAS NOT IDENTIFIED WITHIN THE SCOPE OF WORK.
10. REFER TO THE ELECTRICAL DRAWINGS FOR FURTHER INFORMATION REGARDING DEMOLITION OF ELECTRICAL SYSTEMS.
11. BEFORE THE START OF WORK, IDENTIFY ANY REQUIRED DEMOLITION BEYOND THE IDENTIFIED PROJECT SCOPE WHETHER ABOVE, BELOW, OR OUTSIDE THE PROJECT AREA. NOTIFY AND COORDINATE WITH THE COR/VA, PROVIDE DEMOLITION OF THESE AREAS AND PATCH THE SAME AS A PART OF THE SCOPE OF THE PROJECT.
12. ALL DEMOLITION WORK SHALL BE PERFORMED WITH DUE CARE AND DILIGENCE IN ORDER TO PREVENT ARBITRARY DAMAGE OR INTERRUPTION OF SERVICE OR CONCEALED UTILITIES INTENDED TO REMAIN IN SERVICE. DISCOVERY OF UTILITIES OR CONDITIONS LOCATED DIFFERING FROM THOSE INDICATED OR THAT ARE NOT IDENTIFIED, SHALL BE REPORTED TO THE COR/VA.
13. VERIFY ALL EXISTING CONDITIONS PRIOR TO BEGINNING WORK. NOTIFY COR/VA AND ARCHITECT OF ANY CONFLICTS PRIOR TO PROCEEDING WITH DEMOLITION.
14. ALL ITEMS BEING SALVAGED OR REMOVED SHALL REMAIN THE PROPERTY OF THE COR/VA UNTIL CONFIRMATION HAS BEEN MADE AS TO WHETHER THE COR/VA WILL RETAIN SUCH ITEMS. ALL ITEMS NOT BEING RETAINED BY THE COR/VA OR DESIGNATED ON THE DRAWINGS, ARE TO BE RELOCATED OR REINSTALLED FROM THE SITE BY CONTRACTOR IN APPROVED MANNER.
15. CONTRACTOR SHALL NOTIFY COR/VA OF ANY AREA REQUIRING DEMOLITION OTHER THAN SHOWN IN THESE DRAWINGS DUE TO UNFORSEEN CONDITIONS, TO ACCOMMODATE INSTALLATION OF ALL OTHER TRADES (INCLUDING ROOF PENETRATIONS). AFTER SUCH DEMOLITION AND INSTALLATION, PATCH OR REPLACE MATERIALS AND FINISHES TO MATCH EXISTING.
16. COORDINATE WITH COR/VA FOR CONSTRUCTION ACCESS ROUTE AND LOCATIONS OF DUMPSTER AREA. COORDINATE WITH COR/VA FOR SCHEDULE OF USE OF ACCESS ROUTE FOR WASTE REMOVAL AND CONTRACTOR USE OF FREIGHT ELEVATOR (AS REQUIRED).

FULLY SPRINKLERED

100% CONSTRUCTION DOCUMENTS

#	Revisions:	Date

CONSULTANTS:





PROJECT MANAGER

ACG Project Number 22-038

APOGEE Engineers | Architects

Headquarters:
Apogee Consulting Group, P.A.
1151 Kildaire Farm Road, Suite 120
Cary, North Carolina 27511
www.acg-pa.com 919-858-7420

© COPYRIGHT Apogee Consulting Group, P.A.

Office of Construction and Facilities Management

VA | U.S. Department of Veterans Affairs

Drawing Title: GENERAL INFORMATION

Location: WEST PALM BEACH VAMC
7305 NORTH MILITARY TRAIL
WEST PALM BEACH FL, 33410-6400

Project Title: REMOVE AND REPLACE PUBLIC ADDRESS SYSTEM

Approved:

Date: DECEMBER 14, 2022 | Checked: DJR | Drawn: LMB

VA PROJECT NUMBER: 548-22-100

Building Number: AS NOTED

Drawing Number: G-002

C:\Users\lbajarias\Documents\A_22-038_West_Palm_Beach-Replace_PAMNS-FL_lbajariasSZLDE.rvt
12/13/2022 11:36:46 AM
VA FORM 08-6231

DocuSign Envelope ID: 88475F19-AD36-411D-B79A-CDEEC92A0411



3 ICRA MOBILE CONTAINMENT CART
Scale: 1/2" = 1'-0"



1 TYPICAL CONSTRUCTION PLAN LAYOUT
Scale: 1/2" = 1'-0"



NOTE:
THIS PROJECT CONSTITUTES MULTIPLE BUILDINGS AND FLOORS. SEE FLOOR PLANS FOR APPROPRIATE LOCATIONS TO REFLECT ON EACH ILSM SIGNAGE.

4 ILSM CONSTRUCTION EGRESS SIGNAGE
Scale: 3" = 1'-0"



2 CROSS SECTION "A"
Scale: 1/2" = 1'-0"

ISLM TEMPORARY BARRIER TAG	
PROJECT:	
PRIME CONTRACTOR:	
SUB CONTRACTOR:	
EMERGENCY CONTACT NO.:	
BARRIER INSTALLATION DATE:	
BARRIER EXPIRATION DATE:	

NOTE: ICRA AND LIFE SAFETY FLOOR PLANS SHOW SOME SPECIFIC LOCATIONS WHERE ICRA BARRIERS ARE REQUIRED. OTHER WORK MAY REQUIRE ICRA BARRIERS, AND THESE DETAILS PROVIDE TYPICAL GUIDANCE FOR CONSTRUCTING ICRA BARRIERS.



WORK WITHIN LARGER SPACE



WORK IN CORRIDOR



WORK WITHIN ENTIRE ROOM

5 TYPICAL ICRA CONDITIONS
Scale: 1/4" = 1'-0"

ICRA NOTES

DUST CONTROL PLAN NOTES

AFTER EACH PHASE, PERFORM TASKS STATED IN NOTE 5A.

1. PROVIDE STICKY MATS AND BLANKET AT THE PLASTIC BARRIER ENTRANCE SPACES (CONSTRUCTION ANTEROOM) AND CHANGE DAILY OR MORE OFTEN AS NEEDED TO PREVENT THE SPREAD OF DUST AND DEBRIS INTO ADJACENT CLEAN SPACE.

INTERNAL DEMOLITION AND CONSTRUCTION ACTIVITIES DUST AND DEBRIS CONTROL

2. USE CORRIDORS AS PRIMARY CONSTRUCTION ACCESS.

2A. TRAFFIC CONTROL: DESIGNATED ENTRY AND EXIT PROCEDURES SHALL BE DEFINED. EGRESS PATHS SHALL BE FREE OF DEBRIS; DESIGNATED ELEVATORS SHALL BE USED DURING SCHEDULED TIMES; AND ONLY AUTHORIZED PERSONNEL SHALL BE ALLOWED TO ENTER THE CONSTRUCTION ZONE. SIGNAGE SHALL DIRECT PEDESTRIAN TRAFFIC AWAY FROM THE CONSTRUCTION AREA AND MATERIALS.

3. CONTRACTOR SHALL USE TWO CARTS TO TRANSFER CONSTRUCTION MATERIAL IN AND OUT OF THE PROJECT - A CLEAN CART SHALL BE USED; THE NOT-SO-CLEAN CART SHALL BE USED BETWEEN THE MAIN ENTRY AND THE CONSTRUCTION STAGING/PREP AREA.

3A. DEMOLITION DEBRIS: DEBRIS SHALL BE REMOVED IN CARTS WITH TIGHTLY FITTED COVERS, USING DESIGNATED TRAFFIC ROUTES. EFFORTS SHALL BE MADE TO MINIMIZE USE OF ELEVATORS WITH AN EMPHASIS ON TRANSPORT DURING THE LOWEST PERIOD OF ACTIVITY. DEBRIS SHALL BE REMOVED DAILY AND AT TIMES SPECIFIED BY THE VAMC. IF CHUTES ARE USED TO DIRECT DEBRIS OUTSIDE, HIGH EFFICIENCY PARTICULATE AIR (HEPA) FILTERED NEGATIVE AIR MACHINES SHALL BE USED, AND THE CHUTE OPENING SHALL BE SEALED WHEN NOT IN USE. FILTERS SHALL BE BAGGED AND SEALED BEFORE BEING TRANSPORTED OUT OF THE CONSTRUCTION AREA. THE CONTRACTOR SHALL NOT HAUL DEBRIS THROUGH PATIENT-CARE AREAS WITHOUT PRIOR APPROVAL OF THE COR/VA.

3B. EXTERIOR WINDOWS: WINDOWS SHALL BE SEALED TO MINIMIZE INFILTRATION FROM ANY ADJACENT EXCAVATION DEBRIS.

3C. ALL EQUIPMENT REMAIN IN THE ORs AND ASSOCIATED ROOMS SHALL BE COVERED AND PROTECTED PRIOR STARTING EACH CONSTRUCTION PHASE.

VENTILATION AND ENVIRONMENTAL CONTROLS

4. AIR SYSTEM FLOW: THE COR/VA VERIFY AND ACKNOWLEDGE CONTRACTOR WHETHER THE CONSTRUCTION AREA USES FRESH/OUTSIDE OR RE-CIRCULATED AIR; FILTERS SHALL BE ADDED OR RETURN VENTS COVERED AS NEEDED WITH FILTER MATERIAL OR PLASTIC. AIR MUST FLOW FROM CLEAN TO DIRTY AREAS.

4A. NEGATIVE AIR PRESSURE: THE AIR WITHIN THE CONSTRUCTION AREA SHALL BE NEGATIVE WITH RESPECT TO SURROUNDING AREAS AND WITH NO DISRUPTION OF AIR SYSTEMS OF ADJACENT AREAS. USE OF THE NEGATIVE AIR PRESSURE SYSTEM WITHIN THE ENCLOSURE TO REMOVE DUST SHALL PASS AIR THROUGH AN INDUSTRIAL GRADE, PORTABLE HEPA FILTER CAPABLE OF FILTRATION RATES OF 300-800 CUBIC FEET PER MINUTE (FT3/MIN), OR EXHAUST AIR DIRECTLY TO THE OUTSIDE IF APPROVED BY VAMC. IF EXHAUST SHALL BE TIED INTO A RE-CIRCULATED AIR SYSTEM, A PRE-FILTER AND HEPA FILTER SHALL BE USED BEFORE EXHAUST TO PREVENT CONTAMINATION OF THE DUCTS.

4B. ADJACENT AREAS: THE STATUS OF SEALED PENETRATIONS AND INTACT CEILING SHALL BE VERIFIED DAILY.

4C. AIR EXCHANGE RATES AND PRESSURE RELATIONSHIPS: VAMC AND CONTRACTOR SHALL VERIFY AND MAINTAIN PROPER RATES IN CRITICAL AREAS NEAR CONSTRUCTION ACTIVITY AND ENSURE AIR IS NOT BEING RE-CIRCULATED WITHOUT FILTRATION FROM THE CONSTRUCTION AREA ELSEWHERE. PROVIDE AIR PRESSURE TESTING THROUGHOUT THE PROJECT IN THE FREQUENCY AS IDENTIFIED BY THE COR/VA.

CONTAMINATION OF PATIENT ROOMS, SUPPLIES, EQUIPMENT AND RELATED AREAS

5. WORKSITE CLOTHING: CONTRACTOR PERSONNEL CLOTHING SHALL BE FREE OF LOOSE SOIL AND DEBRIS BEFORE LEAVING THE CONSTRUCTION AREA. IF PROTECTIVE APPAREL IS NOT WORN (E.G., COVERALLS, FOOTGEAR AND HEADGEAR) A HEPA-FILTERED VACUUM SHALL BE USED TO REMOVE DUST FROM CLOTHING BEFORE LEAVING THE BARRICADE. IF PROTECTIVE APPAREL IS UTILIZED, THE CONTRACTOR SHALL CONSTRUCT A SPACE OR ANTEROOM FOR CHANGING CLOTHING AND STORING EQUIPMENT (DESIGNATED AREA. ALL EQUIPMENT, TOOLS, TOOL CARTS, AND MATERIALS TRANSPORTED THROUGH OCCUPIED AREAS SHALL BE MADE FREE FROM DUST AND MOISTURE BY VACUUMING AND WET WIPING BEFORE THEIR REMOVAL FROM THE CONSTRUCTION ZONE OR WORK AREA.

5A. POST CONSTRUCTION: DO NOT REMOVE BARRIERS AND KEEP ALL HVAC ISOLATION UNTIL CONTRACTOR HAS CLEANED CONSTRUCTION SITE, VA EMS STAFF HAS DONE A TERMINAL CLEANING, AND VA INFECTIOUS DISEASE CONTROL HAS INSPECTED AND APPROVED THE CLEANING.

INFECTION CONTROL RISK MITIGATION RECOMMENDATIONS MATRIX OF PRECAUTIONS FOR CONSTRUCTION AND RENOVATION

Type of Construction / Project Activity Table

TYPE A	Inspection and Non-Invasive Activities Includes, but is not limited to: - removal of ceiling tiles for visual inspection limited to 1 tile to 50 square feet - painting (but not sanding), wall covering - electrical trim work, minor plumbing, and activities which do not generate dust or require cutting of walls or access to ceilings other than for visual inspection
TYPE B	Small scale, short duration activities which create minimal dust Includes, but is not limited to: - installation of telephone and computer cabling - access to chase spaces - cutting of walls or ceiling where dust migration can be controlled
TYPE C	Work that generates a moderate to high level of dust or requires demolition or removal of any fixed building components or assemblies Includes, but is not limited to: - sanding of walls for painting or wall covering - removal of floor coverings, ceiling tiles and casework - new wall construction - minor duct work or electrical work above ceilings - major cabling activities - any activity which cannot be completed within a single work shift
TYPE D	Major demolition and construction projects Includes, but is not limited to: - activities which require consecutive work shifts - requires heavy demolition or removal of a complete ceiling system - new construction

Patient Risk Group Table

Group 1 Low Risk	Group 2 Medium Risk	Group 3 High Risk	Group 4 Highest Risk
- Office areas (non-clinical) - Hallways - FES/EMS areas	- Bldg. #69 Therapy areas - Respiratory Therapy - Outpatient Clinics - CBOC's - Mental Health Units - VACANT AREA ADJACENT TO OCCUPIED AREA	- Pharmacy - Radiology/ CT Scanner - Urgent Care - Laboratories	- CLCs - SPD; AMCU; - Respiratory Isolation Rooms - Surgery

Infection Control Matrix - Class of Precautions: Construction Project by Patient Risk

	Construction Project Type			
Patient Risk Group	TYPE A	TYPE B	TYPE C	TYPE D
LOW Risk Group 1	I	I	II	III/IV
MEDIUM Risk Group 2	I	I	III	IV
HIGH Risk Group 3	II	III	III/IV	IV
HIGHEST Risk Group 4	III	III/IV	III/IV	IV

Note: Infection Control approval will be required when the Construction Activity and Risk Level indicate that Class III or Class IV control procedures are necessary.

It is the Contractor's Responsibility to provide the following Infection Control Precautions depending upon the Area Class Designation

	During Construction Project	Upon Completion of Project
CL- I	1. Execute work by methods to minimize raising dust from construction operations. 2. Immediately replace a ceiling tile displaced for visual inspection.	1. Wipe surfaces to remove dust.
CLASS II	1. Includes all activities required by Class I 2. Provide active means to prevent airborne dust from dispersing into atmosphere. 3. Water mist work surfaces to control dust while cutting. 4. Seal unused doors with duct tape. 5. Block off and seal air vents. 6. Replace adhesive walk-off mats at entrance and exit of work area. Replace used mats in accordance with manufacturer's recommendations. 7. Remove or isolate HVAC system in area where work is being done to prevent contamination of duct system.	1. Wipe work surfaces with disinfectant. 2. Contain construction waste before transport in tightly covered containers. 3. Wet mop and/or vacuum work area with HEPA filtered vacuum before leaving work areas. 4. Remove isolation of HVAC system in areas where work is being performed.
CLASS III	1. Includes all activities required by Class II 2. Obtain Infection Control Permit from Hospital Safety Officer or Facilities Management Maintenance and Engineering department before construction begins. 3. Remove or isolate HVAC system in area where work is being done to prevent contamination of duct system. 4. Complete all critical barriers before construction begins or implement control cube method. 5. Maintain negative air pressure within work site utilizing HEPA-equipped air filtration units. 6. Contain construction waste before transport in tightly covered containers. 7. Cover transport receptacles or carts. Tape covers. 8. Wet mop and/or vacuum with HEPA filtered vacuum before leaving work areas. 9. Remove isolation of HVAC system in areas where work is being performed.	1. Remove barrier materials carefully to minimize spreading of dirt and debris associated with construction. 2. Contain construction waste before transport in tightly covered containers. 3. Cover transport receptacles or carts. Tape covering. 4. Vacuum work with HEPA-filtered vacuums. 5. Wet mop with disinfectant. 6. Remove isolation of HVAC system in areas where work is being performed.
CLASS IV	1. Includes all activities required by Class III 2. Obtain Infection Control Permit from Hospital Safety Officer or Facilities Management Maintenance and Engineering department before construction begins. 3. Isolate HVAC system in areas where work is being done to prevent contamination of duct system. 4. Complete all critical barriers or implement control cube method before construction begins. 5. Maintain negative air pressure within work site utilizing HEPA equipped air filtration units. 6. Seal holes, pipes, conduits, and punctures appropriately. 7. Construct anteroom and require all personnel to pass through this room so they can be vacuumed sing a HEPA vacuum cleaner before leaving work site or they can wear cloth or paper coveralls that re removed each time they leave the work site. 8. All personnel entering work site are required to wear shoe covers. Shoe covers must be changed each time the worker exits the work area. 9. Place adhesive walk-off mats at entrance to work area within anteroom. 10. Replace per manufacturer's recommendations. Do not remove barriers from work area until completed project is inspected each by the Hospital Safety Officer, Facilities Management Maintenance and Engineering Department and thoroughly cleaned by the Hospital Environmental Services Department or their contracted Environmental Service Company Contain construction waste before transport in tightly covered containers. 11. Cover transport receptacles or carts. Tape covering 12. Vacuum work area with HEPA filtered vacuums. 13. Wet mop with disinfectant after barriers are removed. 14. Remove isolation of HVAC system in areas where work is being performed.	1. Remove barrier materials carefully to minimize spreading of dirt and debris associated with construction. 2. Contain construction waste before transport in tightly covered containers. 3. Cover transport receptacles or carts. Tape covering 4. Vacuum work area with HEPA filtered vacuums. 5. Wet mop area with disinfectant after barriers are removed. 6. Remove or isolate HVAC system in areas where work was being performed.

THIS MATRIX NEEDS TO BE VERIFIED WITH THE COR/VA, PRIOR TO IMPLEMENTATION, AS THE COR/VA MAY HAVE THEIR OWN ICRA MATRIX.

FULLY SPRINKLERED

100% CONSTRUCTION DOCUMENTS

#	Revisions:	Date

CONSULTANTS:





PROJECT MANAGER

ACG Project Number 22-038

Headquarters:
Apogee Consulting Group, P.A.
1151 Kildaire Farm Road, Suite 120
Cary, North Carolina 27511
www.acg-pa.com 919-858-7420
APOGEE Engineers | Architects

© COPYRIGHT Apogee Consulting Group, P.A.

Office of Construction and Facilities Management

VA U.S. Department of Veterans Affairs

Drawing Title: ICRA INFORMATION AND DETAILS

Project Title: REMOVE AND REPLACE PUBLIC ADDRESS SYSTEM

VA PROJECT NUMBER: 548-22-100

Building Number: AS NOTED

Location: WEST PALM BEACH VAMC, 7305 NORTH MILITARY TRAIL, WEST PALM BEACH FL, 33410-6400

Approved:

Date: DECEMBER 14, 2022 | Checked: DJR | Drawn: LMB

Drawing Number: G-003

12/13/2022 11:33:50 AM C:\Users\lbajarias\Documents\A_22-038_West_Palm_Beach-Replace_PAMNS-FL_lbajariasSZLDE.rvt
VA FORM 08-6231

DocuSign Envelope ID: 88475F19-AD36-411D-B79A-CDEEC92A0411

5. Detailed Plan of ICRA Controls for this Work	Class I				
Final Class of Precautions being applied	I	II	III	IV	V

Controls required for this project	Specifications/ Materials	Verification method and frequency

Exceptions/Additions to this permit
Date and Initials are noted by attached memoranda

Initials		Date	
Permit Request By		Date	
Permit Authorized By		Date	
Approval Signature			

©2022 The American Society for Health Care Engineering of the American Hospital Association Disclaimer: This document is provided by ASHE as a service to its members. The information provided may not apply to a reader's specific situation and is not a substitute for application of the reader's own independent judgment or the advice of a competent professional. ASHE does not make any guaranty or warranty as to the accuracy or completeness of any information contained in this document. ASHE and the authors disclaim liability for personal injury, property damage, or other damages of any kind, whether special, indirect, consequential, or compensatory, that may result directly or indirectly from use of or reliance on this document.

ASHE AHA Data & Insights

©2022. American Society for Health Care Engineering of the American Hospital Association

ASHE

Infection Control Risk Assessment 2.0
Matrix of Precautions for Construction, Renovation and Operations

Step Four:
Assess potential risk to areas surrounding the project. Using Table 4, identify the surrounding areas that will be affected and the type of impact that will occur. If more than one risk group will be affected, select the higher risk group using Table 2 - Patient Risk Group.

Table 4 - Surrounding Area Assessment

Unit Below:	Unit Above:	Unit Lateral:	Unit Behind:	Unit in Front:
Risk Group:	Risk Group:	Risk Group:	Risk Group:	Risk Group:
Contact:	Contact:	Contact:	Contact:	Contact:
Phone:	Phone:	Phone:	Phone:	Phone:
Additional Controls: ☐ Noise ☐ Vibration ☐ Dust control ☐ Ventilation ☐ Pressurization ☐ Vertical Shafts ☐ Elevators/Stairs	**Additional Controls**: ☐ Noise ☐ Vibration ☐ Dust control ☐ Ventilation ☐ Pressurization ☐ Vertical Shafts ☐ Elevators/Stairs	**Additional Controls**: ☐ Noise ☐ Vibration ☐ Dust control ☐ Ventilation ☐ Pressurization ☐ Vertical Shafts ☐ Elevators/Stairs	**Additional Controls**: ☐ Noise ☐ Vibration ☐ Dust control ☐ Ventilation ☐ Pressurization ☐ Vertical Shafts ☐ Elevators/Stairs	**Additional Controls**: ☐ Noise ☐ Vibration ☐ Dust control ☐ Ventilation ☐ Pressurization ☐ Vertical Shafts ☐ Elevators/Stairs
Systems impacted: ☐ Data ☐ Mechanical ☐ Med Gases ☐ Hot/Cold Water	**Systems impacted:** ☐ Data ☐ Mechanical ☐ Med Gases ☐ Hot/Cold Water	**Systems impacted:** ☐ Data ☐ Mechanical ☐ Med Gases ☐ Hot/Cold Water	**Systems impacted:** ☐ Data ☐ Mechanical ☐ Med Gases ☐ Hot/Cold Water	**Systems impacted:** ☐ Data ☐ Mechanical ☐ Med Gases ☐ Hot/Cold Water

Noise & Vibration Mitigation Strategies
- ☐ Use diamond drills instead of powder-actuated fasteners.
- ☐ Schedule noise-making periods with adjacent spaces.
- ☐ Use beam clamps instead of shot.
- ☐ Prefab where possible.
- ☐ Use tin snips to cut metal studs instead of using a chop saw.
- ☐ Install metal decking with vent tabs, then use cellular floor deck hangers.
- ☐ Consider compression style fittings instead of soldering, brazing or welding.
- ☐ Wet core drill instead of dry core or percussion.
- ☐ Instead of jackhammering concrete, use wet diamond saws.
- ☐ Use HEPA vacuums instead of standard wet/dry vacuums.
- ☐ Use mechanical joining system sprinkler fittings instead of threaded.
- ☐ Where fumes are tolerated, use chemical adhesive remover (flooring glue) instead of mechanical.
- ☐ To remove flooring, consider abrasive blasting instead of using a floor scraper.
- ☐ Use electric sheers instead of reciprocating saw for ductwork cutting.
- ☐ Install exterior man/material lifts.

Ventilation & Pressurization Mitigation Strategies
- ☐ HEPA to exterior.
- ☐ Install temporary ductwork.
- ☐ Utilize temporary HVAC equipment.
- ☐ Vacate the area.
- ☐ Install temporary partitions.
- ☐ Use carbon filtration to filter odors.

Impact to Other Systems Mitigation Strategies
- ☐ Schedule outages.
- ☐ Provide temporary systems.
- ☐ Back-feed electricity or medical gases.

ICRA 2.0 Infection Control Risk Assessment and Permit	Project Name:	UPDATE CLC HVAC SYS.	
	ICRA Number:	Requested by	
Location of Work Activity		Project Start Date	
Estimated Duration		Completion Date	
Foreman/Supervisor		Phone	
Contractor Performing Work		Phone	
Approving Authority		Phone	

Please note that the above signature is approval of the work activity as described and assessed documented here.
Should the scope of work change or the discovery of additional toxic or biological substances.
STOP WORK and seek additional approval and guidance before proceeding.

1. Type of Activity	Explain this reasoning for this assessment
◯ Type A: Non-invasive	
◯ Type B: Small-scale, short duration	
◯ Type C: Large-scale, longer duration	
◯ Type D: Major demolition, construction	

2. Patient Risk Area	Describe key patient risks
◯ Low: Non-patient care areas	
◯ Medium: Patient care support areas	
◯ High: Patient care areas	
◯ Highest: Invasive, sterile or highly compromised care	

3. Class of Precautions

	Type A	TYPE B	TYPE C	TYPE D
Low	◯ I	◯ II	◯ II	◯ III
Medium	◯ I	◯ II	◯ III	◯ IV
High	◯ I	◯ III	◯ IV	◯ V
Highest	◯ III	◯ IV	◯ V	◯ V

4. Surrounding Area

Unit	Below:	Above:	Lateral:	Behind:	In Front:
Risk group					
Contact					
Phone					
Controls	☐ Noise ☐ Vibration ☐ Dust ☐ Ventilation ☐ Pressurization	☐ Noise ☐ Vibration ☐ Dust ☐ Ventilation ☐ Pressurization	☐ Noise ☐ Vibration ☐ Dust ☐ Ventilation ☐ Pressurization	☐ Noise ☐ Vibration ☐ Dust ☐ Ventilation ☐ Pressurization	☐ Noise ☐ Vibration ☐ Dust ☐ Ventilation ☐ Pressurization
Systems impacted:	☐ Data ☐ Mechanical ☐ Med Gas ☐ Hot/Cold Water ☐ Other	☐ Data ☐ Mechanical ☐ Med Gas ☐ Hot/Cold Water ☐ Other	☐ Data ☐ Mechanical ☐ Med Gas ☐ Hot/Cold Water ☐ Other	☐ Data ☐ Mechanical ☐ Med Gas ☐ Hot/Cold Water ☐ Other	☐ Data ☐ Mechanical ☐ Med Gas ☐ Hot/Cold Water ☐ Other

Were there discoveries in surrounding areas that would serve as cause to increase the class of precautions and necessitate additional controls? If so, please summarize.

©2022. American Society for Health Care Engineering of the American Hospital Association

B

ASHE

Infection Control Risk Assessment 2.0
Matrix of Precautions for Construction, Renovation and Operations

Step One:
Using Table 1, Identify the Activity Type (A-D).

Table 1 - Activity Type: ____

Type A	**Inspection and non-invasive activities.** Includes but is not limited to: • Removal of ceiling tile for visual inspection-limited to 1 tile per 50 square feet with limited exposure time. • Limited building system maintenance (e.g., pneumatic tube station, HVAC system, fire suppression system, electrical and carpentry work to include painting without sanding) that does not create dust or debris. • Clean plumbing activity limited in nature.
Type B	**Small-scale, short duration activities that create minimal dust and debris.** Includes but is not limited to: • Work conducted above the ceiling (e.g., prolonged inspection or repair of firewalls and barriers, installation of conduit and/or cabling, and access to mechanical and/or electrical chase spaces). • Fan shutdown/startup. • Installation of electrical devices or new flooring that produces minimal dust and debris. • The removal of drywall where minimal dust and debris is created. • Controlled sanding activities (e.g., wet or dry sanding) that produce minimal dust and debris.
Type C	**Large-scale, longer duration activities that create a moderate amount of dust and debris.** Includes but is not limited to: • Removal of preexisting floor covering, walls, casework or other building components. • New drywall placement. • Renovation work in a single room. • Non-existing cable pathway or invasive electrical work above ceilings. • The removal of drywall where a moderate amount of dust and debris is created. • Dry sanding where a moderate amount of dust and debris is created. • Work creating significant vibration and/or noise. • Any activity that cannot be completed in a single work shift.
Type D	**Major demolition and construction activities.** Includes but is not limited to: • Removal or replacement of building system component(s). • Removal/installation of drywall partitions. • Invasive large-scale new building construction. • Renovation work in two or more rooms.

ASHE

Infection Control Risk Assessment 2.0
Matrix of Precautions for Construction, Renovation and Operations

Step Two:
Using Table 2, identify the Patient Risk Group(s) that will be affected. If more than one risk group will be affected, select the higher risk group.

Table 2 - Patient Risk Group: HIGHEST RISK

Low Risk	Medium Risk	High Risk	Highest Risk
Non-patient care areas such as:	**Patient care support areas such as:**	**Patient care areas such as:**	**Procedural, invasive, sterile support and highly compromised patient care areas such as:**
• Public hallways and gathering areas not on clinical units. • Office areas not on clinical units. • Breakrooms not on clinical units. • Bathrooms or locker rooms not on clinical units. • Mechanical rooms not on clinical units. • EVS closets not on clinical units.	• Waiting areas. • Clinical engineering. • Materials management. • Sterile processing department - dirty side. • Kitchen, cafeteria, gift shop, coffee shop, and food kiosks.	• Patient care rooms and areas • All acute care units • Emergency department • Employee health • Pharmacy - general work zone • Medication rooms and clean utility rooms • Imaging suites: diagnostic imaging • Laboratory.	• All transplant and intensive care units. • All oncology units. • OR theaters and restricted areas. • Procedural suites. • Pharmacy compounding. • Sterile processing department - clean side. • Transfusion services. • Dedicated isolation wards/units. • Imaging suites: invasive imaging.

Step Three:
Match the Patient Risk Group (*Low, Medium, High, Highest*) from Step Two with the planned Construction Activity Project Type (*A, B, C, D*) from Step One using Table 3 to find the Class of Precautions (*I, II, III, IV or V*) or level of infection control activities required. The activities are listed in Table 5 – Minimum Required Infection Control Precautions by Class.

Table 3 - Class of Precautions: ____

	Construction Project Type			
Patient Risk Group	**TYPE A**	**TYPE B**	**TYPE C**	**TYPE D**
LOW Risk Group	I	II	II	III*
MEDIUM Risk Group	I	II	III*	IV
HIGH Risk Group	I	III	IV	V
HIGHEST Risk Group	III	IV	V	V

Infection control permit and approval will be required when Class of Precautions III (Type C) and all Class of Precautions IV or V are necessary.

Environmental conditions that could affect human health, such as sewage, mold, asbestos, gray water and black water will require Class of Precautions IV for LOW and MEDIUM Risk Groups and Class of Precautions V for HIGH and HIGHEST Risk Groups.

*Type C [Medium Risk Groups] and Type D [Low Risk Groups] work areas [Class III precautions] that cannot be sealed and completely isolated from occupied patient care spaces should be elevated to include negative air exhaust requirements as listed in Class IV Precautions.

©2022 American Society for Health Care Engineering of the American Hospital Association

ICRA LEGEND

- EXISTING WALL TO REMAIN
- EXISTING DOOR TO REMAIN
- EXISTING WINDOW TO REMAIN
- DEMOLISH WALL
- TEMPORARY WALL
- TEMPORARY WALL
- TEMPORARY DOOR
- TEMPORARY DOOR
- (TO BE DISCUSSED) TEMPORARY WALL AND DOOR GRAPHICS COULD BE ADJUSTED PER PROJECT. ONE COULD USE THE REVIT MODEL OR "FIELD REGION" TO SHOW AREAS*
- DEMOLISH DOOR
- DEMOLISH WINDOW

FULLY SPRINKLERED

100% CONSTRUCTION DOCUMENTS

#	Revisions:	Date

CONSULTANTS:

APOGEE CONSULTING GROUP, P.A. ARCHITECTURAL CORPORATION 52644 RALEIGH, NC

STATE OF FLORIDA DAVID JEFFERY REICHARD AR0015577 REGISTERED ARCHITECT David J. Reichard 12/16/2022

PROJECT MANAGER
ACG Project Number 22-038

APOGEE Engineers | Architects
© COPYRIGHT Apogee Consulting Group, P.A.

Headquarters:
Apogee Consulting Group, P.A.
1151 Kildaire Farm Road, Suite 120
Cary, North Carolina 27511
www.acg-pa.com 919-858-7420

Office of Construction and Facilities Management
VA U.S. Department of Veterans Affairs

Drawing Title: PRE-CONSTRUCTION RISK ASSESSMENT FORMS	Project Title: REMOVE AND REPLACE PUBLIC ADDRESS SYSTEM	VA PROJECT NUMBER 548-22-100
		Building Number AS NOTED
Location: WEST PALM BEACH VAMC 7305 NORTH MILITARY TRAIL WEST PALM BEACH FL, 33410-6400	Approved	Drawing Number G-004
	Date DECEMBER 14, 2022 / Checked DJR / Drawn LMB	Dwg 4 of 4

12/13/2022 11:30:32 AM C:\Users\lbajarias\Documents\A_22-038_West_Palm_Beach-Replace_PAMNS-FL_lbajariasSZLDE.rvt

VA FORM 08-6231

DocuSign Envelope ID: 88475F19-AD36-411D-B79A-CDEEC92A0411

ELECTRICAL GENERAL NOTES

1. ALL ELECTRICAL DEVICES, FIXTURES, EQUIPMENT AND FEEDERS SHALL BE INSTALLED IN ACCORDANCE WITH THE PROJECT SPECIFICATIONS, THE MANUFACTURER'S RECOMMENDED PROCEDURES, ALL APPLICABLE LOCAL AND STATE CODES, AMERICANS WITH DISABILITIES ACT AND WITH THE LATEST EDITION OF THE NATIONAL ELECTRICAL CODE AND VA STANDARDS.
2. PROVIDE ADDITIONAL SUPPORT FOR DEVICES, FIXTURES, EQUIPMENT AND FEEDERS WHERE THE BUILDING CONSTRUCTION IS NOT SUITABLE FOR DIRECT MOUNTING.
3. FIRESTOP, DRAFTSTOP, SMOKESTOP AND/OR PROTECT THE ANNULAR SPACE AROUND ALL PENETRATIONS THROUGH WALLS, PARTITIONS, FLOORS, CEILING, AND ROOFS IN ACCORDANCE WITH THE REQUIREMENTS OF THE NATIONAL ELECTRICAL CODE, UL LISTING REQUIREMENT AND THE APPLICABLE BUILDING CODES.
4. VERIFY CEILING SYSTEMS AND PROVIDE MOUNTING ACCESSORIES, TRIMS AND ALL REQUIRED MOUNTING HARDWARE TO SUIT THE PARTICULAR INSTALLATION.
5. PROTECT EXISTING UNDERGROUND AND BUILDING INTERIOR UTILITIES DURING CONSTRUCTION.
6. BRANCH CIRCUIT CONDUCTORS SHALL BE 12 AWG COPPER MINIMUM.
7. COORDINATE ANY AND ALL WORK WITH ALL OTHER TRADES PRIOR TO INSTALLATION SO AS TO AVOID CONFLICT DURING CONSTRUCTION.
8. ALL PANELS SHALL HAVE TYPED, COMPLETED DIRECTORIES INDICATING EQUIPMENT SERVED AND ROOM NUMBER (AS INDICATED ON FINAL BUILDING ROOM SIGNAGE) OF EQUIPMENT LOCATION, OR SPARE, OR SPACE.
9. MANUFACTURER'S NAME AND MODEL NUMBER ARE GIVEN FOR DESCRIPTIVE PURPOSES, TO INDICATE A QUALITY STANDARD, AND ARE NOT INTENDED TO LIMIT PRODUCTS TO A PARTICULAR MANUFACTURER. PRODUCTS DEEMED EQUAL AND APPROVED BY THE DESIGNER WILL BE ACCEPTED. ALL PRODUCTS MUST COMPLY WITH "BUY AMERICAN ACT".
10. ALL FEEDERS AND CIRCUITRY SHALL BE TORQUED PER THE PANEL, BREAKER, AND/OR PARTICULAR EQUIPMENT MANUFACTURER'S SPECIFICATIONS.
11. CIRCUITRY TO SWITCHES, RECEPTACLES, AND ALL OTHER DEVICES SHALL BE TERMINATED ON THE DEVICE'S SCREW TERMINALS.
12. MOUNTING HEIGHTS INDICATED ARE TO CENTER OF DEVICE, OUTLET, FIXTURE, OR EQUIPMENT UNLESS NOTED OTHERWISE.
13. ALL WIRE TERMINATIONS SHALL BE RATED FOR 75 DEGREES C.
14. ALL CONDUCTORS SHALL HAVE THHN/THWN INSULATION, UNLESS OTHERWISE NOTED.
15. ALL CONDUIT SHALL BE RGS OR EMT UNLESS OTHERWISE NOTED. FMC CONDUIT SHALL BE USED ON VIBRATING EQUIPMENT (MAXIMUM LENGTH OF 6 FEET). PVC SHALL BE USED FOR UNDERGROUND CONDUIT OR WHERE CONCRETE-ENCASED. WHERE VIBRATING EQUIPMENT IS LOCATED OUTSIDE, LFMC CONDUIT SHALL BE USED (MAXIMUM SIX FEET) FOR FINAL CONNECTIONS.
16. ALL ELECTRICAL MATERIALS, DEVICES, APPLIANCES AND EQUIPMENT SHALL BE LABEL LISTED BY AN APPROVED THIRD PARTY TESTING AGENCY.
17. IN CASE OF CONFLICTS OR DISCREPANCIES WITHIN OR AMONG THE CONTRACT DRAWINGS, THE BETTER QUALITY, MORE STRINGENT REQUIREMENTS OR GREATER QUANTITY OF WORK , AS DETERMINED BY THE GOVERNMENT, SHALL BE PROVIDED.
18. COMPRESSION COUPLINGS SHALL BE USED. NO SET SCREW FITTINGS ARE ALLOWED.
19. MINIMUM CONDUIT SIZE TO BE USED IS 3/4".
20. FEEDER TAGS APPENDED WITH 'VD' ARE UPSIZED IN AMPACITY DUE TO VOLTAGE DROP.

TECHNOLOGY SYMBOL LEGEND

SYMBOL	HEIGHT	DESCRIPTION	
N	18"	DATA OUTLET - N-4 PR UTP	(N - QUANTITY)
N	48"	TELCO OUTLET - N-4 PR UTP	(N - QUANTITY)
NCE	6' TO TOP	NURSE CALL EQUIPMENT CABINET	
	FLOOR	FOUR POST OIT EQUIPMENT RACK	
	FLOOR	TWO POST OIT EQUIPMENT RACK	
	FLOOR	OIT EQUIPMENT CABINET	
	ABOVE CEILING	LADDER CABLE TARY	
	18"	GROUND BUS	
	8"	4'x8'x3/4" FIRE RATED TTB	
	FLOOR	FLOOR BOX FOR DATA	
S	CEILING	CEILING MOUNTED SPEAKER	
S	96"	WALL MOUNTED SPEAKER	
S	AS NOTED	WALL MOUNTED HORN	
VC	48"	VOLUME CONTROL	
PS	48"	PAGING CONSOLE	
PA	FLOOR	PAGING CABINET	
J	AS NOTED	JUNCTION BOX, WALL MOUNTED, PURPOSE AS NOTED	

DEVICES WITH THE FOLLOWING TAGS ARE AS INDICATED:
E: EXISTING DEVICES TO REMAIN, PROVIDE NEW CABLING AND CONDUIT AS NEEDED.
D: EXISTING DEVICES TO BE DEMOLISHED BY THE CONTRACTOR.
R: EXISTING DEVICES TO BE REPLACED WITH NEW BY THE CONTRACTOR.
N: NEW DEVICES TO BE PROVIDED AND INSTALLED BY THE CONTRACTOR.
ALL HEIGHTS ARE TO CENTER OF DEVICE UNLESS NOTED OTHERWISE.
ANY HEIGHTS INDICATED IN PLANS SHALL SUPERSEDE THOSE LISTED HERE.
SEE DRAWINGS FOR MORE INFORMATION.
NOTE: NOT ALL SYMBOLS ARE USED.

ELECTRICAL SYMBOL LEGEND

SYMBOL	HEIGHT	DESCRIPTION
	18"	120V SIMPLEX RECEPTACLE
	18"	120V DUPLEX RECEPTACLE
	18"	120V DUPLEX RECEPTACLE EMERGENCY OUTLET AND COVER PLATE SHALL BE RED IN COLOR
	18"	120V QUADRUPLEX RECEPTACLE
	18"	120V QUADRUPLEX RECEPTACLE EMERGENCY OUTLET AND COVER PLATE SHALL BE RED IN COLOR
	18"	208V DUPLEX RECEPTACLE
	18"	SPECIAL RECEPTACLE
		120V DUPLEX RECEPTACLE FLOOR BOX
		120V DUPLEX RECEPTACLE EMERGENCY FLOOR BOX OUTLET AND COVER PLATE SHALL BE RED IN COLOR
		120V QUADRUPLEX RECEPTACLE FLOOR BOX
		120V QUADUPLEX RECEPTACLE EMERGENCY FLOOR BOX OUTLET AND COVER PLATE SHALL BE RED IN COLOR
		RECEPTACLE MODIFIERS: AC: 3" ABOVE COUNTERTOP/BACKSPLASH GFI: GROUND FAULT CURRENT INTERRUPTER WP: WEATHERPROOF ENCLOSURE DED: DEDICATED CIRCUIT
	AS NOTED	JUNCTION BOX, WALL MOUNTED, PURPOSE AS NOTED
CLNG		JUNCTION BOX, CEILING MOUNTED, PURPOSE AS NOTED
		JUNCTION BOX, FLOOR MOUNTED, PURPOSE AS NOTED
E	AS NOTED	EQUIPMENT CONNECTION
	72" TOP	DISCONNECT SWITCH NON-FUSED
	72" TOP	DISCONNECT SWITCH FUSED
$	48"	SINGLE POLE WALL SWITCH: 48" AFF STANDARD UNO
		SWITCH MODIFIERS: M: MOTOR-RATED

ALL HEIGHTS ARE TO CENTER OF DEVICE UNLESS NOTED OTHERWISE.
TOP: HEIGHT TO TOP OF DEVICE
ANY HEIGHTS INDICATED IN PLANS SHALL SUPERSEDE THOSE LISTED HERE.

TECHNOLOGY GENERAL NOTES

1. PROVIDE COMMUNICATIONS DEVICES AND EQUIPMENT IN ACCORDANCE WITH THE CONTRACT DOCUMENTS, MANUFACTURER'S RECOMMENDED PROCEDURES, ALL APPLICABLE LOCAL AND STATE CODES, AMERICANS WITH DISABILITIES ACT, LATEST EDITION OF THE NATIONAL ELECTRICAL CODE, BICSI STANDARDS, AND VA STANDARDS.
2. PROVIDE ADDITIONAL SUPPORT FOR DEVICES AND EQUIPMENT WHERE BUILDING CONSTRUCTION IS NOT SUITABLE FOR DIRECT MOUNTING.
3. FIRESTOP, DRAFTSTOP, SMOKESTOP OR PROTECT ANNULAR SPACE AROUND PENETRATIONS THROUGH WALLS, PARTITIONS, FLOORS, CEILINGS, AND ROOF IN ACCORDANCE WITH REQUIREMENTS OF NFPA 70, UL LISTING REQUIREMENT AND APPLICABLE BUILDING CODES.
4. PROVIDE CABLING THAT COMPLIES WITH THE LATEST EDITION OF TELECOMMUNICATIONS DISTRIBUTION METHOD MANUAL AND ANSI/TIA/EIA PUBLICATIONS.
5. COMPLY WITH THE LATEST ANSI/TIA/EIA 758 AND 607B OR 607A - GROUNDING AND BONDING REQUIREMENTS FOR TELECOMMUNICATIONS IN COMMERCIAL BUILDING.
6. COMPLY WITH THE LATEST ANSI/TIA/EIA 568B - COMMERCIAL BUILDING TELECOMMUNICATIONS WIRING STANDARD.
7. COMPLY WITH THE LATEST ANSI/TIA/EIA 569B - COMMERCIAL BUILDING STANDARD FOR TELECOMMUNICATIONS PATHWAYS AND SPACES.
8. COMPLY WITH THE LATEST NFPA 70 NATIONAL ELECTRICAL CODE.
9. COMPLY WITH THE LATEST NFPA 99 HEALTHCARE FACILITIES CODE.
10. COMPLY WITH THE LATEST NFPA 101 LIFE SAFETY CODE.
11. COORDINATE WORK WITH ALL OTHER TRADES PRIOR TO INSTALLATION.
12. MANUFACTURER'S NAME AND MODEL NUMBER ARE GIVEN FOR DESCRIPTIVE PURPOSES TO INDICATE A QUALITY STANDARD AND ARE NOT INTENDED TO LIMIT PRODUCTS TO A PARTICULAR MANUFACTURER. PRODUCTS DEEMED EQUAL AND APPROVED BY THE COR WILL BE ACCEPTABLE. COMPLY WITH "BUY AMERICAN ACT".
13. MOUNTING HEIGHTS INDICATED ARE TO CENTER OF DEVICE, BOXES, OUTLET, OR EQUIPMENT UNLESS NOTED OTHERWISE.
14. PROVIDE RGS OR EMT CONDUIT UNLESS OTHERWISE NOTED. ALL SPEAKER CABLING FOR THE PUBLIC ADDRESS SYSTEM SHALL BE RUN IN CONDUIT.
15. PROVIDE MATERIALS, DEVICES, APPLIANCES AND EQUIPMENT LABEL LISTED BY APPROVED THIRD PARTY TESTING AGENCY.
16. NOTIFY COR REGARDING DISCREPANCY BETWEEN PLANS AND SPECIFICATIONS FOR CLARIFICATION. THE MORE STRINGENT OF THE THEM SHALL TAKE PRECEDENCE.
17. PROVIDE TIA/EIA CAT 6 COPPER OUTLETS AND CONNECTORS.
18. ALL WORK AREA OUTLETS SHALL BE 8 PIN, CAT 6 KEYSTONE JACK WIRED PER T568A OR T568B AS DIRECTED BY THE VA COR.
19. LABEL DEVICES IN ACCORDANCE WITH LATEST ANSI/TIA 606A OR 606B EDITION AS WELL AS THE STANDARDS SET FORTH BY THE VA HOSPITAL OIT.
20. PROVIDE A MINIMUM OF 12" CLEARANCE ABOVE THE CABLE TRAY PER TIA/EIA 569.B PARAGRAPH 4.5.6.2.
21. ALL CABLING INSTALLED ABOVE CEILING SHALL BE PLENUM RATED.
22. MINIMUM CONDUIT SIZE TO BE USED IS 3/4".
23. DEVICES PLACED IN INTERCOMMUNICATION ROOM TO BE MOUNTED ON FIRE RETARDANT PLYWOOD.
24. BASIS OF DESIGN UTILIZED IN THIS DESIGN IS THE BIAMP VOCIA PAGING SYSTEM. ALTERNATES TO THE BASIS OF DESIGN ARE ACCEPTABLE UPON MEETING OR EXCEEDING THE FUNCTIONALITY OF THE SYSTEM AS DESIGNED.
25. CONTRACTOR SHALL TRACK AND NOTE ORDER OF SPEAKERS AND DEVICES IN SPEAKER CIRCUITS, AND PROVIDE RECORD DRAWINGS INDICATING THE ORDERING OF DEVICES.

TECHNOLOGY ABBREVIATIONS LIST

ADO	AUTOMATIC DOOR OPERATOR	OC	ON CENTER
AFF	ABOVE FINISH FLOOR	OIT	OFFICE OF INFORMATION TECHNOLOGY
BOD	BASIS OF DESIGN	PACS	PHYSICAL ACCESS CONTROL SYSTEM
		PAMN	PUBLIC ADDRESS AND MASS NOTIFICATION SYSTEM
CCTV	CLOSED CIRCUIT TELEVISION	PB	PUSH BUTTON
COAX	COAXIAL CABLE	PBB	PRIMARY BONDING BUSBAR
COMM	COMMUNICATION	PDU	RACK POWER DISTRIBUTION UNITS
COR	CONTRACTING OFFICER REPRESENTATIVE	POE	POWER OVER ETHERNET
		PR	PAIR
DC	DOOR CONTACT SWITCH		
DN	DOWN	RBB	RACK BONDING BUSBAR
DO	DOOR OPERATOR	RX	REQUEST TO EXIT
DVC	DIGITAL VOICE COMMAND		
DVR	DIGITAL VIDEO RECORDER	SBB	SECONDARY BONDING BUSBAR
		SEP	SERVICE ENTRANCE PROTECTION
E	EXISTING DEVICES	SLC	SIGNALING LINE CIRCUIT
EEB	EMERGENCY EXIT BUTTON	SM	SINGLE MODE FIBER
EL	ELECTRICAL STRIKE		
ETR	EXISTING TO REMAIN	TBB	TELECOM BONDING CONDUCTOR
		TEL	TELEPHONE
FA	FIRE ALARM	TGB	TELECOM GROUND BUS BAR
FACP	FIRE ALARM CONTROL PANEL	TM	TELEMONITORING
FAAP	FIRE ALARM ANNUNCIATOR PANEL	TMGB	TELECOM MAIN GROUND BUS BAR
FO	FIBER OPTIC	TP	TWISTED PAIR
FAGAP	FIRE ALARM GRAPHIC ANNUNCIATOR PANEL	TR	TELECOM ROOM
		TTB	TELEPHONE TERMINAL BOARD
IT	INTERCOMMUNICATION ROOM	TV	TELEVISION
MATV	MASTER ANTENNA TELEVISION	WM	WIRE MANAGEMENT
MM	MULTI MODE FIBER	WAP	WIRELESS ACCESS POINT
NAC	NETWORK APPLIANCE CIRCUIT PANEL	UL	UNDERWRITERS LABORATORY
N	NEW DEVICES	UPS	UNINTERRUPTIBLE POWER SUPPLY
NCA	NETWORK CONTROL ANNUNCIATOR	UTP	UNSHIELDED TWISTED PAIR
NS	NO SCALE		
NTS	NOT TO SCALE		
NVR	NETWORK VIDEO RECORDER		

CABLES AND CONNECTORS COLOR LEGEND

DESCRIPTION ITEM	JACK	CABLE	PATCH CABLES	CONDUIT	I.D.	NOTES
DATA/COMPUTER	BLUE	BLUE	BLUE	-	C	4 PAIR CABLE
FIBER - MULTI-MODE	BLACK	AQUA	AQUA	BLUE	FO	6/12/24/36
FIBER - SINGLE-MODE	IVORY	YELLOW	YELLOW	BLUE	FO	6/12
SOUND SYSTEM	N/A	GREEN	N/A	BLUE	SS	MULTI COLOR CONDUCTORS

FULLY SPRINKLERED

100% CONSTRUCTION DOCUMENTS

#	Revisions:	Date

CONSULTANTS:

REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER
Glenn D Allsbrook III
BICSI
Glenn D Allsbrook III
BICSI ID # 363972
Exp#01/31/24
RCDD 12/15/2022

NORTH CAROLINA PROFESSIONAL ENGINEER SEAL 52505 JOSHUA D. MEYER
12/15/2022

PROJECT MANAGER

ACG Project Number 22-038

APOGEE Engineers | Architects

Headquarters:
Apogee Consulting Group, P.A.
1151 Kildaire Farm Road, Suite 120
Cary, North Carolina 27511
www.acg-pa.com 919-858-7420

© COPYRIGHT Apogee Consulting Group, P.A.

Office of Construction and Facilities Management

VA U.S. Department of Veterans Affairs

Drawing Title: TECHNOLOGY GENERAL NOTES, SYMBOL LEGEND, AND ABBREVIATIONS

Project Title: REMOVE AND REPLACE PUBLIC ADDRESS SYSTEM

VA PROJECT NUMBER: 548-22-100

Building Number: #

Location: WEST PALM BEACH VAMC
7305 NORTH MILITARY TRAIL
WEST PALM BEACH FL, 33410-6400

Approved

Date: DECEMBER 14, 2022 | Checked: JDM | Drawn: JDM

Drawing Number: T-001

Dwg 1 of 32

C:\Users\jmeyer\schwander\Documents\E_22-038_West_Palm_Beach-Replace_PAAMS-FL_jmeyer\schwander.rvt
12/14/2022 4:09:24 PM
VA FORM 08-6231

DocuSign Envelope ID: 88475F19-AD36-411D-B79A-CDEEC92A0411
REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER
Bicsi
Glenn D Allsbrook III
BICSI ID # 363972
EXPIRES 12-31-24
RCDD



1 BASEMENT FLOOR SE PAMNS

Scale: 3/32" = 1'-0"

0 4 8 16

NORTH

SHEET NOTES:

A. PROVIDE PAMNS DEVICES AT LOCATIONS INDICATED ON PLANS. PROVIDE WIRING AND CIRCUIT AS INDICATED ON DETAILS.

B. ALL PAMN WIRING SHALL BE CONCEALED IN WALLS, IN RACEWAY OR AND ABOVE THE CEILING IN CONDUIT.

C. PAMN WIRING IN UNFINISHED AREAS SHALL BE IN SURFACE MOUNTED RACEWAY (MECH. ROOM, ROOMS WITH NO CEILINGS.)

D. ALL CEILING SPEAKERS SHALL BE SET AT 1/2 WATT UNLESS NOTED OTHERWISE.

E. ALL WALL MOUNTED SPEAKERS SHALL BE SET AT 4 WATTS UNLESS NOTED OTHERWISE.

F. CONTRACTOR RESPONSIBLE FOR PROVIDING AND INSTALLING FIRE SLEEVES FOR FIREWALL. CONTRACTOR SHALL ADEQUATELY REPAIR ANY FIREWALL PENETRATIONS.

KEY NOTES:

1 SPEAKERS LOCATED IN SPS TO UTILIZE EXISTING CONDUIT TO PULL SPEAKER CABLING. SPEAKERS SHALL BE INITIALLY SET AT 5 WATTS.

ABBREVIATED SYMBOL LEGEND

SYMBOL	HEIGHT	DESCRIPTION
S	CEILING	CEILING MOUNTED SPEAKER
S	96"	WALL MOUNTED SPEAKER
S	AS NOTED	WALL MOUNTED HORN
VC	48"	VOLUME CONTROL
PS	48"	PAGING CONSOLE
PA	FLOOR	PAGING CABINET

DEVICES WITH THE FOLLOWING TAGS ARE AS INDICATED:
E: EXISTING DEVICES TO REMAIN. PROVIDE NEW CABLING AND CONDUIT AS NEEDED.
D: EXISTING DEVICES TO BE DEMOLISHED BY THE CONTRACTOR.
R: EXISTING DEVICES TO BE REPLACED WITH NEW BY THE CONTRACTOR.
N: NEW DEVICES TO BE PROVIDED AND INSTALLED BY THE CONTRACTOR.
ALL HEIGHTS ARE TO CENTER OF DEVICE UNLESS NOTED OTHERWISE. HEIGHTS INDICATED IN PLANS SHALL SUPERSEDE THOSE LISTED HERE.

KEY PLAN

SCALE: NO SCALE

SCOPE OUTLINE
AREA OF WORK

WALL RATING LEGEND

1 HR - FIRE SEPARATION
2 HR - FIRE SEPARATION
SMOKE RESISTIVE HAZARDOUS AREA

FULLY SPRINKLERED

100% CONSTRUCTION DOCUMENTS

#	Revisions:	Date

CONSULTANTS:

REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER — Glenn D Allsbrook III — BICSI ID # 363972 — EXPIRES 12-31-24 — RCDD — 12/15/2022

NORTH CAROLINA PROFESSIONAL ENGINEER SEAL 52505 — JOSHUA D. MEYER — 12/15/2022

PROJECT MANAGER

ACG Project Number 22-038

APOGEE Engineers | Architects

Headquarters:
Apogee Consulting Group, P.A.
1151 Kildaire Farm Road, Suite 120
Cary, North Carolina 27511
www.acg-pa.com 919-858-7420

© COPYRIGHT Apogee Consulting Group, P.A.

Office of Construction and Facilities Management

VA U.S. Department of Veterans Affairs

Drawing Title: BASEMENT FLOOR SE PAMNS

Project Title: REMOVE AND REPLACE PUBLIC ADDRESS SYSTEM

VA PROJECT NUMBER: 548-22-100

Building Number: #

Location: WEST PALM BEACH VAMC, 7305 NORTH MILITARY TRAIL, WEST PALM BEACH FL, 33410-6400

Approved

Date: DECEMBER 14, 2022 | Checked: JDM | Drawn: HT

Drawing Number: T-101

Dwg 2 of 32

C:\Users\pneuenschwander\Documents\E_22-038_West_Palm_Beach-Replace_PAMNS-FL_pneuenschwander.rvt
12/14/2022 4:09:28 PM
VA FORM 08-6231

DocuSign Envelope ID: 88475F19-AD36-411D-B79A-CDEEC92A0411



1 **BASEMENT FLOOR CENT PAMNS**
Scale: 3/32" = 1'-0"

SHEET NOTES:

A. PROVIDE PAMNS DEVICES AT LOCATIONS INDICATED ON PLANS. PROVIDE WIRING AND CIRCUIT AS INDICATED ON DETAILS.

B. ALL PAMN WIRING SHALL BE CONCEALED IN WALLS, IN RACEWAY OR AND ABOVE THE CEILING IN CONDUIT.

C. PAMN WIRING IN UNFINISHED AREAS SHALL BE IN SURFACE MOUNTED RACEWAY (MECH. ROOM, ROOMS WITH NO CEILINGS.)

D. ALL CEILING SPEAKERS SHALL BE SET AT 1/2 WATT UNLESS NOTED OTHERWISE.

E. ALL WALL MOUNTED SPEAKERS SHALL BE SET AT 4 WATTS UNLESS NOTED OTHERWISE.

F. CONTRACTOR RESPONSIBLE FOR PROVIDING AND INSTALLING FIRE SLEEVES FOR FIREWALL. CONTRACTOR SHALL ADEQUATELY REPAIR ANY FIREWALL PENETRATIONS.

KEY NOTES:

1 LOCATION OF VERTICAL RISER IN LIFT SHAFT. REF. T-601.

2 LOCATION OF EXISTING PAGING EQUIPMENT. EXISTING EQUIPMENT TO BE REMOVED AFTER TRANSITION TO NEW PAGING SYSTEM.

ABBREVIATED SYMBOL LEGEND

SYMBOL	HEIGHT	DESCRIPTION
S	CEILING	CEILING MOUNTED SPEAKER
S	96"	WALL MOUNTED SPEAKER
S	AS NOTED	WALL MOUNTED HORN
VC	48"	VOLUME CONTROL
PS	48"	PAGING CONSOLE
PA	FLOOR	PAGING CABINET

DEVICES WITH THE FOLLOWING TAGS ARE AS INDICATED:
E: EXISTING DEVICES TO REMAIN. PROVIDE NEW CABLING AND CONDUIT AS NEEDED.
D: EXISTING DEVICES TO BE DEMOLISHED BY THE CONTRACTOR.
R: EXISTING DEVICES TO BE REPLACED WITH NEW BY THE CONTRACTOR.
N: NEW DEVICES TO BE PROVIDED AND INSTALLED BY THE CONTRACTOR.
ALL HEIGHTS ARE TO CENTER OF DEVICE UNLESS NOTED OTHERWISE. HEIGHTS INDICATED IN PLANS SHALL SUPERSEDE THOSE LISTED HERE.

KEY PLAN

SCALE: NO SCALE

SCOPE OUTLINE
AREA OF WORK



WALL RATING LEGEND

1 HR - FIRE SEPARATION
2 HR - FIRE SEPARATION
SMOKE RESISTIVE HAZARDOUS AREA

FULLY SPRINKLERED

100% CONSTRUCTION DOCUMENTS

#	Revisions:	Date

CONSULTANTS:

BICSI Glenn D Allsbrook III BICSI ID # 363972 Expires 12-31-24 RCDD — Registered Communications Distribution Designer 12/15/2022

North Carolina Professional Engineer Seal 52505 Joshua D. Meier 12/15/2022

PROJECT MANAGER
ACG Project Number 22-038
Headquarters:
Apogee Consulting Group, P.A.
1151 Kildaire Farm Road, Suite 120
Cary, North Carolina 27511
www.acg-pa.com 919-858-7420

© COPYRIGHT Apogee Consulting Group, P.A.

Office of Construction and Facilities Management

VA U.S. Department of Veterans Affairs

Drawing Title: BASEMENT FLOOR CENT PAMNS

Project Title: REMOVE AND REPLACE PUBLIC ADDRESS SYSTEM

VA PROJECT NUMBER 548-22-100

Building Number #

Location: WEST PALM BEACH VAMC, 7305 NORTH MILITARY TRAIL, WEST PALM BEACH FL, 33410-6400

Approved

Drawing Number T-102

Date: DECEMBER 14, 2022 | Checked: JDM | Drawn: HT

Dwg 3 of 32

DocuSign Envelope ID: 88475F19-AD36-411D-B79A-CDEEC92A0411
REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER
Bicsi
Glenn D Allsbrook III
BICSI ID # 363972
EXPIRES 12-31-24
RCDD



1 BASEMENT FLOOR NW PAMNS

Scale: 3/32" = 1'-0"

SHEET NOTES:

A. PROVIDE PAMNS DEVICES AT LOCATIONS INDICATED ON PLANS. PROVIDE WIRING AND CIRCUIT AS INDICATED ON DETAILS.

B. ALL PAMN WIRING SHALL BE CONCEALED IN WALLS, IN RACEWAY OR AND ABOVE THE CEILING IN CONDUIT.

C. PAMN WIRING IN UNFINISHED AREAS SHALL BE IN SURFACE MOUNTED RACEWAY (MECH. ROOM, ROOMS WITH NO CEILINGS.)

D. ALL CEILING SPEAKERS SHALL BE SET AT 1/2 WATT UNLESS NOTED OTHERWISE.

E. ALL WALL MOUNTED SPEAKERS SHALL BE SET AT 4 WATTS UNLESS NOTED OTHERWISE.

F. CONTRACTOR RESPONSIBLE FOR PROVIDING AND INSTALLING FIRE SLEEVES FOR FIREWALL. CONTRACTOR SHALL ADEQUATELY REPAIR ANY FIREWALL PENETRATIONS.

KEY NOTES:

ABBREVIATED SYMBOL LEGEND

SYMBOL	HEIGHT	DESCRIPTION
S	CEILING	CEILING MOUNTED SPEAKER
S	96"	WALL MOUNTED SPEAKER
S	AS NOTED	WALL MOUNTED HORN
VC	48"	VOLUME CONTROL
PS	48"	PAGING CONSOLE
PA	FLOOR	PAGING CABINET

DEVICES WITH THE FOLLOWING TAGS ARE AS INDICATED:
E: EXISTING DEVICES TO REMAIN. PROVIDE NEW CABLING AND CONDUIT AS NEEDED.
D: EXISTING DEVICES TO BE DEMOLISHED BY THE CONTRACTOR.
R: EXISTING DEVICES TO BE REPLACED WITH NEW BY THE CONTRACTOR.
N: NEW DEVICES TO BE PROVIDED AND INSTALLED BY THE CONTRACTOR.
ALL HEIGHTS ARE TO CENTER OF DEVICE UNLESS NOTED OTHERWISE. HEIGHTS INDICATED IN PLANS SHALL SUPERSEDE THOSE LISTED HERE.

KEY PLAN

SCALE: NO SCALE



WALL RATING LEGEND

- 1 HR - FIRE SEPARATION
- 2 HR - FIRE SEPARATION
- SMOKE RESISTIVE HAZARDOUS AREA

FULLY SPRINKLERED

100% CONSTRUCTION DOCUMENTS

#	Revisions:	Date

CONSULTANTS:

REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER Bicsi Glenn D Allsbrook III BICSI ID # 363972 EXPIRES 12-31-24 RCDD 12/15/2022

NORTH CAROLINA PROFESSIONAL SEAL 52505 ENGINEER JOSHUA D. MEYER 12/15/2022

PROJECT MANAGER

ACG Project Number 22-038

APOGEE Engineers | Architects

Headquarters:
Apogee Consulting Group, P.A.
1151 Kildaire Farm Road, Suite 120
Cary, North Carolina 27511

www.acg-pa.com 919-858-7420

© COPYRIGHT Apogee Consulting Group, P.A.

Office of Construction and Facilities Management

VA U.S. Department of Veterans Affairs

Drawing Title: BASEMENT FLOOR NW PAMNS

Project Title: REMOVE AND REPLACE PUBLIC ADDRESS SYSTEM

VA PROJECT NUMBER: 548-22-100

Building Number: #

Location: WEST PALM BEACH VAMC, 7305 NORTH MILITARY TRAIL, WEST PALM BEACH FL, 33410-6400

Approved

Date: DECEMBER 14, 2022 | Checked: JDM | Drawn: HT

Drawing Number: T-103

Dwg 4 of 32

DocuSign Envelope ID: 88475F19-AD36-411D-B79A-CDEEC92A0411
REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER
Bicsi
Glenn D Allsbrook III
BICSI ID # 363972
EXPIRES 12-31-24
RCDD



2 BASEMENT FLOOR PAMNS - LAUNDRY ROOM

Scale: 3/32" = 1'-0"



1 BASEMENT FLOOR PAMNS - ENERGY CENTER

Scale: 3/32" = 1'-0"

SHEET NOTES:

A. PROVIDE PAMNS DEVICES AT LOCATIONS INDICATED ON PLANS. PROVIDE WIRING AND CIRCUIT AS INDICATED ON DETAILS.

B. ALL PAMN WIRING SHALL BE CONCEALED IN WALLS, IN RACEWAY OR AND ABOVE THE CEILING IN CONDUIT.

C. PAMN WIRING IN UNFINISHED AREAS SHALL BE IN SURFACE MOUNTED RACEWAY (MECH. ROOM, ROOMS WITH NO CEILINGS.)

D. ALL CEILING SPEAKERS SHALL BE SET AT 1/2 WATT UNLESS NOTED OTHERWISE.

E. ALL WALL MOUNTED SPEAKERS SHALL BE SET AT 4 WATTS UNLESS NOTED OTHERWISE.

F. CONTRACTOR RESPONSIBLE FOR PROVIDING AND INSTALLING FIRE SLEEVES FOR FIREWALL. CONTRACTOR SHALL ADEQUATELY REPAIR ANY FIREWALL PENETRATIONS.

KEY NOTES:

1 COORDINATE PLACEMENT OF DEVICES IN LAUNDRY PROCESSING AREA WITH EXISTING EQUIPMENT IN SPACE. HORNS IN THIS AREA SHALL BE MOUNTED ABOVE RAIL SYSTEM IN AREA.

2 COORDINATE PLACEMENT OF HORN WITH EXISTING DEVICES ON WALL.

ABBREVIATED SYMBOL LEGEND

SYMBOL	HEIGHT	DESCRIPTION
S	CEILING	CEILING MOUNTED SPEAKER
S	96"	WALL MOUNTED SPEAKER
S	AS NOTED	WALL MOUNTED HORN
VC	48"	VOLUME CONTROL
PS	48"	PAGING CONSOLE
PA	FLOOR	PAGING CABINET

DEVICES WITH THE FOLLOWING TAGS ARE AS INDICATED:
E: EXISTING DEVICES TO REMAIN. PROVIDE NEW CABLING AND CONDUIT AS NEEDED.
D: EXISTING DEVICES TO BE DEMOLISHED BY THE CONTRACTOR.
R: EXISTING DEVICES TO BE REPLACED WITH NEW BY THE CONTRACTOR.
N: NEW DEVICES TO BE PROVIDED AND INSTALLED BY THE CONTRACTOR.
ALL HEIGHTS ARE TO CENTER OF DEVICE UNLESS NOTED OTHERWISE. HEIGHTS INDICATED IN PLANS SHALL SUPERSEDE THOSE LISTED HERE.

KEY PLAN

SCALE: NO SCALE



WALL RATING LEGEND

1 HR - FIRE SEPARATION
2 HR - FIRE SEPARATION
SMOKE RESISTIVE HAZARDOUS AREA

FULLY SPRINKLERED

100% CONSTRUCTION DOCUMENTS

#	Revisions:	Date

CONSULTANTS:

REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER — Glenn D Allsbrook III — Bicsi — BICSI ID # 363972 — EXPIRES 12-31-24 — RCDD — 12/15/2022

NORTH CAROLINA PROFESSIONAL ENGINEER SEAL 52505 — JOSHUA D. MEYER — 12/15/2022

PROJECT MANAGER

ACG Project Number 22-038

APOGEE Engineers | Architects

Headquarters:
Apogee Consulting Group, P.A.
1151 Kildaire Farm Road, Suite 120
Cary, North Carolina 27511

www.acg-pa.com 919-858-7420

© COPYRIGHT Apogee Consulting Group, P.A.

Office of Construction and Facilities Management

VA U.S. Department of Veterans Affairs

Drawing Title: BASEMENT FLOOR E PAMNS

Project Title: REMOVE AND REPLACE PUBLIC ADDRESS SYSTEM

VA PROJECT NUMBER: 548-22-100

Building Number: #

Location: WEST PALM BEACH VAMC, 7305 NORTH MILITARY TRAIL, WEST PALM BEACH FL, 33410-6400

Approved

Date: DECEMBER 14, 2022 | Checked: JDM | Drawn: HT

Drawing Number: T-104

Dwg 5 of 32

C:\Users\pneusersschwander\Documents\E_22-038_West_Palm_Beach-Replace_PAMNS-FL_pneusersschwander.rvt
12/14/2022 4:09:45 PM
VA FORM 08-6231

DocuSign Envelope ID: 88475F19-AD36-411D-B79A-CDEEC92A0411



1 **CLC NE PAMNS**
Scale: 3/32" = 1'-0"

SHEET NOTES:

A. PROVIDE PAMNS DEVICES AT LOCATIONS INDICATED ON PLANS. PROVIDE WIRING AND CIRCUIT AS INDICATED ON DETAILS.

B. ALL PAMN WIRING SHALL BE CONCEALED IN WALLS, IN RACEWAY OR AND ABOVE THE CEILING IN CONDUIT.

C. PAMN WIRING IN UNFINISHED AREAS SHALL BE IN SURFACE MOUNTED RACEWAY (MECH. ROOM, ROOMS WITH NO CEILINGS.)

D. ALL CEILING SPEAKERS SHALL BE SET AT 1/2 WATT UNLESS NOTED OTHERWISE.

E. ALL WALL MOUNTED SPEAKERS SHALL BE SET AT 4 WATTS UNLESS NOTED OTHERWISE.

F. CONTRACTOR RESPONSIBLE FOR PROVIDING AND INSTALLING FIRE SLEEVES FOR FIREWALL. CONTRACTOR SHALL ADEQUATELY REPAIR ANY FIREWALL PENETRATIONS.

KEY NOTES:

1 VOLUME TO CONTROL FOR CORRIDOR C1-6, C1-7 SPEAKERS LOCATED IN SPS TO UTILIZE EXISTING CONDUIT TO PULL SPEAKER CABLING. SPEAKERS SHALL BE INITIALLY SET AT 5 WATTS.

ABBREVIATED SYMBOL LEGEND

SYMBOL	HEIGHT	DESCRIPTION
S	CEILING	CEILING MOUNTED SPEAKER
S	96"	WALL MOUNTED SPEAKER
S	AS NOTED	WALL MOUNTED HORN
VC	48"	VOLUME CONTROL
PS	48"	PAGING CONSOLE
PA	FLOOR	PAGING CABINET

DEVICES WITH THE FOLLOWING TAGS ARE AS INDICATED:
E: EXISTING DEVICES TO REMAIN. PROVIDE NEW CABLING AND CONDUIT AS NEEDED.
D: EXISTING DEVICES TO BE DEMOLISHED BY THE CONTRACTOR.
R: EXISTING DEVICES TO BE REPLACED WITH NEW BY THE CONTRACTOR.
N: NEW DEVICES TO BE PROVIDED AND INSTALLED BY THE CONTRACTOR.
ALL HEIGHTS ARE TO CENTER OF DEVICE UNLESS NOTED OTHERWISE. HEIGHTS INDICATED IN PLANS SHALL SUPERSEDE THOSE LISTED HERE.

KEY PLAN

SCALE: NO SCALE



WALL RATING LEGEND

1 HR - FIRE SEPARATION
2 HR - FIRE SEPARATION
SMOKE RESISTIVE HAZARDOUS AREA

FULLY SPRINKLERED
100% CONSTRUCTION DOCUMENTS

#	Revisions:	Date

CONSULTANTS:

REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER — Glenn D Allsbrook III — BICSI ID # 363972 — Expires 12-31-24 — RCDD — 12/15/2022

NORTH CAROLINA PROFESSIONAL SEAL 52505 ENGINEER — JOSHUA D. MEYER — 12/15/2022

PROJECT MANAGER

ACG Project Number 22-038

APOGEE Engineers | Architects

Headquarters:
Apogee Consulting Group, P.A.
1151 Kildaire Farm Road, Suite 120
Cary, North Carolina 27511
www.acg-pa.com 919-858-7420

© COPYRIGHT Apogee Consulting Group, P.A.

Office of Construction and Facilities Management
VA U.S. Department of Veterans Affairs

Drawing Title: CLC NE PAMNS

Project Title: REMOVE AND REPLACE PUBLIC ADDRESS SYSTEM

VA PROJECT NUMBER: 548-22-100

Building Number: #

Location: WEST PALM BEACH VAMC
7305 NORTH MILITARY TRAIL
WEST PALM BEACH FL, 33410-6400

Approved

Date: DECEMBER 14, 2022 | Checked: JDM | Drawn: HT

Drawing Number: T-105

Dwg 6 of 32

DocuSign Envelope ID: 88475F19-AD36-411D-B79A-CDEEC92A0411

REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER
Bicsi
Glenn D Allsbrook III
BICSI ID # 363972
Expires 12-31-24
RCDD



1 **CLC SW PAMNS**
Scale: 3/32" = 1'-0"

SHEET NOTES:

A. PROVIDE PAMNS DEVICES AT LOCATIONS INDICATED ON PLANS. PROVIDE WIRING AND CIRCUIT AS INDICATED ON DETAILS.

B. ALL PAMN WIRING SHALL BE CONCEALED IN WALLS, IN RACEWAY OR AND ABOVE THE CEILING IN CONDUIT.

C. PAMN WIRING IN UNFINISHED AREAS SHALL BE IN SURFACE MOUNTED RACEWAY (MECH. ROOM, ROOMS WITH NO CEILINGS.)

D. ALL CEILING SPEAKERS SHALL BE SET AT 1/2 WATT UNLESS NOTED OTHERWISE.

E. ALL WALL MOUNTED SPEAKERS SHALL BE SET AT 4 WATTS UNLESS NOTED OTHERWISE.

F. CONTRACTOR RESPONSIBLE FOR PROVIDING AND INSTALLING FIRE SLEEVES FOR FIREWALL. CONTRACTOR SHALL ADEQUATELY REPAIR ANY FIREWALL PENETRATIONS.

KEY NOTES:

1 VOLUME CONTROL FOR HOSPICE ZONE CLC-H.

2 VOLUME CONTROL FOR CORRIDORS C1-22, C1-24, C1-25.

ABBREVIATED SYMBOL LEGEND

SYMBOL	HEIGHT	DESCRIPTION
S	CEILING	CEILING MOUNTED SPEAKER
S	96"	WALL MOUNTED SPEAKER
S	AS NOTED	WALL MOUNTED HORN
VC	48"	VOLUME CONTROL
PS	48"	PAGING CONSOLE
PA	FLOOR	PAGING CABINET

DEVICES WITH THE FOLLOWING TAGS ARE AS INDICATED:
E: EXISTING DEVICES TO REMAIN. PROVIDE NEW CABLING AND CONDUIT AS NEEDED.
D: EXISTING DEVICES TO BE DEMOLISHED BY THE CONTRACTOR.
R: EXISTING DEVICES TO BE REPLACED WITH NEW BY THE CONTRACTOR.
N: NEW DEVICES TO BE PROVIDED AND INSTALLED BY THE CONTRACTOR.
ALL HEIGHTS ARE TO CENTER OF DEVICE UNLESS NOTED OTHERWISE. HEIGHTS INDICATED IN PLANS SHALL SUPERSEDE THOSE LISTED HERE.

KEY PLAN

SCALE: NO SCALE

SCOPE OUTLINE
AREA OF WORK



WALL RATING LEGEND

1 HR - FIRE SEPARATION
2 HR - FIRE SEPARATION
SMOKE RESISTIVE HAZARDOUS AREA

FULLY SPRINKLERED

100% CONSTRUCTION DOCUMENTS

#	Revisions:	Date

CONSULTANTS:

Bicsi
Glenn D Allsbrook III
BICSI ID # 363972
Expires 12-31-24
RCDD
12/15/2022

NORTH CAROLINA PROFESSIONAL ENGINEER SEAL 52505 JOSHUA D. MEIER
12/15/2022

PROJECT MANAGER
ACG Project Number 22-038

APOGEE Engineers | Architects

Headquarters:
Apogee Consulting Group, P.A.
1151 Kildaire Farm Road, Suite 120
Cary, North Carolina 27511
www.acg-pa.com 919-858-7420

© COPYRIGHT Apogee Consulting Group, P.A.

Office of Construction and Facilities Management

VA U.S. Department of Veterans Affairs

Drawing Title: CLC SW PAMNS

Project Title: REMOVE AND REPLACE PUBLIC ADDRESS SYSTEM

VA PROJECT NUMBER 548-22-100

Building Number #

Location: WEST PALM BEACH VAMC
7305 NORTH MILITARY TRAIL
WEST PALM BEACH FL, 33410-6400

Approved

Date	Checked	Drawn
DECEMBER 14, 2022	JDM	HT

Drawing Number T-106

C:\Users\jpneuenschwander\Documents\E_22-038_West_Palm_Beach-Replace_PAMNS-FL_jpneuenschwander.rvt
12/14/2022 4:09:53 PM
VA FORM 08-6231

DocuSign Envelope ID: 88475F19-AD36-411D-B79A-CDEEC92A0411

REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER — Bicsi — Glenn D Allsbrook III — BICSI ID # 363972 — EXPIRES 12-31-24 — RCDD



1 **FIRST FLOOR SE PAMNS**
Scale: 3/32" = 1'-0"

SHEET NOTES:

A. PROVIDE PAMNS DEVICES AT LOCATIONS INDICATED ON PLANS. PROVIDE WIRING AND CIRCUIT AS INDICATED ON DETAILS.

B. ALL PAMN WIRING SHALL BE CONCEALED IN WALLS, IN RACEWAY OR AND ABOVE THE CEILING IN CONDUIT.

C. PAMN WIRING IN UNFINISHED AREAS SHALL BE IN SURFACE MOUNTED RACEWAY (MECH. ROOM, ROOMS WITH NO CEILINGS.)

D. ALL CEILING SPEAKERS SHALL BE SET AT 1/2 WATT UNLESS NOTED OTHERWISE.

E. ALL WALL MOUNTED SPEAKERS SHALL BE SET AT 4 WATTS UNLESS NOTED OTHERWISE.

F. CONTRACTOR RESPONSIBLE FOR PROVIDING AND INSTALLING FIRE SLEEVES FOR FIREWALL. CONTRACTOR SHALL ADEQUATELY REPAIR ANY FIREWALL PENETRATIONS.

KEY NOTES:

1 VOLUME CONTROL FOR EMERGENCY ROOM 1A-C3, 1A-C14, 1A-C13, 1A-C1, 1A-109.

ABBREVIATED SYMBOL LEGEND

SYMBOL	HEIGHT	DESCRIPTION
S	CEILING	CEILING MOUNTED SPEAKER
S	96"	WALL MOUNTED SPEAKER
S	AS NOTED	WALL MOUNTED HORN
VC	48"	VOLUME CONTROL
PS	48"	PAGING CONSOLE
PA	FLOOR	PAGING CABINET

DEVICES WITH THE FOLLOWING TAGS ARE AS INDICATED:
E: EXISTING DEVICES TO REMAIN. PROVIDE NEW CABLING AND CONDUIT AS NEEDED.
D: EXISTING DEVICES TO BE DEMOLISHED BY THE CONTRACTOR.
R: EXISTING DEVICES TO BE REPLACED WITH NEW BY THE CONTRACTOR.
N: NEW DEVICES TO BE PROVIDED AND INSTALLED BY THE CONTRACTOR.
ALL HEIGHTS ARE TO CENTER OF DEVICE UNLESS NOTED OTHERWISE. HEIGHTS INDICATED IN PLANS SHALL SUPERSEDE THOSE LISTED HERE.

KEY PLAN

SCALE: NO SCALE



WALL RATING LEGEND

1 HR - FIRE SEPARATION
2 HR - FIRE SEPARATION
SMOKE RESISTIVE HAZARDOUS AREA

FULLY SPRINKLERED

100% CONSTRUCTION DOCUMENTS

#	Revisions:	Date

CONSULTANTS:

REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER — Bicsi — Glenn D Allsbrook III — BICSI ID # 363972 — EXPIRES 12-31-24 — RCDD — 12/15/2022

NORTH CAROLINA PROFESSIONAL ENGINEER SEAL 52505 JOSHUA D. MEIER — 12/15/2022

PROJECT MANAGER

ACG Project Number 22-038

APOGEE Engineers | Architects
Headquarters:
Apogee Consulting Group, P.A.
1151 Kildaire Farm Road, Suite 120
Cary, North Carolina 27511
www.acg-pa.com 919-858-7420

© COPYRIGHT Apogee Consulting Group, P.A.

Office of Construction and Facilities Management

VA U.S. Department of Veterans Affairs

Drawing Title: FIRST FLOOR SE PAMNS

Location: WEST PALM BEACH VAMC
7305 NORTH MILITARY TRAIL
WEST PALM BEACH FL, 33410-6400

Project Title: REMOVE AND REPLACE PUBLIC ADDRESS SYSTEM

Approved:

Date	Checked	Drawn
DECEMBER 14, 2022	JDM	HT

VA PROJECT NUMBER 548-22-100

Building Number #

Drawing Number T-111

Dwg 8 of 32

C:\Users\pneuenschwander\Documents\E_22-038_West_Palm_Beach-Replace_PAMNS-FL_pneuenschwander.rvt
12/14/2022 4:09:56 PM
VA FORM 08-6231

DocuSign Envelope ID: 88475F19-AD36-411D-B79A-CDEEC92A0411



1 **FIRST FLOOR CENT PAMNS**
Scale: 3/32" = 1'-0"

SHEET NOTES:

A. PROVIDE PAMNS DEVICES AT LOCATIONS INDICATED ON PLANS. PROVIDE WIRING AND CIRCUIT AS INDICATED ON DETAILS.

B. ALL PAMN WIRING SHALL BE CONCEALED IN WALLS, IN RACEWAY OR AND ABOVE THE CEILING IN CONDUIT.

C. PAMN WIRING IN UNFINISHED AREAS SHALL BE IN SURFACE MOUNTED RACEWAY (MECH. ROOM, ROOMS WITH NO CEILINGS.)

D. ALL CEILING SPEAKERS SHALL BE SET AT 1/2 WATT UNLESS NOTED OTHERWISE.

E. ALL WALL MOUNTED SPEAKERS SHALL BE SET AT 4 WATTS UNLESS NOTED OTHERWISE.

F. CONTRACTOR RESPONSIBLE FOR PROVIDING AND INSTALLING FIRE SLEEVES FOR FIREWALL. CONTRACTOR SHALL ADEQUATELY REPAIR ANY FIREWALL PENETRATIONS.

KEY NOTES:

1 LOCATION OF VERTICAL RISER IN LIFT SHAFT. REF. T-601.

ABBREVIATED SYMBOL LEGEND

SYMBOL	HEIGHT	DESCRIPTION
S	CEILING	CEILING MOUNTED SPEAKER
S	96"	WALL MOUNTED SPEAKER
S	AS NOTED	WALL MOUNTED HORN
VC	48"	VOLUME CONTROL
PS	48"	PAGING CONSOLE
PA	FLOOR	PAGING CABINET

DEVICES WITH THE FOLLOWING TAGS ARE AS INDICATED:
E: EXISTING DEVICES TO REMAIN. PROVIDE NEW CABLING AND CONDUIT AS NEEDED.
D: EXISTING DEVICES TO BE DEMOLISHED BY THE CONTRACTOR.
R: EXISTING DEVICES TO BE REPLACED WITH NEW BY THE CONTRACTOR.
N: NEW DEVICES TO BE PROVIDED AND INSTALLED BY THE CONTRACTOR.
ALL HEIGHTS ARE TO CENTER OF DEVICE UNLESS NOTED OTHERWISE. HEIGHTS INDICATED IN PLANS SHALL SUPERSEDE THOSE LISTED HERE.

KEY PLAN

SCALE: NO SCALE

SCOPE OUTLINE
AREA OF WORK

WALL RATING LEGEND

1 HR - FIRE SEPARATION
2 HR - FIRE SEPARATION
SMOKE RESISTIVE HAZARDOUS AREA

FULLY SPRINKLERED

100% CONSTRUCTION DOCUMENTS

#	Revisions:	Date

CONSULTANTS:

REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER Glenn D Allsbrook III BICSI ID # 363972 Exp#RES 12-31-24 RCDD 12/15/2022

NORTH CAROLINA PROFESSIONAL ENGINEER SEAL 52505 Joshua D. Meier 12/15/2022

PROJECT MANAGER

ACG Project Number 22-038

APOGEE Engineers | Architects

Headquarters:
Apogee Consulting Group, P.A.
1151 Kildaire Farm Road, Suite 120
Cary, North Carolina 27511
www.acg-pa.com 919-858-7420

© COPYRIGHT Apogee Consulting Group, P.A.

Office of Construction and Facilities Management

VA U.S. Department of Veterans Affairs

Drawing Title: FIRST FLOOR CENT PAMNS

Project Title: REMOVE AND REPLACE PUBLIC ADDRESS SYSTEM

VA PROJECT NUMBER: 548-22-100

Building Number: #

Location: WEST PALM BEACH VAMC, 7305 NORTH MILITARY TRAIL, WEST PALM BEACH FL, 33410-6400

Approved

Date: DECEMBER 14, 2022 | Checked: JDM | Drawn: HT

Drawing Number: T-112

Dwg 9 of 32

DocuSign Envelope ID: 88475F19-AD36-411D-B79A-CDEEC92A0411



1 **FIRST FLOOR NW PAMNS**
Scale: 3/32" = 1'-0"

SHEET NOTES:

A. PROVIDE PAMNS DEVICES AT LOCATIONS INDICATED ON PLANS. PROVIDE WIRING AND CIRCUIT AS INDICATED ON DETAILS.

B. ALL PAMN WIRING SHALL BE CONCEALED IN WALLS, IN RACEWAY OR AND ABOVE THE CEILING IN CONDUIT.

C. PAMN WIRING IN UNFINISHED AREAS SHALL BE IN SURFACE MOUNTED RACEWAY (MECH. ROOM, ROOMS WITH NO CEILINGS.)

D. ALL CEILING SPEAKERS SHALL BE SET AT 1/2 WATT UNLESS NOTED OTHERWISE.

E. ALL WALL MOUNTED SPEAKERS SHALL BE SET AT 4 WATTS UNLESS NOTED OTHERWISE.

F. CONTRACTOR RESPONSIBLE FOR PROVIDING AND INSTALLING FIRE SLEEVES FOR FIREWALL. CONTRACTOR SHALL ADEQUATELY REPAIR ANY FIREWALL PENETRATIONS.

KEY NOTES:

ABBREVIATED SYMBOL LEGEND

SYMBOL	HEIGHT	DESCRIPTION
S	CEILING	CEILING MOUNTED SPEAKER
S	96"	WALL MOUNTED SPEAKER
	AS NOTED	WALL MOUNTED HORN
VC	48"	VOLUME CONTROL
PC	48"	PAGING CONSOLE
PA	FLOOR	PAGING CABINET

DEVICES WITH THE FOLLOWING TAGS ARE AS INDICATED:
E: EXISTING DEVICES TO REMAIN. PROVIDE NEW CABLING AND CONDUIT AS NEEDED.
D: EXISTING DEVICES TO BE DEMOLISHED BY THE CONTRACTOR.
R: EXISTING DEVICES TO BE REPLACED WITH NEW BY THE CONTRACTOR.
N: NEW DEVICES TO BE PROVIDED AND INSTALLED BY THE CONTRACTOR.
ALL HEIGHTS ARE TO CENTER OF DEVICE UNLESS NOTED OTHERWISE. HEIGHTS INDICATED IN PLANS SHALL SUPERSEDE THOSE LISTED HERE.

KEY PLAN

SCALE: NO SCALE

SCOPE OUTLINE
AREA OF WORK

WALL RATING LEGEND

1 HR - FIRE SEPARATION
2 HR - FIRE SEPARATION
SMOKE RESISTIVE HAZARDOUS AREA

FULLY SPRINKLERED

100% CONSTRUCTION DOCUMENTS

#	Revisions:	Date

CONSULTANTS:

Glenn D Allsbrook III — BICSI ID # 363972 — REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER — RCDD — 12/15/2022

NORTH CAROLINA PROFESSIONAL ENGINEER SEAL 52505 JOSHUA D. MEIER — 12/15/2022

PROJECT MANAGER
ACG Project Number 22-038

APOGEE Engineers | Architects

Headquarters:
Apogee Consulting Group, P.A.
1151 Kildaire Farm Road, Suite 120
Cary, North Carolina 27511
www.acg-pa.com 919-858-7420

© COPYRIGHT Apogee Consulting Group, P.A.

Office of Construction and Facilities Management

VA U.S. Department of Veterans Affairs

Drawing Title: FIRST FLOOR NW PAMNS

Project Title: REMOVE AND REPLACE PUBLIC ADDRESS SYSTEM

VA PROJECT NUMBER: 548-22-100

Building Number: #

Location: WEST PALM BEACH VAMC, 7305 NORTH MILITARY TRAIL, WEST PALM BEACH FL, 33410-6400

Approved:

Drawing Number: T-113

Date: DECEMBER 14, 2022 | Checked: JDM | Drawn: HT

Dwg 10 of 32

C:\Users\jpneuenschwander\Documents\E_22-038_West_Palm_Beach-Replace_PAMNS-FL_pneuenschwander.rvt
12/14/2022 4:10:03 PM
VA FORM 08-6231

DocuSign Envelope ID: 88475F19-AD36-411D-B79A-CDEEC92A0411

REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER
Bicsi
Glenn D Allsbrook III
BICSI ID # 363972
EXPIRES 12-31-24
RCDD



2 BUILDING 16 FIRST FLOOR SE PAMNS
Scale: 3/32" = 1'-0"



1 FIRST FLOOR E PAMNS
Scale: 3/32" = 1'-0"

SHEET NOTES:

A. PROVIDE PAMNS DEVICES AT LOCATIONS INDICATED ON PLANS. PROVIDE WIRING AND CIRCUIT AS INDICATED ON DETAILS.

B. ALL PAMN WIRING SHALL BE CONCEALED IN WALLS, IN RACEWAY OR AND ABOVE THE CEILING IN CONDUIT.

C. PAMN WIRING IN UNFINISHED AREAS SHALL BE IN SURFACE MOUNTED RACEWAY (MECH. ROOM, ROOMS WITH NO CEILINGS.)

D. ALL CEILING SPEAKERS SHALL BE SET AT 1/2 WATT UNLESS NOTED OTHERWISE.

E. ALL WALL MOUNTED SPEAKERS SHALL BE SET AT 4 WATTS UNLESS NOTED OTHERWISE.

F. CONTRACTOR RESPONSIBLE FOR PROVIDING AND INSTALLING FIRE SLEEVES FOR FIREWALL. CONTRACTOR SHALL ADEQUATELY REPAIR ANY FIREWALL PENETRATIONS.

KEY NOTES:

ABBREVIATED SYMBOL LEGEND

SYMBOL	HEIGHT	DESCRIPTION
S	CEILING	CEILING MOUNTED SPEAKER
S	96"	WALL MOUNTED SPEAKER
H	AS NOTED	WALL MOUNTED HORN
VC	48"	VOLUME CONTROL
PC	48"	PAGING CONSOLE
PA	FLOOR	PAGING CABINET

DEVICES WITH THE FOLLOWING TAGS ARE AS INDICATED:
E: EXISTING DEVICES TO REMAIN. PROVIDE NEW CABLING AND CONDUIT AS NEEDED.
D: EXISTING DEVICES TO BE DEMOLISHED BY THE CONTRACTOR.
R: EXISTING DEVICES TO BE REPLACED WITH NEW BY THE CONTRACTOR.
N: NEW DEVICES TO BE PROVIDED AND INSTALLED BY THE CONTRACTOR.
ALL HEIGHTS ARE TO CENTER OF DEVICE UNLESS NOTED OTHERWISE. HEIGHTS INDICATED IN PLANS SHALL SUPERSEDE THOSE LISTED HERE.

KEY PLAN

SCALE: NO SCALE

SCOPE OUTLINE
AREA OF WORK



WALL RATING LEGEND

1 HR - FIRE SEPARATION
2 HR - FIRE SEPARATION
SMOKE RESISTIVE HAZARDOUS AREA

FULLY SPRINKLERED

100% CONSTRUCTION DOCUMENTS

#	Revisions:	Date

CONSULTANTS:

Glenn D. Allsbrook, III — Bicsi — Glenn D Allsbrook III — BICSI ID # 363972 — EXPIRES 12-31-24 — RCDD — 12/15/2022

NORTH CAROLINA PROFESSIONAL ENGINEER — SEAL 52505 — JOSHUA D. MEIER — 12/15/2022

PROJECT MANAGER
ACG Project Number 22-038

APOGEE Engineers | Architects
Headquarters:
Apogee Consulting Group, P.A.
1151 Kildaire Farm Road, Suite 120
Cary, North Carolina 27511
www.acg-pa.com 919-858-7420

© COPYRIGHT Apogee Consulting Group, P.A.

Office of Construction and Facilities Management

VA U.S. Department of Veterans Affairs

Drawing Title: FIRST FLOOR E PAMNS

Location: WEST PALM BEACH VAMC
7305 NORTH MILITARY TRAIL
WEST PALM BEACH FL, 33410-6400

Project Title: REMOVE AND REPLACE PUBLIC ADDRESS SYSTEM

Approved:

Date	Checked	Drawn
DECEMBER 14, 2022	JDM	HT

VA PROJECT NUMBER: 548-22-100
Building Number: #
Drawing Number: T-114
Dwg 11 of 32

C:\Users\jpneuenschwander\Documents\E_22-038_West_Palm_Beach-Replace_PAMNS-FL_jpneuenschwander.rvt
12/14/2022 4:10:06 PM
VA FORM 08-6231

DocuSign Envelope ID: 88475F19-AD36-411D-B79A-CDEEC92A0411

REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER
Bicsi
Glenn D Allsbrook III
BICSI ID # 363972
EXPIRES 12-31-24
RCDD



1 **FIRST FLOOR S PAMNS**
Scale: 3/32" = 1'-0"

0 4 8 16

NORTH

SHEET NOTES:

A. PROVIDE PAMNS DEVICES AT LOCATIONS INDICATED ON PLANS. PROVIDE WIRING AND CIRCUIT AS INDICATED ON DETAILS.

B. ALL PAMN WIRING SHALL BE CONCEALED IN WALLS, IN RACEWAY OR AND ABOVE THE CEILING IN CONDUIT.

C. PAMN WIRING IN UNFINISHED AREAS SHALL BE IN SURFACE MOUNTED RACEWAY (MECH. ROOM, ROOMS WITH NO CEILINGS.)

D. ALL CEILING SPEAKERS SHALL BE SET AT 1/2 WATT UNLESS NOTED OTHERWISE.

E. ALL WALL MOUNTED SPEAKERS SHALL BE SET AT 4 WATTS UNLESS NOTED OTHERWISE.

F. CONTRACTOR RESPONSIBLE FOR PROVIDING AND INSTALLING FIRE SLEEVES FOR FIREWALL. CONTRACTOR SHALL ADEQUATELY REPAIR ANY FIREWALL PENETRATIONS.

KEY NOTES:

1 VOLUME CONTROL FOR EMERGENCY ROOM 1A-C3, 1A-C14, 1A-C13, 1A-C1, 1A-109.

ABBREVIATED SYMBOL LEGEND

SYMBOL	HEIGHT	DESCRIPTION
S	CEILING	CEILING MOUNTED SPEAKER
S	96"	WALL MOUNTED SPEAKER
S	AS NOTED	WALL MOUNTED HORN
VC	48"	VOLUME CONTROL
PS	48"	PAGING CONSOLE
PA	FLOOR	PAGING CABINET

DEVICES WITH THE FOLLOWING TAGS ARE AS INDICATED:
E: EXISTING DEVICES TO REMAIN. PROVIDE NEW CABLING AND CONDUIT AS NEEDED.
D: EXISTING DEVICES TO BE DEMOLISHED BY THE CONTRACTOR.
R: EXISTING DEVICES TO BE REPLACED WITH NEW BY THE CONTRACTOR.
N: NEW DEVICES TO BE PROVIDED AND INSTALLED BY THE CONTRACTOR.
ALL HEIGHTS ARE TO CENTER OF DEVICE UNLESS NOTED OTHERWISE. HEIGHTS INDICATED IN PLANS SHALL SUPERSEDE THOSE LISTED HERE.

KEY PLAN

SCALE: NO SCALE

SCOPE OUTLINE
AREA OF WORK



WALL RATING LEGEND

1 HR - FIRE SEPARATION
2 HR - FIRE SEPARATION
SMOKE RESISTIVE HAZARDOUS AREA

FULLY SPRINKLERED

100% CONSTRUCTION DOCUMENTS

#	Revisions:	Date

CONSULTANTS:

REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER — Glenn D Allsbrook III — Bicsi — Glenn D Allsbrook III — BICSI ID # 363972 — EXPIRES 12-31-24 — RCDD 12/15/2022

NORTH CAROLINA PROFESSIONAL SEAL 52505 ENGINEER JOSHUA D. MEYER 12/15/2022

PROJECT MANAGER

ACG Project Number 22-038

APOGEE Engineers | Architects

Headquarters:
Apogee Consulting Group, P.A.
1151 Kildaire Farm Road, Suite 120
Cary, North Carolina 27511
www.acg-pa.com 919-858-7420

© COPYRIGHT Apogee Consulting Group, P.A.

Office of Construction and Facilities Management

VA U.S. Department of Veterans Affairs

Drawing Title: FIRST FLOOR S PAMNS

Project Title: REMOVE AND REPLACE PUBLIC ADDRESS SYSTEM

VA PROJECT NUMBER: 548-22-100

Building Number: #

Location: WEST PALM BEACH VAMC
7305 NORTH MILITARY TRAIL
WEST PALM BEACH FL, 33410-6400

Approved

Date: DECEMBER 14, 2022 | Checked: JDM | Drawn: HT

Drawing Number: T-115

Dwg 12 of 32

12/14/2022 4:10:09 PM C:\Users\jmeyer\schwander\Documents\E_22-038_West_Palm_Beach-Replace_PAMNS-FL_jmeyer@schwander.rvt

VA FORM 08-6231

REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER
DocuSign Envelope ID: 88475F19-AD36-411D-B79A-CDEEC92A0411
Bicsi
Glenn D Allsbrook III
BICSI ID # 363972
EXPIRES 12-31-24
RCDD



1 SECOND FLOOR SE PAMNS

Scale: 3/32" = 1'-0"

0 4 8 16 NORTH

SHEET NOTES:

A. PROVIDE PAMNS DEVICES AT LOCATIONS INDICATED ON PLANS. PROVIDE WIRING AND CIRCUIT AS INDICATED ON DETAILS.

B. ALL PAMN WIRING SHALL BE CONCEALED IN WALLS, IN RACEWAY OR AND ABOVE THE CEILING IN CONDUIT.

C. PAMN WIRING IN UNFINISHED AREAS SHALL BE IN SURFACE MOUNTED RACEWAY (MECH. ROOM, ROOMS WITH NO CEILINGS.)

D. ALL CEILING SPEAKERS SHALL BE SET AT 1/2 WATT UNLESS NOTED OTHERWISE.

E. ALL WALL MOUNTED SPEAKERS SHALL BE SET AT 4 WATTS UNLESS NOTED OTHERWISE.

F. CONTRACTOR RESPONSIBLE FOR PROVIDING AND INSTALLING FIRE SLEEVES FOR FIREWALL. CONTRACTOR SHALL ADEQUATELY REPAIR ANY FIREWALL PENETRATIONS.

KEY NOTES:

1 VOLUME CONTROL FOR SURGICAL CORRIDORS 2A-C2, 2A-C3, 2A-C7.
2 VOLUME CONTROL FOR STERILE CORE 2A-227A.
3 VOLUME CONTROL FOR CORRIDORS 2A-C4.
4 VOLUME CONTROL FOR ANTEROOM 2A-282 & PREOP/RECOVERY 2A-C1, 2A-C2, 2A-C3, 2A-C6, 2A-C7.
5 VOLUME CONTROL FOR RECOVERY ROOM 2A-320.

ABBREVIATED SYMBOL LEGEND

SYMBOL	HEIGHT	DESCRIPTION
S	CEILING	CEILING MOUNTED SPEAKER
S	96"	WALL MOUNTED SPEAKER
S	AS NOTED	WALL MOUNTED HORN
VC	48"	VOLUME CONTROL
PS	48"	PAGING CONSOLE
PA	FLOOR	PAGING CABINET

DEVICES WITH THE FOLLOWING TAGS ARE AS INDICATED:
E: EXISTING DEVICES TO REMAIN. PROVIDE NEW CABLING AND CONDUIT AS NEEDED.
D: EXISTING DEVICES TO BE DEMOLISHED BY THE CONTRACTOR.
R: EXISTING DEVICES TO BE REPLACED WITH NEW BY THE CONTRACTOR.
N: NEW DEVICES TO BE PROVIDED AND INSTALLED BY THE CONTRACTOR.
ALL HEIGHTS ARE TO CENTER OF DEVICE UNLESS NOTED OTHERWISE. HEIGHTS INDICATED IN PLANS SHALL SUPERSEDE THOSE LISTED HERE.

KEY PLAN

SCALE: NO SCALE

SCOPE OUTLINE
AREA OF WORK



WALL RATING LEGEND

1 HR - FIRE SEPARATION
2 HR - FIRE SEPARATION
SMOKE RESISTIVE HAZARDOUS AREA

FULLY SPRINKLERED

100% CONSTRUCTION DOCUMENTS

#	Revisions:	Date

CONSULTANTS:

REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER Glenn D Allsbrook III Bicsi BICSI ID # 363972 EXP#12-31-24 RCDD 12/15/2022

NORTH CAROLINA PROFESSIONAL SEAL 52505 ENGINEER JOSHUA D. MEYER 12/15/2022

PROJECT MANAGER

ACG Project Number 22-038

APOGEE Engineers | Architects

Headquarters:
Apogee Consulting Group, P.A.
1151 Kildaire Farm Road, Suite 120
Cary, North Carolina 27511
www.acg-pa.com 919-858-7420

© COPYRIGHT Apogee Consulting Group, P.A.

Office of Construction and Facilities Management

VA U.S. Department of Veterans Affairs

Drawing Title: SECOND FLOOR SE PAMNS

Project Title: REMOVE AND REPLACE PUBLIC ADDRESS SYSTEM

VA PROJECT NUMBER: 548-22-100

Building Number: #

Location: WEST PALM BEACH VAMC, 7305 NORTH MILITARY TRAIL, WEST PALM BEACH FL, 33410-6400

Approved

Date: DECEMBER 14, 2022 | Checked: JDM | Drawn: HT

Drawing Number: T-121

Dwg 13 of 32

DocuSign Envelope ID: 88475F19-AD36-411D-B79A-CDEEC92A0411

REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER
Bicsi
Glenn D Allsbrook III
BICSI ID # 363972
EXPIRES 12-31-24
RCDD



1 **SECOND FLOOR CENT PAMNS**
Scale: 3/32" = 1'-0"

0 4 8 16

NORTH

SHEET NOTES:

A. PROVIDE PAMNS DEVICES AT LOCATIONS INDICATED ON PLANS. PROVIDE WIRING AND CIRCUIT AS INDICATED ON DETAILS.

B. ALL PAMN WIRING SHALL BE CONCEALED IN WALLS, IN RACEWAY OR AND ABOVE THE CEILING IN CONDUIT.

C. PAMN WIRING IN UNFINISHED AREAS SHALL BE IN SURFACE MOUNTED RACEWAY (MECH. ROOM, ROOMS WITH NO CEILINGS.)

D. ALL CEILING SPEAKERS SHALL BE SET AT 1/2 WATT UNLESS NOTED OTHERWISE.

E. ALL WALL MOUNTED SPEAKERS SHALL BE SET AT 4 WATTS UNLESS NOTED OTHERWISE.

F. CONTRACTOR RESPONSIBLE FOR PROVIDING AND INSTALLING FIRE SLEEVES FOR FIREWALL. CONTRACTOR SHALL ADEQUATELY REPAIR ANY FIREWALL PENETRATIONS.

KEY NOTES:

1 LOCATION OF VERTICAL RISER IN LIFT SHAFT. REF. T-601.

2 VOLUME CONTROL FOR MICU CORRIDORS 2B-C14, 2B-276, 2B-280, AND 2B-294A.

3 VOLUME CONTROL FOR CATH 2B-227 AND CATH LAB CORRIDORS.

4 VOLUME CONTROL FOR CICU 2B-C9, 2B-331, AND 2B-334.

ABBREVIATED SYMBOL LEGEND

SYMBOL	HEIGHT	DESCRIPTION
S	CEILING	CEILING MOUNTED SPEAKER
S	96"	WALL MOUNTED SPEAKER
S	AS NOTED	WALL MOUNTED HORN
VC	48"	VOLUME CONTROL
PS	48"	PAGING CONSOLE
PA	FLOOR	PAGING CABINET

DEVICES WITH THE FOLLOWING TAGS ARE AS INDICATED:
E: EXISTING DEVICES TO REMAIN. PROVIDE NEW CABLING AND CONDUIT AS NEEDED.
D: EXISTING DEVICES TO BE DEMOLISHED BY THE CONTRACTOR.
R: EXISTING DEVICES TO BE REPLACED WITH NEW BY THE CONTRACTOR.
N: NEW DEVICES TO BE PROVIDED AND INSTALLED BY THE CONTRACTOR.
ALL HEIGHTS ARE TO CENTER OF DEVICE UNLESS NOTED OTHERWISE. HEIGHTS INDICATED IN PLANS SHALL SUPERSEDE THOSE LISTED HERE.

KEY PLAN

SCALE: NO SCALE

SCOPE OUTLINE
AREA OF WORK



WALL RATING LEGEND

1 HR - FIRE SEPARATION
2 HR - FIRE SEPARATION
SMOKE RESISTIVE HAZARDOUS AREA

FULLY SPRINKLERED
100% CONSTRUCTION DOCUMENTS

#	Revisions:	Date

CONSULTANTS:

REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER Bicsi Glenn D Allsbrook III BICSI ID # 363972 EXPIRES 12-31-24 RCDD 12/15/2022

NORTH CAROLINA PROFESSIONAL ENGINEER SEAL 52505 JOSHUA D. MEYER 12/15/2022

PROJECT MANAGER

ACG Project Number 22-038

APOGEE Engineers | Architects

Headquarters:
Apogee Consulting Group, P.A.
1151 Kildaire Farm Road, Suite 120
Cary, North Carolina 27511
www.acg-pa.com 919-858-7420

© COPYRIGHT Apogee Consulting Group, P.A.

Office of Construction and Facilities Management

VA U.S. Department of Veterans Affairs

Drawing Title: SECOND FLOOR CENT PAMNS

Project Title: REMOVE AND REPLACE PUBLIC ADDRESS SYSTEM

VA PROJECT NUMBER: 548-22-100

Building Number: #

Location: WEST PALM BEACH VAMC
7305 NORTH MILITARY TRAIL
WEST PALM BEACH FL, 33410-6400

Approved

Date: DECEMBER 14, 2022 | Checked: JDM | Drawn: HT

Drawing Number: T-122

Dwg 14 of 32

C:\Users\pineuenschwander\Documents\E_22-038_West_Palm_Beach-Replace_PAMNS-FL_pneuenschwander.rvt
12/14/2022 4:10:15 PM
VA FORM 08-6231

REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER
DocuSign Envelope ID: 88475F19-AD36-411D-B79A-CDEEC92A0411
Bicsi
Glenn D Allsbrook III
BICSI ID # 363972
EXPIRES 12-31-24
RCDD

1 SECOND FLOOR NW PAMNS

Scale: 3/32" = 1'-0"

0 4 8 16

NORTH

SHEET NOTES:

A. PROVIDE PAMNS DEVICES AT LOCATIONS INDICATED ON PLANS. PROVIDE WIRING AND CIRCUIT AS INDICATED ON DETAILS.

B. ALL PAMN WIRING SHALL BE CONCEALED IN WALLS, IN RACEWAY OR AND ABOVE THE CEILING IN CONDUIT.

C. PAMN WIRING IN UNFINISHED AREAS SHALL BE IN SURFACE MOUNTED RACEWAY (MECH. ROOM, ROOMS WITH NO CEILINGS.)

D. ALL CEILING SPEAKERS SHALL BE SET AT 1/2 WATT UNLESS NOTED OTHERWISE.

E. ALL WALL MOUNTED SPEAKERS SHALL BE SET AT 4 WATTS UNLESS NOTED OTHERWISE.

F. CONTRACTOR RESPONSIBLE FOR PROVIDING AND INSTALLING FIRE SLEEVES FOR FIREWALL. CONTRACTOR SHALL ADEQUATELY REPAIR ANY FIREWALL PENETRATIONS.

KEY NOTES:

1 VOLUME CONTROL FOR PREP/RECOVERY AREA, WAITING 2C-206 AND CORRIDORS 2C-353, 2C-C5, AND 2C-2C-C3.

ABBREVIATED SYMBOL LEGEND

SYMBOL	HEIGHT	DESCRIPTION
S	CEILING	CEILING MOUNTED SPEAKER
S	96"	WALL MOUNTED SPEAKER
S	AS NOTED	WALL MOUNTED HORN
VC	48"	VOLUME CONTROL
PS	48"	PAGING CONSOLE
PA	FLOOR	PAGING CABINET

DEVICES WITH THE FOLLOWING TAGS ARE AS INDICATED:
E: EXISTING DEVICES TO REMAIN. PROVIDE NEW CABLING AND CONDUIT AS NEEDED.
D: EXISTING DEVICES TO BE DEMOLISHED BY THE CONTRACTOR.
R: EXISTING DEVICES TO BE REPLACED WITH NEW BY THE CONTRACTOR.
N: NEW DEVICES TO BE PROVIDED AND INSTALLED BY THE CONTRACTOR.
ALL HEIGHTS ARE TO CENTER OF DEVICE UNLESS NOTED OTHERWISE. HEIGHTS INDICATED IN PLANS SHALL SUPERSEDE THOSE LISTED HERE.

KEY PLAN

SCALE: NO SCALE

SCOPE OUTLINE
AREA OF WORK

WALL RATING LEGEND

1 HR - FIRE SEPARATION
2 HR - FIRE SEPARATION
SMOKE RESISTIVE HAZARDOUS AREA

FULLY SPRINKLERED

100% CONSTRUCTION DOCUMENTS

#	Revisions:	Date

CONSULTANTS:

REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER Glenn D Allsbrook III BICSI ID # 363972 EXPIRES 12-31-24 RCDD 12/15/2022

NORTH CAROLINA PROFESSIONAL SEAL 52505 ENGINEER JOSHUA D. MEYER 12/15/2022

PROJECT MANAGER

ACG Project Number 22-038

APOGEE Engineers | Architects

Headquarters:
Apogee Consulting Group, P.A.
1151 Kildaire Farm Road, Suite 120
Cary, North Carolina 27511
www.acg-pa.com 919-858-7420

© COPYRIGHT Apogee Consulting Group, P.A.

Office of Construction and Facilities Management

VA U.S. Department of Veterans Affairs

Drawing Title: SECOND FLOOR NW PAMNS

Project Title: REMOVE AND REPLACE PUBLIC ADDRESS SYSTEM

VA PROJECT NUMBER: 548-22-100

Building Number: #

Location: WEST PALM BEACH VAMC, 7305 NORTH MILITARY TRAIL, WEST PALM BEACH FL, 33410-6400

Approved

Date: DECEMBER 14, 2022 | Checked: JDM | Drawn: HT

Drawing Number: T-123

Dwg 15 of 32

C:\Users\gneuenschwander\Documents\E_22-038_West_Palm_Beach-Replace_PAMNS-FL_gneuenschwander.rvt
12/14/2022 4:10:19 PM
VA FORM 08-6231

DocuSign Envelope ID: 88475F19-AD36-411D-B79A-CDEEC92A0411

REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER
Bicsi
Glenn D Allsbrook III
BICSI ID # 363972
EXPIRES 12-31-24
RCDD



1 **THIRD FLOOR SE PAMNS**
Scale: 3/32" = 1'-0"

0 4 8 16
NORTH

SHEET NOTES:

A. PROVIDE PAMNS DEVICES AT LOCATIONS INDICATED ON PLANS. PROVIDE WIRING AND CIRCUIT AS INDICATED ON DETAILS.

B. ALL PAMN WIRING SHALL BE CONCEALED IN WALLS, IN RACEWAY OR AND ABOVE THE CEILING IN CONDUIT.

C. PAMN WIRING IN UNFINISHED AREAS SHALL BE IN SURFACE MOUNTED RACEWAY (MECH. ROOM, ROOMS WITH NO CEILINGS.)

D. ALL CEILING SPEAKERS SHALL BE SET AT 1/2 WATT UNLESS NOTED OTHERWISE.

E. ALL WALL MOUNTED SPEAKERS SHALL BE SET AT 4 WATTS UNLESS NOTED OTHERWISE.

F. CONTRACTOR RESPONSIBLE FOR PROVIDING AND INSTALLING FIRE SLEEVES FOR FIREWALL. CONTRACTOR SHALL ADEQUATELY REPAIR ANY FIREWALL PENETRATIONS.

KEY NOTES:

ABBREVIATED SYMBOL LEGEND

SYMBOL	HEIGHT	DESCRIPTION
S	CEILING	CEILING MOUNTED SPEAKER
S	96"	WALL MOUNTED SPEAKER
	AS NOTED	WALL MOUNTED HORN
VC	48"	VOLUME CONTROL
PC	48"	PAGING CONSOLE
PA	FLOOR	PAGING CABINET

DEVICES WITH THE FOLLOWING TAGS ARE AS INDICATED:
E: EXISTING DEVICES TO REMAIN. PROVIDE NEW CABLING AND CONDUIT AS NEEDED.
D: EXISTING DEVICES TO BE DEMOLISHED BY THE CONTRACTOR.
R: EXISTING DEVICES TO BE REPLACED WITH NEW BY THE CONTRACTOR.
N: NEW DEVICES TO BE PROVIDED AND INSTALLED BY THE CONTRACTOR.
ALL HEIGHTS ARE TO CENTER OF DEVICE UNLESS NOTED OTHERWISE. HEIGHTS INDICATED IN PLANS SHALL SUPERSEDE THOSE LISTED HERE.

KEY PLAN

SCALE: NO SCALE

SCOPE OUTLINE
AREA OF WORK

WALL RATING LEGEND

1 HR - FIRE SEPARATION
2 HR - FIRE SEPARATION
SMOKE RESISTIVE HAZARDOUS AREA

FULLY SPRINKLERED

100% CONSTRUCTION DOCUMENTS

#	Revisions:	Date

CONSULTANTS:

REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER
Bicsi
Glenn D Allsbrook III
BICSI ID # 363972
EXPIRES 12-31-24
RCDD 12/15/2022

NORTH CAROLINA PROFESSIONAL ENGINEER SEAL 52505 JOSHUA D. MEYER 12/15/2022

PROJECT MANAGER
ACG Project Number 22-038

APOGEE Engineers | Architects
Headquarters:
Apogee Consulting Group, P.A.
1151 Kildaire Farm Road, Suite 120
Cary, North Carolina 27511
www.acg-pa.com 919-858-7420
© COPYRIGHT Apogee Consulting Group, P.A.

Office of Construction and Facilities Management
VA U.S. Department of Veterans Affairs

Drawing Title: THIRD FLOOR SE PAMNS

Location: WEST PALM BEACH VAMC
7305 NORTH MILITARY TRAIL
WEST PALM BEACH FL, 33410-6400

Project Title: REMOVE AND REPLACE PUBLIC ADDRESS SYSTEM

Approved:

Date: DECEMBER 14, 2022 | Checked: JDM | Drawn: HT

VA PROJECT NUMBER: 548-22-100
Building Number: #
Drawing Number: T-131
Dwg 16 of 32

C:\Users\jpneuenschwander\Documents\E_22-038_West_Palm_Beach-Replace_PAMNS-FL_jpneuenschwander.rvt
12/14/2022 4:10:21 PM
VA FORM 08-6231

DocuSign Envelope ID: 88475F19-AD36-411D-B79A-CDEEC92A0411
REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER
Bicsi
Glenn D Allsbrook III
BICSI ID # 363972
EXPIRES 12-31-24
RCDD



1 THIRD FLOOR CENT PAMNS

Scale: 3/32" = 1'-0"

0 4 8 16

NORTH

SHEET NOTES:

A. PROVIDE PAMNS DEVICES AT LOCATIONS INDICATED ON PLANS. PROVIDE WIRING AND CIRCUIT AS INDICATED ON DETAILS.

B. ALL PAMN WIRING SHALL BE CONCEALED IN WALLS, IN RACEWAY OR AND ABOVE THE CEILING IN CONDUIT.

C. PAMN WIRING IN UNFINISHED AREAS SHALL BE IN SURFACE MOUNTED RACEWAY (MECH. ROOM, ROOMS WITH NO CEILINGS.)

D. ALL CEILING SPEAKERS SHALL BE SET AT 1/2 WATT UNLESS NOTED OTHERWISE.

E. ALL WALL MOUNTED SPEAKERS SHALL BE SET AT 4 WATTS UNLESS NOTED OTHERWISE.

F. CONTRACTOR RESPONSIBLE FOR PROVIDING AND INSTALLING FIRE SLEEVES FOR FIREWALL. CONTRACTOR SHALL ADEQUATELY REPAIR ANY FIREWALL PENETRATIONS.

KEY NOTES:

1 VOLUME CONTROL FOR TREATMENT EXERCISE AREA 5B-330.

2 LOCATION OF VERTICAL RISER IN LIFT SHAFT. REF. T-601.

ABBREVIATED SYMBOL LEGEND

SYMBOL	HEIGHT	DESCRIPTION
S	CEILING	CEILING MOUNTED SPEAKER
S	96"	WALL MOUNTED SPEAKER
S	AS NOTED	WALL MOUNTED HORN
VC	48"	VOLUME CONTROL
PS	48"	PAGING CONSOLE
PA	FLOOR	PAGING CABINET

DEVICES WITH THE FOLLOWING TAGS ARE AS INDICATED:
E: EXISTING DEVICES TO REMAIN. PROVIDE NEW CABLING AND CONDUIT AS NEEDED.
D: EXISTING DEVICES TO BE DEMOLISHED BY THE CONTRACTOR.
R: EXISTING DEVICES TO BE REPLACED WITH NEW BY THE CONTRACTOR.
N: NEW DEVICES TO BE PROVIDED AND INSTALLED BY THE CONTRACTOR.
ALL HEIGHTS ARE TO CENTER OF DEVICE UNLESS NOTED OTHERWISE. HEIGHTS INDICATED IN PLANS SHALL SUPERSEDE THOSE LISTED HERE.

KEY PLAN

SCALE: NO SCALE



WALL RATING LEGEND

1 HR - FIRE SEPARATION

2 HR - FIRE SEPARATION

SMOKE RESISTIVE HAZARDOUS AREA

FULLY SPRINKLERED

100% CONSTRUCTION DOCUMENTS

#	Revisions:	Date

CONSULTANTS:

REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER Bicsi Glenn D Allsbrook III BICSI ID # 363972 EXPIRES 12-31-24 RCDD 12/15/2022

NORTH CAROLINA PROFESSIONAL SEAL 52505 ENGINEER JOSHUA D. MEYER 12/15/2022

PROJECT MANAGER

ACG Project Number 22-038

APOGEE Engineers | Architects

Headquarters:
Apogee Consulting Group, P.A.
1151 Kildaire Farm Road, Suite 120
Cary, North Carolina 27511
www.acg-pa.com 919-858-7420

© COPYRIGHT Apogee Consulting Group, P.A.

Office of Construction and Facilities Management

VA U.S. Department of Veterans Affairs

Drawing Title: THIRD FLOOR CENT PAMNS

Project Title: REMOVE AND REPLACE PUBLIC ADDRESS SYSTEM

VA PROJECT NUMBER: 548-22-100

Building Number: #

Location: WEST PALM BEACH VAMC, 7305 NORTH MILITARY TRAIL, WEST PALM BEACH FL, 33410-6400

Approved

Date: DECEMBER 14, 2022 | Checked: JDM | Drawn: HT

Drawing Number: T-132

Dwg 17 of 32

C:\Users\jneuenschwander\Documents\E_22-038_West_Palm_Beach-Replace_PAMNS-FL_jneuenschwander.rvt
12/14/2022 4:10:22 PM
VA FORM 08-6231

DocuSign Envelope ID: 88475F19-AD36-411D-B79A-CDEEC92A0411



1 THIRD FLOOR NW PAMNS

Scale: 3/32" = 1'-0"

SHEET NOTES:

A. PROVIDE PAMNS DEVICES AT LOCATIONS INDICATED ON PLANS. PROVIDE WIRING AND CIRCUIT AS INDICATED ON DETAILS.

B. ALL PAMN WIRING SHALL BE CONCEALED IN WALLS, IN RACEWAY OR AND ABOVE THE CEILING IN CONDUIT.

C. PAMN WIRING IN UNFINISHED AREAS SHALL BE IN SURFACE MOUNTED RACEWAY (MECH. ROOM, ROOMS WITH NO CEILINGS.)

D. ALL CEILING SPEAKERS SHALL BE SET AT 1/2 WATT UNLESS NOTED OTHERWISE.

E. ALL WALL MOUNTED SPEAKERS SHALL BE SET AT 4 WATTS UNLESS NOTED OTHERWISE.

F. CONTRACTOR RESPONSIBLE FOR PROVIDING AND INSTALLING FIRE SLEEVES FOR FIREWALL. CONTRACTOR SHALL ADEQUATELY REPAIR ANY FIREWALL PENETRATIONS.

G. SPEAKERS IN 3C SHALL BE ANTILIGATURE AND UTILIZE TAMPER PROOF SECURITY SCREWS.

KEY NOTES:

1 VOLUME CONTROL FOR DAY ROOM 3C-221, DINING 3C-119 & CORRIDORS 3C-C1, 3C-C2, 3C-C3.

ABBREVIATED SYMBOL LEGEND

SYMBOL	HEIGHT	DESCRIPTION
S	CEILING	CEILING MOUNTED SPEAKER
S	96"	WALL MOUNTED SPEAKER
S	AS NOTED	WALL MOUNTED HORN
VC	48"	VOLUME CONTROL
PS	48"	PAGING CONSOLE
PA	FLOOR	PAGING CABINET

DEVICES WITH THE FOLLOWING TAGS ARE AS INDICATED:
E: EXISTING DEVICES TO REMAIN. PROVIDE NEW CABLING AND CONDUIT AS NEEDED.
D: EXISTING DEVICES TO BE DEMOLISHED BY THE CONTRACTOR.
R: EXISTING DEVICES TO BE REPLACED WITH NEW BY THE CONTRACTOR.
N: NEW DEVICES TO BE PROVIDED AND INSTALLED BY THE CONTRACTOR.
ALL HEIGHTS ARE TO CENTER OF DEVICE UNLESS NOTED OTHERWISE. HEIGHTS INDICATED IN PLANS SHALL SUPERSEDE THOSE LISTED HERE.

KEY PLAN

SCALE: NO SCALE



WALL RATING LEGEND

1 HR - FIRE SEPARATION
2 HR - FIRE SEPARATION
SMOKE RESISTIVE HAZARDOUS AREA

FULLY SPRINKLERED

100% CONSTRUCTION DOCUMENTS

#	Revisions:	Date

CONSULTANTS:

Glenn D Allsbrook III, BICSI ID # 363972, Expires 12-31-24, Registered Communications Distribution Designer, RCDD — 12/15/2022

North Carolina Professional Engineer Seal 52505, Joshua D. Meier — 12/15/2022

PROJECT MANAGER

ACG Project Number 22-038

APOGEE Engineers | Architects

Headquarters:
Apogee Consulting Group, P.A.
1151 Kildaire Farm Road, Suite 120
Cary, North Carolina 27511

www.acg-pa.com 919-858-7420

© COPYRIGHT Apogee Consulting Group, P.A.

Office of Construction and Facilities Management

VA U.S. Department of Veterans Affairs

Drawing Title: THIRD FLOOR NW PAMNS

Location: WEST PALM BEACH VAMC, 7305 NORTH MILITARY TRAIL, WEST PALM BEACH FL, 33410-6400

Project Title: REMOVE AND REPLACE PUBLIC ADDRESS SYSTEM

Approved:

Date: DECEMBER 14, 2022 | Checked: JDM | Drawn: HT

VA PROJECT NUMBER: 548-22-100

Building Number: #

Drawing Number: T-133

Dwg 18 of 32

C:\Users\jpneuenschwander\Documents\E_22-038_West_Palm_Beach-Replace_PAMNS-FL_jpneuenschwander.rvt
12/14/2022 4:10:24 PM
VA FORM 08-6231

DocuSign Envelope ID: 88475F19-AD36-411D-B79A-CDEEC92A0411
REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER
Bicsi
Glenn D Allsbrook III
BICSI ID # 363972
EXPIRES 12-31-24
RCDD



1 **FOURTH FLOOR SE PAMNS**
Scale: 3/32" = 1'-0"

SHEET NOTES:

A. PROVIDE PAMNS DEVICES AT LOCATIONS INDICATED ON PLANS. PROVIDE WIRING AND CIRCUIT AS INDICATED ON DETAILS.

B. ALL PAMN WIRING SHALL BE CONCEALED IN WALLS, IN RACEWAY OR AND ABOVE THE CEILING IN CONDUIT.

C. PAMN WIRING IN UNFINISHED AREAS SHALL BE IN SURFACE MOUNTED RACEWAY (MECH. ROOM, ROOMS WITH NO CEILINGS.)

D. ALL CEILING SPEAKERS SHALL BE SET AT 1/2 WATT UNLESS NOTED OTHERWISE.

E. ALL WALL MOUNTED SPEAKERS SHALL BE SET AT 4 WATTS UNLESS NOTED OTHERWISE.

F. CONTRACTOR RESPONSIBLE FOR PROVIDING AND INSTALLING FIRE SLEEVES FOR FIREWALL. CONTRACTOR SHALL ADEQUATELY REPAIR ANY FIREWALL PENETRATIONS.

KEY NOTES:

1 VOLUME CONTROL FOR CORRIDOR 4A-201 & GENERAL LABORATORY 4A-221.

ABBREVIATED SYMBOL LEGEND

SYMBOL	HEIGHT	DESCRIPTION
S	CEILING	CEILING MOUNTED SPEAKER
S	96"	WALL MOUNTED SPEAKER
H	AS NOTED	WALL MOUNTED HORN
VC	48"	VOLUME CONTROL
PS	48"	PAGING CONSOLE
PA	FLOOR	PAGING CABINET

DEVICES WITH THE FOLLOWING TAGS ARE AS INDICATED:
E: EXISTING DEVICES TO REMAIN. PROVIDE NEW CABLING AND CONDUIT AS NEEDED.
D: EXISTING DEVICES TO BE DEMOLISHED BY THE CONTRACTOR.
R: EXISTING DEVICES TO BE REPLACED WITH NEW BY THE CONTRACTOR.
N: NEW DEVICES TO BE PROVIDED AND INSTALLED BY THE CONTRACTOR.
ALL HEIGHTS ARE TO CENTER OF DEVICE UNLESS NOTED OTHERWISE. HEIGHTS INDICATED IN PLANS SHALL SUPERSEDE THOSE LISTED HERE.

KEY PLAN

SCALE: NO SCALE

SCOPE OUTLINE
AREA OF WORK



WALL RATING LEGEND

1 HR - FIRE SEPARATION
2 HR - FIRE SEPARATION
SMOKE RESISTIVE HAZARDOUS AREA

FULLY SPRINKLERED

100% CONSTRUCTION DOCUMENTS

#	Revisions:	Date

CONSULTANTS:

REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER
Glenn D. Allsbrook, III
Bicsi
Glenn D Allsbrook III
BICSI ID # 363972
EXPIRES 12-31-24
RCDD 12/15/2022

NORTH CAROLINA PROFESSIONAL SEAL 52505 ENGINEER JOSHUA D. MEYER
12/15/2022

PROJECT MANAGER

ACG Project Number 22-038

APOGEE Engineers | Architects

Headquarters:
Apogee Consulting Group, P.A.
1151 Kildaire Farm Road, Suite 120
Cary, North Carolina 27511
www.acg-pa.com 919-858-7420

© COPYRIGHT Apogee Consulting Group, P.A.

Office of Construction and Facilities Management

VA U.S. Department of Veterans Affairs

Drawing Title: FOURTH FLOOR SE PAMNS

Project Title: REMOVE AND REPLACE PUBLIC ADDRESS SYSTEM

VA PROJECT NUMBER: 548-22-100

Building Number: #

Location: WEST PALM BEACH VAMC, 7305 NORTH MILITARY TRAIL, WEST PALM BEACH FL, 33410-6400

Approved

Date: DECEMBER 14, 2022 | Checked: JDM | Drawn: HT

Drawing Number: T-141

Dwg 19 of 32

C:\Users\pneuenschwander\Documents\E_22-038_West_Palm_Beach-Replace_PAMNS-FL_pneuenschwander.rvt
12/14/2022 4:10:26 PM
VA FORM 08-6231

DocuSign Envelope ID: 88475F19-AD36-411D-B79A-CDEEC92A0411



1 FOURTH FLOOR CENT PAMNS

Scale: 3/32" = 1'-0"

SHEET NOTES:

A. PROVIDE PAMNS DEVICES AT LOCATIONS INDICATED ON PLANS. PROVIDE WIRING AND CIRCUIT AS INDICATED ON DETAILS.

B. ALL PAMN WIRING SHALL BE CONCEALED IN WALLS, IN RACEWAY OR AND ABOVE THE CEILING IN CONDUIT.

C. PAMN WIRING IN UNFINISHED AREAS SHALL BE IN SURFACE MOUNTED RACEWAY (MECH. ROOM, ROOMS WITH NO CEILINGS.)

D. ALL CEILING SPEAKERS SHALL BE SET AT 1/2 WATT UNLESS NOTED OTHERWISE.

E. ALL WALL MOUNTED SPEAKERS SHALL BE SET AT 4 WATTS UNLESS NOTED OTHERWISE.

F. CONTRACTOR RESPONSIBLE FOR PROVIDING AND INSTALLING FIRE SLEEVES FOR FIREWALL. CONTRACTOR SHALL ADEQUATELY REPAIR ANY FIREWALL PENETRATIONS.

KEY NOTES:

1. VOLUME CONTROL FOR CORRIDOR 4B-C2, STAFF LOUNGE 4B-223 & NURSE STATION 4B-231.
2. VOLUME CONTROL FOR DINING SPACE 4B-292A & ES TRAINING ROOM 4B-292B.
3. LOCATION OF VERTICAL RISER IN LIFT SHAFT. REF. T-601.

ABBREVIATED SYMBOL LEGEND

SYMBOL	HEIGHT	DESCRIPTION
S	CEILING	CEILING MOUNTED SPEAKER
S	96"	WALL MOUNTED SPEAKER
S	AS NOTED	WALL MOUNTED HORN
VC	48"	VOLUME CONTROL
PS	48"	PAGING CONSOLE
PA	FLOOR	PAGING CABINET

DEVICES WITH THE FOLLOWING TAGS ARE AS INDICATED:
E: EXISTING DEVICES TO REMAIN. PROVIDE NEW CABLING AND CONDUIT AS NEEDED.
D: EXISTING DEVICES TO BE DEMOLISHED BY THE CONTRACTOR.
R: EXISTING DEVICES TO BE REPLACED WITH NEW BY THE CONTRACTOR.
N: NEW DEVICES TO BE PROVIDED AND INSTALLED BY THE CONTRACTOR.
ALL HEIGHTS ARE TO CENTER OF DEVICE UNLESS NOTED OTHERWISE. HEIGHTS INDICATED IN PLANS SHALL SUPERSEDE THOSE LISTED HERE.

KEY PLAN

SCALE: NO SCALE

SCOPE OUTLINE

AREA OF WORK



WALL RATING LEGEND

1 HR - FIRE SEPARATION

2 HR - FIRE SEPARATION

SMOKE RESISTIVE HAZARDOUS AREA

FULLY SPRINKLERED

100% CONSTRUCTION DOCUMENTS

#	Revisions:	Date

CONSULTANTS:

Bicsi — Glenn D Allsbrook III — BICSI ID # 363972 — REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER — RCDD — 12/15/2022

NORTH CAROLINA PROFESSIONAL ENGINEER SEAL 52505 JOSHUA D. MEIER — 12/15/2022

PROJECT MANAGER

ACG Project Number 22-038

APOGEE Engineers | Architects

Headquarters:
Apogee Consulting Group, P.A.
1151 Kildaire Farm Road, Suite 120
Cary, North Carolina 27511

www.acg-pa.com 919-858-7420

© COPYRIGHT Apogee Consulting Group, P.A.

Office of Construction and Facilities Management

VA U.S. Department of Veterans Affairs

Drawing Title: FOURTH FLOOR CENT PAMNS

Location: WEST PALM BEACH VAMC, 7305 NORTH MILITARY TRAIL, WEST PALM BEACH FL, 33410-6400

Project Title: REMOVE AND REPLACE PUBLIC ADDRESS SYSTEM

Approved:

Date: DECEMBER 14, 2022 | Checked: JDM | Drawn: HT

VA PROJECT NUMBER: 548-22-100

Building Number: #

Drawing Number: T-142

12/14/2022 4:10:28 PM C:\Users\jhoeneschwander\Documents\E_22-038_West_Palm_Beach-Replace_PAMNS-FL_jhoeneschwander.rvt

VA FORM 08-6231

DocuSign Envelope ID: 88475F19-AD36-411D-B79A-CDEEC92A0411



SHEET NOTES:

A. PROVIDE PAMNS DEVICES AT LOCATIONS INDICATED ON PLANS. PROVIDE WIRING AND CIRCUIT AS INDICATED ON DETAILS.

B. ALL PAMN WIRING SHALL BE CONCEALED IN WALLS, IN RACEWAY OR AND ABOVE THE CEILING IN CONDUIT.

C. PAMN WIRING IN UNFINISHED AREAS SHALL BE IN SURFACE MOUNTED RACEWAY (MECH. ROOM, ROOMS WITH NO CEILINGS.)

D. ALL CEILING SPEAKERS SHALL BE SET AT 1/2 WATT UNLESS NOTED OTHERWISE.

E. ALL WALL MOUNTED SPEAKERS SHALL BE SET AT 4 WATTS UNLESS NOTED OTHERWISE.

F. CONTRACTOR RESPONSIBLE FOR PROVIDING AND INSTALLING FIRE SLEEVES FOR FIREWALL. CONTRACTOR SHALL ADEQUATELY REPAIR ANY FIREWALL PENETRATIONS.

KEY NOTES:

1. VOLUME CONTROL FOR NURSE STATION 4C-222, DAYROOM 4C-221 & CORRIDORS 4C-C1; 4C-C2, 4C-C3.

ABBREVIATED SYMBOL LEGEND

SYMBOL	HEIGHT	DESCRIPTION
S	CEILING	CEILING MOUNTED SPEAKER
S	96"	WALL MOUNTED SPEAKER
S	AS NOTED	WALL MOUNTED HORN
VC	48"	VOLUME CONTROL
PS	48"	PAGING CONSOLE
PA	FLOOR	PAGING CABINET

DEVICES WITH THE FOLLOWING TAGS ARE AS INDICATED:
E: EXISTING DEVICES TO REMAIN. PROVIDE NEW CABLING AND CONDUIT AS NEEDED.
D: EXISTING DEVICES TO BE DEMOLISHED BY THE CONTRACTOR.
R: EXISTING DEVICES TO BE REPLACED WITH NEW BY THE CONTRACTOR.
N: NEW DEVICES TO BE PROVIDED AND INSTALLED BY THE CONTRACTOR.
ALL HEIGHTS ARE TO CENTER OF DEVICE UNLESS NOTED OTHERWISE. HEIGHTS INDICATED IN PLANS SHALL SUPERSEDE THOSE LISTED HERE.

KEY PLAN

SCALE: NO SCALE

SCOPE OUTLINE
AREA OF WORK

WALL RATING LEGEND

1 HR - FIRE SEPARATION
2 HR - FIRE SEPARATION
SMOKE RESISTIVE HAZARDOUS AREA

FULLY SPRINKLERED

100% CONSTRUCTION DOCUMENTS

1 **FOURTH FLOOR NW PAMNS**
Scale: 3/32" = 1'-0"

0 4 8 16

#	Revisions:	Date

CONSULTANTS:

BICSI Glenn D Allsbrook III BICSI ID # 363972 Expires 12-31-24 RCDD — 12/15/2022

NORTH CAROLINA PROFESSIONAL ENGINEER SEAL 52505 JOSHUA D. MEIER — 12/15/2022

PROJECT MANAGER — ACG Project Number 22-038

APOGEE Engineers | Architects
Headquarters:
Apogee Consulting Group, P.A.
1151 Kildaire Farm Road, Suite 120
Cary, North Carolina 27511
www.acg-pa.com 919-858-7420

© COPYRIGHT Apogee Consulting Group, P.A.

Office of Construction and Facilities Management
VA U.S. Department of Veterans Affairs

Drawing Title	Project Title	VA PROJECT NUMBER
FOURTH FLOOR NW PAMNS	REMOVE AND REPLACE PUBLIC ADDRESS SYSTEM	548-22-100
Location: WEST PALM BEACH VAMC 7305 NORTH MILITARY TRAIL WEST PALM BEACH FL, 33410-6400	Approved:	Building Number: #
	Date: DECEMBER 14, 2022 · Checked: JDM · Drawn: HT	Drawing Number: T-143 · Dwg 21 of 32

C:\Users\jpneuenschwander\Documents\E_22-038_West_Palm_Beach-Replace_PAMNS-FL_jpneuenschwander.rvt
12/14/2022 4:10:30 PM
VA FORM 08-6231

REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER
DocuSign Envelope ID: 88475F19-AD36-411D-B79A-CDEEC92A0411
Bicsi
Glenn D Allsbrook III
BICSI ID # 363972
EXPIRES 12-31-24
RCDD



1 **FIFTH FLOOR PAMNS SE**
Scale: 3/32" = 1'-0"

SHEET NOTES:

A. PROVIDE PAMNS DEVICES AT LOCATIONS INDICATED ON PLANS. PROVIDE WIRING AND CIRCUIT AS INDICATED ON DETAILS.

B. ALL PAMN WIRING SHALL BE CONCEALED IN WALLS, IN RACEWAY OR AND ABOVE THE CEILING IN CONDUIT.

C. PAMN WIRING IN UNFINISHED AREAS SHALL BE IN SURFACE MOUNTED RACEWAY (MECH. ROOM, ROOMS WITH NO CEILINGS.)

D. ALL CEILING SPEAKERS SHALL BE SET AT 1/2 WATT UNLESS NOTED OTHERWISE.

E. ALL WALL MOUNTED SPEAKERS SHALL BE SET AT 4 WATTS UNLESS NOTED OTHERWISE.

F. CONTRACTOR RESPONSIBLE FOR PROVIDING AND INSTALLING FIRE SLEEVES FOR FIREWALL. CONTRACTOR SHALL ADEQUATELY REPAIR ANY FIREWALL PENETRATIONS.

KEY NOTES:

1 LOCATION OF VERTICAL RISER IN LIFT SHAFT. REF. T-601.

2 VOLUME CONTROL FOR NURSE STATION 5A-210, WAITING ROOM 5A-101 & CORRIDORS 5A-C1, 5A-C2, 5A-C4, 5A-C7.

3 VOLUME CONTROL FOR NURSE STATION 5B-211, WAITING ROOM 5B-101 & CORRIDORS 5B-C1, 5B-C2, 5B-C4, 5B-C7.

ABBREVIATED SYMBOL LEGEND

SYMBOL	HEIGHT	DESCRIPTION
S	CEILING	CEILING MOUNTED SPEAKER
S	96"	WALL MOUNTED SPEAKER
S H	AS NOTED	WALL MOUNTED HORN
VC	48"	VOLUME CONTROL
PS	48"	PAGING CONSOLE
PA	FLOOR	PAGING CABINET

DEVICES WITH THE FOLLOWING TAGS ARE AS INDICATED:
E: EXISTING DEVICES TO REMAIN. PROVIDE NEW CABLING AND CONDUIT AS NEEDED.
D: EXISTING DEVICES TO BE DEMOLISHED BY THE CONTRACTOR.
R: EXISTING DEVICES TO BE REPLACED WITH NEW BY THE CONTRACTOR.
N: NEW DEVICES TO BE PROVIDED AND INSTALLED BY THE CONTRACTOR.
ALL HEIGHTS ARE TO CENTER OF DEVICE UNLESS NOTED OTHERWISE. HEIGHTS INDICATED IN PLANS SHALL SUPERSEDE THOSE LISTED HERE.

KEY PLAN

SCALE: NO SCALE

SCOPE OUTLINE
AREA OF WORK



WALL RATING LEGEND

1 HR - FIRE SEPARATION
2 HR - FIRE SEPARATION
SMOKE RESISTIVE HAZARDOUS AREA

FULLY SPRINKLERED

100% CONSTRUCTION DOCUMENTS

#	Revisions:	Date

CONSULTANTS:

REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER — Glenn D Allsbrook III — BICSI ID # 363972 — EXPIRES 12-31-24 — RCDD — 12/15/2022

NORTH CAROLINA PROFESSIONAL SEAL 52505 ENGINEER — JOSHUA D. MEYER — 12/15/2022

PROJECT MANAGER

ACG Project Number 22-038

APOGEE Engineers | Architects

Headquarters:
Apogee Consulting Group, P.A.
1151 Kildaire Farm Road, Suite 120
Cary, North Carolina 27511
www.acg-pa.com 919-858-7420

© COPYRIGHT Apogee Consulting Group, P.A.

Office of Construction and Facilities Management
VA U.S. Department of Veterans Affairs

Drawing Title: FIFTH FLOOR PAMNS SE

Project Title: REMOVE AND REPLACE PUBLIC ADDRESS SYSTEM

VA PROJECT NUMBER: 548-22-100

Building Number: #

Location: WEST PALM BEACH VAMC, 7305 NORTH MILITARY TRAIL, WEST PALM BEACH FL, 33410-6400

Approved

Date: DECEMBER 14, 2022 | Checked: JDM | Drawn: HT

Drawing Number: T-151

Dwg 22 of 32

DocuSign Envelope ID: 88475F19-AD36-411D-B79A-CDEEC92A0411

REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER
Bicsi
Glenn D Allsbrook III
BICSI ID # 363972
EXPIRES 12-31-24
RCDD



1 **FIFTH FLOOR PAMNS NW**
Scale: 3/32" = 1'-0"

0 4 8 16

NORTH

SHEET NOTES:

A. PROVIDE PAMNS DEVICES AT LOCATIONS INDICATED ON PLANS. PROVIDE WIRING AND CIRCUIT AS INDICATED ON DETAILS.

B. ALL PAMN WIRING SHALL BE CONCEALED IN WALLS, IN RACEWAY OR AND ABOVE THE CEILING IN CONDUIT.

C. PAMN WIRING IN UNFINISHED AREAS SHALL BE IN SURFACE MOUNTED RACEWAY (MECH. ROOM, ROOMS WITH NO CEILINGS.)

D. ALL CEILING SPEAKERS SHALL BE SET AT 1/2 WATT UNLESS NOTED OTHERWISE.

E. ALL WALL MOUNTED SPEAKERS SHALL BE SET AT 4 WATTS UNLESS NOTED OTHERWISE.

F. CONTRACTOR RESPONSIBLE FOR PROVIDING AND INSTALLING FIRE SLEEVES FOR FIREWALL. CONTRACTOR SHALL ADEQUATELY REPAIR ANY FIREWALL PENETRATIONS.

KEY NOTES:

1 LOCATION OF VERTICAL RISER IN LIFT SHAFT. REF. T-601.
2 VOLUME CONTROL FOR NURSE STATION 5A-210, WAITING ROOM 5A-101 & CORRIDORS 5A-C1, 5A-C2, 5A-C4, 5A-C7.
3 VOLUME CONTROL FOR NURSE STATION 5B-211, WAITING ROOM 5B-101 & CORRIDORS 5B-C1, 5B-C2, 5B-C4, 5B-C7.

ABBREVIATED SYMBOL LEGEND

SYMBOL	HEIGHT	DESCRIPTION
S	CEILING	CEILING MOUNTED SPEAKER
S	96"	WALL MOUNTED SPEAKER
H	AS NOTED	WALL MOUNTED HORN
VC	48"	VOLUME CONTROL
PS	48"	PAGING CONSOLE
PA	FLOOR	PAGING CABINET

DEVICES WITH THE FOLLOWING TAGS ARE AS INDICATED:
E: EXISTING DEVICES TO REMAIN. PROVIDE NEW CABLING AND CONDUIT AS NEEDED.
D: EXISTING DEVICES TO BE DEMOLISHED BY THE CONTRACTOR.
R: EXISTING DEVICES TO BE REPLACED WITH NEW BY THE CONTRACTOR.
N: NEW DEVICES TO BE PROVIDED AND INSTALLED BY THE CONTRACTOR.
ALL HEIGHTS ARE TO CENTER OF DEVICE UNLESS NOTED OTHERWISE. HEIGHTS INDICATED IN PLANS SHALL SUPERSEDE THOSE LISTED HERE.

KEY PLAN

SCALE: NO SCALE

SCOPE OUTLINE
AREA OF WORK

WALL RATING LEGEND

1 HR - FIRE SEPARATION
2 HR - FIRE SEPARATION
SMOKE RESISTIVE HAZARDOUS AREA

FULLY SPRINKLERED

100% CONSTRUCTION DOCUMENTS

#	Revisions:	Date

CONSULTANTS:

REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER — Bicsi — Glenn D Allsbrook III — BICSI ID # 363972 — EXPIRES 12-31-24 — RCDD — 12/15/2022

NORTH CAROLINA PROFESSIONAL SEAL 52505 ENGINEER JOSHUA D. METZLER — 12/15/2022

PROJECT MANAGER

ACG Project Number 22-038

APOGEE Engineers | Architects

Headquarters:
Apogee Consulting Group, P.A.
1151 Kildaire Farm Road, Suite 120
Cary, North Carolina 27511

www.acg-pa.com 919-858-7420

© COPYRIGHT Apogee Consulting Group, P.A.

Office of Construction and Facilities Management

VA U.S. Department of Veterans Affairs

Drawing Title: FIFTH FLOOR PAMNS NW

Project Title: REMOVE AND REPLACE PUBLIC ADDRESS SYSTEM

VA PROJECT NUMBER: 548-22-100

Building Number: #

Location: WEST PALM BEACH VAMC, 7305 NORTH MILITARY TRAIL, WEST PALM BEACH FL, 33410-6400

Approved:

Date: DECEMBER 14, 2022 | Checked: JDM | Drawn: HT

Drawing Number: T-152

Dwg 23 of 32

12/14/2022 4:10:33 PM C:\Users\pneuenschwander\Documents\E_22-038_West_Palm_Beach-Replace_PAMNS-FL_pneuenschwander.rvt

VA FORM 08-6231

DocuSign Envelope ID: 88475F19-AD36-411D-B79A-CDEEC92A0411



1 **SIXTH FLOOR PAMNS**
Scale: 3/32" = 1'-0"

SHEET NOTES:

A. PROVIDE PAMNS DEVICES AT LOCATIONS INDICATED ON PLANS. PROVIDE WIRING AND CIRCUIT AS INDICATED ON DETAILS.

B. ALL PAMN WIRING SHALL BE CONCEALED IN WALLS, IN RACEWAY OR AND ABOVE THE CEILING IN CONDUIT.

C. PAMN WIRING IN UNFINISHED AREAS SHALL BE IN SURFACE MOUNTED RACEWAY (MECH. ROOM, ROOMS WITH NO CEILINGS.)

D. ALL CEILING SPEAKERS SHALL BE SET AT 1/2 WATT UNLESS NOTED OTHERWISE.

E. ALL WALL MOUNTED SPEAKERS SHALL BE SET AT 4 WATTS UNLESS NOTED OTHERWISE.

F. CONTRACTOR RESPONSIBLE FOR PROVIDING AND INSTALLING FIRE SLEEVES FOR FIREWALL. CONTRACTOR SHALL ADEQUATELY REPAIR ANY FIREWALL PENETRATIONS.

KEY NOTES:

1. VOLUME CONTROL FOR NURSE STATION 6A-210, WAITING ROOM 6A-101 & CORRIDORS 6A-C1, 6A-C2, 6A-C4, 6A-C7.
2. VOLUME CONTROL FOR NURSE STATION 6B-211, WAITING ROOM 6B-101 & CORRIDORS 6B-C1, 6B-C2, 6B-C4, 6B-C7.
3. LOCATION OF VERTICAL RISER IN LIFT SHAFT. REF. T-601.

ABBREVIATED SYMBOL LEGEND

SYMBOL	HEIGHT	DESCRIPTION
S	CEILING	CEILING MOUNTED SPEAKER
S	96"	WALL MOUNTED SPEAKER
S	AS NOTED	WALL MOUNTED HORN
VC	48"	VOLUME CONTROL
PS	48"	PAGING CONSOLE
PA	FLOOR	PAGING CABINET

DEVICES WITH THE FOLLOWING TAGS ARE AS INDICATED:
E: EXISTING DEVICES TO REMAIN. PROVIDE NEW CABLING AND CONDUIT AS NEEDED.
D: EXISTING DEVICES TO BE DEMOLISHED BY THE CONTRACTOR.
R: EXISTING DEVICES TO BE REPLACED WITH NEW BY THE CONTRACTOR.
N: NEW DEVICES TO BE PROVIDED AND INSTALLED BY THE CONTRACTOR.
ALL HEIGHTS ARE TO CENTER OF DEVICE UNLESS NOTED OTHERWISE. HEIGHTS INDICATED IN PLANS SHALL SUPERSEDE THOSE LISTED HERE.

KEY PLAN

SCALE: NO SCALE



WALL RATING LEGEND

1 HR - FIRE SEPARATION
2 HR - FIRE SEPARATION
SMOKE RESISTIVE HAZARDOUS AREA

FULLY SPRINKLERED

100% CONSTRUCTION DOCUMENTS

#	Revisions:	Date

CONSULTANTS:

Bicsi Glenn D Allsbrook III BICSI ID # 363972 12/15/2022 RCDD

NORTH CAROLINA PROFESSIONAL ENGINEER SEAL 52505 JOSHUA D. ME... 12/15/2022

PROJECT MANAGER
ACG Project Number 22-038

APOGEE Engineers | Architects
Headquarters:
Apogee Consulting Group, P.A.
1151 Kildaire Farm Road, Suite 120
Cary, North Carolina 27511
www.acg-pa.com 919-858-7420
© COPYRIGHT Apogee Consulting Group, P.A.

Office of Construction and Facilities Management
VA U.S. Department of Veterans Affairs

Drawing Title: SIXTH FLOOR PAMNS
Location: WEST PALM BEACH VAMC, 7305 NORTH MILITARY TRAIL, WEST PALM BEACH FL, 33410-6400
Project Title: REMOVE AND REPLACE PUBLIC ADDRESS SYSTEM
Approved:
Date: DECEMBER 14, 2022 | Checked: JDM | Drawn: HT
VA PROJECT NUMBER: 548-22-100
Building Number: #
Drawing Number: T-161
Dwg 24 of 32

C:\Users\pneuenschwander\Documents\E_22-038_West_Palm_Beach-Replace_PAMNS-FL_pneuenschwander.rvt
12/14/2022 4:10:36 PM
VA FORM 08-6231

DocuSign Envelope ID: 88475F19-AD36-411D-B79A-CDEEC92A0411

REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER
Bicsi
Glenn D Allsbrook III
BICSI ID # 363972
Expires 12-31-24
RCDD



1 SEVENTH FLOOR PAMNS

Scale: 3/32" = 1'-0"

0 4 8 16

FULLY SPRINKLERED

100% CONSTRUCTION DOCUMENTS

SHEET NOTES:

A. PROVIDE PAMNS DEVICES AT LOCATIONS INDICATED ON PLANS. PROVIDE WIRING AND CIRCUIT AS INDICATED ON DETAILS.

B. ALL PAMN WIRING SHALL BE CONCEALED IN WALLS, IN RACEWAY OR AND ABOVE THE CEILING IN CONDUIT.

C. PAMN WIRING IN UNFINISHED AREAS SHALL BE IN SURFACE MOUNTED RACEWAY (MECH. ROOM, ROOMS WITH NO CEILINGS.)

D. ALL CEILING SPEAKERS SHALL BE SET AT 1/2 WATT UNLESS NOTED OTHERWISE.

E. ALL WALL MOUNTED SPEAKERS SHALL BE SET AT 4 WATTS UNLESS NOTED OTHERWISE.

F. CONTRACTOR RESPONSIBLE FOR PROVIDING AND INSTALLING FIRE SLEEVES FOR FIREWALL. CONTRACTOR SHALL ADEQUATELY REPAIR ANY FIREWALL PENETRATIONS.

KEY NOTES:

1. VOLUME CONTROL FOR NURSE STATION 7A-210, WAITING ROOM 7A-101 & CORRIDORS 7A-C1, 7A-C2, 7A-C4, 7A-C7.
2. VOLUME CONTROL FOR NURSE STATION 7B-211, WAITING ROOM 7B-101 & CORRIDORS 7B-C1, 7B-C2, 7B-C4, 7B-C7.
3. LOCATION OF VERTICAL RISER IN LIFT SHAFT. REF. T-601.

ABBREVIATED SYMBOL LEGEND

SYMBOL	HEIGHT	DESCRIPTION
S	CEILING	CEILING MOUNTED SPEAKER
S	96"	WALL MOUNTED SPEAKER
S	AS NOTED	WALL MOUNTED HORN
VC	48"	VOLUME CONTROL
PS	48"	PAGING CONSOLE
PA	FLOOR	PAGING CABINET

DEVICES WITH THE FOLLOWING TAGS ARE AS INDICATED:
E: EXISTING DEVICES TO REMAIN. PROVIDE NEW CABLING AND CONDUIT AS NEEDED.
D: EXISTING DEVICES TO BE DEMOLISHED BY THE CONTRACTOR.
R: EXISTING DEVICES TO BE REPLACED WITH NEW BY THE CONTRACTOR.
N: NEW DEVICES TO BE PROVIDED AND INSTALLED BY THE CONTRACTOR.
ALL HEIGHTS ARE TO CENTER OF DEVICE UNLESS NOTED OTHERWISE. HEIGHTS INDICATED IN PLANS SHALL SUPERSEDE THOSE LISTED HERE.

KEY PLAN

SCALE: NO SCALE

SCOPE OUTLINE
AREA OF WORK

WALL RATING LEGEND

1 HR - FIRE SEPARATION
2 HR - FIRE SEPARATION
SMOKE RESISTIVE HAZARDOUS AREA

#	Revisions:	Date

CONSULTANTS:

Bicsi
Glenn D Allsbrook III
BICSI ID # 363972
Expires 12-31-24
RCDD
12/15/2022

NORTH CAROLINA PROFESSIONAL ENGINEER
SEAL
52505
JOSHUA D. ME...
12/15/2022

PROJECT MANAGER

ACG Project Number
22-038

APOGEE
Engineers | Architects

Headquarters:
Apogee Consulting Group, P.A.
1151 Kildaire Farm Road, Suite 120
Cary, North Carolina 27511

www.acg-pa.com 919-858-7420

© COPYRIGHT Apogee Consulting Group, P.A.

Office of Construction and Facilities Management

VA U.S. Department of Veterans Affairs

Drawing Title
SEVENTH FLOOR PAMNS

Location
WEST PALM BEACH VAMC
7305 NORTH MILITARY TRAIL
WEST PALM BEACH FL, 33410-6400

Project Title
REMOVE AND REPLACE PUBLIC ADDRESS SYSTEM

Approved

Date	Checked	Drawn
DECEMBER 14, 2022	JDM	HT

VA PROJECT NUMBER
548-22-100

Building Number
#

Drawing Number
T-171

Dwg 25 of 32

C:\Users\pneuenschwander\Documents\E_22-038_West_Palm_Beach-Replace_PAMNS-FL_pneuenschwander.rvt

12/14/2022 4:10:38 PM

VA FORM 08-6231

DocuSign Envelope ID: 88475F19-AD36-411D-B79A-CDEEC92A0411
REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER
Bicsi
Glenn D Allsbrook III
BICSI ID # 363972
EXPIRES 12-31-24
RCDD

1 EIGHTH FLOOR PAMNS

Scale: 3/32" = 1'-0"

0 4 8 16

NORTH

FULLY SPRINKLERED

100% CONSTRUCTION DOCUMENTS

SHEET NOTES:

A. PROVIDE PAMNS DEVICES AT LOCATIONS INDICATED ON PLANS. PROVIDE WIRING AND CIRCUIT AS INDICATED ON DETAILS.

B. ALL PAMN WIRING SHALL BE CONCEALED IN WALLS, IN RACEWAY OR AND ABOVE THE CEILING IN CONDUIT.

C. PAMN WIRING IN UNFINISHED AREAS SHALL BE IN SURFACE MOUNTED RACEWAY (MECH. ROOM, ROOMS WITH NO CEILINGS.)

D. ALL CEILING SPEAKERS SHALL BE SET AT 1/2 WATT UNLESS NOTED OTHERWISE.

E. ALL WALL MOUNTED SPEAKERS SHALL BE SET AT 4 WATTS UNLESS NOTED OTHERWISE.

F. CONTRACTOR RESPONSIBLE FOR PROVIDING AND INSTALLING FIRE SLEEVES FOR FIREWALL. CONTRACTOR SHALL ADEQUATELY REPAIR ANY FIREWALL PENETRATIONS.

KEY NOTES:

1 LOCATION OF VERTICAL RISER IN LIFT SHAFT. REF. T-601.

2 VOLUME CONTROL FOR RECEPTION 8A-208, WAITING 8A-202, STAFF LOUNGE 8A-356 & CORRIDORS 8A-C1, 8A-C1A, 8A-C1B, 8A-C1C, 8A-C1D, 8A-C1E, 8A-C2, 8A-C7, 8A-C7A, 8A-C7B, 8A-C7C.

3 VOLUME CONTROL FOR CHECK-IN 8B-208, WAITING 8B-210, 8B-238, STAFF LOUNGE 8B-352 & CORR.

ABBREVIATED SYMBOL LEGEND

SYMBOL	HEIGHT	DESCRIPTION
S	CEILING	CEILING MOUNTED SPEAKER
S	96"	WALL MOUNTED SPEAKER
S	AS NOTED	WALL MOUNTED HORN
VC	48"	VOLUME CONTROL
PS	48"	PAGING CONSOLE
PA	FLOOR	PAGING CABINET

DEVICES WITH THE FOLLOWING TAGS ARE AS INDICATED:
E: EXISTING DEVICES TO REMAIN. PROVIDE NEW CABLING AND CONDUIT AS NEEDED.
D: EXISTING DEVICES TO BE DEMOLISHED BY THE CONTRACTOR.
R: EXISTING DEVICES TO BE REPLACED WITH NEW BY THE CONTRACTOR.
N: NEW DEVICES TO BE PROVIDED AND INSTALLED BY THE CONTRACTOR.
ALL HEIGHTS ARE TO CENTER OF DEVICE UNLESS NOTED OTHERWISE. HEIGHTS INDICATED IN PLANS SHALL SUPERSEDE THOSE LISTED HERE.

KEY PLAN

SCALE: NO SCALE

SCOPE OUTLINE

AREA OF WORK

WALL RATING LEGEND

1 HR - FIRE SEPARATION

2 HR - FIRE SEPARATION

SMOKE RESISTIVE HAZARDOUS AREA

#	Revisions:	Date

CONSULTANTS:

REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER — Glenn D Allsbrook III — Bicsi — BICSI ID # 363972 — EXPIRES 12-31-24 — RCDD — 12/15/2022

NORTH CAROLINA PROFESSIONAL SEAL 52505 ENGINEER JOSHUA D. MEYER — 12/15/2022

PROJECT MANAGER

ACG Project Number 22-038

APOGEE Engineers | Architects

Headquarters:
Apogee Consulting Group, P.A.
1151 Kildaire Farm Road, Suite 120
Cary, North Carolina 27511

www.acg-pa.com 919-858-7420

© COPYRIGHT Apogee Consulting Group, P.A.

Office of Construction and Facilities Management

VA U.S. Department of Veterans Affairs

Drawing Title: EIGHTH FLOOR PAMNS

Project Title: REMOVE AND REPLACE PUBLIC ADDRESS SYSTEM

VA PROJECT NUMBER: 548-22-100

Building Number: #

Location: WEST PALM BEACH VAMC, 7305 NORTH MILITARY TRAIL, WEST PALM BEACH FL, 33410-6400

Approved:

Date: DECEMBER 14, 2022 | Checked: JDM | Drawn: HT

Drawing Number: T-181

Dwg 26 of 32

DocuSign Envelope ID: 88475F19-AD36-411D-B79A-CDEEC92A0411
REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER
Bicsi
Glenn D Allsbrook III
BICSI ID # 363972
EXPIRES 12-31-24
RCDD



1 **NINTH FLOOR PAMNS**
Scale: 3/32" = 1'-0"

SHEET NOTES:

A. PROVIDE PAMNS DEVICES AT LOCATIONS INDICATED ON PLANS. PROVIDE WIRING AND CIRCUIT AS INDICATED ON DETAILS.

B. ALL PAMN WIRING SHALL BE CONCEALED IN WALLS, IN RACEWAY OR AND ABOVE THE CEILING IN CONDUIT.

C. PAMN WIRING IN UNFINISHED AREAS SHALL BE IN SURFACE MOUNTED RACEWAY (MECH. ROOM, ROOMS WITH NO CEILINGS.)

D. ALL CEILING SPEAKERS SHALL BE SET AT 1/2 WATT UNLESS NOTED OTHERWISE.

E. ALL WALL MOUNTED SPEAKERS SHALL BE SET AT 4 WATTS UNLESS NOTED OTHERWISE.

F. CONTRACTOR RESPONSIBLE FOR PROVIDING AND INSTALLING FIRE SLEEVES FOR FIREWALL. CONTRACTOR SHALL ADEQUATELY REPAIR ANY FIREWALL PENETRATIONS.

KEY NOTES:

1 VOLUME CONTROL FOR RECEPTION 9A-210, WAITING 9A-202, STAFF LOUNGE 9A-356 & CORRIDORS 9A-C1, 9A-C1A, 9A-C1B, 9A-C1C, 9A-C1D, 9A-C1E, 9A-C2, 9A-C7, 9A-C7A, 9A-C7B, 9A-C7C.

ABBREVIATED SYMBOL LEGEND

SYMBOL	HEIGHT	DESCRIPTION
S	CEILING	CEILING MOUNTED SPEAKER
S	96"	WALL MOUNTED SPEAKER
S	AS NOTED	WALL MOUNTED HORN
VC	48"	VOLUME CONTROL
PS	48"	PAGING CONSOLE
PA	FLOOR	PAGING CABINET

DEVICES WITH THE FOLLOWING TAGS ARE AS INDICATED:
E: EXISTING DEVICES TO REMAIN. PROVIDE NEW CABLING AND CONDUIT AS NEEDED.
D: EXISTING DEVICES TO BE DEMOLISHED BY THE CONTRACTOR.
R: EXISTING DEVICES TO BE REPLACED WITH NEW BY THE CONTRACTOR.
N: NEW DEVICES TO BE PROVIDED AND INSTALLED BY THE CONTRACTOR.
ALL HEIGHTS ARE TO CENTER OF DEVICE UNLESS NOTED OTHERWISE. HEIGHTS INDICATED IN PLANS SHALL SUPERSEDE THOSE LISTED HERE.

KEY PLAN

SCALE: NO SCALE

SCOPE OUTLINE
AREA OF WORK

WALL RATING LEGEND

1 HR - FIRE SEPARATION
2 HR - FIRE SEPARATION
SMOKE RESISTIVE HAZARDOUS AREA

FULLY SPRINKLERED

100% CONSTRUCTION DOCUMENTS

#	Revisions:	Date

CONSULTANTS:

REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER — Glenn D Allsbrook III — Bicsi — BICSI ID # 363972 — EXPIRES 12-31-24 — RCDD 12/15/2022

NORTH CAROLINA PROFESSIONAL ENGINEER SEAL 52505 — JOSHUA D. MEYER — 12/15/2022

PROJECT MANAGER

ACG Project Number: 22-038

APOGEE Engineers | Architects

Headquarters:
Apogee Consulting Group, P.A.
1151 Kildaire Farm Road, Suite 120
Cary, North Carolina 27511

www.acg-pa.com 919-858-7420

© COPYRIGHT Apogee Consulting Group, P.A.

Office of Construction and Facilities Management

VA U.S. Department of Veterans Affairs

Drawing Title: NINTH FLOOR PAMNS

Location: WEST PALM BEACH VAMC, 7305 NORTH MILITARY TRAIL, WEST PALM BEACH FL, 33410-6400

Project Title: REMOVE AND REPLACE PUBLIC ADDRESS SYSTEM

VA PROJECT NUMBER: 548-22-100

Building Number: #

Approved

Date: DECEMBER 14, 2022 | Checked: JDM | Drawn: HT

Drawing Number: T-191

Dwg 27 of 32

C:\Users\pneuerschwander\Documents\E_22-038_West_Palm_Beach-Replace_PAMNS-FL_pneuerschwander.rvt
12/14/2022 4:10:43 PM
VA FORM 08-6231

DocuSign Envelope ID: 88475F19-AD36-411D-B79A-CDEEC92A0411

REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER
Bicsi
Glenn D Allsbrook III
BICSI ID # 363972
EXPIRES 12-31-24
RCDD



1 **TENTH FLOOR PAMNS**
Scale: 3/32" = 1'-0"

0 4 8 16

NORTH

SHEET NOTES:

A. PROVIDE PAMNS DEVICES AT LOCATIONS INDICATED ON PLANS. PROVIDE WIRING AND CIRCUIT AS INDICATED ON DETAILS.

B. ALL PAMN WIRING SHALL BE CONCEALED IN WALLS, IN RACEWAY OR AND ABOVE THE CEILING IN CONDUIT.

C. PAMN WIRING IN UNFINISHED AREAS SHALL BE IN SURFACE MOUNTED RACEWAY (MECH. ROOM, ROOMS WITH NO CEILINGS.)

D. ALL CEILING SPEAKERS SHALL BE SET AT 1/2 WATT UNLESS NOTED OTHERWISE.

E. ALL WALL MOUNTED SPEAKERS SHALL BE SET AT 4 WATTS UNLESS NOTED OTHERWISE.

F. CONTRACTOR RESPONSIBLE FOR PROVIDING AND INSTALLING FIRE SLEEVES FOR FIREWALL. CONTRACTOR SHALL ADEQUATELY REPAIR ANY FIREWALL PENETRATIONS.

KEY NOTES:

1 VOLUME CONTROL FOR RECEPTION 9A-210, WAITING 9A-202, STAFF LOUNGE 9A-356 & CORRIDORS 9A-C1, 9A-C1A, 9A-C1B, 9A-C1C, 9A-C1D, 9A-C1E, 9A-C2, 9A-C7, 9A-C7A, 9A-C7B, 9A-C7C.

ABBREVIATED SYMBOL LEGEND

SYMBOL	HEIGHT	DESCRIPTION
S	CEILING	CEILING MOUNTED SPEAKER
S	96"	WALL MOUNTED SPEAKER
S	AS NOTED	WALL MOUNTED HORN
VC	48"	VOLUME CONTROL
PS	48"	PAGING CONSOLE
PA	FLOOR	PAGING CABINET

DEVICES WITH THE FOLLOWING TAGS ARE AS INDICATED:
E: EXISTING DEVICES TO REMAIN. PROVIDE NEW CABLING AND CONDUIT AS NEEDED.
D: EXISTING DEVICES TO BE DEMOLISHED BY THE CONTRACTOR.
R: EXISTING DEVICES TO BE REPLACED WITH NEW BY THE CONTRACTOR.
N: NEW DEVICES TO BE PROVIDED AND INSTALLED BY THE CONTRACTOR.
ALL HEIGHTS ARE TO CENTER OF DEVICE UNLESS NOTED OTHERWISE. HEIGHTS INDICATED IN PLANS SHALL SUPERSEDE THOSE LISTED HERE.

KEY PLAN

SCALE: NO SCALE

SCOPE OUTLINE
AREA OF WORK



WALL RATING LEGEND

1 HR - FIRE SEPARATION
2 HR - FIRE SEPARATION
SMOKE RESISTIVE HAZARDOUS AREA

FULLY SPRINKLERED

100% CONSTRUCTION DOCUMENTS

#	Revisions:	Date

CONSULTANTS:

REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER
Bicsi
Glenn D Allsbrook III
BICSI ID # 363972
EXPIRES 12-31-24
RCDD 12/15/2022

NORTH CAROLINA PROFESSIONAL SEAL 52505 ENGINEER
JOSHUA D. MEYER
12/15/2022

PROJECT MANAGER

ACG Project Number 22-038

APOGEE Engineers | Architects
Headquarters:
Apogee Consulting Group, P.A.
1151 Kildaire Farm Road, Suite 120
Cary, North Carolina 27511
www.acg-pa.com 919-858-7420

© COPYRIGHT Apogee Consulting Group, P.A.

Office of Construction and Facilities Management

VA U.S. Department of Veterans Affairs

Drawing Title: TENTH FLOOR PAMNS

Project Title: REMOVE AND REPLACE PUBLIC ADDRESS SYSTEM

VA PROJECT NUMBER: 548-22-100

Building Number: #

Location: WEST PALM BEACH VAMC, 7305 NORTH MILITARY TRAIL, WEST PALM BEACH FL, 33410-6400

Approved:

Date: DECEMBER 14, 2022 | Checked: JDM | Drawn: HT

Drawing Number: T-192

Dwg 28 of 32

12/14/2022 4:10:43 PM C:\Users\jmeuserschwander\Documents\E_22-038_West_Palm_Beach-Replace_PAMNS-FL_jmeuserschwander.rvt

VA FORM 08-6231

DocuSign Envelope ID: 88475F19-AD36-411D-B79A-CDEEC92A0411
REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER
Bicsi
Glenn D Allsbrook III
BICSI ID # 363972
EXPIRES 12-31-24
RCDD



4 **FIRST FLOOR ENLARGEMENT - ED NURSES STATION**
Scale: 1/4" = 1'-0"



1 **BASEMENT ENLARGEMENT - POLICE CENTER**
Scale: 1/4" = 1'-0"



3 **BASEMENT ENLARGEMENT - CALL CENTER**
Scale: 1/4" = 1'-0"



2 **BASEMENT ENLARGEMENT - ENERGY CENTER**
Scale: 1/4" = 1'-0"

SHEET NOTES:

A. PROVIDE PAMNS DEVICES AT LOCATIONS INDICATED ON PLANS. PROVIDE WIRING AND CIRCUIT AS INDICATED ON DETAILS.

B. ALL PAMN WIRING SHALL BE CONCEALED IN WALLS, IN RACEWAY OR AND ABOVE THE CEILING IN CONDUIT.

C. PAMN WIRING IN UNFINISHED AREAS SHALL BE IN SURFACE MOUNTED RACEWAY (MECH. ROOM, ROOMS WITH NO CEILINGS.)

D. ALL CEILING SPEAKERS SHALL BE SET AT 1/2 WATT UNLESS NOTED OTHERWISE.

E. ALL WALL MOUNTED SPEAKERS SHALL BE SET AT 4 WATTS UNLESS NOTED OTHERWISE.

F. CONTRACTOR RESPONSIBLE FOR PROVIDING AND INSTALLING FIRE SLEEVES FOR FIREWALL. CONTRACTOR SHALL ADEQUATELY REPAIR ANY FIREWALL PENETRATIONS.

G. WALL MOUNT PAGING STATION BASIS OF DESIGN IS BIAMP WS-10 WALL STATION.

H. DESK MOUNT PAGING STATION BASIS OF DESIGN IS BIAMP DS-10 DESK STATION.

KEY NOTES:

1 VOLUME CONTROL FOR SPEAKERS IN POLICE CENTER.

2 VOLUME CONTROL FOR SPEAKERS IN EMERGENCY DEPARTMENT.

3 WALL MOUNTED JUNCTION BOX PROVIDING DATA FEED TO PAGING STATIONS. COORDINATE PLACEMENT WITH CASEWORK RACEWAY.

4 LOCATION OF DESK MOUNTED DEDICATED PAGING STATION. ROUTE FEED FOR PAGING STATION THROUGH CASEWORK RACEWAY. COORDINATE WITH COR.

5 LOCATION OF DESK MOUNTED DEDICATED PAGING STATION. COORDINATE WITH COR.

6 LOCATION OF WALL MOUNT DEDICATED PAGING STATION. COORDINATE WITH COR.

7 LOCATION OF EXISTING FIRE ALARM CONTROL PANEL. COORDINATE ALL INTERCONNECT WORK WITH COR PRIOR TO PERFORMING WORK.

8 LOCATION OF FIRE ALARM INTERFACE PANEL. REFERENCE T-501 DETAIL 2.

WALL RATING LEGEND

1 HR - FIRE SEPARATION

2 HR - FIRE SEPARATION

SMOKE RESISTIVE HAZARDOUS AREA

FULLY SPRINKLERED

100% CONSTRUCTION DOCUMENTS

#	Revisions:	Date

CONSULTANTS:

REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER — Glenn D Allsbrook III — BICSI ID # 363972 — EXPIRES 12-31-24 — RCDD 12/15/2022

NORTH CAROLINA PROFESSIONAL SEAL 52505 ENGINEER JOSHUA D. MEYER 12/15/2022

PROJECT MANAGER

ACG Project Number 22-038

APOGEE Engineers | Architects

Headquarters:
Apogee Consulting Group, P.A.
1151 Kildaire Farm Road, Suite 120
Cary, North Carolina 27511
www.acg-pa.com 919-858-7420

© COPYRIGHT Apogee Consulting Group, P.A.

Office of Construction and Facilities Management

VA U.S. Department of Veterans Affairs

Drawing Title: TECHNOLOGY ENLARGEMENTS

Project Title: REMOVE AND REPLACE PUBLIC ADDRESS SYSTEM

VA PROJECT NUMBER: 548-22-100

Building Number: #

Location: WEST PALM BEACH VAMC, 7305 NORTH MILITARY TRAIL, WEST PALM BEACH FL, 33410-6400

Approved

Date: DECEMBER 14, 2022 | Checked: JDM | Drawn: JDM

Drawing Number: T-401

Dwg 29 of 32

12/14/2022 4:10:49 PM C:\Users\jmeyer\schwander\Documents\E_22-038_West_Palm_Beach-Replace_PAMNS-FL_jmeyer\schwander.rvt
VA FORM 08-6231

DocuSign Envelope ID: 88475F19-AD36-411D-B79A-CDEEC92A0411

REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER
Bicsi
Glenn D Allsbrook III
BICSI ID # 363972
EXPIRES 12-31-24
RCDD



HEADEND EQUIPMENT LOCATION - BUILDING 1 EIGHTH FLOOR 8A-302C
5
Scale: 1/4" = 1'-0"



HEADEND EQUIPMENT LOCATION - BUILDING 1 SECOND FLOOR 2B-302C
3
Scale: 1/4" = 1'-0"



HEADEND EQUIPMENT LOCATION - CLC 1H-103
1
Scale: 1/4" = 1'-0"



HEADEND EQUIPMENT LOCATION - BUILDING 1 FIFTH FLOOR 5B-302C
4
Scale: 1/4" = 1'-0"



HEADEND EQUIPMENT LOCATION - BLDG 1 BASEMENT BC-202
2
Scale: 1/4" = 1'-0"

SHEET NOTES:

A. PROVIDE PAMNS DEVICES AT LOCATIONS INDICATED ON PLANS. PROVIDE WIRING AND CIRCUIT AS INDICATED ON DETAILS.

B. ALL PAMN WIRING SHALL BE CONCEALED IN WALLS, IN RACEWAY OR AND ABOVE THE CEILING IN CONDUIT.

C. PAMN WIRING IN UNFINISHED AREAS SHALL BE IN SURFACE MOUNTED RACEWAY (MECH. ROOM, ROOMS WITH NO CEILINGS.)

D. CONTRACTOR RESPONSIBLE FOR PROVIDING AND INSTALLING FIRE SLEEVES FOR FIREWALL. CONTRACTOR SHALL ADEQUATELY REPAIR ANY FIREWALL PENETRATIONS.

E. ALL RECEPTACLE CONDUCTORS SHALL BE 2-12 AWG, 1-12 AWG EG IN 3/4" CONDUIT MINIMUM UNLESS NOTED OTHERWISE.

F. COORDINATE LOCATION OF NEW RECEPTACLES AND DATA CABINETS WITH EXISTING EQUIPMENT LOCATED HEADEND EQUIPMENT LOCATIONS.

KEY NOTES:

1 NEW PAGING EQUIPMENT LOCATION. REFERENCE SHEET E-501 FOR RACK DEVICE LAYOUT AND E-601 FOR RISER DIAGRAM.

2 LOCATION OF VERTICAL RISER IN LIFT SHAFT. REF. T-601.

3 EXISTING PANEL FEEDING EQUIPMENT RACK IN BC-202. NO WORK ANTICIPATED. PANEL INDICATED FOR DISCONNECTION AS NEEDED.

WALL RATING LEGEND

1 HR - FIRE SEPARATION
2 HR - FIRE SEPARATION
SMOKE RESISTIVE HAZARDOUS AREA

FULLY SPRINKLERED

100% CONSTRUCTION DOCUMENTS

#	Revisions:	Date

CONSULTANTS:

REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER Glenn D Allsbrook III Bicsi BICSI ID # 363972 Expires 12-31-24 RCDD 12/15/2022

NORTH CAROLINA PROFESSIONAL SEAL 52505 ENGINEER JOSHUA D. MEYER 12/15/2022

PROJECT MANAGER

ACG Project Number 22-038

APOGEE Engineers | Architects

Headquarters:
Apogee Consulting Group, P.A.
1151 Kildaire Farm Road, Suite 120
Cary, North Carolina 27511
www.acg-pa.com 919-858-7420

© COPYRIGHT Apogee Consulting Group, P.A.

Office of Construction and Facilities Management

VA U.S. Department of Veterans Affairs

Drawing Title: TECHNOLOGY ENLARGEMENTS

Project Title: REMOVE AND REPLACE PUBLIC ADDRESS SYSTEM

VA PROJECT NUMBER: 548-22-100

Building Number: #

Location: WEST PALM BEACH VAMC, 7305 NORTH MILITARY TRAIL, WEST PALM BEACH FL, 33410-6400

Approved:

Date: DECEMBER 14, 2022 | Checked: JDM | Drawn: JDM

Drawing Number: T-402

Dwg 30 of 32

12/14/2022 4:10:53 PM C:\Users\preuserschwander\Documents\E_22-038_West_Palm_Beach-Replace_PAMNS-FL_preuserschwander.rvt

DocuSign Envelope ID: 88475F19-AD36-411D-B79A-CDEEC92A0411
REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER
Bicsi
Glenn D Allsbrook III
BICSI ID # 363972
EXPIRES 12-31-24
RCDD



TYPICAL TELECOM ENCLOSURE DETAIL NOTES:

1. 12 PORT FIBER OPTIC PATCH PANEL WITH COUPLERS.
2. HORIZONTAL WIRE MANAGEMENT (1U).
3. POWER OVER ETHERNET SWITCH.
4. PROVIDE UNINTERRUPTIBLE POWER SUPPLY
5. DUPLEX RECEPTACLE, SEE DRAWINGS.
6. 48 PORT COPPER PATCH PANEL, DATA.
7. TELECOM ENCLOSURE 48"H X 30"D X 24"W (26 RU) WITH PDU POWER STRIP, GROUND BUS, GROUND TERMINAL, HORIZONTAL WIRE MANAGEMENT, WITH FANS, TEMPERED GLASS FRONT DOOR & BLANK BACK DOORS WITH LOCKS.
8. PAMNS SYSTEM AMPLIFIER CHASSIS.
9. RACK SHELF FOR END-OF-LINE DEVICES.

6 PAMNS HEAD END EQUIPMENT CABINET TELECOM 2B-302C TELECOM 5B-302C TELECOM 8A-302C

Scale: No Scale



TYPICAL DATA RACK DETAIL NOTES:

1. 12 PORT FIBER OPTIC PATCH PANEL WITH COUPLERS.
2. HORIZONTAL WIRE MANAGEMENT (1U).
3. 48 PORT COPPER PATCH PANEL, DATA.
4. POWER OVER ETHERNET SWITCH.
5. PROVIDE UNINTERRUPTIBLE POWER SUPPLY, 3000 KVA.
6. ELECTRICAL RECEPTACLE.
7. CHANNEL RACK 84"H X 30"D X 24"W WITH POWER STRIP, AC POWER LINE SURGE PROTECTOR AND FILTER, GROUND BUS, GROUND TERMINAL, AND VERTICAL & HORIZONTAL WIRE MANAGEMENT. B.O.D. : OR - MM207 3038-W WITH W.M. OR - MM20 VMD706 OR EQUAL.
8. 6"W X 10"D VERTICAL WIRE MANAGEMENT WITH DOORS, IF RACKS ARE GANGABLE THEN PROVIDE ONLY ONE VERTICAL WIRE MANAGEMENT BETWEEN THEM.
9. RACK MOUNTED COMPUTER.
10. PAMNS SYSTEM AMPLIFIER CHASSIS.
11. RACK SHELF FOR END-OF-LINE DEVICES.
12. PAMNS MESSAGE SERVER.
13. TEXT-TO-SPEECH SERVER.
14. TELEPHONE INTERFACE SERVER.

4 PAMNS HEAD END EQUIPMENT RACK EQUIP. TECH WORK ROOM BC-202

Scale: No Scale



TYPICAL DATA RACK DETAIL NOTES:

1. 12 PORT FIBER OPTIC PATCH PANEL WITH COUPLERS.
2. HORIZONTAL WIRE MANAGEMENT (1U).
3. 48 PORT COPPER PATCH PANEL, DATA.
4. POWER OVER ETHERNET SWITCH.
5. PROVIDE UNINTERRUPTIBLE POWER SUPPLY, 3000 KVA.
6. ELECTRICAL RECEPTACLE.
7. CHANNEL RACK 84"H X 30"D X 24"W WITH POWER STRIP, AC POWER LINE SURGE PROTECTOR AND FILTER, GROUND BUS, GROUND TERMINAL, AND VERTICAL & HORIZONTAL WIRE MANAGEMENT. B.O.D. : OR - MM207 3038-W WITH W.M. OR - MM20 VMD706 OR EQUAL.
8. 6"W X 10"D VERTICAL WIRE MANAGEMENT WITH DOORS, IF RACKS ARE GANGABLE THEN PROVIDE ONLY ONE VERTICAL WIRE MANAGEMENT BETWEEN THEM.
9. RACK MOUNTED COMPUTER.
10. PAMNS SYSTEM AMPLIFIER CHASSIS.
11. RACK SHELF FOR END-OF-LINE DEVICES.
12. NOT USED.
13. NOT USED.
14. NOT USED.

5 PAMNS HEAD END EQUIPMENT RACK TELECOM 1H-103

Scale: No Scale



DETAIL NOTES:

1. NEW PAMNS TELEPHONE INTERFACE. PROVIDE ALL NECESSARY ASSOCIATED EQUIPMENT.
2. EXISTING TELEPHONE EQUIPMENT. COORDINATE CONNECTION OF PAMNS TO TELEPHONE SYSTEM WITH COR.

1 PAMNS TELEPHONE INTERFACE

Scale: No Scale



DETAIL NOTES:

1. NEW PAMNS FIRE ALARM INTERFACE. PROVIDE ALL NECESSARY ASSOCIATED EQUIPMENT. MOUNT INTERFACE INSIDE OF CABINET.
2. FIRE ALARM INTERFACE CABINET SHALL BE CLEARY LABELED AS "PUBLIC ADDRESS SYSTEM FIRE ALARM INTERFACE".
3. EXISTING FACP LOCATED IN POLICE OPERATIONS ROOM BB-204. COORDINATE CONNECTION OF PAMNS TO FIRE ALARM SYSTEM WITH COR.

2 PAMNS FIRE ALARM INTERFACE

Scale: No Scale



DETAIL NOTES:
- FLEX TO BE < 6'
- SUPPORT CONDUIT AND JUNCTION BOXES PER CODE REQUIREMENTS

3 SPEAKER CABLING DETAIL

Scale: No Scale



PLD IMPEDENCE MONITORING

1. 'BRANCHED' SPEAKER LINES NOT SUPPORTED. ONLY 1 PLD DEVICE PER AMPLIFIER OUTPUT.
2. COMPATIBLE WITH 100V CONSTANT VOLTAGE SYSTEMS UP TO 300 WATTS OR 70V CONSTANT VOLTAGE SYSTEMS UP TO 150 WATTS.
3. PLD'S CAN SUPPORT LOUDSPEAKER CABLE LENGTHS OF UP TO 4265 FEET (1300 METERS OR 1.3KM).



ELD-1

1. 'BRANCHED' SPEAKER LINES ARE SUPPORTED. YOU CAN HAVE UP TO 15 ELD'S PER AMPLIFIER OUTPUT.
2. ELD-1'S CAN SUPPORT SPEAKER RUNS UP TO 500 FEET (152.4 METERS).
3. ELD DEVICES TO BE MOUNTED IN TELECOM ROOM ON SHELF IN RACK.

7 LINE MONITORING DEVICE COMPARISON

Scale: No Scale

SHEET NOTES:

A. SYSTEM BASIS OF DESIGN DEVICES FOR THE HEAD END EQUIPMENT ARE THE FOLLOWING:
   a. PAMNS SYSTEM AMPLIFIER CHASSIS: VOCIA VA-8600 AMPLIFIER
   b. PAMNS SYSTEM AMPLIFIER CARD: AM-600
   c. PAMNS MESSAGE SERVER: VOCIA MS-1
   d. TEXT-TO-SPEECH SERVER: VOCIA TTS-1
   e. TELEPHONE INTERFACE SERVER: VOCIA VOIP-1/POTS-1
   f. FIRE ALARM INTERFACE DEVICE: VOCIA GPIO-1

B. REFERENCE PAMNS RISER DIAGRAM SHEET T-601.

C. CONTRACTOR MAY UTILIZE EITHER PLD OR ELD-1 AS END OF LINE MONITORING DEVICE. CONTRACTOR SHALL MEET THE REQUIREMENTS OF DETAIL 7 THIS SHEET. CONTRACTOR SHALL UTILIZE ELD-1 INSTEAD OF PLD WHERE CONDITIONS PERMIT.

FULLY SPRINKLERED

100% CONSTRUCTION DOCUMENTS

#	Revisions:	Date

CONSULTANTS:

REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER — Glenn D Allsbrook III — Bicsi — BICSI ID # 363972 — Expires 12-31-24 — RCDD — 12/15/2022

NORTH CAROLINA PROFESSIONAL SEAL 52505 ENGINEER — JOSHUA D. MEYER — 12/15/2022

PROJECT MANAGER

ACG Project Number 22-038

APOGEE Engineers | Architects

Headquarters:
Apogee Consulting Group, P.A.
1151 Kildaire Farm Road, Suite 120
Cary, North Carolina 27511
www.acg-pa.com 919-858-7420

© COPYRIGHT Apogee Consulting Group, P.A.

Office of Construction and Facilities Management

VA U.S. Department of Veterans Affairs

Drawing Title: TECHNOLOGY DETAILS

Project Title: REMOVE AND REPLACE PUBLIC ADDRESS SYSTEM

VA PROJECT NUMBER: 548-22-100

Building Number: #

Location: WEST PALM BEACH VAMC, 7305 NORTH MILITARY TRAIL, WEST PALM BEACH FL, 33410-6400

Approved

Date: DECEMBER 14, 2022 | Checked: JDM | Drawn: JDM

Drawing Number: T-501

Dwg 31 of 32

12/14/2022 4:10:54 PM C:\Users\preuserschwander\Documents\E_22-038_West_Palm_Beach-Replace_PAMNS-FL_preuserschwander.rvt
VA FORM 08-6231

DocuSign Envelope ID: 88475F19-AD36-411D-B79A-CDEEC92A0411

PAGING ZONES	Description	NUMBER OF CEILING SPEAKERS	NUMBER OF WALL MOUNT SPEAKERS	NUMBER OF HORNS	Volume Control Count	Amplifier Location	Sheet
BA	BASEMENT SE	28	5	15	0	BC-202	T-101
BB	BASEMENT CENT	65	5	2	1	BC-202	T-102
BC	BASEMENT NW	67	2	3	0	BC-202	T-103
BD	BASEMENT E	10	1	5	0	BC-202	T-104
BE	BASEMENT E	0	1	2	0	BC-202	T-104
1A	FIRST FLOOR SE	70	2	2	0	BC-202	T-111
1B	FIRST FLOOR CENT	59	4	8	0	BC-202	T-112
1C	FIRST FLOOR NW & E	62	2	8	1	BC-202	T-113
2A	SECOND FLOOR SE	15	2	1	2	2B-302C	T-121
2B	SECOND FLOOR CENT	64	3	1	3	2B-302C	T-122
2C	SECOND FLOOR NW	43	2	2	2	2B-302C	T-123
3A	THIRD FLOOR SE	15	1	0	0	2B-302C	T-131
3B	THIRD FLOOR CENT	44	4	4	2	2B-302C	T-132
3C	THIRD FLOOR NW	26	2	3	1	2B-302C	T-133
4A	FOURTH FLOOR SE	10	2	0	0	5B-302C	T-141
4B	FOURTH FLOOR CENT	47	4	4	2	5B-302C	T-142
4C	FOURTH FLOOR NW	26	2	3	1	5B-302C	T-143
5A	FIFTH FLOOR SE	16	2	1	1	5B-302C	T-151
5B	FIFTH FLOOR SE	27	3	1	1	5B-302C	T-151
5C	FIFTH FLOOR NW	0	4	0	0	5B-302C	T-152
6A	SIXTH FLOOR	18	2	0	1	5B-302C	T-161
6B	SIXTH FLOOR	28	3	2	2	5B-302C	T-161
7A	SEVENTH FLOOR - A WING	15	2	2	1	8A-302C	T-171
7B	SEVENTH FLOOR	27	3	0	1	8A-302C	T-171
8A	EIGHTH FLOOR - A WING	36	3	1	1	8A-302C	T-181
8B	EIGHTH FLOOR - B WING	36	2	1	2	8A-302C	T-181
9A	NINTH FLOOR - A WING	35	2	1	2	8A-302C	T-191
9B	NINTH FLOOR - B WING	47	3	1	2	8A-302C	T-191
10	TENTH FLOOR	0	2	3	0	8A-302C	T-192
16-B	BASEMENT LEVEL - BUILDING 16	11	11	0	0	1H-103	T-103
16-1	FIRST FLOOR LEVEL - BUILDING 16	14	0	0	0	1H-103	T-114
15-18	BASEMENT LEVEL - BUILDING 15/18	24	0	0	0	BC-202	T-101
MRI	BASEMENT LEVEL - BUILDING 21	18	18	0	0	BC-202	T-103
CLCE	CLC NE & SW	50	0	0	1	1H-103	T-106
CLCW	CLC SW	26	0	0		1H-103	T-105
CLCH	CLC HOSPICE	12	12	0	1	1H-103	T-106
OR	SECOND FLOOR OR SUITE	32	3	2	6	2B-302C	T-121
ED	FIRST FLOOR EMERGENCY DEPARTMENT	33	1	0	0	BC-202	T-115
DN	THIRD FLOOR DENTISTRY	10	1	0	1	2B-302C	T-131
LAB	FOURTH FLOOR LAB AREA	8	0	0	1	5B-302C	T-141

NOTES:

1.CONTRACTOR SHALL PROVIDE THE VA WITH EITHER 3% OF THE TOTAL OR 10 SPARE OF EACH SPEAKER OR HORN TYPE DEVICE INSTALLED, WHICHEVER IS GREATER.

2.CONTRACTOR SHALL FIELD VERIFY SPEAKER LOCATIONS FOR REPLACEMENT OF SPEAKER. SPEAKERS SHALL BE PLACED AT MAXIMUM 2X THE CEILING HEIGHT IN DISTANCE. IN LOCATIONS WHERE EXTRA DEVICES ARE NEEDED TO MEET THIS REQUIREMENT THE CONTRACTOR SHALL PULL FROM THE SPARE DEVICE POOL AT NO COST TO THE GOVERNMENT.



1 PAMNS RISER DIAGRAM

Scale: No Scale

SHEET NOTES:

A. CONTRACTOR SHALL COORDINATE ALL SYSTEM PROGRAMMING AND MESSAGE DATABASE SETUP BETWEEN THE VA AND SYSTEM MANUFACTURER. VA SHALL PROVIDE A DESIRED LIST OF PRE-RECORDED PAGES TO THE CONTRACTOR IN ORDER TO FACILITATE SYSTEM PROGRAMMING.

KEY NOTES:

1. MAIN PUBLIC ADDRESS HEAD END EQUIPMENT LOCATED IN BUILDING 1 BASEMENT EQUIP. TECH WORK ROOM BC-202.
2. PUBLIC ADDRESS HEAD END EQUIPMENT LOCATED IN BUILDING 1 SECOND FLOOR TELECOM ROOM 2B-302C.
3. PUBLIC ADDRESS HEAD END EQUIPMENT LOCATED IN BUILDING 1 FIFTH FLOOR TELECOM ROOM 5B-302C.
4. PUBLIC ADDRESS HEAD END EQUIPMENT LOCATED IN BUILDING 1 EIGHTH FLOOR TELECOM ROOM 8A-302C.
5. PUBLIC ADDRESS HEAD END EQUIPMENT LOCATED IN BUILDING 19 TELECOM ROOM 1H-103.
6. MAIN RISER LOCATED IN LIFT 3. LIFT THREE IS DISABLED AND NOT IN USE. CONTRACTOR TO VERIFY LIFT IS LOCKED OUT PRIOR TO COMMENCING WORK. ALL FIBER AND CABLING IN SHAFT TO BE PLACED IN CONDUIT. CONDUITS LOCATED IN SHAFT SHALL BE GALVANIZED ELECTRICAL METALLIC TUBING, INTERMEDIATE METAL CONDUIT, OR RIGID METAL CONDUIT.

FULLY SPRINKLERED

100% CONSTRUCTION DOCUMENTS

#	Revisions:	Date

CONSULTANTS:

REGISTERED COMMUNICATIONS DISTRIBUTION DESIGNER Bicsi Glenn D Allsbrook III BICSI ID # 363972 EXPIRES 12-31-24 RCDD 12/15/2022

NORTH CAROLINA PROFESSIONAL SEAL 52505 ENGINEER JOSHUA D. MEYER 12/15/2022

PROJECT MANAGER

ACG Project Number 22-038

APOGEE Engineers | Architects

Headquarters:
Apogee Consulting Group, P.A.
1151 Kildaire Farm Road, Suite 120
Cary, North Carolina 27511
www.acg-pa.com 919-858-7420

© COPYRIGHT Apogee Consulting Group, P.A.

Office of Construction and Facilities Management

VA U.S. Department of Veterans Affairs

Drawing Title: PAMNS RISER DIAGRAM

Project Title: REMOVE AND REPLACE PUBLIC ADDRESS SYSTEM

VA PROJECT NUMBER: 548-22-100

Building Number: #

Location: WEST PALM BEACH VAMC, 7305 NORTH MILITARY TRAIL, WEST PALM BEACH FL, 33410-6400

Approved

Date: DECEMBER 14, 2022 | Checked: JDM | Drawn: HT

Drawing Number: T-601

Dwg 32 of 32

12/14/2022 4:10:54 PM C:\Users\jmeyer\acwarder\Documents\E_22-038_West_Palm_Beach-Replace_PAMNS-FL_jmeyer\schwander.rvt

VA FORM 08-6231