

FA9101-19-C-1000

Attachment 1

Performance Work Statement

**Arnold Engineering Development Complex
Facility Support Services II**

9 November 2018

1 Introduction	4
1.1 Mission	4
1.2 Background.....	4
1.3 Scope	5
2 General Requirements	6
2.1 Business Relations	6
2.2 Contract Administration and Management.....	6
3 Performance Requirements	8
3.1 Industrial Security, Test Security, and Security Management Support.....	8
3.2 Security Services	45
3.3 Command, Control, and Communications	60
3.4 Fire and Emergency Services Program	68
3.5 Environmental Program.....	82
3.6 Safety Program	99
3.7 Occupational and Environmental Health (OEH).....	105
3.8 Base Supply	112
3.9 Cargo Movement	128
3.10 Vehicle Operations and Maintenance.....	139
3.11 Interface Management	155
3.12 General Management.....	158
4 Special Requirements	162
5 Acronyms	180
6 Deliverables.....	187

7 Performance Requirements Summary	202
APPENDICES	214
APPENDIX A – SECURED AREAS	215
APPENDIX B – FESAP CHECKLIST	220
APPENDIX C – MUTUAL AID AGREEMENTS	236
APPENDIX D – ABOVEGROUND STORAGE TANKS	242
APPENDIX E – ENVIRONMENTAL PERMITS	262
APPENDIX F – ENVIRONMENTAL PLANS	263
APPENDIX G – HAZARDOUS WASTE GENERATION	264
APPENDIX H – NPDES DATA	265
APPENDIX I – PERMITTED SEPTIC TANKS	270
APPENDIX K – SIGNIFICANT LEAKS OR SPILLS HISTORICAL DATA	291
APPENDIX L – ARNOLD AFB VEHICLE FLEET	292
APPENDIX M – FSS BUILDING MANAGER INVENTORY	304

Performance Work Statement (PWS)

Facility Support Services (FSS)

1 Introduction

The Air Force Test Center's (AFTC) Arnold Engineering Development Complex (AEDC) is a national aerospace ground test facility that conducts tests, engineering analyses, and technical evaluations for research, system development, and operational programs of the Air Force (AF) and Department of Defense (DoD), other Government agencies, and industry. Using ground test facilities and computational engineering, AEDC supports propulsion, aerodynamic, reentry, trans-atmospheric, and space-flight systems testing. This testing underpins the technical knowledge required for the development and qualification of key warfighter aerospace weapons. Testing is performed in an environment that simulates operational conditions. AEDC also performs research to develop new technology for advanced test facilities, test techniques, and measurement methodologies associated with ground tests.

1.1 Mission

AEDC exists to test and evaluate weapon, propulsion, aerodynamic and space systems at realistic conditions for the nation through modeling, simulation and ground test facilities.

The mission is essential to developing and fielding weapons systems for the nation's warfighters. The FSS Contractor will be expected to perform in this mission, while smoothly integrated with the other Arnold Air Force Base (AFB) contractors and Government personnel, in a manner that makes AEDC the best value and most effective ground test and evaluation complex in the world.

1.2 Background

Arnold AFB, located in Tullahoma, TN, has been Government-managed and contractor-operated since its inception. Contractors conduct test operations, base operations, test facility and base infrastructure maintenance and improvement efforts, and many other services critical to operating and sustaining the nation's largest collection of aerospace ground test facilities. The AEDC Test Operations and Sustainment (TOS) contract provides the contractor workforce necessary to successfully operate and sustain AEDC's test facilities at Arnold AFB, TN, and geographically separated units (GSUs) at White Oak, MD, and Moffett Field, CA. Enterprise contracting initiatives beginning in 2015 resulted in information technology tasks, operation of the Precision Measurement Equipment Laboratory (PMEL), and technical management and engineering analysis support for test programs being performed under separate contracts. In addition, some portions of base operating support (BOS) tasks, historically part of the overall operating contract, were set aside for small business under an FSS contract.

1.3 Scope

This contract effort provides multiple aspects of BOS functions in support of AEDC's test mission. The FSS contract provides supply, vehicle maintenance, cargo movement, operations center and command & control (C2) functions, industrial and test security, security services, and fire and emergency services. The FSS contract also provides support for overall AEDC Safety, Environmental, and Occupational Health programs.

2 General Requirements

The effort will be performed primarily at Arnold AFB in Tennessee. Performance will also be required at AEDC facilities housed as tenants on sites at Tunnel 9 in White Oak, MD and on the National Aeronautics and Space Administration (NASA) Ames Research Center (ARC) grounds at Moffett Field, CA where specified. Requirements listed in this PWS are assumed to be Arnold AFB unless specifically noted otherwise.

2.1 Business Relations

The Contractor shall successfully integrate and coordinate all activities needed to execute the requirements. The Contractor shall manage the timeliness, completeness, and quality of problem identification. The Contractor shall provide corrective action plans, proposal submittals, timely identification of issues, and effective management of sub-contractors. The Contractor shall coordinate and cooperate closely with associate Contractors involved in the execution of AEDC's mission. The Contractor shall seek to ensure satisfaction of all internal and external customers, and ensure professional and ethical behavior of all Contractor personnel.

2.2 Contract Administration and Management

The Contractor shall perform all contract management functions required to ensure proactive and sustained contract excellence in providing accurate, safe, secure, timely, and efficient facility support services to meet the Government's established requirements.

2.2.1 Contract Management

The Contractor shall designate and locate at Arnold AFB a responsible corporate official with no responsibility other than for this contract and empowered to make and implement all decisions regarding the performance of this contract.

2.2.2 Contract Administration

The Contractor shall:

- Ensure performance of the business and administrative aspects of the contract;
- Report all Full-Time Equivalents (FTEs) in accordance with (IAW) Section 8108 of Public Law 112-10 of the DoD and Full-Year Continuing Appropriations Act, 2011;
- Ensure resources are efficiently and effectively managed and contract status (including Government-furnished resources) is reported to Government representatives; and

- Develop, implement, and manage formal associate Contractor agreements with the following contractors at Arnold AFB: TOS; Test Services; PMEL; Performance Based Remediation; and Base Communications and Information Technology Services (BCITS).

2.2.3 Personnel Administration

The Contractor shall:

- Maintain a qualified work force to support the Government and ensure AEDC maintains compliance with all applicable regulations. Conduct employee, supervisory, and management training programs;
- Maintain staffing records identifying company organizational designations, a brief description of the functions, and the number and types of personnel assigned; and
- Provide and administer an Equal Opportunity Affirmative Action Program that complies with all Federal statutes.

3 Performance Requirements

3.1 Industrial Security, Test Security, and Security Management Support

At Arnold AFB, the FSS Contractor will be designated as an “Independent Visitor Group” per AFI 16-1406 and will have a facility located on Arnold AFB cleared under the provisions under DoD / USAF regulation, instruction and guidance. The Chief of Information Protection has been designated by the Installation Commander to provide security oversight and the Information Protection Office will be the Servicing Security Activity (SSA).

As the Prime Security Contractor, the FSS Contractor will be responsible for establishing all physical security requirements for all physical space, listed in Appendix A and all other spaces determined by the SSA requiring additional safeguards. In addition, the FSS Contractor is required to meet all PWS 3.1 requirements identified for AEDC Moffett Field. The Contractor is responsible for establishing standard security practices and procedures for classified and commercial test areas as well as supporting the Special Access Programs (SAP) Security Program under the direction of the Government Special Security Officer (GSSO). In order to fully implement AEDC Information Protection Program objectives, the Contractor will need to work with and perform security support functions in coordination with the Chief of Information Protection, the AEDC Government SAP Security Officer, AEDC Security Managers, respective program / project manager(s), and other Contractors performing work at AEDC.

In addition to requirements identified in the DD Form 254, this effort must ensure compliance with a variety of specialized security directives, regulations, and guides, including DoD Regulations, AFIs, and related AEDC policies / operating instructions (OIs). Contractor personnel must also have knowledge of DoDM 5205.07, Volumes 1-4 and the Joint Security Implementation Guide (JSIG), Foreign Disclosure, DoD regulations, pertinent Department of Navy regulations, SAF/AQ Policy Documents, and pertinent Executive Orders. The Contractor personnel must be familiar with protecting Automated Information Systems. The Contractor must be aware and adhere to revised publications listed in Section 3.1.6 to ensure proper compliance.

3.1.1 Security and Facility Clearance Level (FCL) Management

3.1.1.1 The Contractor shall have a valid Top Secret FCL and maintain an industrial security program compliant with DoD 5220.22-M, National Industrial Security Program Operating Manual (NISPOM), and other mandatory directives listed in the solicitation to protect information and operations critical to the successful accomplishment of AEDC’s mission. Additional mandatory directives are listed in Section 3.1.6.

There are inherently governmental functions and activities that cannot be outsourced to a contractor. Inherently governmental activities and functions include those that require either the exercise of substantial discretion in applying U.S. Government authority, or value judgments

when making decisions for the U.S. Government. Although the Contractor will be tasked to support assigned Government Program Security Manager(s) with respective security program requirements and to assist in providing centralized security services, the Government security manager has the lead and is the decision maker. The Contractor is only providing support in this capacity to perform administrative security functions under the direction of the activity security manager.

Activity security management shall ensure that Contractors who are involved in security administration and support duties are clearly identified in their capacities, roles, and functions, to ensure there is no possible confusion regarding inherently governmental authorities. The Contractor should contact the contracting officer for clarification in the event of any conflict.

Inherently governmental Security Functions that the Contractor shall not perform include, but are not limited to:

- (a) Approving and issuing security policies and procedures
- (b) Making original classification decisions, or rendering classification determinations regarding classified information that is improperly or incompletely marked. (Correcting improper markings when the appropriate classification is not in question is not considered rendering a classification determination.)
- (c) Deciding to downgrade or declassify information. (Adhering to security markings on information or to guidance stated in an appropriate security classification or declassification guide is not considered a downgrading or declassification decision.)
- (d) Deciding challenges to classification and any appeals
- (e) Making foreign disclosure decisions
- (f) Making public release decisions
- (g) Committing to expenditure of U.S. Government funds
- (h) Conducting investigations of, or determining fault in, security incidents involving U.S. Government or other Contractor personnel. (Contractors shall also conduct preliminary inquiries to determine if a security incident is a violation or an infraction.)
- (i) Giving final approval or executing documents for filing in litigation if documents assert an official position of the DoD, any DoD Component, or any other Federal agency

3.1.1.2 The Contractor shall obtain and maintain a facility clearance at the classification level of Top Secret prior to performing any classified work on the contract.

Performance Standards

- a) STD: No Security Violations that result in a loss or compromise of classified information.

b) STD: Score / Achieve no less than a Satisfactory rating 650 on the Defense Security Service's (DSS) Assessment Rating Matrix and no less than a "Satisfactory" on all other, internal and external security reviews, inspections, audits, and / or vulnerability assessments.

3.1.1.3 The Contractor shall designate a full time Facility Security Officer (FSO) with independent authority to support the Information Protection office and enforce all aspects of security program requirements for their company and all personnel located at Arnold AFB and AEDC Moffett Field.

FSO Requirements are:

- (a) Security training through the DSS-FSO Program Management for Possessing Facilities Curriculum (IS030.CU) (Approximately 17 Courses) shall be obtained prior to contract start date. Additional courses or curriculum may be needed to obtain applicable certifications.
- (b) DSS Professional Certifications must be obtained through Security Professional Education Development Program (SPeD) within 1 year of contract start date and maintain recertification every two years.

For more information on training and SPeD Certification: www.dss.mil,
www.cdse.edu/documents/sped/SPeD_Candidate_Handbook_4-1-14.pdf. The FSO
Tool Kit is available at: <http://www.cdse.edu/toolkits/fsos/new-fso.html>.

or

- (c) Acquire ASIS International Professional Certifications prior to contract start date:

For more information on training and ASIS International Certification:
<https://www.asisonline.org/Certification/Board-certifications/Pages/default.aspx>.

Performance Standards

- a) STD: The designated FSO, or those otherwise performing security duties, shall complete required security training and briefings considered appropriate by the SSA; obtain and maintain required DSS professional certifications or ASIS International professional certifications.
- b) STD: The FSO must obtain a Top Secret Personal Clearance prior to contract start date and maintain during contract execution.

3.1.1.3.1 The FSO and support staff, to include staff located at AEDC Moffett Field must be trained IAW chapter 3 of the NISPOM, for a possessing facility, and cleared commensurate with and concurrent with the issuance of the Facility Clearance Level IAW DoD 5220.22-M, Section 2, 1-201.

Performance Standard

STD: Training must meet NISPOM and DSS requirements and curriculum for FSO Program Management for Possessing Facilities.

3.1.1.3.2 The Contractor shall ensure the FSO is physically located at Arnold AFB in order to monitor and facilitate all security requirements.

Work schedules for security support are non-standard and dependent upon test schedules, inspections schedules, and emergency situations. The core operational hours of the security personnel are from 0730-1630 hours, Monday through Friday, not including opening or closing times, which may extend one or more hour(s) before or after the core hours for security support, including any visitor control or required customer assistance.

Performance Standards

a) STD: FSO shall be available to meet with the Government on urgent security issues within two hours of initial request.

b) STD: No test or programmatic impacts occur as a result of the absence of responsible security personnel.

3.1.1.3.3 The Contractor shall ensure all subcontractors enter into a Visitor Group Security Agreement (VGSA) with the AEDC Commander, as determined by the SSA IAW AFI16-1406. The VGSA must be signed by required parties and must address all security requirements before any classified work begins.

The Agreement will outline responsibilities in the following areas: Contractor security supervision; Standard Practice Procedures (SPP); access, accountability, storage, and transmission of classified material; marking requirements; security education; personnel security clearances; reports; security checks; security guidance; emergency protection; protection of Government resources; DD Forms 254; periodic security reviews; and other responsibilities, as required.

3.1.1.3.4 The Contractor shall support the Information Protection self-inspection program and is responsible to perform semi-annual self-inspections at Arnold AFB and AEDC Moffett Field. The Contractor will provide answers and source documentation in the COR provided communicator(s) within the Management Internal Control Toolset (MICT).

The Contractor shall ensure accurate, reliable, and critical assessments are performed. The Government COR will validate Contractor responses to applicable communicators and source documentation within MICT.

Deliverable

A083 MICT Self-Assessment Report

3.1.1.3.4.1 The Contractor shall provide the Government with written corrective action plans for all identified deficiencies at Arnold AFB and Moffett Field to determine primary and contributing root causes within 30 days of deficiency discovery. If the first response does not close all deficiencies, the Contractor will provide updates every 30 days thereafter until all deficiencies are resolved or closed.

Performance Standard

STD: Air Force Smart Operations for the 21st Century (AFSO21) processes or similar tool shall be used to determine efficiencies or improve processes and procedures.

3.1.1.4 The Contractor shall provide SAP security management support for Arnold AFB. Under the direction of the GSSO, the Contractor shall assist with management, administration, and sustainment of all aspects of a SAP security program compliant with all applicable DoD and AF requirements.

The Contractor shall assist the GSSO in providing SAP security management for test security, physical security, personnel security, information security, operations security (OPSEC), and SAP security education and training.

Performance Standard

STD: Receive no less than a Satisfactory rating from external inspections.

3.1.1.4.1 Under the direction of the GSSO, the Contractor shall establish and maintain SAP Facilities as required to support mission requirements in compliance with DoDM 5205.07, Volumes 1-4 and the JSIG and Program Security Officer (PSO) guidance.

Access shall be limited to authorized persons who have an appropriate security clearance, need-to-know, and documented formal access to the information within the area.

Performance Standard

STD: No security compromises or test / programmatic delays as a result of ineffective or inadequate SAP security planning and execution.

3.1.1.4.2 The Contractor shall identify, obtain, and maintain U.S. Postal Service procedures approved by the PSO.

3.1.1.4.3 The Contractor shall appoint a full-time Program Security Representative (PSR) cleared at least equal to the highest level of classified information for which they require

access and possess access to all SAPs assigned to the facility(s) for which he / she is responsible. The PSR shall have the position, responsibility, and authority as directed by the GSSO to effectively enforce all SAP security requirements based upon guidance provided by the PSO.

The Contractor shall ensure the PSR, or an appointed alternate, is physically located at Arnold AFB in order to monitor and facilitate all SAP security requirements.

Work schedules for SAP security support are non-standard and dependent upon test schedules, inspections schedules, and emergency situations. The core operational hours of the security personnel are from 0730-1630 hours, Monday through Friday, not including opening or closing times, which may extend one or more hour(s) before or after the core hours for security support including any visitor control or required customer assistance.

Performance Standards

- a) STD: The designated PSR, or those otherwise performing SAP security duties, shall complete required security training and briefings considered appropriate by the GSSO/PSO.
- b) STD: The PSR shall be available to meet with the Government within two hours on all urgent security issues upon request.
- c) STD: No test or programmatic impacts occur as a result of the absence of responsible security personnel.
- d) STD: Score / Achieve no less than a Satisfactory rating on the SAP related security inspections.

3.1.1.4.4 The Contractor shall provide Top Secret accountability for all Top Secret SAP information utilizing a PSO approved document control accountability system.

3.1.1.4.5 The Contractor shall appoint a full-time Information System Security Manager (ISSM), Information System Security Officer(s) (ISSO), and sufficient System Administrator(s) cleared at least equal to the highest level of classified information for which they require access and possess access to all SAPs assigned to the facility(s) for which they are assigned.

The Contractor shall ensure the ISSM, ISSO and System Administrators are physically located at Arnold AFB.

3.1.1.4.6 The Contractor shall ensure compliance with separation of duties as identified in JSIG Section 3.1.6.

3.1.1.4.7 The Contractor shall ensure that SAP Information Systems are operated, maintained, and disposed of IAW SAP security policies.

Performance Standard

STD: No security compromises or test / programmatic delays as a result of ineffective or inadequate SAP security planning and execution.

3.1.1.4.8 The Contractor shall develop and maintain a formal information systems security program and implement all information systems security policy, establish and maintain accreditation documentation and procedures for all SAP systems, ensure the development and accuracy of accreditation documentation, and recommend action to the approval authority.

Performance Standard

STD: No security compromises or test / programmatic delays as a result of ineffective or inadequate SAP security planning and execution.

Deliverables

A001 SAP Accredited Area Standard Operating Procedure

A002 SAP Certification and Accreditation Package

A003 JSIG System Authorization Package

A004 DIACAP and RMF Deliverable Data

3.1.1.4.9 The ISSM shall coordinate, translate, and communicate test security requirements with the Information System Security Engineer (ISSE) and applicable ISSO(s), review plans to meet these requirements, and validate implementation of plans. The ISSM shall provide a properly documented recommendation to the Government that ISSE solutions are effectively integrated into information systems and, pending approval, transmit documentation to appropriate approval authority.

In cases where the Contractor is serving as the ISSO, the Contractor shall execute the ISSE solution.

Performance Standard

STD: No security compromises or test / programmatic delays as a result of ineffective or inadequate SAP security planning and execution.

Deliverables

A001 SAP Accredited Area Standard Operating Procedure

A002 SAP Certification and Accreditation Package

A003 JSIG System Authorization Package

A004 DIACAP and RMF Deliverable Data

3.1.1.4.10 The Contractor shall use the Joint Access Database Environment, or any successor, for personnel security management functions for all AF SAPs IAW the AFADs Policy Directive dated 22 Jan 2008.

3.1.1.4.11 The Contractor shall provide IA support for test requirements, configuration management, lifecycle sustainment, budgeting, and system accreditation. For systems that the Contractor serves as ISSO, the Contractor shall provide day-to-day system administration including hardware and software requisition, installation, and maintenance as required for all SAP requirements.

Performance Standard

STD: No security compromises or test / programmatic delays as a result of ineffective or inadequate SAP security planning and execution.

Deliverables

A001 SAP Accredited Area Standard Operating Procedure

A002 SAP Certification and Accreditation Package

A003 JSIG System Authorization Package

A004 DIACAP and RMF Deliverable Data

A005 Test Security Plan

3.1.1.4.11.1 The Contractor shall perform IA support IAW DoDM 5205.07, Volumes 1-4, and the JSIG, 9 October 2013, DoD Joint SAP Implementation Guide (DJSIG, 9 Oct 2013).

Performance Standards

a) STD: Receive a satisfactory rating from all internal and external inspections.

b) STD: No security compromises or test / programmatic delays as a result of ineffective or inadequate SAP security planning and execution.

Deliverables

A001 SAP Accredited Area Standard Operating Procedure

A002 SAP Certification and Accreditation Package

A003 JSIG System Authorization Package

A004 DIACAP and RMF Deliverable Data

3.1.1.4.11.2 The Contractor shall ensure qualified and experienced IA personnel meeting DoD 8570 certification requirements are available to meet the day-to-day AEDC SAP system administration requirements to include after-duty hours as required.

Performance Standards

- a) STD: The designated SAP ISSM, ISSO(s), and System Administrator(s), or those otherwise performing SAP IA duties, shall complete required technical training, security training, and briefings considered appropriate by the PSO.
- b) STD: The SAP ISSM, or designated and qualified alternate, shall be available to meet with the Government on all urgent security issues within two hours of initial notification.
- c) STD: No test or programmatic impacts occur as a result of the absence of responsible SAP IA personnel.
- d) STD: No security compromises or test / programmatic delays as a result of ineffective or inadequate SAP security planning and execution.

3.1.1.4.12 The Contractor shall ensure all systems required for SAP support obtain Authority to Operate (ATO) to meet test requirements to include:

- **Collecting and providing IA artifacts, and maintaining updated Certification and Accreditation packages for SAP Information Systems**
- **Maintaining a continuous monitoring program to ensure the state of the systems' environments do not change from the accredited configurations**

Performance Standards

- a) STD: 100% of systems must have an approved ATO prior to testing.
- b) STD: All SAP ATO packages must be renewed within 1 month of their expiration.

Deliverables

A001 SAP Accredited Area Standard Operating Procedure

A002 SAP Certification and Accreditation Package

A003 JSIG System Authorization Package

A004 DIACAP and RMF Deliverable Data

A005 Test Security Plan

3.1.1.4.13 The Contractor shall prepare Standard Operating Procedures (SOP) necessary for the implementation of SAP requirements. SOPs shall be developed and coordinated in compliance with DoDM 5205.07, Volumes 1-4, and the JSIG.

Deliverable

A001 SAP Accredited Area Standard Operating Procedure

3.1.1.5 The Contractor shall provide security support for all phases of unclassified, classified, and commercial testing and related test activities performed at Arnold AFB and AEDC Moffett Field.

The Contractor shall establish and implement a security program compliant with DoD, service, and local directives and make recommendations for improvements to security test procedures; integrate cost effective and threat based security processes, plans, and procedures. Test phases include planning, design, fabrication, installation, execution, removal, reporting, and analysis. The protection / security of test articles or systems and data is required.

Performance Standards

- a) STD: No Security Violations that result in a loss or compromise of classified information.
- b) STD: Score / Achieve no less than a Satisfactory rating 650 on the DSS Assessment Rating Matrix and no less than a “Satisfactory” on all other, internal and external security reviews, inspections, audits, and / or vulnerability assessments.

3.1.1.5.1 The Contractor shall retain a copy of all program Security Classification Guides and verify they are current IAW DoD 5220.22-M, DoDM 5200.01, Vol. 1-4, AFI 16-1404, AFI 16-1406, and supplements.

Performance Standard

STD: Maintain 100% of applicable test related Security Classification Guides on site.

3.1.1.5.2 The Contractor shall provide analytical, technical, and administrative security support services to Information Protection, Industrial Security, and SAP Security programs managed by the Government.

Technical and administrative support from qualified security personnel is required to ensure core programs are successfully executed IAW applicable DoD and AFIs. Support will be provided "on-site" to the Government at Arnold AFB and includes security reviews, evaluations, initial surveys, and assessments. The Contractor shall be required to visit AEDC Moffett Field at least once per year to conduct a Staff Assistance Visit or inspection. Programs include but are not

limited to: Industrial Security, Personnel Security, Information Security, OPSEC, Test Security, and Physical Security for the protection of controlled information.

The Contractor should anticipate supporting 5-10 security reviews, evaluations, initial surveys, and assessments annually; however, this may fluctuate depending upon mission needs.

Performance Standard

STD: No security compromises or test / programmatic delays as a result of ineffective or inadequate technical security planning support.

3.1.1.5.2.1 The Contractor shall provide High Definition (HD) photography equipment and support of photography requirements within the AEDC test mission area regardless of its security classification.

The Contractor should anticipate Arnold AFB personnel and / or Test Customers to request photography services within the test mission area. The Contractor shall provide policy, procedures, and control of all HD photography equipment to support test mission and infrastructure / maintenance related photography. The Contractor will be responsible for the screening and review of all photographs before release to ensure required protection and markings are applied. HD photography equipment shall meet the following minimum requirements: 1080p, JPEG-baseline compliant, SD and UHS-I compliant media, SDHC and SDXC memory cards, autofocus lens.

Performance Standards

a) STD: No security compromises or test / programmatic delays as a result of ineffective or inadequate photography quality or support.

b) STD: Maintain 100% accountability of equipment and media review to ensure proper marking and release.

3.1.1.5.2.2 The Contractor shall provide Portable Electronic Device (PED) approval / disapproval services and procedures for Arnold AFB and AEDC Moffett Field personnel and test customers.

The Contractor shall provide specific policy / procedures to the workforce when a PED is required within secured areas. The Contractor must be able to evaluate the risk associated with each PED based on its capabilities to transmit data or inadvertently compromise sensitive information. PEDs may include but are not limited to hearing aids, medical devices, laptops, Electronic Notebooks, FitBits, Keyfobs, etc.

Performance Standard

STD: No security compromises resulting from ineffective security policy, procedures and / or controls.

3.1.1.5.3 The Contractor shall assist the Government to develop security requirements for contractual commitments IAW AFI 16-1406 and supplements.

Examples include coordination of the DD FM 254, DoD Contract Security Classification Specification, VGSAs, and Security Clauses.

3.1.2 OPSEC / Foreign Government Protection

3.1.2.1 The Contractor shall assist the Government to develop, coordinate, and execute all OPSEC program requirements and Foreign Government Protection requirements for Arnold AFB and AEDC Moffett Field.

3.1.2.2 The Contractor shall develop an OPSEC program plan to address how the Contractor will protect critical and sensitive contracted information IAW AFI 10-701 and Arnold AFB Critical Information and Indicator List IAW AFI 10-701, para 8.2.5.1.

Upon acceptance by the Government, the Contractor shall implement the OPSEC program plan for Arnold AFB and AEDC Moffett Field.

Deliverable

A006 OPSEC Program Plan

3.1.2.3 The Contractor shall conduct OPSEC Foreign National Vulnerability Assessments and Audits for visiting foreign guests and / or customers visiting Arnold AFB and AEDC Moffett Field, IAW AFI 16-1406, AFI 10-701, and supplements.

The Contractor should anticipate several foreign visitors throughout the year. All foreign guests or visitors shall be coordinated with the AEDC Public Affairs office and the Foreign Disclosure office.

Performance Standard

STD: No security compromises or test delays resulting from ineffective vulnerability assessments and audits.

3.1.2.4 The Contractor shall appoint an OPSEC trained person as a Point of Contact (POC) with overall OPSEC responsibilities to maintain awareness of foreign intelligence collection capabilities, limitations, methods, and practices.

The OPSEC POC shall at a minimum successfully complete the OPSEC Analysis and Program Management Course (OPSE-2500): The focus of this course is on the basic skill and knowledge needed to conduct an OPSEC risk analysis (apply the five steps) and to implement an OPSEC program. This course is intended for use by the Department of Defense and other U.S. Government personnel and Contractors within the National Industrial Security Program (NISP).

For course registration and information refer to: <http://www.cdse.edu/catalog/classroom/OPSE-2500.html> and <https://www.iad.gov/ioss/>

Performance Standard

STD: Fully integrated OPSEC Support Staff training completed within 30 days of contract start date.

3.1.2.5 The Contractor shall assist the Government program manager in the development and implementation of the Commander's OPSEC policy and Critical Information and Indicator List IAW AFI 10-701 and supplements.

Performance Standard

STD: Fully integrated OPSEC program execution within 30 days of contract start date.

Deliverable

A006 OPSEC Plan

3.1.2.6 The Contractor shall conduct OPSEC training IAW AFI 10-701.

The Contractor shall familiarize new employees for awareness and conduct refresher sessions needed in the areas of OPSEC and Critical Information.

3.1.2.7 The Contractor shall integrate and include OPSEC into all acquisition programs and Contractor support documents IAW AFI 10-701.

Performance Standard

STD: Integrate OPSEC into all acquisition programs and contractor documentation.

3.1.2.8 The Contractor shall coordinate with the Government to resolve / mitigate Web Risk Assessment, Telecommunications Monitoring Assessment Program, Vulnerability Assessment, and other OPSEC assessment findings as required IAW AFI 10-701.

Performance Standard

STD: Conduct OPSEC Web Risk and Vulnerability Assessments monthly.

3.1.2.9 The Contractor shall assist the Government to conduct Staff Assistance Visits with the Government as required or requested IAW AFI 10-701.

The Contractor should anticipate supporting 5-10 Staff Assistance Visits annually; however this may fluctuate depending upon mission needs.

3.1.2.10 The Contractor shall conduct and document OPSEC in all self-assessments and implement required changes when required.

Performance Standard

STD: Include all OPSEC requirements in mid-term self-assessments.

3.1.2.11 The Contractor shall integrate OPSEC into all organization planning, operational processes, acquisition programs, and Contractor support documents.

Recognizing that sub-Contractors vary in size, resources, and length of subcontract, OPSEC programs implemented for subcontractors should be designed to afford at least a minimum level of OPSEC protection and understanding for all subcontracts with increasing levels of OPSEC protection and understanding for more sensitive subcontracts.

Performance Standard

STD: Integrate OPSEC into all acquisition programs and contractor documentation.

Deliverable

A008 Information Protection (IP) Standard Operating Procedure (SOP) for Secured Areas

3.1.2.12 The Contractor shall comply with the OPSEC measures imposed by any program supported.

Organizations and personnel supporting customers may have OPSEC requirements associated with their activities and support. The following standard expectations are included in all work:

- (a) Specific event-oriented activities are supported when directed by the supported program, or comply with the program's OPSEC Plan / Annex.
- (b) OPSEC Awareness Education and Duty-Related Training as deemed necessary by the Government or program supported are provided to personnel assigned
- (c) OPSEC protective measures (countermeasures) are applied as directed by Government or program sponsors.

Performance Standard

STD: No more than one validated compliant per quarter.

3.1.3 Security Administrative Support

3.1.3.1 The Contractor shall provide security support sufficient to ensure full compliance with DoD, service, and local directives at Arnold AFB and AEDC Moffett Field.

3.1.3.2 The Contractor shall request security clearance investigations for their personnel located at Arnold AFB and AEDC Moffett Field when the Contractor determines that access to classified is essential in the performance of tasks or services related to the fulfillment of the contract.

Requests for Contractor security clearances shall be kept to an absolute minimum necessary to perform contract requirements. The Contractor shall ensure that sufficient personnel have the appropriate security clearance to accomplish all tasks specified in this PWS prior to the performance start date.

Performance Standard

STD: 100% of all security investigations shall be reviewed for quality and completeness prior to submission to minimize delays with processing.

3.1.3.2.1 The Contractor shall ensure potential candidates for hire have been properly vetted prior to submitting a federal investigation or offering them a position at Arnold AFB or AEDC Moffett Field to ensure the candidate can obtain and maintain access to classified, CUI, and / or base access.

The Government's intent is to reduce the amount of costly investigations for those who could not likely acquire or maintain access to Government facilities / information and to ensure only the highest quality of personnel are admitted onto AEDC based on their behavioral / criminal history.

Performance Standard

STD: 100% of potential candidates shall be sufficiently pre-vetted to ensure the candidate can obtain and maintain access to potential classified, CUI and base access.

3.1.3.2.2 The Contractor shall review Joint Personnel Adjudication System (JPAS) or the program replacing JPAS daily to obtain relevant security clearance and investigation information pertaining to present and future AEDC affiliated personnel performing classified work at Arnold AFB, AEDC Moffett Field, and other personnel in whom the AEDC has a security interest.

Performance Standard

STD: 100% of personnel security clearances shall be reviewed prior to gaining access to classified secured areas.

3.1.3.2.3 The Contractor shall process Homeland Security Policy Directive 12 and other “Position of Trust” investigative requests for all Arnold AFB and AEDC Moffett Field Government Contractor personnel through the AEDC Government Personnel Security Program Manager IAW AFI 31-501 or AFI 16-1405.

The Contractor should anticipate processing ~125 Tier 1 investigative requests annually. Investigative requests and supporting documentation (Standard Form 85) are required for any new AEDC Contractor personnel without a U.S. security clearance or other required background investigation for base / facility access and / or access to unclassified U.S. Government computers.

Performance Standard

STD: 100% of all security investigations shall be reviewed for quality and completeness prior to submission to minimize delays with processing.

3.1.3.2.4 The Contractor shall provide electronic fingerprint services, required for official Government business, to all Government Contractors located at Arnold AFB requiring a background investigation. The Contractor will ensure Government Contractors located at AEDC Moffett Field can obtain fingerprint services at or near the immediate area.

The Contractor should anticipate processing ~300 fingerprints annually. Contractor fingerprint services shall be provided to the Government in the rare event the Government's fingerprinting equipment fails to operate. Fingerprinting equipment will be provided as Government Furnished Property (GFP).

Performance Standard

STD: Zero Rejection Rate. (All fingerprints submitted must be deemed classifiable and acceptable by Office of Personnel Management (OPM), Federal Bureau of Investigation (FBI), etc.). Exceptions would be evaluated on a case-by-case basis, e.g. mechanical or physical disfigurements.

AQL: No more than a 5% Rejection Rate. (95% of all fingerprints submitted must be deemed classifiable and acceptable by OPM, FBI, etc.)

3.1.3.2.5 The Contractor shall provide a copy of all adverse information reports submitted to DSS IAW NISPOM 1-300, 301, 302, 303 and 304 to the Installation Commander via the SSA. Incident reports shall also be entered in the JPAS or the program replacing JPAS. Reports required to be submitted to the FBI, IAW NISPOM 1-301, shall also be reported to the local detachment of The AF Office of Special Investigations. The Contractor shall report all adverse information concerning SAP briefed personnel to the PSO IAW DoDM

5205.07, Volumes 1-4 and the JSIG. Report all adverse information concerning SCI indoctrinated personnel to the AEDC Special Security Officer.

Performance Standards

- a) STD: No programmatic impacts from adverse personnel suitability issues.
- b) STD: Score / Achieve no less than a Satisfactory rating on Inspections.

3.1.3.2.6 The Contractor shall use the JPAS or the program replacing JPAS for transmitting / receiving visit requests and to properly identify the security clearance level of visitors (to include test customers) performing at Arnold AFB and AEDC Moffett Field, IAW DoD 5220.22-M, DoDM 5200.01, Vol. 1-4, AFI 16-1404, AFI 16-1406, and supplements.

3.1.3.3 The Contractor shall implement an Insider Threat program at Arnold AFB and AEDC Moffett Field, IAW guidance and standards developed by the Insider Threat Task Force established in section 6 of EO 13587 DoD Instruction (DoDI) 5240.26 and AFI 16-1402. The Program shall be designed to identify employees that have access to secured areas, displaying potential espionage indicators. Adverse behavior which might indicate a potential threat to national security shall be reported as required IAW DoDI 5240.26 and AFI 16-1402 and supplements.

For the purposes of the NISPOM, insider threat refers to the threat of an insider using his or her authorized access, wittingly or unwittingly, to do harm to the security of the United States. This threat can include damage to the U.S. through espionage, terrorism, unauthorized disclosure of national security information, or through the loss or degradation of Government, company, contract or program information, resources or capabilities.

Performance Standards

- a) STD: No programmatic impacts from personnel suitability issues.
- b) STD: Score / Achieve no less than a Satisfactory rating on Inspections.

3.1.3.3.1 The Contractor shall establish and foster Counterintelligence (CI) focused culture at Arnold AFB and AEDC Moffett Field, for all personnel having access within secured areas in order to detect, deter, and expeditiously report suspicious activities.

Performance Standards

- a) STD: No security compromises or test delays resulting from ineffective security.
- b) STD: Instructions will be available to all personnel within these areas that describe the proper way to mark, log, and control all classified and Controlled Unclassified Information.

3.1.3.3.2 The Contractor shall control media and information located at Arnold AFB and AEDC Moffett Field, IAW the respective classification level and security classification guides.

Performance Standard

STD: All controlled media shall be located and retrieved within 24 hours or as required.

3.1.3.3.3 The Contractor shall provide the Government vault / safe inspections and schedule periodic maintenance as required IAW AFI 16-1404 and DoD 5220.22-M.

3.1.3.3.4 The Contractor shall establish liaison with local CI and law enforcement organizations to determine the status of the local threat to the facility, personnel, and supported programs. Inform the Government of threats or any other information required IAW DoD 5220.22-M, AFI 10-701, AFI 16-1404, AFI 31-501, AFI 16-1405, AFI 16-1406, and supplements.

The Contractor shall engage with local CI and law enforcement organizations located at or near AEDC Moffett Field and provide feedback and advice to the acting Government director.

3.1.3.3.5 The Contractor shall support Government security managers with conducting and documenting specialized security initiatives, training and briefings IAW DoD 5220.22-M, AFI 10-701, AFI 16-1404, AFI 31-501, AFI 16-1405, AFI 16-1406, and supplements.

Performance Standard

STD: Assist with at least one security initiative per quarter.

3.1.3.3.6 The Contractor shall operate and maintain a classified and controlled material destruction capability for Arnold AFB and AEDC Moffett Field. The Contractor shall ensure classified destruction capabilities meet or exceed National Security Agency (NSA) classified destruction standards.

The Contractor should anticipate providing destruction capabilities for all types of media, e.g. paper, CD/DVDs, hard drives, film, etc.

Performance Standard

STD: Zero security violations due to compromise of classified or CUI material.

3.1.3.3.7 The Contractor shall provide bulk destruction and disposal capability for all classified and controlled unclassified material generated at Arnold AFB and AEDC Moffett Field.

The Contractor should anticipate providing bulk destruction and disposal capability for approximately 3 to 5 tons of classified material and approximately 25 tons of CUI annually.

Performance Standard

STD: Zero security violations due to compromise of classified or CUI material.

3.1.3.3.8 The Contractor shall control, track and issue all accountable security materials such as classified storage equipment, containers, vaults, and combination locks used in the AEDC Information Protection / Industrial Security Programs IAW DoD 5220.22-M, DoDM 5200.01, Vol. 1-4, AFI 16-1404, 16-1406, and supplements.

3.1.3.3.9 The Contractor shall ensure required security briefings are conducted to visitors and escort officials accessing all secured areas located at Arnold AFB and AEDC Moffett Field.

Performance Standard

STD: No security compromises or test / programmatic delays as a result of ineffective or inadequate security planning, training and execution.

Deliverable

A008 Information Protection (IP) Standard Operating Procedure (SOP) for Secured Areas

3.1.3.3.10 The Contractor shall provide an adequate amount of NSA approved shredders capable of destroying paper, other media and hard drives. NSA approved CD/DVD and paper shredders shall be strategically positioned throughout Arnold AFB and AEDC Moffett Field testing environments to support day-to-day operational requirements IAW DoD 5220.22-M, DoDM 5200.01, Vols. 1-4, AFI 16-1404, AFI 16-1406, AFI 10-701, and supplements. The Contractor shall train all designated personnel on the use of the FSS provided equipment.

The Contractor is required to provide NSA approved equipment (NSA/CSS EPL 0202M Annex A to NSA/CSS 02 02, NSA/CSS Evaluated Products List) for the destruction of classified material.

3.1.3.3.11 The Contractor shall provide an adequate amount of secure CUI destruction / shred collection bins, to ensure all AEDC sensitive paper, and data storage devices / media, at Arnold AFB is properly destroyed IAW DoDM 5200.01, Vol. 4.

The Contractor shall ensure that the security specialist located at AEDC Moffett Field utilizes local CUI destruction equipment and / or procedures. CUI may be destroyed by any of the means approved for the destruction of classified information or by any other means that would

make it difficult to recognize or reconstruct the information. Recycle bins are not approved for controlled information.

The Contractor should anticipate destroying or disposing of ~60,000 lbs annually; however this fluctuates depending upon mission needs.

Performance Standard

STD: Secure bins for collection of CUI intended for destruction shall be strategically positioned throughout work centers and adequately destroyed at least bi-monthly (approximately 110).

3.1.3.3.12 The Contractor shall provide overnight transitory storage capability located in the Arnold AFB Base Defense Operations Center (BDOC) approved for safeguarding classified material, up to the secret level, IAW DoD 5220.22-M, DoDM 5200.01, Vol. 3, AFI 16-1404, and supplements.

Overnight transitory storage is for use by AEDC visitors and transitory personnel. The Contractor shall advertise this capability at key visitor reception points.

The Contractor shall ensure that the security specialist located at AEDC Moffett Field utilizes local overnight transitory storage capabilities and / or procedures.

Performance Standard

STD: Zero validated complaints.

Deliverable

A008 Information Protection (IP) Standard Operating Procedure (SOP) for Secured Areas

3.1.3.3.13 The Contractor shall provide security-related technical assistance to the Government and Contractor personnel for briefings and conferences held at Arnold AFB and AEDC Moffett Field.

The Contractor should anticipate providing security-related technical assistance to Government and Contractor personnel for 150 briefings and conferences annually.

Performance Standard

STD: No more than one validated customer complaint per quarter.

3.1.3.3.14 The Contractor shall participate in scheduled and ad-hoc security working groups IAW DoD 5220.22-M, AFI 10-701, AFI 16-1404, AFI 31-501, AFI 16-1405, AFI 16-1406, and supplements.

For example, Installation Security Advisory Group, OPSEC Working Groups, Security Working Groups, or other security related working groups or Integrated Product Teams.

The Contractor should anticipate participating in 1-5 scheduled and ad-hoc 1-3 hour long security working groups annually; however this may fluctuate depending upon mission needs.

Performance Standards

- a) STD: No more than one missed meeting per quarter.
- b) STD: No more than one validated customer complaint per quarter.

3.1.4 Controlled Spaces / Incident Management

The Contractor shall manage all AF secured areas and provide Security Incident management support sufficient to ensure full compliance with DoD, service, and local directives at Arnold AFB and AEDC Moffett Field.

3.1.4.1 The Contractor shall ensure entry and exit inspections in at least one controlled area weekly in order to deter and detect unauthorized introduction or removal of classified material from AF secured areas IAW DoD 5220.22-M, DoD 5200.01- M, Vol. 1-4 and AFI 16-1404.

Ensure SOPs include Entry / Exit Control procedures for use by owner / users or area custodians of controlled areas established for classified operations include procedures for entry and exit checks. AEDC Moffett Field shall be included in the Contractor's weekly entry and exit inspection schedule.

Performance Standards

- a) STD: Entry / Exit inspection schedule and data must be maintained for inspection purposes and random enough to deter unauthorized removal of classified material and documented.
- b) STD: Zero security violations due to compromise of classified or CUI material.

Deliverable

A008 Information Protection (IP) Standard Operating Procedure (SOP) for Secured Areas

3.1.4.1.1 The Contractor shall prepare written SPP necessary for the implementation of the NISPOM IAW DoD 5220.22-M, NISPOM and AFI 16-1406, and supplements. SPPs must be submitted and approved for use by the Government (SSA) prior to performance start date of this contract.

If the company elects to change, modify, develop an addendum, annex, supplement, to their SPP, or add an internal SOP, for any on-base security operations, it will require Government written

approval of those security procedures. AEDC Moffett Field shall be included in the Contractor's SPPs.

Deliverable

A007 Standard Practice Procedures Document

3.1.4.1.2 The Contractor shall establish security requirements for all controlled physical space required to support test operations and other activities held at Arnold AFB and AEDC Moffett Field IAW DoDM 5200.01, Volume 3 and AFI 16-1404.

All controlled spaces (AF secured areas or other spaces requiring limited access), shall have a SOP with detailed instructions on how the area is to be maintained.

Performance Standards

- a) STD: Zero unauthorized entries due to inadequate security guidance.
- b) STD: Zero security incidents which result in a loss or security compromise due to inadequate security guidance.

Deliverable

A008 Information Protection (IP) Standard Operating Procedure (SOP) for Secured Areas

3.1.4.1.3 The Contractor shall establish and maintain physical security requirements for all classified space located at Arnold AFB and AEDC Moffett Field, IAW DoDM 5200.01, Vols. 1-4, AFI 16-1404, AFI 16-1406 and supplements.

The Contractor shall provide a Statement of Work (SOW) for all new and modified alarm requirements at Arnold AFB. The SOW will be required before a request for proposal can be drafted. Access shall be limited to authorized persons who have an appropriate security clearance and a need-to-know for the classified material / information within the area. A list of Secured areas can be found in Appendix A.

Performance Standards

- a) STD: Zero unauthorized entries due to inadequate security guidance.
- b) STD: Zero security incidents which result in a loss or security compromise due to inadequate security guidance.

Deliverables

A008 Information Protection (IP) Standard Operating Procedure (SOP) for Secured Areas

A084 Statement of Work (SOW)

3.1.4.1.4 The Contractor shall provide guidance and enforce security requirements for commercial tests performed at Arnold AFB and AEDC Moffett Field, IAW established baseline security requirements provided by the Government, test customer, or as identified in the respective Test Security Plan.

Performance Standards

- a) STD: Zero unauthorized entries due to inadequate security guidance.
- b) STD: Zero security incidents which result in a loss or security compromise due to inadequate security guidance.

Deliverables

A005 Test Security Plan

A008 Information Protection (IP) Standard Operating Procedure (SOP) for Secured Areas

3.1.4.1.5 The Contractor shall secure and issue program or project access badges and brief holders on requirements and responsibilities when required at Arnold AFB and AEDC Moffett Field.

These badges are not to be confused with credentials issued by Visitor Control functions. Comply with DoD 5220.22-M, AFI 16-1406, AFI 31-101, and supplements.

Performance Standards

- a) STD: Zero unauthorized entries due to inadequate security guidance.
- b) STD: Zero security incidents which result in a loss or security compromise due to inadequate security guidance.

3.1.4.1.6 The Contractor shall train appointed personnel to manage and enforce all security requirements within their respective AF secured areas located at Arnold AFB and AEDC Moffett Field, IAW DoDM 5200.01 Vol. 1-4, AFI 14-1404, AFI 16-1406, and supplements.

3.1.4.1.7 The Contractor shall conduct and document initial indoctrination and annual training of all personnel that require access to AF secured areas at Arnold AFB and AEDC Moffett Field.

3.1.4.1.8 The Contractor shall establish and maintain internal security SPPs, SOPs, and other required controls, processes and procedures, regardless of classification located at Arnold AFB and AEDC Moffett Field, IAW DoDM 5200.01, Vols. 1-4, AFI 16-1404 and AFI 16-1406, and supplements.

The Contractor will be required to publish Standard Operating Procedures for other appropriate functional areas with security concerns, as required or requested. Ensure each area is following guidance contained in applicable AF, program, and other cognizant security agency directives.

Performance Standard

STD: Zero security incidents which result in a loss or security compromise due to inadequate security guidance or controls.

Deliverable

A008 Information Protection (IP) Standard Operating Procedure (SOP) for Secured Areas

3.1.4.1.9 The Contractor shall test and verify alarms and other physical security equipment used in secured areas located at Arnold AFB and AEDC Moffett Field, IAW DoDM 5200.01, Vol. 1-4, AFI 31-101, AFI 16-1404, AFI 16-1406, and supplements.

Deliverable

A008 Information Protection (IP) Standard Operating Procedure (SOP) for Secured Areas

3.1.4.1.10 The Contractor shall establish and maintain procedures to verify and log all visitors and media that enter or are brought into AF secured areas located at Arnold AFB and AEDC Moffett Field, IAW DoDM 5200.01, Vol. 1-4, AFI 16-1404, AFI 16-1406, and supplements.

3.1.4.1.11 The Contractor shall ensure individuals requiring temporary access to the secure facility / area that require escort are escorted by the respective owner / users of the area located at Arnold AFB and AEDC Moffett Field, IAW DoDM 5200.01, Vol. 1-4, AFI 16-1404, AFI 16-1406, and supplements.

Performance Standard

STD: Zero security violations or unauthorized access to controlled areas due to inadequate security guidance or controls.

3.1.4.1.12 The Contractor shall ensure all media (e.g. computer hard drives, hardware) within all AF secured areas are marked, stored and destroyed located at Arnold AFB and AEDC Moffett Field, IAW DoDM 5200.01, Vol. 1-4, AFI -16-1404, AFI 16-1406, and supplements.

Performance Standard

STD: Zero security violations due to compromise of classified or CUI material.

Deliverable

A008 Information Protection (IP) Standard Operating Procedure (SOP) for Secured Areas

3.1.4.2 The Contractor shall conduct and support security investigations, preliminary inquiries, and other actions required for resolution of security incidents identified at Arnold AFB and AEDC Moffett Field, IAW DoDM 5205.07, Volumes 1-3, DoDM 5200.01, Vol. 1-4, the Joint Special Access Program Implementation Guide (JSIG), AFI 16-1404, AFI 16-1406, and supplements.

Contractors will conduct preliminary inquiries to determine if a security incident is a violation or an infraction within AF secured areas. The Contractor will follow DoDM 5200.01, Vol 3 and AFI 16-1404 requirements. If Government or other Contractors are involved, the Contractor will contact the SSA or SSO to ensure other Contractors and Government personnel cooperate with the investigation. The Contractor shall assist the Government in gathering facts, providing recommendations and ensuring immediate mitigation actions were taken to protect classified and / or CUI. Inherently Governmental Security Functions and decisions will be made by the Government ONLY. Refer to examples noted in PWS 3.1.1.1.

Performance Standards

- a) STD: Inquiries shall meet DoDM 5200-01, V3, Appendix 1 of Enclosure 6, Figure 2, AFI 16-1404, Paras 7.2., 7.3.1.5. and AFI 16-1406, Para 5.4.
- b) STD: SAP Security Incident inquiries shall meet specific reporting requirements stated in DoDM 5205.07-V1, Enclosure 8, DoDM 5205.07-V2, Enclosure 3, Para 9.c., and DoDM 5205.07-V3, Enclosure 3, Para 5.b.(5).
- c) STD: SAP Security Incident inquiries involving information systems shall meet specific reporting requirements stated in the DoD JSIG.

3.1.5 Test-Specific Security Support

The requirements in this section are in direct support of AEDC customer test activities.

3.1.5.1 The Contractor shall maintain a SAP billet plan for each supported program and ensure initial and annual Government approval of each plan.

3.1.5.2 The Contractor shall attend and participate in working groups, configuration management meetings, and planning meetings as required to support specific test requirements and represent SAP IA interests.

Performance Standard

a) STD: No security compromises or test / programmatic delays as a result of ineffective or inadequate security planning and execution.

b) STD: Ensure that administrative, analysis, and ID&C systems remain compliant with security policies.

3.1.5.3 The Contractor shall submit Program Access Requests for SAP to the approval authority within five (5) working days after receiving Government approval of the access requirement. The SAP Nomination Process shall be followed for all SAP nominations.

3.1.5.4 The Contractor shall develop, coordinate, document, and implement specific security requirements for all test programs performed at Arnold AFB and AEDC Moffett Field to include any special security training required for each test.

Performance Standard

STD: No security compromises or test / programmatic delays as a result of ineffective or inadequate security planning, training and execution.

Deliverable

A005 Test Security Plan

3.1.5.5 The Contractor shall develop a Test Security Plan for each test and related activity, as requested by the Government for tests performed at Arnold AFB and AEDC Moffett Field.

The Contractor should anticipate having to develop approximately 125 Test Security Plans annually. Each Test Security Plan will be reviewed, revised as necessary to remain compliant with current security policy, and coordinated for Government approval. Ensure the integration of US export and technology control laws, DoD / Agency policy and instructions and other applicable guidance into test security plans. Test Security Plans developed in support of SAP efforts must be approved by the PSO, the customer security representative, and the Government. Test Security Plans for Sensitive Compartmented Information (SCI) efforts must be approved by the Government Project Manager and the AEDC Special Security Office.

The Test Security Plan, including physical security boundaries and facility-specific procedures, shall be briefed to all personnel supporting SAP and / or SCI tests. Training accomplishment shall be documented and maintained IAW Records Distribution Schedules located in the Air Force Records Information Management Systems (AFRIMS) and applicable AFIs.

Performance Standard

STD: No security compromises or test / programmatic delays as a result of ineffective or inadequate security planning and execution.

Deliverable

A005 Test Security Plan

3.1.5.6 The Contractor shall provide High Definition (HD) photography equipment (when required) to support tests within their managed spaces regardless of its security classification.

The Contractor should anticipate Arnold AFB personnel and / or Test Customers to request photography services to support tests. The Contractor shall provide policy, procedures, and control of all HD photography equipment to support test related photography. The Contractor will be responsible for the screening and review of all photographs before release to ensure required protection and markings are applied. HD photography equipment shall meet the following minimum requirements: 1080p, JPEG-baseline compliant, SD and UHS-I compliant media, SDHC and SDXC memory cards, autofocus lens.

Performance Standards

a) STD: No security compromises or test / programmatic delays as a result of ineffective or inadequate photography quality or support.

b) STD: Maintain 100% accountability of equipment and media review to ensure proper marking and release.

3.1.5.7 The Contractor shall include a Foreign National Visitor Control Plan (FNVCP), or additional OPSEC requirements as an annex to the test security plan when determined to be necessary or as required for tests performed at Arnold AFB and AEDC Moffett Field. Coordinate the FNVCP and OPSEC requirements with the Government.

Test Security Plans will be used by the test team and identify all security requirements related to specific test efforts. In order to appropriately access requirements, the Contractor has to gather information from various sources (i.e., pre-test planning meetings, DD FM 254s, security classification guides, program / project managers, customers, etc.) in order to develop an applicable Test Security Plan specific to the program or project. The Contractor should anticipate having to develop approximately 125 Test Security Plans annually.

Test Security Plans that require additional security requirements or protection measures above the established baseline or NISPOM must be reviewed and approved by the Government.

Performance Standards

- a) STD: No security compromises or test delays resulting from ineffective security.
- b) STD: All FNVCP's shall be properly marked and logged and controlled for all classified and Controlled Unclassified Information (CUI).

Deliverable

A005 Test Security Plan

3.1.5.8 The Contractor shall brief all appropriate test support personnel located at Arnold AFB and AEDC Moffett Field on the requirements of the Test Security Plan or Program Protection Plan.

Deliverable

A005 Test Security Plan

3.1.5.9 The Contractor shall ensure that each Government, Contractor, or subcontractor employee located at Arnold AFB and AEDC Moffett Field completes Program Protection Awareness Training when required in the respective Program Protection Plan.

Critical Program Information (CPI) Training is specific to the protection of sensitive and CPI. If CPI exists, it will be identified in the Program Protection Plan provided by the Government Program Office. The Government will provide the basic training plan to be tailored for each facility handling / storing / processing identified CPI.

Performance Standards

- a) STD: Zero security violations.
- b) STD: 100% of personnel supporting a test are trained prior to performing any work related to identified CPI.

3.1.5.10 The Contractor shall secure and issue program or project access badges and brief holders on requirements and responsibilities when required at Arnold AFB and AEDC Moffett Field.

These badges are not to be confused with credentials issued by Visitor Control functions. Comply with DoD 5220.22-M, AFI 16-1406, AFI 31-101, and supplements.

Performance Standards

- a) STD: Zero unauthorized entries due to inadequate security guidance.

b) STD: Zero security incidents which result in a loss or security compromise due to inadequate security guidance.

3.1.5.11 The Contractor shall establish, manage, and maintain all test specific SOPs, guard instructions, phone lists, Entry Authorization Lists, and other required controls to include information protection requirements for North Atlantic Treaty Organization (NATO) and Critical Nuclear Weapons Design Information categories, regardless of its classification, located at Arnold AFB and AEDC Moffett Field, IAW DoD 5220.22-M, AFI 16-1404 and AFI 16-1406, and supplements.

The Contractor will be required to manage AEDC's NATO mission and serve as the NATO Control Point IAW DoDM 5200.01, Vol 1, Enc 2, AFI 16-1404 and the NATO Affairs (USSAN) Instructions. Assist in the preparation of security instructions and plans for other appropriate functional areas with security concerns, as required or requested. Ensure each area is following guidance contained in applicable NISPOM, AF, program, and other cognizant security agency directives.

Performance Standard

STD: Zero security incidents which result in a loss or security compromise due to inadequate security guidance or controls.

Deliverables

A005 Test Security Plan

A008 Information Protection (IP) Standard Operating Procedure (SOP) for Secured Areas

3.1.5.12 The Contractor shall ensure proper review, marking, packaging, pick-up, procedures, and transmittal of test material within AF secured areas regardless of its classification, located at Arnold AFB and AEDC Moffett Field, IAW DoDM 5200.01, Vol. 1-4, AFI 16-1404, AFI 16-1406, and supplements.

Materials can include all types of media, paper, photography or other imagery, etc.

Performance Standard

STD: Zero security violations due to compromise of classified or CUI material.

3.1.5.13 When a test requires modification of an existing, approved accreditation package, the Contractor shall ensure all systems required for SAP support obtain ATO to meet customer-specific test requirements to include:

- Collecting and providing IA artifacts, and maintaining updated Certification and Accreditation packages for SAP Information Systems

- **Maintaining a continuous monitoring program to ensure the state of the systems' environments do not change from the accredited configurations**

For example, a test customer may require connection between their information system and an AEDC information system, which would result in a modification to an existing, approved ATO.

Performance Standard

STD: 100% of systems must have an approved ATO prior to testing.

Deliverables

A001 SAP Accredited Area Standard Operating Procedure

A002 SAP Certification and Accreditation Package

A003 JSIG System Authorization Package

A004 DIACAP and RMF Deliverable Data

A005 Test Security Plan

3.1.6 Mandatory and Guidance Documents

All references included are current as of the date on the cover sheet of this PWS. This list is subject to change based on operational / mission requirements, as well as revisions to the listed documents. The Contractor shall comply with future revisions issued for the documents listed.

Document	Title	Mandatory (M) or Guidance (G)
E.O. 12829	National Industrial Security Program	M
E.O. 13526	Classified National Security Information	M
E.O. 13556	Controlled Unclassified Information	M
E.O. 13467	Reforming Process relating to Suitability for Government Employment, Fitness for Contractor Employees, and Eligibility for Access to Classified National security	M

E.O. 13587	Structural Reforms To Improve the Security of Classified Networks and the Responsible Sharing and Safeguarding of Classified Information	M
ICD 503	Intelligence Community Information Systems Security Risk Management, Certification, and Accreditation	M
ICD 705	Sensitive Compartmented Information Facilities	M
ICS 705-1	Physical and Technical Security Standards for Sensitive Compartmented Information Facilities	M
CNSSI 5006	National Instruction for Approved Telephone Equipment (formerly the Telephone Security Guide (TSG) Standard 6)	M
CNSSAM TEMPEST/1/13	(U) Red/black Installation Guidance	M
JSIG	Joint Security Implementation Guide (JSIG)	M
DoDD 3000.09	Autonomy in Weapon Systems	G
DoDD 5000.01	The Defense Acquisition System	G
DoDD 5100.55	United States Security Authority for North Atlantic Treaty Organization Affairs (USSAN)	M
DoDD 5205.07	Special Access Program (SAP) Policy	M
DoDD 5230.09	Clearance of DoD Information for Public Release	M
DoDD 5230.11	Disclosure of Classified Military Information to Foreign Governments and International Organizations	M

DoDD 5230.25	Withholding of Unclassified Technical Data from Public Disclosure	M
DoDD 5240.02	Counterintelligence (CI)	M
DoDD 5240.06	Counterintelligence Awareness and Reporting (CIAR)	M
DoDD 5530.03	International Agreements	G
DoDI 2040.02	International Transfers of Technology, Articles, and Services	M
DoDI 3020.46	The Military Critical Technologies List (MCTL)	M
DoDI 3200.12	DoD Scientific and Technical Information Program (STIP)	M
DoDI 3200.20	Scientific and Engineering Integrity	G
DoDI 4140.01	DoD Supply Chain Materiel Management Policy	G
DoDI 5000.02 (Interim)	Operation of the Defense Acquisition System	G
DoDI 5030.55	DoD Procedures for Joint DoD-DOE Nuclear Weapons Life-Cycle Activities	G
DoDI 5200.33	Defense Courier Operation (DCO)	M
DoDI 5200.39	Critical Program Information (CPI) Identification and Protection Within Research, Development, Test, and Evaluation (RDT&E)	M
DoDI 5200.44	Protection of Mission Critical Functions to Achieve Trusted Systems and Networks (TSN)	M

DoDI 5205.11	Management, Administration, and Oversight of DoD Special Access Programs (SAPs)	G
DoDI 5205.13	Defense Industrial Base (DIB) Cyber Security (CS) Activities	M
DoDI 5210.02	Access to and Dissemination of Restricted Data and Formerly Restricted Data	M
DoDI 5210.83	DoD Unclassified Controlled Nuclear Information (UCNI)	M
DoDM 5220.22	National Industrial Security Program (NISP)	M
DoDI 5230.24	Distribution Statements on Technical Documents	M
DoDI 5230.29	Security and Policy Review of DoD Information for Public Release	M
DoDI 5240.04	Counterintelligence (CI) Investigations	G
DoDI 5240.24	Counterintelligence (CI) Activities Supporting Research, Development, and Acquisition (RDA)	G
DoDI 5240.26	Countering Espionage, International Terrorism, and the Counterintelligence (CI) Insider Threat	G
DoDI 8320.04	Item Unique Identification (IUID) Standards for Tangible Personal Property	G
DoDI 8580.1	Information Assurance (IA) in the Defense Acquisition System	G
DoDI 8582.01	Security of Unclassified DoD Information on Non-DoD Information	G
DoDM 4160.21	Defense Material Disposition Manual	G
DoDM 5205.07 Vol 1	DoD Special Access Program (SAP) Security Manual: General Procedures	M

DoDM 5205.07 Vol 2	Special Access Program (SAP) Security Manual: Personnel Security	M
DoDM 5205.07 Vol 3	DoD Special Access Program (SAP) Security Manual: Physical Security	M
DoDM 5205.07 Vol 4	Special Access Program (SAP) Security Manual Marking	M
DoDM 5105.21, Volume 1	Sensitive Compartmented Information (SCI) Administrative Security Manual: Administration of Information and Information Systems Security	G
DoDM 5105.21, Volume 2	Sensitive Compartmented Information (SCI) Administrative Security Manual: Administration of Physical Security, Visitor Control, and Technical Security	G
DoDM 5105.21, Volume 3	Sensitive Compartmented Information (SCI) Administrative Security Manual: Administration of Personnel Security, Industrial Security, and Special Activities	G
DoD 5010.12-M	Procedures for the Acquisition and Management of Technical Data	G
DoDM 5200.01, Vol. 1	DoD Information Security Program: Overview, Classification, and Declassification	M
DoDM 5200.01, Vol. 2	DoD Information Security Program: Marking of Classified Information	M
DoDM 5200.01, Vol. 3	DoD Information Security Program: Protection of Classified Information	M
DoDM 5200.01, Vol. 4	DoD Information Security Program: Controlled Unclassified Information (CUI)	M
DoDM 5200.02_AFM AN 16-1405	Procedures for the DoD Personnel Security Program (PSP), Air Force Personnel Security Program	M

DoDM 5200.45	Instructions for Developing Security Classification Guides	G
DoDM 5205.02	DoD Operations Security (OPSEC) Program Manual	M
DoDM O-5205.13	(FOUO) Defense Industrial Base (DIB) Cyber Security and Information Assurance (CS/IA) Program Security Classification Manual (SCM)	M
DoD 5220.22-M	National Industrial Security Program Operating Manual	M
DoD 5220.22-M (Summary of Changes)	National Industrial Security Program Operating Manual (Summary of Changes, 18 May 2016)	M
DoDM 5220.22 Vol 2	National Industrial Security Program: Industrial Security Procedures for Government Activities	M
DoDM 5220.22 Vol 3	National Industrial Security Program: Procedures For Government Activities Relating To Foreign Ownership, Control, Or Influence (FOCI)	M
DoDM 5230.30	DoD Mandatory Declassification Review (MDR) Program	G
DoD 5200.08-R	Physical Security Program (Sections that apply to the protection of classified material)	M
AFI 10-701	Operations Security (OPSEC) (and supplements)	M
AFI 16-701	Management, Administration, and Oversight of Special Access Programs	M
AFI 16-1402	Insider Threat Program	M
AFI 31-101	Integrated Defense (FOUO)	M
AFI 16-1404	Information Security	M
AFI 16-1405	Personnel Security Program	M
AFI 16-1406	Industrial Security Program Management (and supplements)	M

AFI 33-200	Information Assurance (IA) Management	M
AFI 33-210	Air Force Certification and Accreditation (C&A) Program (AFCAP)	M
AFI 51-1101	The Air Force Procurement Fraud Remedies Program	G
AFI 61-204	Disseminating Scientific and Technical Information	M
AFI 61-205	Sponsoring or Co-Sponsoring, Conducting, and Presenting DoD- Related Scientific Papers at Unclassified and Classified Conferences, Symposia, and Other Similar Meetings	M
AFI 63-101/20-101_AFGM01	Integrated Life Cycle Management	G
AFI 63-103	Joint Air Force-National Nuclear Security Administration (AF-NNSA) Nuclear Weapons Life Cycle Management	G
AFI 63-114	Quick Reaction Capability Process	G
AFI 63-131	Modification Management	G
AFI 71-101	Criminal Investigations Program(Vol. 1), (Sections that apply to Suspicious Activity Reporting)	G
AFI 71-104V4	Counterintelligence	M
AFI 99-103	Capabilities-Based Test and Evaluation	G
AFMAN 14-304	The Security, Use, and Dissemination of Sensitive Compartmented Information	G
AFMAN 33-363	Management of Records	G
AFP 63-113	Program Protection Planning For Life Cycle Management	G

AFPD 16-7	Special Access Programs	M
AFPD 71-1	Criminal Investigations and Counterintelligence	G
DTM 09-019	Policy Guidance for Foreign Ownership, Control, or Influence (FOCI)	G
FAR	Federal Acquisition Regulation	M
MIL-STD-881C	Work Breakdown Structures for Defense Materiel Items	G
MIL-STD-881C	Work Breakdown Structures for Defense Materiel Items	G
MIL-STD- 3018	Parts Management	G
MIL-HDBK-1785	System Security Engineering Program Management Requirements	G
NSTISSP No. 11	National Information Assurance Acquisition Policy	G
SAE Aerospace Standard (AS) 5553	Counterfeit Electronic Parts; Avoidance, Detection, Mitigation, and Disposition	G
SAE Aerospace Standard (AS) 5553A	Fraudulent/Counterfeit Electronic Parts; Avoidance, Detection, Mitigation, and Disposition	G
NIST 800-37	Guide for Applying the Risk Management Framework to Federal Information Systems	G
	Air Force Access Database System (AFADS) Policy Directive	G
	Special Access Program Nomination Process (SAPNP) Implementation Guidance	M
USSAN Instruction 1-07	United States Security Authority for the North Atlantic Treaty Organization Affairs	M

SCG	Sensitive Compartmented Information Facility Accreditation Documentation Security Classification Guide	M
AF Form 847	Recommendation for Change of Publication	G
	Risk Management Guide for DoD Acquisition, 6 th Edition (Version 1.0)	G

3.2 Security Services

The primary responsibilities of the Arnold AFB Security Services shall be to secure resources; detain violators; safeguard disaster or crime scenes; direct traffic; process and maintain Security Force records and protect controlled areas.

3.2.1 Standards

3.2.1.1 The Contractor shall protect facilities, materials, and personnel from injury or damage and protect weapons, ammunition, and classified information 24 hours a day / 365 day a year.

3.2.1.2 The Contractor shall deter, detect, detain, mitigate, by use of objectively reasonable force, persons suspected of committing offenses, trespassers or persons who illegally gain or attempt to gain access to Arnold AFB. Such personnel will be detained until Contractor personnel are able to turn them over to local law enforcement authorities.

Ensure Security Services are provided in a courteous manner that is marked by professionalism, proper manners, consideration toward and respect for others IAW AFI 31-118.

3.2.1.3 The Contractor shall provide trained, duty function certified, and qualified armed security guards, management and supervisory personnel in support of Arnold AFB.

3.2.1.3.1 The Contractor shall ensure all assigned personnel are trained IAW AFI-36-2646, chapter 4, for all areas that apply.

3.2.1.3.2 The Contractor shall ensure all personnel receive duty positions evaluations IAW AFI 36-2646, chapter 5, for all areas that apply.

3.2.1.3.3 The Contractor shall ensure a minimum of 75% of all assigned Security Service personnel possess DoD Security Force / Military Police training or civilian equivalent State/National law enforcement training.

3.2.1.4 Contractor personnel shall be authorized to bear firearms and shall be armed IAW the Arnold AFB Integrated Defense Plan (IDP), subject to approval of the Installation Commander through the Contracting Officer.

The Contractor shall obtain any applicable licenses required by Federal, State and local laws for its employees to bear arms while performing Security Guard duties at contract start. Records or licenses of any such Federal, State or local approval shall be maintained on site by the Contractor and shall be made available for inspection at the request of the COR. The Installation Commander may direct the Contractor to suspend the authorization to bear firearms for cause IAW AFI 31-117, para 2.3.

3.2.1.5 The Contractor shall manage and execute the BDOC, which will be collocated with the Emergency Communication Center (ECC), Visitor Control Center (VCC), patrols to include boat and all-terrain patrols, entry control points, and test posts.

3.2.1.6 The Contractor shall manage and execute the following programs: Resource Protection, Physical Security, Explosive Detector Dog (EDD), Security Forces Management Information System (SFMIS), Combat Arms, Training and Maintenance (CATM), Defense Biometric Identification System (DBIDS) and Plans.

3.2.1.7 The Contractor shall comply with the requirements of the Arnold AFB IDP, Arnold AFB Installation Emergency Management Plan, and Arnold AFB Antiterrorism Plan.

Support of these emergency plans could involve the recall of the entire force to meet increased security posting.

3.2.1.8 The Contractor shall provide all uniforms (hot and cold weather appropriate), equipment, tools, materials, and other items and services necessary to perform security services as defined in this PWS except GFP, GFE, and Government Furnished Services (GFS) as identified in Attachment 6.

Uniform items must be professional in image and Government approved.

3.2.1.9 The Contractor shall comply with standard duty hours. Standard duty hours are an 8-hour shift unless certain contingencies require transition into 12 hour shifts. The Government shall be notified of Contractor intention prior to implementation of 12 hour shifts if the reason is for anything other than increased Force Protection Conditions (FPCONs).

3.2.1.9.1 The Contractor shall maintain a sufficient number of trained Security Services personnel to deal with small disorders or events with and / or without advance warning.

3.2.1.9.2 The Contractor shall maintain the end-strength to fully implement the Post Priority Chart through FPCON DELTA in 12-hour shifts IAW Arnold AFB IDP.

3.2.1.9.3 The Contractor shall retain the capability to man 12 hour shifts for an extended period of time depending on the event(s) driving the requirements.

Advance indication of impending disorder will normally permit a planned response. On-base planned events such as a contractor strike, open house / airshow, Change of Command, and large gatherings or other unplanned events may drive additional manpower, 12 hours shift operations, and overtime.

Examples (but not limited to) of magnitude and impact to security operations for planned or unplanned contingencies:

Contractor Strike: In order for the AF to maintain strict neutrality in contractor labor disputes strict adherence to installation ingress and egress must be maintained to ensure certain Contractors and DoD affiliated employees enter and exit appropriate gates. Additional personnel shall be posted at outbound lanes at installation gates to physically check base credentials ensuring violations do not occur.

Change of Command Ceremony or other large gatherings: This effort may require additional security manpower for pre-event security planning for VIPs, explosive K9 sweeps, event location vulnerability assessments, traffic control and parking details, etc.

3.2.1.10 The Contractor shall develop and maintain internal work instructions to cover day-to-day operations and responsibilities accounting for special contingencies and higher FPCONs. The Government shall be afforded the opportunity to review and comment prior to each update and / or publication.

Performance Standard

STD: Work instructions address all security requirements IAW AFI's, DoDI's AFTTP's, Arnold AFB IDP and applicable standards.

Deliverables

A009 Blood Borne Pathogens Exposure Control Plan

A010 Hazardous Communications Plan

A011 Security Services Work Instructions

3.2.1.11 The Contractor shall provide armed / unarmed Test Post guards as required by the Test Security Plan on a project-by-project basis.

Performance Standard

STD: No unauthorized entry into the area.

3.2.1.12 The Contractor at a minimum shall provide and maintain fully equipped and marked non-tactical vehicles; two (2) vehicles capable of personnel detention/transport, four (4) off road capable four wheel drive vehicles, one (1) Six Passenger truck, and two (2) mid-size sport utility vehicles equipped to transport each EDD IAW AFI 31-201, Para 3.7-3.11, Technical Order (T.O.) 36-1-191.

****Note: T.O. 36-1-191; para 2.91.1; Marking deviation required. The title “Police” shall not be used on the vehicles, the title “Security” shall be used.**

As a minimum, at least one (1) of the Contractor provided vehicles shall be capable of towing the patrol boat.

3.2.1.12.1 The Contractor shall ensure all vehicles are mechanically sound, without noticeable damage as to present a professional image and not pose a safety concern for the operator or other motorists.

3.2.1.12.2 The Contractor shall conduct, track, and maintain Emergency Vehicle Operations training for all operators IAW DoD and state statutory guidelines.

3.2.1.13 Physical Fitness / Personal Appearance Standards

3.2.1.13.1 The Contractor shall adhere to Physical Fitness Standards (PFS) for Security Services personnel.

All Security Services personnel filling posts identified in the post priority chart will meet the Government stipulated PFS as a condition of performing Security Services duties and presenting a professional image. All posted Security Services personnel shall meet the Government stipulated PFS during their initial and annual re-evaluation in order to perform Security Services duties at Arnold AFB. Government stipulated PFS (Initially / Annually) consist of the following phases: Complete 200 Meter Run (continuously without stopping or walking), Sit-ups (20 repetitions), Push-ups (25 repetitions), and 1 Mile Run / Walk (< 12 minutes). Security Services personnel that do not successfully meet the PFS will be afforded a second attempt to successfully meet standards within 45 days. Personnel who fail to meet PFS on the second attempt will not be authorized to perform Security Services duties at Arnold AFB. Personnel assigned to BDOC are exempt from this requirement.

Performance Standard

STD: Security Services personnel must successfully pass all phases of the PFS in order to perform guard duties at Arnold AFB.

3.2.1.13.2 The Contractor shall maintain a neat, clean, and professional personal appearance while performing duties in the presence of the general public IAW AFI 31-122, para 4.27 through 4.30.

The Contractor shall groom hair to present a neat appearance. Extreme and fad style haircuts and hairstyles detract from a professional appearance, as do lines or designs cut into the hair or scalp, and are prohibited. Dyes, tints, or bleaches shall be colors that are natural to human hair and not present an extreme appearance. The bulk or length of hair shall not interfere with the normal wear of any headgear that may be worn. Hair should not include the wear of ornaments such as ribbons, beads, or jeweled pins.

3.2.2 Operations

3.2.2.1 The Contractor shall operate a 24 hours a day / 365 day a year BDOC with at least one (1) controller which will be collocated with the ECC, Fire and Emergency personnel and establish a redundant C2 capability that serves as a back-up for Integrated Defense forces. BDOC Controller / Dispatch personnel shall be armed with Government furnished M9, respective ammunition, and at least one (1) Government approved non-lethal weapon (NLW) IAW AFI 31-101 and AFI 31-117.

3.2.2.1.1 The Contractor shall make all appropriate notifications and monitor all alarms, and alerting systems, direct and dispatch all assigned forces, document and record activities, maintain and utilize Quick Reaction Checklists (QRCs), and plot cordons on base grid maps during emergencies / contingencies and exercises.

Oversee Integrated Defense tactical responses and make notification to key personnel to include the Defense Force Commander (DFC). Up-channel reports as required and receive public walk-ins and telephonic / electronic incident reports.

3.2.2.1.2 The Contractor shall ensure generated reports, blotters, SALUTEs, After Action Reports, Situation Reports, field interview cards and debriefings are incorporated into DFC products and made available to the Government.

3.2.2.1.3 The Contractor shall maintain accurate key control of all perimeter and barrier locks.

Accountability records shall contain the name and signature of the individual receiving the key, date and hour of issuance, serial number or other identifying information of the key, signature of individual issuing the key, keys return date, hour, name and signature of individual receiving

returned keys. Computer-generated Key Issue Log and blotter shall be utilized to record this information.

Performance Standards

a) STD: Controllers / Dispatchers maintain proficiency as BDOC Controller / Dispatcher by scoring a minimum of 80% overall (oral and performance evaluations) on the Controller / Dispatcher Duty Position Evaluation.

b) STD: Activation of the alternate C2 must be tested and exercised at least quarterly and annotated in the blotter IAW 3AFI 31-101.

3.2.2.2 The Contractor shall be responsible for managing and executing the AF CATM Program IAW AFI 36-2654, para 1.12.10. CATM Instructor must be a graduate of the USAF Combat Arms Apprentice Course ID: L3ALR3P031B0B0C and Supervisor Course ID: L3AZR3P071 0B0C or requirements must be completed within 180 days of being hired at the Contractor's expense.

3.2.2.2.1 The Contractor shall perform small arms qualification training for firearms issued on Arnold AFB IAW AFI 36-2654 and AFMAN 36-2655.

3.2.2.2.2 The Contractor shall utilize SFMIS to document Combat Arms related information; maintain and provide qualification / certification documents (AFIMT 710/522) as required for program management and monitoring. Furthermore, AFTO Form 105, Inspection reports, shall be validated by the Contractor.

3.2.2.2.3 The Contractor shall ensure the Armorer places weapons / munitions / equipment into inventory, track weapon issues and produce authority to bear arms list via SFMIS (or future systems).

Perform minor maintenance and inspection of weapons IAW AFI 36-2654, chap 6 and T.O.s.

3.2.2.2.4 The Contractor shall ensure all training munitions remain within the Contractor managed munitions account. The Government shall be advised of changes or limitations for all allocated munitions on a recurring basis.

3.2.2.2.5 The Contractor shall operate the firearms storage facility (Armory and Alternate Armory) IAW AFI 31-101, chap 8, AFMAN 31-129, chap 1 through 4, DoD 5100.76M, and applicable TOs.

3.2.2.2.6 The Contractor shall ensure the CATM Program Manager utilizes SFMIS (or future systems) to input the following; training requests, class assignment, weapons course fired, USAF ground weapons training data, history and supply account, track weapons, inspection maintenance firing data for ground weapons.

3.2.2.2.7 The Contractor shall ensure all records created from the guidance in AFI 31-120 and AFI 31-101 are maintained IAW AFMAN 33-363, and disposed of IAW AF Records Information Management System Records Disposition Schedule.

Performance Standard

STD: "Satisfactory" rating on all security reviews, inspections and audits.

3.2.2.3 The Contractor shall operate a VCC IAW DoDI 1000.13, AFI 36-3026 (IP) Volume 1, and AFMAN 31-113.

The VCC staff shall be responsible for issuing ID cards to members of the uniformed services, their dependents, and other eligible individuals. In addition to DoD issued credentials, the VCC staff issues other non-DoD credentials such as Contractor badges, AEDC circulation control badges, proxy cards, and Foreign National badges. The Contractor shall use the Defense Enrollment Eligibility Reporting System authoritative database, which is comprised of the National Enrollment Database and Person Data Repository, to determine Uniformed Services' benefit eligibility and privileges. The calendar year 2017 VCC workload was as follows:

- a) 6,055 persons processed
- b) 2,337 Common Access Cards and DoD IDs issued
- c) 2,030 DBIDS credentials issued
- d) 10,553 visitor photo / non-photo and distinguished visitor badges issued
- e) 6,874 wants and warrants checks completed

3.2.2.3.1 The Contractor shall operate the VCC with a minimum of five (5) VCC staff personnel who are fully trained, qualified, and available to provide customer service from 6:30 a.m. to 5:00 p.m. Monday-Friday, except Federal holidays.

At least two (2) VCC staff members shall be armed at all times with a Government furnished M9, respective ammunition, and at least one (1) Government-approved NLW during hours of operation IAW AFMAN 31-113.

Provide the Government with written responses and corrective actions regarding validated customer survey comments / complaints.

Performance Standard

STD: 100% compliance

If DBIDS is off-line or not available, visitor passes shall be made by SFMIS or AF Form 75, Visitor Pass.

3.2.2.3.2 The Contractor shall accept and destroy identification media upon termination of employment, retirement, separation from service, revocation of privileges, or other appropriate events.

3.2.2.3.3 The Contractor shall screen visitors to determine citizenship and handle non-US citizen visits IAW AFMAN 31-113 and the Arnold AFB IDP.

3.2.2.4 The Contractor shall operate base-wide security, installation entry / exit control points, traffic safety monitoring and resource protection operations consistent with local, state and federal laws, and IAW AFI 31-101, AFMAN 31-113, Arnold AFB IDP and Policy.

3.2.2.4.1 The Contractor shall perform entry and exit control at the Main Gate, 24 hours a day / 365 day a year. The Entry Controller is required to be positioned outside of the guard house in plain view at a safe distance as oncoming traffic approaches the gate. An overwatch guard is required to be posted in addition to the primary guard(s) during hours of gate operations. Posted personnel shall be armed with Government furnished M9, respective ammunition, and at least one (1) Government approved NLW weapon. Night vision devices shall be on post and readily available during hours of darkness.

3.2.2.4.2 The Contractor shall perform entry and exit control at the Commercial Traffic Gate / Gate 2 from 5:30 A.M. to 4:00 P.M. Monday - Friday, except Federal holidays. Commercial vehicle processing shall be conducted from 7:00 A.M. to 2:00 P.M. Monday - Friday, except Federal holidays. The Entry Controller is required to be positioned outside of the guard house in plain view at a safe distance as oncoming traffic approaches the gate. An overwatch guard is required to be posted in addition to the primary gate guard(s) during hours of gate operations. Posted personnel shall be armed with Government furnished M9, respective ammunition, and at least one (1) Government approved NLW. Night vision devices shall be on post and readily available during hours of darkness.

3.2.2.4.3 The Contractor shall perform entry and exit control at the Military Family Housing Gate, 24 hours a day / 365 day a year. Posted personnel shall be armed with Government furnished M9, respective ammunition, and at least one (1) Government approved NLW weapon. The Entry Controller is required to be positioned outside of the guard house in plain view at a safe distance as oncoming traffic approaches the gate. Night vision devices shall be on post and readily available during hours of darkness.

Safely monitor inbound and outbound traffic, operate active barrier systems and equipment as applicable, and detect and react to potential "gate runners." Proof and vet credentials via DBIDS of all personnel requesting base entry.

Installation egress / ingress routes at any gate may be varied due to renovation projects, contingencies, exercises and / or other circumstances.

3.2.2.4.4 The Contractor shall provide an additional overwatch guard (final denial) at the predesignated distance from each gate when vehicle barrier systems are non-operational, as Random Antiterrorism Measures (RAMs) dictate, during increased FPCONs, or when the Government does not have confidence in the system.

Performance Standards

a) STD: Search / sweep for explosives and contraband on all large commercial, delivery, and / or contract vehicles.

b) STD: No unauthorized entry onto the installation.

3.2.2.4.5 The Contractor shall test final denial active vehicle barriers at least weekly or 24 hours prior to operations at special event gates. The results will be included in the desk blotter, emergency work orders shall be established / annotated in the blotter and the DFC shall be notified when barriers are non-operational IAW AFI 31-117, para 3.8.2.

3.2.2.5 The Contractor shall post one (1) Patrol Lead 24 hours a day / 365 day a year armed with Government furnished M-9 and M-4 rifle, respective ammunition and at least one Government approved NLW who will direct and supervise activities for the shift, and conduct guard mount / roll call. The Patrol Lead for each shift shall conduct a minimum of three shift level exercises per week. These exercises shall be included in the desk blotters and involve various posts and/or patrols for training purposes. Night vision devices shall be on post and readily available during hours of darkness.

3.2.2.5.1 The Contractor shall post one (1) equipped alarm response guard patrol, armed with Government furnished M-9, respective ammunition and at least one (1) Government approved NLW inside the mission area, 24 hours a day / 365 day a year. During designated FPCONs, equip the patrol additionally with an M-4 rifle.

Maintain good order and discipline, and enhance the desired effects of "detection" and "deterrence" by conducting RAMs and responding to alarms. Conduct facility checks when alarms are not in operation IAW DoD 5100.76-M, DoD 5200.08-R, and AFI 31-101.

3.2.2.5.2 The Contractor shall post two (2) equipped separate patrols outside of the fenced mission area, armed with Government furnished M-9, respective ammunition and at least one (1) Government approved NLW, 24 hours a day / 365 day a year. During increased FPCONs, equip both patrols additionally with M-4 rifles. Night vision devices shall be on post and readily available during hours of darkness.

3.2.2.5.3 The Contractor shall provide, maintain, and operate two (2) All-Terrain/Utility Vehicles (ATVs/UTVs) with four wheel drive capability. ATV patrols shall be armed with Government furnished M-9s, respective ammunition, and at least one Government-

approved NLW. These patrols shall be posted a minimum of five (5) hours per week in all three sectors as depicted in the Arnold AFB IDP, Sector Map for a total of fifteen (15) hours. ATV patrols shall be posted at random times and locations to maintain good order and discipline, detection, and deterrence. Night vision devices shall be on post and readily available during hours of darkness.

Person(s) that are a threat to security, good order and discipline will be detained and turned over to Tennessee Wildlife Resource Agency (TWRA), Franklin County Sheriff, Coffee County Sheriff or Tennessee Highway Patrol as warranted.

Performance Standard

STD: All operators must successfully complete the Contractor-conducted All-Terrain Vehicle Safety Institute Operators Course.

3.2.2.5.4 The Contractor shall provide, maintain and operate a patrol boat manned with two (2) Security Services personnel at all times. The boat shall be capable of responding to emergency situations within 15 minutes and transporting an additional two (2) personnel, four (4) total occupants, while patrolling all areas of Woods Reservoir. This patrol shall be armed with M-9s, respective ammunition, and at least one (1) Government approved NLW. The boat patrol shall be posted a minimum of eight (8) hours per day on weekends and holidays from Memorial Day to Labor Day and upon the Government's pre-coordinated request. This patrol acts as a force multiplier in maintaining Government-directed antiterrorism measures and resource protection on Woods Reservoir IAW AFI 31-101, Chapter 15.

Person(s) that are a threat to security, good order and discipline will be detained and turned over to TWRA, Franklin County Sheriff, Coffee County Sheriff or Tennessee Highway Patrol as warranted.

Performance Standard

STD: All operators must successfully complete the AEDC Boating Safety Course (administered by the Contractor) or as determined by age (born after 1 Jan 89), complete the TN state Boating Safety Course.

3.2.2.6 The Contractor shall operate and maintain two (2) Single Purpose EDDs and two (2) Contractor provided K9 handlers.

The Contractor shall establish local procedures for EDD utilization which conform to AFI 31-121, AFI 31-126, state and local laws. The EDDs and K9 handler's schedule shall be based on a 40-hour weekly cycle with the primary duty of one of the EDDs and handler as a static explosive detection post at the commercial delivery gate when operational.

The Contractor shall post the additional EDD and handler as an alarm response mobile base wide patrol dedicated to no particular sector. This patrol shall be armed with an M-9, respective ammunition, and at least one (1) Government approved NLW. During designated FPCONs, equip the patrol additionally with an M-4 rifle.

A kennel facility will not be available on base, therefore the Contractor shall house, feed, and care for both EDDs.

3.2.2.6.1 The Contractor shall incur all costs associated with replacing any EDD due to death or a medical condition rendering the canine incapable of performing EDD duties as verified by a licensed veterinarian.

This includes cost of both canines, Basic EDD training course, K9 Handlers travel expenses, and certification fees for K9 handlers and EDD.

If the existing EDD is performing to standards it will be carried over at award of contract. However, the additional EDD will be obtained at the Contractor's expense.

3.2.2.6.2 Each EDD and K9 handler shall respond to explosive threats and serve as a deterrent through random searches.

Each K9 handler will be armed with Government furnished M-9, respective ammunition and at least one (1) Government approved NLW. The EDD and K9 handler shall be capable of detecting unexploded ordinance, searching large areas during bomb threats, and augmenting Explosive Ordnance Disposal (EOD) capabilities, as warranted. The EDD will not be used to search suspicious / unattended packages or areas, examine, clear items already identified as a possible improvised explosive device.

EDDs are authorized to be trained on the following odors: Ammonium Nitrate, Ammonia Dynamite, C-4, Detonation Cord, Potassium Chlorate, Semtex, Smokeless Powder, Sodium Chlorate, and Trinitrotoluene. Training with odors or substances, to include synthetic or pseudo scents, other than those listed in AFI 31-121, para 5.3 are unauthorized unless approved by the Government.

3.2.2.6.3 The Contractor shall provide EDD support to off-base Civilian Law Enforcement Agencies as required and only after DFC approval.

Per Title 10 U.S.C. Section 272, Use of Military Equipment and Facilities the SECDEF may make military equipment available to federal, state, or local law enforcement agencies for law enforcement purposes, (DoD views EDDs as a piece of equipment). The EDD Team will not engage in any activities which could be considered as enforcing law in connection with this support.

3.2.3 Program Management

3.2.3.1 The Contractor shall execute Government Random Installation Entry / Exit Vehicle Checks at installation gates in order to protect the safety and security of Arnold AFB personnel, property, and resources.

Blotter entries shall accurately reflect completion of the checks IAW Government provided schedule.

3.2.3.2 The Contractor shall ensure all posts and patrols are manned IAW the Arnold AFB IDP, Government-approved Post and Patrol Priority Chart.

3.2.3.3 The Contractor shall provide the Government with support in the development and execution of the Arnold AFB IDP and Integrated Defense Risk Management Process.

3.2.3.4 The Contractor shall provide an Emergency Operations Center (EOC) representative when activated for both actual events and during planned exercises.

3.2.3.5 The Contractor shall provide the Government with support in the development and execution of the Arnold AFB Antiterrorism / Force Protection Program IAW DoDD 2000.12, DoDI 2000.16V1 & V2, and AFI 10-245.

Assist the Government Antiterrorism Officer with requirements, such as annual Local Vulnerability Assessments, Higher Headquarters (HQ) Antiterrorism Program Reviews, Air Force Materiel Command (AFMC) Unit Effective Inspections, quarterly Antiterrorism Working Group meetings, and semi-annual Antiterrorism Executive Committee meetings.

3.2.3.6 The Contractor shall conduct a fence line check at least quarterly, and / or after each weather storm and provide the Government with a report that includes a sector map, vegetation overgrowth and damage.

Deliverable

A012 Mission Area Fence Line Check Report

3.2.3.7 The Contractor shall conduct an additional number of RAMs when FPCONs increase. These schedules will be provided by the Government.

3.2.3.8 The Contractor shall conduct Integrated Defense training for asset owners / users, to include scheduled New Hire Orientations.

3.2.3.9 The Contractor shall ensure all Security Services personnel successfully complete initial and annual recurring Antiterrorism Level I training.

This training is available via Computer Based Training (CBT) through Advanced Distributed Learning Service (ADLS), the Air Force Security Force Center (AFSFC) web site, or an approved traditional style class.

3.2.3.10 The Contractor shall provide Active Shooter Training to all Security Services and pre-deployment personnel; training will include AF Use of Force Training IAW AFI 31-117.

3.2.3.11 The Contractor shall complete initial and annual recurring training concerning response to sexual assault incidents IAW DoDI 6495.02.

Sexual Assault Prevention and Response for First Responders is available via CBT available through ADLS, the AF's Security Force Center web site, or via an approved traditional style class.

3.2.3.12 The Contractor shall as a minimum ensure enough personnel are available to fully post in FPCON Delta IAW the Arnold AFB IDP, Post Priority Chart. Additional personnel shall be available for posting and / or support during contingencies, exercises and inspections.

3.2.3.13 The Contractor shall establish and manage Physical Security Programs, including Reports and Analysis, SFMIS Administrator Resource Protection, and assist the Government in managing the DBIDS.

Maintain SFMIS case reporting and provide the Government monthly and / or quarterly statistical reports that include statements received, incident reports, alarm responses, calls for service, vehicle accidents, citations, and suspension / revocation / debarment rosters IAW AFI 31-120.

3.2.3.14 The Contractor shall assist the full-time Electronic Security Systems Officer IAW AFI 31-101, Chapter 6, Section 6.3.18 and required GSA and Underwriters' Laboratory standards.

3.2.3.14.1 The Contractor shall provide one (1) alarm monitor in addition to the BDOC controller 24 hours a day / 365 day a year. The alarm monitor shall operate and visually monitor the Intrusion Detection System (IDS) and as warranted immediately notify the alarm system vendor responsible for maintenance and troubleshooting of the system.

3.2.3.14.2 The Contractor shall execute training and certification standards for Electronic Security Systems Operators IAW AFI 31-101.

Specifically AFI 31-101, 6.3.18.6, Training System Operators, 6.3.18.8, Standardization Evaluations for System Operators, 6.3.18.8.1, Initial Certification, 6.3.18.8.2, Quarterly Evaluations 6.3.18.9, Proficiency Exercises.

3.2.3.15 The Contractor shall assist the Government in conducting inspections, self-inspections, MICT, annual functional area reviews, exercises, and testing to ensure compliance with instructions.

Provide the Government with written corrective action plans for all deficiencies to determine primary and, if applicable, contributing root causes IAW AFI 90-201. Track all actions to correct areas not in compliance. The Contractor shall support all integrated aspects of MICT to include Inspection Reports, data collection and entry into the Finding Tracker, and corrective action identification, tracking, and implementation. Within TSD/SF and Security Services there are currently 15 checklists with approximately 570 total items.

Deliverable

A083 MICT Self-Assessment Report

3.2.3.16 The Contractor shall participate in scheduled and ad-hoc security working groups and meetings.

For example, Integrated Defense Working Group (IDWG), Installation Security Advisor Group, Antiterrorism Working Group, Alarm Working Group, Information Fusion Cell, Emergency Management Working Group, Integrated Defense Council, Threat Working Group, or Integrated Teams.

The Contractor shall plan to participate in 1-7 scheduled and ad-hoc 1-3 hour meetings and groups annually.

3.2.3.17 The Contractor shall coordinate with the Government on Lessons Learned and After Action Reports to ensure submissions to the AFSFC within 30 days of the event IAW AFI 31-118.

Observations, when validated and resolved, result in an improvement in operations or activities at the strategic, operational or tactical level and result in long-term, internalized change to an individual or an organization.

3.2.4 Mandatory and Guidance Documents

All references included are current as of the date on the cover sheet of this PWS. This list is subject to change based on operational / mission requirements, as well as revisions to the listed documents. The Contractor shall comply with future revisions issued for the documents listed.

Document	Title	Mandatory (M) or Guidance (G)
DoD 5100.76-M	Physical Security Of Sensitive Conventional Arms, Ammunition, and Explosives (AA&E)	M

DoD 5200.08-R	Physical Security Program	M
DoDD 2000.12	DoD Antiterrorism (AT) Program	M
DoDI 2000.16V2	DoD Antiterrorism (AT) Program Implementation:	M
DoDI 2000.16V1	DoD Force Protection Condition (FPCON) System	M
DoD 5205.02-M	DoD Operations Security (OPSEC) Program Manual	M
DoDD 8500.01E	Information Assurance (IA)	G
AFI 10-245	Antiterrorism (AT)	M
AFI 31-101	Integrated Defense	M
AFMAN 31-113	Installation Perimeter Access Control	M
AFI 31-117	Arming and Use of Force by Air Force Personnel	M
AFI 31-118	Security Forces Standards and Procedures	M
AFI 31-121	USAF Military Working Dog Program	G
AFI 31-126	DoD Military Working Dog (MWD) Program	G
AFI 31-120	Security Forces Systems and Administration	M
AFMAN 33-363	Management of Records	G
AFI 31-105	Air Force Corrections System	G
AFI 31-218(I)	Joint Traffic Regulation	G
AFI 32-122	Civilian Police / Security Guard Program	G
AFI 36-2646	Security Forces Training and Standardization	M
AFI 36-2654	Combat Arms Program (CA)	G
AFI 31-601	Industrial Security Program Management	M
AFPD 31-1	Integrated Defense	M
AFI 10-701	Operations Security	G
JP 3-07.2	Joint Doctrine and Tactics for Dealing with Terrorism	G
JP 3-54	Joint Doctrine for Operations Security	G
Military Handbook 1013/A	Design Guidelines for Physical Security	G
DoD STD-6055.9	Ammunition and Explosives Safety Standards	G
AFMAN 31-31-201 V3	Flight Operations	G
AFMAN 31-201 V4	High-Risk Response	G
AFI 31-120	Security Forces Systems and Administration	M
AFMAN 31-116	Air Force Motor Vehicle Traffic Supervision	G

AFMAN 36-2655	USAF Small Arms and Light Weapons Qualifications Programs	G
AFTTP 10.3.1.	Integrated Base Defense	M
AFTTP 10.3.2.	Integrated Base Defense Command and Control	M
AFTTP 3-31.1	Entry Control	M
AFMAN 31-129	USAF Small Arms and Light Weapons Procedures	M
AAFB IDP 31-101	AAFB Integrated Defense Plan	M
TO 11W-1-10	Historical Data, Recording of Inspections, Maintenance and Firing Data for Ground Weapons	M
TO 11W3-5-5-1	Operator's Manual Pistol, Semiautomatic, 9mm, M9 Replacement Parts	M
TO 11W3-3-5-5-41	Operator's Manual for Rifle, 5.56 MM, M16A2 W/E, Carbine, 5.56 MM, M4	M
TO 11W3-3-3-5-4	Unit and Intermediate Direct Support Maintenance Instruction (include repair parts and special TL) pistol, semi-automatic	M
18 United States Code (U.S.C.) § 922(d)(9) and (g)(9),	The Domestic Violence Amendment to the Gun Control Act of 1968 ("the Lautenberg Amendment")	M
AFI 31-122	Dept of the Air Force Civilian Police / Security Guard Program	M
Arnold AFB Antiterrorism Plan	Antiterrorism Plan	M
AAFB IEMP	Installation Emergency Management Program	M
AFHB 10-2401	Vehicle Bourne Improvised Explosive Device Handbook	M
AFI 90-201	The Air Force Inspection System	M

3.3 Command, Control, and Communications

Command, Control, and Communication is comprised of the AEDC Operations Center and Command and Control (C2) Node. The Operations Center is the primary C2 node for AEDC and provides uninterrupted C2 in support of the AEDC mission. As an AFMC C2 element, the AEDC Operations Center will perform selected command and control responsibilities. The Operations Center performs base telephone operator, testing operations administration and coordination. The C2 Node performs activities in support of the AEDC mission as identified in AFMAN 10-207, AFMC Supplement to AFMAN 10-207, and HQ AF and AFMC Controller Information Files

(CIF), and is the focal point for the gathering and dissemination of various types of information critical to AEDC and its mission.

3.3.1 Operations Center

3.3.1.1 The Contractor shall operate and maintain an Operations Center 24 hours/day, 7 days/week, 365 days/year.

The Operations Center serves as the central point of contact in a situational awareness environment for collecting and reporting test, maintenance, and investment activities information (Scheduled / Unscheduled) to aid in accomplishing the AEDC mission and to coordinate responses in real time emergencies relating to weather bulletins, FPCON, INFOCON changes and other activities. They will provide the Commander with timely and accurate information upon which to make decisions, to include operational reporting (OPREP).

The Operations Center directs phone calls, assists callers, and transfers callers to appropriate agency / POC or takes action based upon calls received in support of, and in conjunction with, the base automated telephone system.

The Operations Center Unit Training Plan (UTP) will be developed IAW the training outlined in AFMAN 10-207 AFMC Supplement and approved by the AFMC C2 Policy and Procedures Office prior to implementation. The Operations Center Managers and Controllers will be trained and certified IAW the approved UTP. The Contractor will operate with a minimum of two controllers, with at least one certified controller on duty at all times. Operations Center managers will ensure continued training on mission tasks using the tailored UTP. Controller Training (certification, recertification, decertification, and performance evaluations), as well as quarterly / semiannual evaluations, will emphasize time sensitive mission task prioritization, in addition to controllers recognizing the need to save lives, protect resources, and accomplish the mission.

Performance Standards

- a) STD: Properly manned at all times.
- b) STD: QRC's and CBC's accurate and current at all times.
- c) STD: Controllers properly trained and certified IAW UTP.
- d) STD: Timely response to all weather events – Mass Notifications transmitted IAW DoDI 6055.17.

3.3.1.2 The Contractor shall perform base telephone operator duties in support of and in conjunction with the base automated telephone system.

As the alternate base telephone operator to the automated telephone system, the Operations Center will provide support during after duty-hours for closures, holidays and for DoD closures

(during duty hours). When calls are received, the Contractor shall answer, assist, direct, and transfer to the applicable POC as required. Answer all telephone calls forwarded from the base automated telephone system in a timely manner and direct them to the appropriate agency or POC.

Performance Standard

STD: Call assistance completed correctly and call logged in Daily Events Log as applicable.

3.3.1.3 The Contractor shall maintain and utilize QRCs and Controller Basic Checklists (CBCs) to report the current status of all operations / activities, disasters, emergencies, exercises, and severe weather advisories and warnings to the appropriate base personnel.

Disseminate / publish notifications of real-world and exercise emergencies, natural disaster, and weather bulletins via AtHoc within established time standards of receipt (not all exercise injects / notifications will be pushed via AtHoc). The Operations Center will maintain, at a minimum, Shift Changeover and the Controller Shift CBCs. Additionally, the Operations Center will maintain, at a minimum, the following series: 100 Emergency Management, 300 Recalls, 400 Security, and 500 Weather. The Contractor will maintain two complete, identical sets of QRC's, one for the primary Ops Center and one for the Alternate Ops Center. Checklists will be reviewed semiannually or immediately after a procedural change is made to a checklist and the review will be documented for reference.

Deliverable

A013 QRC Notifications

3.3.1.4 The Contractor shall maintain and utilize a Daily Events Log and back-up Daily Events Log for documenting operations and significant events including but not limited to Foreign Object Damage events, accidents, mishaps, security incidents, test activities, and results IAW AFMAN 10-207. The Contractor shall maintain exercise event logs, when applicable, separately from the daily events log.

The purpose of the Daily Events Log is to serve as an official continuous record of events affecting the unit or functions of the Operations Center. In order to reconstruct the events which occur on any given day, events logs will be completed for each 24-hour period.

Performance Standards

a) STD: Daily log reviews reveal minimal administrative discrepancies and QRC execution errors.

b) STD: Notification actions will reflect in daily events log as they occur with minimal discrepancies.

Deliverable

A014 Daily Events Log

3.3.1.5 The Contractor shall initiate, coordinate, and document actions related to utility curtailments / warnings when enacted by local utility providers. The Contractor will maintain and adhere to applicable AF and MAJCOM C2 Controller Information Files.

Performance Standard

STD: Disseminate all utility curtailments to TOS schedulers, run appropriate QRC, and make accurate Events Log entry for all utility curtailments.

3.3.1.6 The Contractor will maintain and adhere to applicable AF and MAJCOM C2 CIFs.

Performance Standard

STD: Maintain CIF binder with accurate and current CIFs for each category.

3.3.1.7 The Contractor shall initiate Work Requests in the Computerized Maintenance Management System during off-shifts, weekends, and holidays.

Work Requests, when requested, will need to be converted to Work Orders during off-shifts, weekends, and holidays to allow work to be completed.

Performance Standard

STD: Accurate and timely requests coordinated with TOS schedulers.

3.3.1.8 The Contractor shall develop and maintain OIs to delineate duties and responsibilities in performing Operations Center functions IAW AFMAN 10-207.

Performance Standard

STD: All required OIs in place and current 100% of the time.

3.3.1.9 The Contractor shall monitor the Energy Management Control Systems (EMCS) for critical alarms and notify the appropriate POC for corrective actions.

The EMCS provides a detection system for selected facilities that outputs alarms which, if not acted upon, could cause facility and / or equipment damage / loss. Alarms monitored include but are not limited to: temp, humidity, water, and oxygen. After notifying the POC, the Contractor shall monitor the alarm until the POC has resolved the issue and a return to normal alarm is received.

Performance Standards

a) STD: When critical alarms are received on EMCS printout, appropriate POC will be notified of the alarm status within fifteen minutes but not later than thirty minutes to allow for the system to autocorrect.

b) STD: Alarms will be continuously monitored until POC has resolved the issue or a return to normal alarm has been received.

3.3.1.10 The Contractor shall provide a daily Morning Report for recap of operations, forecasted test operations, safety, environmental, weather, and any other items of interest.

Deliverable

A015 Morning Report

3.3.1.11 The Contractor shall identify a lead trainer / manager for the Operations Center.

This member will ensure that all required training and documentation for initial and recurring training is accomplished and maintained.

3.3.1.12 The Contractor shall maintain an Alternate Operations Center capability that ensures continued Operations / C2 Node functions during contingency or emergency relocation.

Operation Center Managers will develop procedures to perform Operation Center duties from an alternate site located away from the primary facility. This facility must be capable of providing continued C2 operations and comply with mission / protection level PL requirements and communication systems should the primary Operations Center become unusable or an evacuation is required.

3.3.1.12.1 The Contractor shall perform quarterly functional checks of the Alternate Operations Center.

Performance Standard

STD: Documentation of review in Daily Events Log.

3.3.2 C2 Node

3.3.2.1 The Contractor shall support the Crisis Action Team (CAT) Director by providing an Operations Center / C2 Node Liaison (24 hours/day, 7 days/week).

The Operations Center / C2 Node Liaison will accomplish initial situational briefings, to include initiating all higher HQ reports (e.g. OPREP, Situational Reporting, Commanders

Critical Information Requirements [CCIR], and General Administration [GENADMIN]) reports. The Operations Center / C2 Node Liaison will be responsible for monitoring and reviewing incoming / outgoing message traffic, participating in training sessions / exercises that are applicable to AEDC, and utilize crisis / contingency logs to record all events IAW AEDC Instruction (AEDCI) 10-100 and AFMCI 10-105.

Performance Standards

- a) STD: CAT room ready for use upon arrival of CAT.
- b) STD: Reports submitted IAW AFMAN 10-206 without major errors and within time guidelines.
- c) STD: Accurate log entries IAW guidelines.

3.3.2.2 The Contractor shall provide administrative / coordination support for all tests and checkouts at Arnold AFB, AEDC White Oak, and AEDC Moffett Field.

This includes but is not limited to reviewing test schedules for accuracy, updating / maintaining a current status display of daily testing, monitoring all tests (to include start / stop times / lost test or activity time / emergencies, outages, etc.), monitoring all base utility outages, logging appropriate events in Daily Events Logs as required, and report any emergencies / issues to the appropriate agencies by completing applicable QRC/CBC and coordinating, entering, and modifying testing resource requirements in the information system for the current day and next day's tests based on information received from the TOS Contractor, as well as coordinate natural gas projections (daily / monthly) with Steam Plant and Elk River Public Utility District.

Performance Standards

- a) STD: Management of daily test schedule resources / requirements and dissemination of information to appropriate POCs.
- b) STD: Maintain Daily Events logs with no major discrepancies.

3.3.2.3 The Contractor shall develop and maintain OIs to delineate duties and responsibilities in performing C2 Node functions IAW AFMAN 10-207.

Performance Standard

STD: All required OIs in place and current 100% of the time.

3.3.2.4 The Contractor shall perform and accomplish Emergency Actions, providing uninterrupted C2 support during peace, wartime, and contingency operations.

Monitor Emergency Action conferences for receipt of Emergency Action Messages (EAMs). EAMs will be transmitted in clear text format IAW AFMC Defense Readiness and Alert Plan and AFMC C2 CIFs.

3.3.2.5 The Contractor shall coordinate with the AFMC Policy and Procedure office to develop a UTP that is specific to their mission requirements. The Contractor will maintain and administer the UTP IAW applicable governing guidance identified in AFMAN 10-207.

Performance Standard

STD: Contractors will be certified within 180 days on all C2 tasks that are applicable to performing operations effectively, ensuring continuity of C2 by providing a well-trained and highly responsive C2 work force IAW AFMAN 10-207.

Deliverable

A016 Operations Center UTP

3.3.2.6 The Contractor will provide real-time access to contact information and the tracking of location and availability of designated key AEDC personnel IAW AFMCI 10-205.

Performance Standard

STD: Key Personnel Locators (KPLs) are maintained and 100% accurate at all times.

3.3.2.7 The Contractor shall perform recall procedures of base personnel for exercise, real world, and emergency situations IAW AEDCI 10-201 and AFMCI 10-205.

Recalls include but are not limited to; any and all Specialized Teams and Pyramid Alert / Recall as directed by the AEDC Commander or designated authority.

3.3.2.8 The Contractor shall operate required C2 systems (both classified and unclassified) based upon mission requirements IAW AFMAN 10-206.

Systems include but are not limited to the following: NIPRNet, SIPRNet, secure telephone, Fax, shredder, LMR, Installation Notification Warning System (includes Giant Voice and AtHoc), Lightning Detection, and EMCS. The Contractor will operate the Emergency Management System IAW AFMAN 10-206 for installation forces and assets. Any deviations or exemptions will be approved through the installation Commander or MAJCOM.

3.3.2.9 The Contractor shall provide real time monitoring of classified and unclassified computer systems and Emergency Actions Conference to ensure all correspondence from higher HQ is received and responded to, and relay required information to the AEDC

Commander or his representative. The Contractor shall provide Alert Condition status of Operation Report.

Deliverable

A017 Operational Report

3.3.2.10 The Contractor will generate OPREP-3 and CCIRs IAW AFMAN 10-206 and AFMC Supplement to AFMAN 10-206.

Deliverables

A016 Operations Center UTP

A017 Operational Report

3.3.2.11 The Contractor shall assist the Government in conducting inspections, self-inspections, MICT, annual functional area reviews, reviews, exercises, and testing to ensure compliance with instructions.

Provide the Government with written corrective action plans for all deficiencies to determine primary and, if applicable, contributing root causes IAW AFI 90-201. Track all actions to correct areas not in compliance. The Contractor shall support all integrated aspects of MICT to include Inspection Reports, data collection and entry into the Finding Tracker, and corrective action identification, tracking, and implementation. Command, Control, and Communications has four (4) checklists with approximately 150 total questions annually.

Deliverable

A083 MICT Self-Assessment Report

3.3.3 Mandatory and Guidance Documents

All references included are current as of the date on the cover sheet of this PWS. This list is subject to change based on operational / mission requirements, as well as revisions to the listed documents. The Contractor shall comply with future revisions issued for the documents listed.

Document	Title	Mandatory (M) or Guidance (G)
AFMCI 10-205	Emergency Notification, Alert, and Recall.	M
AFMAN 10-206	Operational Reporting	M
AFMAN 10-206 AFMC Supplement	AFMC Operational Reporting	M
AFMAN 10-207	Command Posts	M

AFMAN 10-207 AFMC Supplement	AFMC Command Posts	M
AFMCI 10-105	AFMC Crisis Command and Control	M
AEDCI 10-100	Crisis Action Team	M
AEDCI 10-201	Notification, Recall, and Alert Procedures	M
DoDI 6055.17	DoD Emergency Management	M
AFI 10-701	Operations Security	G
JP 3-07.2	Joint Doctrine and Tactics for Dealing with Terrorism	G
JP 3-54	Joint Doctrine for Operations Security	G
Military Handbook 1013/A	Design Guidelines for Physical Security	G
AFTTP 10.3.1.	Integrated Base Defense	G
AFTTP 10.3.2.	Integrated Base Defense Command and Control	G
AAFB IDP 31-101	Arnold AFB Integrated Defense Plan	G
Arnold AFB Antiterrorism Plan	Antiterrorism Plan	G
AAFB IEMP	Installation Emergency Management Program	M
AFI 90-201	The Air Force Inspection System	M

3.4 Fire and Emergency Services Program

The primary responsibility of the Arnold AFB Fire & Emergency Services (FES) is to provide fire prevention, protection, rescue, hazardous materials response, emergency medical, and emergency communications programs for the installation, its personnel, and the nearby community.

3.4.1 Service Standards

3.4.1.1 The Contractor shall provide a fully certified, trained and uniformed work force to provide fire protection, emergency medical services and emergency communications (911) at Arnold AFB.

Services will include overall program management, resource management, planning, administration, operations, supervision, labor, materials, supplies, and equipment (except as those defined in Attachment 5, Fire Emergency and Services Information Management System (FES-IMS) Property Listing, and Attachment 6, Government Furnished Property). The Contractor shall provide all necessary uniforms, personal equipment, supplies, operation and maintenance of contractor and Government provided equipment. The Contractor shall maintain the minimum staffing to support all fire protection operations in this PWS for Arnold AFB and at all times shall ensure all personnel meet the DoD certification levels for positions for which they are assigned. The fire station shall be fully manned with twelve (12) firefighters and one (1) Assistant Chief of Operations (ACO) per shift to support full engine crew, airfield, rescue crew, Basic Life Support medical emergency response, and stand-by support operations. A two-man ambulance crew is in addition to the 12 firefighters and ACO and may not be counted towards firefighter manning. Crews must meet the response times outlined in DoDI 6055.06. These response times must be met 24 hours a day, 7 days a week.

The ECC shall be fully manned with one (1) lead emergency communications specialist and one (1) additional emergency communications specialists per shift to receive emergency calls or alarm notifications and dispatch First Responders (FES and Security Services) to incidents in the Arnold AFB emergency response area of responsibility.

The fire and rescue functions include but are not limited to:

- (a) Structural fire fighting
- (b) Aircraft crash fire fighting
- (c) Technical / High angle rescue
- (d) Confined space rescue
- (e) Hazardous materials technician response
- (f) Pre-incident planning
- (g) Equipment and vehicle management
- (h) Mutual aid
- (i) Natural disaster response

- (j) Fire prevention, inspection, and education
- (k) Welding, cutting, brazing, and open flame permits
- (l) Emergency medical response at the Basic Life Support level IAW AFI 32-2001
- (m) Patient transport at the advance life support level
- (n) Wildland firefighting IAW AEDC Wildland Fire Management Plan
- (o) Certifications, documentation and training to include courses on the AF Portal and Total Force Virtual Learning Center
- (p) Review project design and projects, make comments IAW applicable directives to include Engineering Technical Letters and Unified Facilities Criteria (UFC), ensuring all life safety and fire protection features are identified
- (q) Investigate fires
- (r) Witness testing of newly installed fire alarm and fire suppression systems
- (s) Maintain a Fire Safety Deficiency (FSD) program and Risk Assessment Code (RAC) program and maintain the FSD's and RAC's identified through a comprehensive fire prevention program meeting the requirements of AFI 32-2001 and AFI 32-10141
- (t) Facility Manager's fire safety training, e.g. exit markings, fire extinguishers, emergency lighting, and clear means of egress

The ECC functions include but are not limited to:

- (a) Receive an emergency notification whether delivered by phone, radio, in person, etc.
- (b) Rapidly identify and dispatch the appropriate (FES/Security) resources required for initial response
- (c) Certified Emergency Medical Dispatch (EMD): In the case of an emergency medical call, identify and provide emergency medical dispatch and pre-arrival instructions as required
- (d) Dispatch the appropriate follow-on resources
- (e) Maintain contact with responding forces, ensuring follow-on communications are prioritized and processed
- (f) Prioritize processes in the event multiple events require attention, i.e. emergency and administrative phones are ringing simultaneously, non-emergency radio traffic vs.

emergency related radio traffic

- (g) Maintain capability for routine, non-event monitoring / response during other emergency responses
- (h) Maintain a log of events and update required information systems to facilitate the installation Common Operating Picture
- (i) Provide the above capabilities without regard to the type of emergency, i.e. medical, fire or security
- (j) Communicate with mutual aid resources, as / if required including local, state, federal, host-nation or sister services, utilizing the ICS construct and available resources i.e. EOC, ICC, AFOSI, Etc.
- (k) Provide situational awareness to the EOC and Installation Control Center as required for installation C2 functions
- (l) Upon appropriate approval, provide situational awareness information to off-base agencies
- (m) Provide initial liaison capability between first responders and on / off base agencies
- (n) Perform initial incident management

3.4.1.1.1 The Contractor shall be trained, equipped, and certified for Air Rescue and Firefighting (ARFF).

Arnold AFB firefighting classification is structural and infrequent airfield operations. Infrequent airfield operations are defined at AMCI-11-208, Mobility Air Forces Management, paragraph 10.3.2. Arnold AFB has one fire demand zone. All firefighting operations shall be in accordance with AFI 32-2001 and AMCI 11-208 Chapter 10.

3.4.1.2 The Contractor shall perform all firefighting duties and tasks IAW applicable regulations and directives.

The Contractor shall adhere to the following: DODI 6055.06, DoDI 6055.06-M, AFI 32-2001, and the National Fire Protection Association (NFPA) standards, AF and AFMC directives, instructions, regulations, and supplements related to Fire Protection, Emergency Medical Services, Incident Management, Safety, Inspection Programs and Civil Engineering and Contingency Response. The Contractor shall comply with the Fire Emergency Services Self-Assessment Program (FESAP). The FESAP Checklist is listed in Appendix B.

3.4.1.3 The Contractor shall make quality program documentation and data available to the Contracting Officer or COR for review.

Documentation shall include but not be limited to FES-IMS, certification, licensing and training records, results of inspections and audits, non-conformance data, corrective and preventive action records. Records shall be maintained for the life of the contract and shall be provided to the Government at the end of the contract IAW AF Records Information Management System standards.

3.4.1.4 The Contractor personnel shall attend meetings, to include but not limited to: Space Allocation Working Panel, Work Order Review Board, Wing Inspection Team, post incident assessment, and operational status meetings.

Attend meetings requested by other base activities such as the quarterly Facilities Board, Environmental Protection Committee and the Hazardous Materials Management Process (HMMP) Team, Coffee / Franklin Counties Local Emergency Planning Council's, and Arnold AFB Emergency Management Working Group, Force Protection Working Group, and Executive Council.

3.4.1.5 The Contractor shall establish a Standard of Cover IAW AFI 32-2001.

A Standard of Cover is defined as written policies and procedures that establish the distribution and concentration of fixed and mobile resource of an organization to address fire response districts and fire demand zones. Standard of Cover includes an analysis of risks and expectations to assist in making decisions on resource utilization issues.

Deliverable

A018 Standard of Cover

3.4.2 Programs

3.4.2.1 The Contractor shall conduct an in-depth fire prevention and education program IAW AFI 32-2001.

The program shall be targeted to the entire Arnold AFB populace including but not limited to, facility managers, mission partners, contractors and transient personnel. During National Fire Prevention Week, the Contractor shall conduct an expanded public education and seasonal fire prevention campaign program emphasizing fire prevention tailored to the mission and processes at Arnold AFB.

Deliverable

A019 Fire Prevention Education Plan

Performance Standard

STD: Records are 100% complete and accurate as found on random audits.

3.4.2.2 The Contractor shall develop policies and procedures for implementing fire investigations as defined in AFI 91-204 IAW AFI 32-2001.

3.4.2.3 The Contractor shall be responsible for inspection, maintenance, service, testing, and replacement of all fire extinguishers on Arnold AFB IAW NFPA 10, to include Halon 1211 Fire Extinguishers.

The Contractor shall provide fire extinguisher training to identified shops when requested. Fire Department personnel shall conduct annual inspections of fire extinguishers for the entire installation (approximately 350 buildings / 3.2M sq ft); monthly inspections for facility fire extinguishers will be accomplished by facility building managers. The Contractor shall provide fire extinguishers to facility managers when replacement is required after inspection.

3.4.2.4 The Contractor shall implement installation fire prevention programs to include compliance with AFI 32-2001 and AFI 32-10141 and conduct at least an annual facility fire prevention assessment on all facilities.

Ensure FES-IMS Form 218, Facility Fire Prevention and Protection Record, is used as a checklist and to record the results of facility assessments; and use FES-IMS Form 1487, Fire Prevention Visit Report, to identify the condition of the fire prevention program to the facility manager. The Contractor shall ensure that only the facility manager signs the reverse side of AF Form 1487 for all required corrective actions.

Deliverable

A020 Fire Prevention Inspection Report

3.4.2.5 The Contractor shall establish a policy, inspection schedule, and procedures for inspecting commercial kitchen hood and duct systems IAW NFPA 96.

These inspections must be accomplished by trained Arnold AFB fire protection personnel. Kitchen hood and duct systems cleaning need to comply with AFI 91-203, *AF Consolidated Occupational Safety Instruction*, and NFPA 96.

3.4.2.6 The Contractor shall perform fire protection design reviews as noted in AFI 32-2001 for operational considerations involving all proposed modifications and construction on Arnold AFB.

The Contractor shall require certifications IAW DoD 6055.06-M. All Drawings and specifications shall be coordinated through the Government to review / ensure adequate functional fire protection and suppression systems are included IAW AFI 32-2001, and all applicable UFC criteria. The Contractor shall attend pre-construction and pre-performance meetings with contracting representatives to coordinate fire safety requirements. The Contractor

shall attend final acceptance and witness inspections of construction contracts on all fire alarm / suppression systems.

3.4.2.7 The Contractor shall establish and maintain a welding inspection and permit program IAW NFPA 51B.

3.4.2.8 The Contractor shall establish a certification and proficiency training program to ensure all Fire / Emergency Medical Services responders and ECC Dispatchers are certified by the DoD Fire and Emergency Services Certification program IAW DoDI 6055.06-M; Tennessee State laws and AFI 32-2001.

The Contractor shall ensure that all training is scheduled, tracked and performed IAW the AF Fire and Emergency Services Training Program (FESTP) and documented in FES-IMS. Minimum training requirements shall be contingent on firefighter's Tier and duty position.

ECC Dispatchers shall maintain certifications that include but are not limited to:

- (a) Telecommunicator II or equivalent commercial training certification
- (b) HAZMAT Awareness
- (c) Air Force Control Center Operations
- (d) Emergency Medical Dispatch from a nationally accredited program

3.4.2.8.1 The Contractor shall comply with the AF Civil Engineer Center (AFCEC), AF FESTP and AFI 32-2001 for all recurring certification and training requirements.

Trainers will record all training on AF Form 1085 in FES-IMS. The Contractor shall conduct the appropriate exercises and drills for all munitions storage areas IAW AFMAN 91-201.

3.4.2.8.2 The Contractor shall ensure the Arnold AFB Fire Chief and staff to include the Deputy Fire Chief, ACO, Assistant Chief of Training, and other designated senior fire officials are trained as specified in AFI 10-2501, *Air Force Emergency Management Planning and Operations*, and DODI 6055.06-M.

A copy of personnel certifications must be maintained and available for Government review upon request.

3.4.2.8.3 The Contractor shall participate in Firefighter Computer Based Training, Virtual Training, and Testing.

The Contractor shall comply with DoDI 6055.06-M and AFI 32-2001.

3.4.2.9 The Contractor shall develop and administer a firefighter occupational safety and health program complying with NFPA 1500, except as modified by AF Fire and Emergency Services and Technical Implementation Guide (TIG) 1500.

The Contractor shall develop policies and procedures for implementing NFPA 1500 and TIG 1500 management plans and program for firefighter safety and health at Arnold AFB. This program will be fully integrated into the Arnold AFB Occupational Safety and Health and Arnold AFB Environmental, Safety, and Occupational Health (ESOH) programs. The Contractor will complete and forward the NFPA 1500 Fire Department Occupational Safety and Health Program Worksheet provided by AFCEC to the Arnold AFB Fire Marshal and AF Installation Mission Support Center Detachment 6 Fire Chief every year by 1 September. This worksheet submission will include approved Operational Risk Management (ORM) plan(s) for all non-compliance areas. ORM plans will be developed by the Contractor in coordination with Arnold AFB Fire Marshal and approved by the AEDC/CC.

Deliverable

A021 Fire Department Occupational Safety, Health, and Wellness Program Worksheet

3.4.3 Operations

3.4.3.1 The Contractor shall develop pre-incident action plans for all potential high fire and life- risk facilities, hazardous operations, and assigned / transient aircraft.

Facility pre-incident action plans are recorded on an AF Form 1028, Facility Pre-Fire Plan, or through an automated plan, and aircraft pre-incidents shall be recorded on AF Form 88.

Performance Standard

STD: 100% of pre-fire plans reviewed and validated on schedule.

3.4.3.2 The Contractor shall participate with current mutual aid agreements established with the local civilian communities or agencies.

The Contractor shall actively participate in the mutual aid program. Current and all future agreements have been and will be established by the Contractor and approved by the AEDC/CC. Mutual aid emergency responses to local communities must not interfere with the current mission needs. In the absence of an approved mutual aid agreement, the Arnold AFB Fire Department will not respond off the installation without approval of the Base Civil Engineer or designated representative. The Contractor shall comply with all requirements of AFI 10-801 and Arnold AFB requirements. Annually, the Contractor will survey areas surrounding Arnold AFB where they may be called upon to provide mutual aid or assistance to ensure a full understanding of potential hazards. If available, the Arnold AFB Fire Department will obtain copies of civilian

fire department emergency response plans for high hazard areas where they may be requested to provide assistance. A list of current mutual aid agreements is provided in Appendix C.

3.4.3.3 The Contractor shall submit Fire Incident Response data to DoD National Fire Incident Response System (NFIRS) and shall provide access for the Arnold AFB Fire Marshal or designated representative personnel to have access to contractor NFIRS data.

In addition, the Contractor shall notify the Arnold AFB Fire Marshal or designated representative on any and all fires and comply with AFI 32-2001 guidance on fire reporting.

Deliverable

A023 Fire Incident Report

3.4.3.4 The Contractor shall develop aircraft pre-incident plans for aircraft that land at the Arnold AFB runway and record on an AFTO Form 88, Aircraft Pre-Fire Plan, or automated product.

Respond to all aircraft in-flight and ground emergencies, once on scene take immediate actions to mitigate the situation, be the Incident Commander, and communicate with Arnold AFB agencies / ECC / EOC, and complete all required after action report(s). Response shall be IAW AF Fire and Emergency Services TIG 403. Respond to on / off base aircraft accidents involving Government and Government chartered aircraft. The Arnold AFB Fire Department shall be responsible for securing the scene, establishing emergency egress, rendering medical aid, and fire suppression. The Contractor shall perform aircrew rescue when possible. If munitions are involved, notify the ECC immediately and perform safe-distance operations. When notified by Operations Center, ECC or other Arnold AFB governing body, stand-by either at the station or within response criteria with the appropriate equipment and firefighters during hazardous or risky operations only when required by applicable DoD, AFI, Technical Operations directives.

3.4.3.5 The Contractor shall be responsible for providing Advanced Life Support (ALS) response to Arnold AFB IAW the Tennessee Code Annotated, Title 68, Health, Safety and Environmental Protection and to the Rules of the Tennessee Department of Health Bureau of Health Licensure and Regulation Division of Emergency Medical Services, Chapter 1200-12-01.

Response times will be IAW DoDI 6055.06. This Emergency Medical Services capability will be provided 24/7, to include transportation to appropriate area hospitals. The Contractor shall also provide stand-by medical support when required IAW AFI 32-3001 to EOD personnel during explosive operations. Attendance is required at operational safety briefings that are held to highlight issues, Personal Protective Equipment (PPE) required, protocol for medical issues and emergencies. The Contractor shall provide, on a monthly basis, a comprehensive report on the Emergency Medical Services Program. Emergency Medical Services report will include

summary information concerning the number of Emergency Medical Services responses and details for any response that either did not meet the response time mandates of this PWS or for which the established protocols were not followed. Additionally, this report will address Emergency Medical Services related training completed by the Paramedics and EMTs during the month and projected training for the upcoming month as well as certification expiration dates for all Tennessee State mandated training and licenses. This monthly report will be endorsed in writing by the Contractor's emergency medical director and submitted to the COR by the tenth calendar day of the following month. Quality evidence in support of this report will be maintained at the Arnold AFB Fire Station available for COR review. The Contractor shall provide copies of all Emergency Medical Services Reports for the previous month for COR(s) review, to include a corresponding FES-IMS report for the month. The Contractor shall provide copies of any / all Inspection Reports for inspections conducted on the ALS Transport System by the State of Tennessee within 30 days of receiving reports.

Deliverable

A022 Emergency Medical Services Program Report

3.4.3.6 The Contractor shall provide all emergency medical supplies, equipment (not provided by the Government) and medications.

The Contractor shall provide the ambulances to serve as response vehicles and to transport patients. The Contractor is responsible for maintaining the vehicles and ensuring they are in ready condition at all times. All equipment, supplies, medications and vehicles will meet or exceed Tennessee Code Annotated, Title 68, Health, Safety and Environmental Protection and to the Rules of the Tennessee Department of Health Bureau of Health Licensure and Regulation Division of Emergency Medical Services, Chapter 1200-12-01.

3.4.3.7 The Contractor shall participate in all Emergency Management Exercises, FPCON exercises, Staff Assistance Visits, and all Higher HQ-mandated inspections.

The Contractor shall perform as closely as possible to actual response requirements under this PWS without excess use of expendable materials. The Contractor shall ensure enough skilled personnel are available during a crisis for any operational emergency. Provide command and control and other operations just as if the exercise were a real scenario. The Contractor will supplement the Arnold AFB Wing Inspection Team as "Trusted Agent" and shall attend all meetings, pre-planning sessions and prepare post exercise critiques. The Contractor will appoint in writing members from Arnold AFB Fire Department to supplement the Wing Inspection Team.

3.4.4 Resources and Property

3.4.4.1 The Contractor shall manage and conduct annual inventory on LMRs provided by the Government IAW AFI 33-106, paragraph 4.8 and 4.12.3.

The Government will provide LMR maintenance services IAW AF and Arnold AFB policies. A written appointment of a primary and alternate point of contact for LMRs is required for accounts managed. Training for account managers will be provided by the Government. The Contractor shall report lost or damaged equipment to AEDC/TSDI and the Government functional.

3.4.4.2 The Contractor shall maintain all Fire and Emergency Services equipment in a constant state of readiness.

3.4.4.2.1 The Contractor shall establish program requirements and implementation procedures for ensuring all equipment is inspected, tested and maintained as required by AF Fire and Emergency Services and NFPA Standards.

All inspections, testing, and maintenance shall be documented in FES-IMS. If FES-IMS is not available, hard copies of AF Form 1071 shall be utilized. Requirement for inspections and calibration of assigned PMEL equipment shall be IAW manufacturer recommendations and / or NFPA. Calibration sticker shall be easily visible on equipment.

3.4.4.2.2 The Contractor shall maintain a reserve quantity of Aqueous Film Forming Foam and dry chemical agent equal to the total capacity of assigned fire fighting vehicles at the fire station.

Local procedures shall be established to provide the immediate transportation of fire-fighting agents for emergency operations.

3.4.4.2.3 The Contractor shall maintain an operational supply system for all expendable, non-expendable, and local purchase items.

3.4.4.2.3.1 The Contractor shall purchase replacement FES related property annotated as a "-1" item in the Clause column of Attachment 5, Fire and Emergency Services Information Management System (FES-IMS) Property Listing, and Attachment 6, Government Furnished Property, with the exception of the fire trucks. In addition, the Contractor shall also purchase all fire extinguishers that need to be replaced.

The Contractor shall obtain approval from the Contracting Officer's Representative (COR) for all purchases less than \$2,500. Any purchase greater than \$2,500 must be approved by the Contracting Officer prior to purchasing. These purchases will be reimbursed on contract line item number (CLIN) XX16, Reimbursable Government Property.

3.4.4.2.4 The Contractor shall establish and maintain a respiratory protection program for self-contained breathing apparatus (SCBA) meeting NFPA and Occupations Safety and Health Administration (OSHA) requirements.

This program shall be coordinated and approved by the AEDC Bioenvironmental Engineering, AEDC/TSD-SG. Sufficient SCBA units and PosiChek will be provided by the Government to meet mission requirements. The Contractor shall ensure personnel are Certified Air Mask Repair Education technicians to perform maintenance IAW the equipment manufacturer's technical publications. Firefighters will perform daily inspections on SCBA to detect deficiencies, and if needed, perform corrective maintenance actions within their capabilities. The Contractor shall perform scheduled routine cleaning of the SCBA. These inspections and cleanings will be conducted IAW timelines prescribed in the technical manual. The technical manuals' preventive maintenance checks and services tables shall be used to perform scheduled services that inspect for serviceability, sustain the SCBA, and extend the lifetime of the equipment. The Contractor will maintain quantities of replacements parts to perform repair / replacement based on local use rates. The Contractor will be responsible for conducting an annual performance test for each SCBA using the PosiChek along with accomplishing hydrostatic testing of cylinders as required and performing annual quantitative mask fit testing for employees (Portacount unit required). All inspections and maintenance records will be maintained in FES-IMS.

3.4.4.3 The Contractor shall provide general purpose Fire and Emergency Services vehicles.

Unless otherwise specified in this PWS, all utilization costs, to include maintenance and operations requirements for vehicles and vehicle type equipment, are the sole responsibility of the Contractor. Contractor provided vehicles shall include but are not limited to:

- (a) Command Vehicles for Fire Chief and ACO – 2 ea. (mid to full size sport utility vehicles)
- (b) Advanced Life Support Ambulances – 2 ea.
- (c) General Purpose Vehicles (capable of towing 16,500 lbs) – 2 ea.

At minimum, the Government will provide the following specialized vehicles to support Contractor fire and emergency services operation to the Arnold AFB area of responsibility:

- (a) P-19 Crash Truck – 1 ea.
- (b) P-19 Stryker UHP – 1 ea.
- (c) P-22 Engines – 2 ea.
- (d) P-24 Engine – 1 ea.

(e) P-28 Heavy Rescue Vehicle – 1 ea.

(f) P-26 Water Tanker – 1 ea.

3.4.4.3.1 The Contractor shall maintain all vehicles IAW NFPA and the Organizational Maintenance requirements outlined in AFI 24-302, to include daily inspection, annual testing, and serviced to a constant state of readiness.

Inspection logs shall be annotated on an AF Form 1800 or similar approved documentation. The Contractor will ensure that the Force Activity Designator codes for fire protection vehicles, equipment, and supplies will be equal to the mission being supported. Record all fire pump testing, maintenance, and annual certifications in FES-IMS and on AF Form 1078 Fire Truck and Equipment Test and Inspection Record. The Contractor will notify via telephone the Arnold AFB Fire Marshal anytime an emergency vehicle is not readily available for service. Smoking is not allowed in Government vehicles and facilities. Vehicles shall be used for work associated with this contract and shall not be used for personal use. Vehicles are property of the AF and may be reassigned at any time. Damage to Arnold AFB Fire Department vehicles will immediately be reported telephonically to Arnold AFB Law Enforcement, Fire Marshal, and AEDC/TSD Chief.

Performance Standard

STD: Records are 100% complete and accurate as found on random audits.

3.4.5 Mandatory and Guidance Documents

All references included are current as of the date on the cover sheet of this PWS. This list is subject to change based on operational / mission requirements, as well as revisions to the listed documents. The Contractor shall comply with future revisions issued for the documents listed.

Document	Title	Mandatory (M) or Guidance (G)
AFI 32-2001	Fire Emergency Services (FES) Program	M
AFI 32-10141	Planning and Programming Fire Safety Deficiency Correction Projects	M
DODI 6055.06	DoD Fire and Emergency Services Program	M
DoDI 6055.06-M	DoD Fire and Emergency Services Certification Program	M
AFI 10-2501	Air Force Emergency Management Planning and	M

AFMAN 10-2502	Air Force Incident Management System (AFIMS) Standards And Procedures	M
AFI 32-3001	Explosive Ordnance Disposal Program	M
AFI 10-801	Defense Support of Civil Authorities (DSCA)	M
AFI 91-204	Safety Investigations and Reports	M
AFMAN 91-201	Explosives Safety Standards	M
AFI 91-203	Air Force Consolidated Occupational Safety Instruction	M
AFI 24-302	Vehicle Management	M
AMCI 11-208	Mobility Air Forces Management	M
NFPA 1 (TIG)	Fire Code, 2012	M
NFPA 96	Standard for Ventilation Control and Fire Protection of Commercial Cooking Operations	M
NFPA 10	Standard for Portable Fire Extinguishers	M
NFPA 1500 and AF TIG	Standard on Fire Department Safety and Health Program	M
NFPA 403 and AF TIG	Standard for Aircraft Rescue and Fire-Fighting Services at Airports	M
NFPA 1071	Emergency Vehicle Technician Professional Qualifications, Equivalency	M
NFPA 1221 and AF TIG	Standard on Installation, Maintenance, and Use of Emergency Services	M
NFPA 1582 and AF TIG	Standard on Comprehensive Occupational Medical Program for Fire Departments	M
NFPA 1710 and AF TIG	Standard for Organization and Deployment of Fire Suppression Operations, Emergency Medical Operations, and Special Operations to the Public by Career Fire Departments	M
NFPA 1851 and AF TIG	Standard on Selection, Care, and Maintenance of Protective Ensembles for Structural Fire Fighting and Proximity Fire Fighting	M

NFPA 1911 and AF TIG	Standard for Inspection, Maintenance, Testing, and Retirement of In-Service Automotive Fire Apparatus	M
NFPA 15B	Standard for Fire Prevention during Welding, Cutting, and Other Hot Work	M
Tennessee Code Annotated, Title 68	Health, Safety and Environmental Protection	M
	Rules of the Tennessee Department of Health Bureau of Health Licensure and Regulation Division of Emergency Medical Services	M
	Fire Emergency Services Self-Assessment Program (FESAP) Checklist	M
	AEDC Wildland Fire Management Plan	M

3.5 Environmental Program

The primary responsibilities of the Arnold AFB Environmental Program are management and compliance support activities necessary to support Arnold AFB mission requirements. These activities may include plan development, inspections, environmental evaluations, surveys, data management, permit applications, etc. The major program areas are Environmental Management, Pollution Prevention, Resource Management, and Environmental Compliance.

3.5.1 Environmental Program Management

3.5.1.1 The Contractor shall provide environmental program support for Arnold AFB IAW AFI 32-7001.

Formulate, document, maintain, and execute Arnold AFB's Environmental Management Program. The Contractor must ensure that comprehensive compliance is maintained with regard to all local, state, and federal environmental regulations. Compliance includes, but is not limited to: Natural and Cultural Resources, and Geographic Information System (GIS) Management Programs, Hazardous Materials Management (AFIs, Toxics Release Inventory, and Superfund Amendments and Reauthorization Act reporting requirements), Hazardous and Solid Waste Resource Conservation and Recovery Act (RCRA) Treatment, Storage, and Disposal Facilities (TSDF) Permit, Tennessee Solid Waste Rules, etc., Spill Prevention Control and Countermeasures Plan, and Facility Response Plan (FRP), Clean Air Act program (Title V, Greenhouse Gas, Ozone Depleting Substances [ODS], etc.), the Clean Water Act (storm water and waste water compliance, Army Corps of Engineers regulations), Safe Drinking Water Act, Above-Ground Storage Tank Compliance, National Environmental Policy Act (NEPA), and overall database management. The Contractor shall provide technical support for the

Environmental Management Program, upon request. General activities or support will be related to the specific work areas cited in this section. Secret Clearance level is required for Environmental Program Management.

Comply with applicable laws, regulations, AFIs, DoDIs, directives, and memoranda as well as applicable Tennessee Environmental Rules and US Environmental Protection Agency (EPA) regulations, to ensure alignment with environmental regulations, but also to support AF environmental management direction, vision, and goals as per the AF.

Scoping Information relative to the Environmental Management Program can be found in Appendix D through Appendix K.

3.5.1.1.1 The Contractor shall develop, maintain, and update all standards and plans for all aspects of the Environmental Program to meet all federal and state laws, applicable federal and state regulations, and DoD and AF guidance.

Environmental Program standards and plans include Arnold AFB Safety, Health, and Environmental (SHE) Standards and the Environmental Management and Compliance Plan. SHE standards include:

SHE A8	Environmental Impact Analysis Process
SHE C2	Contaminated Equipment
SHE D14	Cross Connection and Backflow Prevention
SHE E6	Hazardous Materials Management
SHE E8	Air Quality Management
SHE E9	Wastewater Discharge Management
SHE E11	Oil Pollution Prevention and POL Storage Container Management
SHE E14	Ozone Depleting Substances (ODS)
SHE E16	Polychlorinated Biphenyls
SHE E17	Oil and Hazardous Substances Spill Response
SHE E18	Managing Wastes Containing Chemical or Petroleum Products

Performance Standard

STD: Draft submissions are submitted by required dates and are 90% free from technical errors.

Deliverables

A024 Arnold AFB SHE Standards

A025 Environmental Management and Compliance Plan

3.5.1.1.2 The Contractor shall support the Air Force Environmental Management System (AF EMS) IAW AFPAM 90-803, AFI 90-201, AFI 32-7001.

Provide support for the planning, development, implementation, and maintenance of an AF EMS per established implementation guidance, policy, and schedule (to include Executive Order (EO) 13693, Air Force Policy Directive (AFPD) 90-8, DoDI 4715.1). Develop and maintain appropriate procedures for workforce to maintain awareness, compliance, reporting and monitoring. The Contractor shall assist the EMS Coordinator and installation environmental program managers in reviewing, updating, and re-approving documents related to administration of the overall EMS. Maintain and update the eDASH Finding Tracker Tool.

Provide support for the performance of environmental inspections and completion of submission of findings reports outlining the activities performed, to include the evaluation of local programs, correction of deficiencies, and internal evaluations encompassing all applicable EMS and AF Inspection System requirements. Provide EMS training to Arnold AFB personnel.

Performance Standards

- a) STD: 100% compliant with laws, regulations, permits, and AFIs.
- b) STD: Inspections and audits completed within required timeframe.
- c) STD: Current information in eDASH.
- d) STD: Appropriate corrective actions identified and implemented within required timeframe.

3.5.1.1.3 The Contractor shall provide Environmental Baseline Surveys (EBS) IAW AFI 32-7066.

The EBS will include the review of items such as historical records and land use, reports, data, environmental surveys, inspection reports, regulatory agency reports, land use controls or restrictions, Federal Facility Agreements, notices of violation or noncompliance, consent orders or decrees, current or discontinued permits, titles, deeds, and other real property and environmental conditions records (e.g., floodplain, wetlands, sensitive habitats and species, aerial photographs, and other documents to determine the potential for past / present contamination of

real property). If necessary, the surveys will involve the investigations of soil, surface and / or subsurface, and aquifer and / or ground water, surface and / or subsurface sampling(s) to determine type, concentration, and extent of contamination. The EBS will also include preparation of site inspections, recertifications, waivers, and other associated documents. Preparer shall meet standard of “environmental professional” as defined in 40 CFR Part 312.10. The Contractor should anticipate supporting 5 EBS annually; however this may fluctuate depending upon mission needs.

Performance Standards

- a) STD: Zero project or mission impacts.
- b) STD: 100% compliant with AFI 32-7066.
- c) STD: EBS completed within required timeframe.
- d) STD: “Environmental Professional” standards maintained.

Deliverable

A026 Environmental Baseline Survey

3.5.1.1.4 The Contractor shall support Environmental Program Reviews/Planning/Data Calls / Regulatory Activities.

Prepare, review, and certify reports, plans, data, evaluations, environmental permit applications, and other information required by permit, regulation, law, or AF requirement, and verify accuracy and completeness. The Contractor should anticipate support of 100 actions annually; however, this may fluctuate depending on mission needs.

Performance Standards

- a) STD: Draft submissions are submitted by required dates and are 90% free from technical errors.
- b) STD: Final submissions are submitted by required dates and are 90% free from technical errors.

Deliverable

A027 Environmental Reporting Information

3.5.1.1.4.1 The Contractor shall perform environmental technical reviews for technical reports, studies, memoranda, plans, and designs by outside agencies or other contractors, and provide detailed written comments and recommendations where applicable.

The Contractor should anticipate supporting 40-50 technical reviews annually; however this may fluctuate depending upon mission needs.

Performance Standard

STD: Reviews submitted by required dates.

Deliverable

A028 Technical Review Comments

3.5.1.1.4.2 The Contractor shall provide data to support Government efforts to prepare planning and programming documentation for environmental compliance, pollution prevention, NEPA, and natural and cultural resource conservation.

Identify and forecast environmental requirements covering the period of the Future Years Defense Program across all environmental media programs as requested by the Government for AFCEC databases (E-Dash, Automated Civil Engineer System-Project Management, Electronic Environmental Safety and Occupational Health Management Information System [EESOH-MIS] and successor or Next Gen IT systems, EMS, and Management Internal Control Toolset [MICT]).

Prepare Engineering Evaluations to justify proposed environmental infrastructure projects identified to correct environment non-compliance or high environmental mission risks. Support development of annual environmental design and execution programs. Enter all work requirements in an appropriate maintenance management system. Coordinate execution of assigned environmental projects. The Contractor should anticipate supporting 15-20 Engineering Evaluations annually; however this may fluctuate depending upon mission needs.

Performance Standard

STD: Data is 100% accurate, timely, and complete.

3.5.1.1.4.3 The Contractor shall support regulatory activities, to include AF, AFCEC, and Regulatory Agency data calls.

Support of federal, state, and local environmental compliance regulators for Arnold AFB, with respect to inspections, corrective actions, permits, and permit and systems monitoring and maintenance. Conduct surveys and studies and provide information in support of environmental permit reporting or other compliance requirements. Prepare requests for environmental permits, permit renewals, or permit modifications as required.

Performance Standard

STD: Support is 100% accurate, timely, and complete.

3.5.2 Pollution Prevention

3.5.2.1 The Contractor shall formulate, implement, and maintain pollution prevention controls for the reduction or elimination of pollution sources at the point of generation to include hazardous materials management and spill control plans IAW AFI 32-7001.

The Contractor shall conduct all operations and activities with the intent of reducing the amount of pollution generated. Assess, evaluate, and monitor safeguards, such as dikes, containment areas, relief vessels, or other appropriate measures for the prevention of pollution from accidental discharge of fuels, solvents, oils or other chemicals or materials into the environment. Develop and implement effective guidance to prevent or minimize releases and spills and their impacts to mission continuity.

Performance Standards

- a) STD: Zero impact to execution of test or other operations.
- b) STD: 100% compliant with federal, state, and local laws and regulations, and AFIs.

3.5.2.1.1 The Contractor shall implement, support, and maintain Arnold AFB's Hazardous Materials Management Program IAW AFI 32-7086 and SHE Standard E6.

The Contractor shall lead the HMMP Team and ensure processes exist for authorization of all hazmat entering the installation, regardless of purchase agent or user, and tracking of all hazmat in EESOH-MIS. Provide technical support to materials procurement and distribution on Arnold AFB by reviewing, approving, and tracking hazardous materials using EESOH-MIS. Maintain and update information in EESOH-MIS. Provide technical support to the Hazardous Materials Dispensing Facility regarding issue and use of hazardous materials and identification of less toxic substitutes to reduce hazardous material usage and hazardous waste generation. Provide technical assistance to the Qualified Recycling Program, EOC, and other response efforts as required. The Contractor shall meet training requirements of AFI 32-7086. The Contractor shall develop and provide training to Arnold AFB personnel in support of the Hazardous Materials Management Plan, such as EESOH-MIS user training and General HMMP Familiarization. Maintain a HMMP that provides an effective system to identify, track, monitor, issue, and control hazardous materials, to include determination and management of shortfalls and issues.

Performance Standards

- a) STD: Zero impact to execution of test or other operations.
- b) STD: 100% compliant with federal, state, and local laws and regulations, AFIs.
- c) STD: Zero adverse mission impacts related to the HMMP.
- d) STD: Current information in EESOH-MIS.

Deliverable

A029 Hazardous Materials Management Plan

3.5.2.1.2 The Contractor shall develop and maintain an Arnold AFB Spill Prevention, Controls, and Countermeasures Plan (SPCC) and a FRP IAW with Title 40 CFR Part 112.

Implement effective and efficient processes and procedures for minimizing impacts from environmental releases, including spill response, coordination with personnel executing spill response, managing assigned spill response equipment, supplies, coordination of information for spill / release reporting, investigating and determining, defining and correcting root causes of releases. Develop and implement processes and controls to minimize the likelihood that any substance is released to the environment in a concentration or total amount that exceeds established standards, reportable quantity thresholds, or permit requirements. The most stringent standard set by any of the governing regulatory agencies shall be used if more than one agency has established standards for a particular substance. The Contractor shall meet training requirements of Title 40 CFR Part 112.

Identify and evaluate environmental pollution sources and continuously monitor the effectiveness of pollution and spill prevention and abatement efforts to ensure that pollutants do not exceed permit or reporting limits.

When a spill occurs at Arnold AFB, the Contractor shall immediately: implement a notification process to alert the Government when regulatory notification requirements are triggered; evaluate, investigate, and define corrective actions when spills occur; maintain the spills databases within 24 hours (Arnold AFB Spills database and Spill Incident Release Internet System [SIRIS] database); provide necessary information to the Government required to report the spill to the applicable regulatory office (Tennessee Department of Environment and Conservation [TDEC], Tennessee Emergency Management Agency, Federal Emergency Management Agency, EPA, Local Emergency Planning Committee, USAF, etc.).

Performance Standards

- a) STD: Zero preventable reportable spills.
- b) STD: In the case of a reportable spill, reports meet regulatory requirements 100% of the time.
- c) STD: Current information in Arnold AFB Spills database and SIRIS database.

3.5.2.1.2.1 The Contractor shall develop and maintain an SPCC Plan IAW Title 40 CFR Part 112.

The Contractor shall provide on-site support to conduct an inspection of each site within the installation containing Petroleum, Oil, and Lubricants (POL), develop an accurate site map, and

document SPCC considerations. Maintain, update, and ensure compliance of the SPCC Plan. The final SPCC Plan will be signed and “certified” by a professional engineer (P.E.) IAW the requirements of 40 CFR Part 112. Maintain the SPCC Plan in Atmospheric Pressure Ionization Mass Spectrometry (APIMS) Water Enterprise Tracking (WET).

Performance Standards

- a) STD: Zero violations of laws, permits, or regulations.
- b) STD: Current information in APIMS WET system.

Deliverable

A030 Spill Prevention, Controls, and Countermeasures Plan

3.5.2.1.2.2 The Contractor shall develop and maintain an FRP IAW Title 40 CFR Part 112.

The Contractor shall provide an FRP that shall reflect the current federal, state, and local regulatory requirements and installation’s POL activities. The Contractor shall provide site diagrams, drainage, evacuation routes, etc. for each site. The Contractor shall support submittal of the final FRP to the U.S. EPA Regional Administrator for revision and approval. Maintain the FRP in APIMS WET.

Performance Standards

- a) STD: Zero violations of laws, permits, or regulations.
- b) STD: Current information in APIMS WET system.

Deliverable

A031 Facility Response Plan

3.5.2.1.3 The Contractor shall manage spill response IAW the Arnold AFB SPCC and SHE Standard E17.

Immediately respond to, document, and report to the Government all chemical, oil, toxic, or other hazardous material spills and take action to mitigate environmental and mission impacts of the release. Advise the Government immediately when regulatory notification requirements are triggered as a result of a spill. Evaluate spill responses, investigate spill causes, and define corrective actions. Provide technical assistance to spill response team of responsible party.

Maintain and update the Arnold AFB spills database and SIRIS database, and provide all required info for federal / state / local / AF / DoD reporting including historical information. Develop and implement processes to minimize the likelihood that any substance is released to the environment in a concentration or total amount that exceeds established standards or permit

requirements. The most stringent standard set by any of the governing regulatory agencies shall be used if more than one agency has established standards for a particular substance. Any non-compliances are immediately corrected and reported to AF.

Performance Standards

- a) STD: 100% compliant with federal, state, and local laws and regulations, and AFIs.
- b) STD: 100% compliance with enforceable or mission continuity requirements.

Deliverable

A032 Spill Report

3.5.3 Resource Management

3.5.3.1 The Contractor shall support and maintain Arnold AFB's Natural Resources Program IAW AFI 32-7064.

Develop, conduct, maintain, and advance a comprehensive integrated ecosystem management program for the conservation and management of natural resources, including forests, fish and wildlife, wetlands, outreach, and threatened and endangered species. Implement a comprehensive rare, threatened and endangered species management program to include surveying flora and fauna species, and developing and maintaining management objectives for the protection of these species. Maintain and execute the requirements of an Integrated Natural Resource Management Plan to include component plans and reports such as Annual Work Plans, Forest Management Plan, Wildland Fire Management Plan, Post Burn Monitoring Report, Integrated Monitoring Plan and Report, Biological Opinion Report, Seasonal Hunting Reports, etc. A Section 10 Endangered Species Permit for bats is required. Contractor shall meet the applicable National Wildfire Coordinating Group Standards for wildland fire activities.

Support prescribed burning program, land management, ecological restoration, integrated pest management, ecosystem monitoring, endangered species monitoring to include other threatened species of concern or protected species, consultations and cooperative efforts with US Fish and Wildlife Service, and others as required. Assist the Government in engaging applicable state and federal agencies, private organizations, university, and conservation organization stakeholders in the ecosystem management process and execution. Support projects from off base entities performing natural resource surveys or related work. Approximately 4-5 project scopes of work required annually.

Performance Standards

- a) STD: Zero avoidable project or mission impacts.
- b) STD: 100% compliant with laws, regulations, and AFI 32-7064.

- c) STD: Section 10 Endangered Species Permit for bats.
- d) STD: Cooperate with and meet Tripartite Agency requirements.

Deliverable

A033 Integrated Natural Resource Management Plan

3.5.3.2 The Contractor shall support and maintain Arnold AFB's Cultural Resources Program IAW AFI 32-7065 and AFI 90-2002.

Promote public awareness, support consultation with the State Historic Preservation Office, other authorities and interested parties, provide local guidelines for compliance with applicable laws and regulations, and maintain an Integrated Cultural Resources Management Plan. Implement and maintain programmatic agreements, support inventories, provide, support and maintain recordations with the State Historic Preservation Office, tribal entities, consultations, and other management of cultural and historic interest on Arnold AFB. The Contractor shall meet Secretary of the Interior's Standards and Guidelines Professional Qualifications Standards in Archeology and Historic Preservation.

Support reviews of projects to determine the need for consultations or other actions. Support curation efforts and inspections as required. Support projects from off base Contractors performing archaeological surveys or related work. Support to include facility and archaeological site inspection reports, annual report, AF Real Property Program support, etc. Possibly 4-5 project scopes of work required annually.

Performance Standards

- a) STD: Zero avoidable project or mission impacts.
- b) STD: 100% compliant with laws, regulations, AFI 32-7065, and AFI 90-2002.
- c) STD: Meet Secretary of the Interior's Standards and Guidelines Professional Qualifications Standards in Archeology and Historic Preservation.
- d) STD: Cooperate with and meet TN SHPO and Tribal Government requirements.

Deliverable

A034 Integrated Cultural Resource Management Plan

3.5.3.3 The Contractor shall support and maintain Arnold AFB's GIS Program.

Implement a comprehensive GIS and spatial data management program in support of the Environmental Management Program IAW Spatial Data Standards for Facilities, Infrastructure and Environment and AF guidance. Contractor shall maintain all Environmental Management Program data in a standardized, manageable, and usable format accessible to the AF to promote reporting and management abilities of the Program.

Performance Standards

- a) STD: Zero project or mission impacts.
- b) STD: 100% Spatial Data Standards for Facilities, Infrastructure and Environment compliant.
- c) STD: Geospatial database is populated with current data.

Deliverable

A035 Geographic Information System Program Data

3.5.4 Compliance Program

3.5.4.1 The Contractor shall develop and implement a Compliance Assessment Program.

The Contractor shall evaluate all current and proposed Arnold AFB activities to assess compliance with relevant promulgated regulations or the cost of compliance of proposed regulations, by the EPA and / or the TDEC and / or local regulatory permits. Identify and evaluate environmental pollution sources and continuously monitor the effectiveness of pollution prevention and abatement efforts to ensure that pollutants do not exceed permit limits or regulations.

The Contractor shall ensure compliance with applicable federal, state, and local environmental laws, regulations, and standards; permits; executive orders; DoD directives; and AFIs and policies for the elimination, prevention, and control of pollution.

Performance Standard

STD: 100% compliance with enforceable laws, regulations, permits, and AFIs.

Deliverables

A024 AFB SHE Standards

A025 Environmental Management and Compliance Plan

A027 Environmental Reporting Information

A036 Environmental Permit Request Documentation

A037 Compliance Evaluation Report

A038 Pollution Prevention Monitoring Report

3.5.4.2 The Contractor shall support and maintain Arnold AFB Hazardous Waste Management Program IAW RCRA, 49 CFR subpart H, and AFI 32-7042.

The Contractor shall develop and execute a Hazardous Waste Management Program that achieves and maintains compliance. Meet all requirements of the Hazardous Waste Storage

permit. Manage the accumulation, storage, transport, and disposal for hazardous waste, regulated waste, and hazardous materials generated at Arnold AFB. Conduct studies to support the elimination and reduction of hazardous wastes. Enter all required waste data into EESOH-MIS, including any required by permit. The Contractor shall use EESOH-MIS to coordinate waste pick-up and disposal through the local Defense Logistics Agency Disposition Services (DLA-DS) facility. The Contractor shall maintain the Hazardous Waste Management Plan, Hazardous Waste Compliance Plan, and the Hazardous Waste Reduction Plan. The Contractor shall prepare new permit requests, permit modification requests, reissuance, termination, or notification of planned changes within appropriate timeframe. The Contractor shall meet training requirements IAW AFI 32-7042.

Performance Standards

- a) STD: Zero violations of laws, regulations, permits, or AFIs.
- b) STD: Timely permit changes obtained to prevent project, operation, or mission impacts.
- c) STD: Current data in EESOH-MIS.

Deliverables

A039 Hazardous Waste Management Plan

A040 Hazardous Waste Compliance Plan

A041 Hazardous Waste Reduction Plan

3.5.4.2.1 The Contractor shall support the disposal of hazardous and other regulated wastes at AEDC White Oak and AEDC Moffett Field locations according to federal, state, and local regulations, and AFI 32-7042.

The Contractor shall use EESOH-MIS to coordinate waste pick-up and disposal through the local DLA-DS facility. Periodic travel may be required.

Both AEDC White Oak and Moffett Field are considered small quantity generators.

3.5.4.3 The Contractor shall support and maintain Arnold AFB's Solid Waste Management Program IAW AFI 32-7042.

The Contractor shall perform services in support of Solid Waste Management to minimize disposal volumes and costs and to maximize reuse, recycling, and recovery. Update, maintain, and implement the Integrated Solid Waste Management Plan. Provide technical assistance and support to the Qualified Recycling Program IAW SHE Standard E6.

Performance Standard

STD: Zero violations of laws, permits, or regulations.

Deliverable

A042 Integrated Solid Waste Management Plan

3.5.4.4 The Contractor shall support and maintain Arnold AFB's Clean Air Act Program, Title I thru Title VI, AFI 32-7040, and SHE E8.

Maintain compliance with the Arnold AFB Title V permit. Monitor and report as required on permitted air sources. Obtain test log (i.e. fuel usage rate, operating time, type of fuel used, etc.) from Test Operations and perform emission calculations with appropriate factors. Perform Annual Emission Inventory (AEI). Maintain test operating data and other appropriate information in APIMS and ensure likeness with Annual Emission Inventory prior to submission. Prepare application to renew or modify Arnold AFB Title V permit as required. Maintain effective and efficient communication with the Government Program Manager and source area managers to ensure accurate data is submitted on time and approved for all reports, inspections, and data calls. Contractor shall meet training requirements IAW AFI 32-7040.

Performance Standards

- a) STD: 100% compliant with laws, regulations, permits, and AFIs.
- b) STD: Timely permit changes obtained to prevent project, operation, or mission impacts.
- c) STD: Current information in APIMS.

Deliverable

A043 Air Quality Program Information

3.5.4.4.1 The Contractor shall support and maintain the ODS Program IAW Title VI of the Clean Air Act, AFI 32-7040, and AFI 32-7086.

Support the continuing effort to eliminate the use of ODS, conduct quarterly ODS inventory, record data in APIMS, identify and recommend suitable ODS substitutes, and monitor and maintain equipment certifications. Maintain the ODS Management Plan.

Performance Standards

- a) STD: Zero violations of laws, permits, regulations, and AFIs.
- b) STD: Current information in APIMS.

Deliverable

A044 ODS Management Plan

3.5.4.5 The Contractor shall support and maintain Arnold AFB's Storm Water and Wastewater Program IAW AFI 32-1067.

Support and maintain a comprehensive National Pollutant Discharge Elimination System (NPDES) program to ensure compliance with all applicable wastewater and storm water permits, regulations, and laws, including MultiSector General Permits, State issued Operating Permits, individual construction project Storm Water Permits, NPDES discharge permits. Perform all inspections, monitoring, recording, and reporting as required by permit or regulation. Maintain

Storm Water Pollution Prevention (SWPP) Plan. Review project specific SWPP Plans to ensure compliance. Maintain storm water data in APIMS WET. Contractor shall meet training and certification requirements IAW AFI 32-1067.

Performance Standards

- a) STD: Zero violations of permits or regulations.
- b) STD: Timely permit changes obtained to prevent project, operation, or mission impacts.
- c) STD: Current information in APIMS WET.

Deliverable

A045 Storm Water Pollution Prevention Plan

3.5.4.6 The Contractor shall support and maintain a comprehensive Storage Tank Management Compliance Program IAW AFI 32-7044.

Perform all inspections, reporting, sampling, recordkeeping, database management, and others as required for Arnold AFB's Aboveground Storage Tanks (ASTs). This includes services in support of ASTs, sumps, grease traps, oil-water separators, associated piping, and other related equipment, to include permit inventory, and inspection support as required. Maintain inventory in APIMS Storage Tank Accounting and Reporting (STAR) system. Develop and maintain Aboveground Storage Tank Compliance Plan.

Performance Standards

- a) STD: Zero violations of laws, regulations, permits, or AFIs.
- b) STD: Current data in APIMS STAR

Deliverable

A046 Aboveground Storage Tank Compliance Plan

3.5.4.7 The Contractor shall provide an Environmental Impact Analysis Process Program for all activities on Arnold AFB IAW the NEPA, AFI 32-7061, and SHE A8.

Evaluate environmental impacts on all actions (work orders, projects, tests, plans, etc.) that have the potential to cause environmental impacts through an Environmental Impact Analysis Process (EIAP) Program. Designate a focal point for coordinating the program. Review and coordinate all assessments and evaluations with the Government and with project execution elements. Develop and offer EIAP training to Arnold AFB Government and contractor employees as needed. The Contractor should anticipate supporting 100 EIAPs annually; however this may fluctuate depending upon mission needs.

When NEPA evaluations (Environmental Impact Statement, Environmental Assessment, etc.) are conducted by external agencies / contractors, the Contractor will support those efforts with coordination, review, and analysis as needed.

Performance Standards

- a) STD: 100% Compliant with current NEPA, AFI 32-7061, and AF guidance.
- b) STD: Evaluation completed within required timeframe.

Deliverable

A047 Environmental Impact Assessments

3.5.4.8 The Contractor shall support Arnold AFB Environmental Management Enforcement / Auditing / Reporting.

3.5.4.8.1 The Contractor shall maintain and update information in EESOH-MIS.

The Contractor shall support the Installation HMMP and Hazardous Waste Management Program with support for data entry and training on the EESOH-MIS, materials tracking, data management, metric reporting, Process Authorization reviewing, and training to ensure data quality is maintained. The Contractor shall perform duties as EESOH-MIS System Authorization Access Request POC to ensure only authorized users have access to EESOH-MIS and proper roles are assigned.

The Contractor shall support all other Environmental Reporting requirements to include Air, Cultural Resources, Clean Water Act, etc.

Performance Standards

- a) STD: Zero impact to execution of test or other operations.
- b) STD: 100% compliant with federal, state, and local laws and regulations, AFIs.
- c) STD: Zero adverse mission impacts related to Hazardous Materials Management Program
- d) STD: Current information in EESOH-MIS.

3.5.4.8.2 The Contractor shall implement an Environmental Compliance Assessment and Management Program (ECAMP) IAW AFI 32-7001.

The ECAMP will include conformance and compliance self-assessments and track preventative / corrective actions, IAW DoDI 4715.17, DoDI 4715.06, AFI 90-201, and other AF guidance. The ECAMP shall be integrated with Unit Effectiveness Inspections IAW AFI 90-201, MICT, and the Environmental, Safety, and Occupation Health Council (ESOHC). The Contractor shall

support all integrated aspects of ECAMP to include Inspection Reports, data collection and entry into the Finding Tracker, and corrective action identification, tracking, and implementation.

Performance Standards

- a) STD: 100% compliant with laws, regulations, permits, and AFIs.
- b) STD: Inspections and audits completed within required timeframe.
- c) STD: Appropriate corrective actions identified and implemented within required timeframe.

3.5.4.8.3 The Contractor shall implement an Environmental Audit Program IAW AFI 90-201.

The program must include internal inspections / audits and provide for full support of and participation in external inspections / audits as they apply to Environmental Management. Track all actions to correct areas not in compliance. The Contractor shall support all integrated aspects of MICT to include Inspection Reports, data collection and entry into the Finding Tracker, and corrective action identification, tracking, and implementation. Environmental Management has 11 Checklists with approximately 250 total questions annually.

Performance Standards

- a) STD: Inspections and audits completed within required timeframe.
- b) STD: Appropriate corrective actions identified and implemented within required timeframe.

Deliverable

A083 MICT Self-Assessment Report

3.5.5 Mandatory and Guidance Documents

All references included are current as of the date on the cover sheet of this PWS. This list is subject to change based on operational / mission requirements, as well as revisions to the listed documents. The Contractor shall comply with future revisions issued for the documents listed.

Document	Title	Mandatory (M) or Guidance (G)
DoDI 4715.1	Environment, Safety, and Occupational Health	M
DoDI 4715.06	Environmental Compliance	M
DoDI 4715.17	Environmental. Management Systems	M
40 CFR Part 312.10	Innocent Landowners, Standards For Conducting All Appropriate Inquiries	M

40 CFR Part 112	Oil Pollution Prevention	M
EO 13423	Strengthening Federal Environmental, Energy, and Transportation Management	M
EO 13514	Federal Leadership in Environmental, Energy, and Economic Performance	M
AFI 90-201	The Air Force Inspection System	M
AFI 90-801	Environment, Safety, And. Occupational Health	G
AFPAM 90-803	Risk Management (RM) Guidelines and Tools	M
AFI 90-2002	Air Force Interactions with Federally-Recognized	M
AFI 32-1067	Water and Fuel Systems	M
AFI 32-7001	Environmental Management	M
AFI 32-7040	Air Quality Compliance and Resource Management	M
AFI 32-7042	Waste Management	M
AFI 32-7044	Storage Tank Environmental Compliance	M
AFI 32-7061	The Environmental Impact Analysis Process	M
AFI 32-7064	Integrated Natural Resources Management	M
AFI 32-7065	Cultural Resources Management	M
AFI 32-7066	Environmental Baseline Surveys In Real Property	M
AFI 32-7086	Hazardous Materials Management	M
AFPD 90-8	Environment, Safety & Occupational Health Management and Risk Management	G
SHE A8	Environmental Impact Analysis Process	M
SHE C2	Contaminated Equipment	M
SHE D14	Cross Connection and Backflow Prevention	M
SHE E6	Hazardous Materials Management	M
SHE E8	Air Quality Management	M
SHE E9	Wastewater Discharge Management	M
SHE E11	Oil Pollution Prevention and POL Storage Container Management	M
SHE E14	Ozone Depleting Substances (ODS)	M
SHE E16	Polychlorinated Biphenyls	M

SHE E17	Oil and Hazardous Substances Spill Response	M
SHE E18	Managing Wastes Containing Chemical or Petroleum Products	M

3.6 Safety Program

The primary responsibility of the Arnold AFB Safety Program is implementation of a standardized program to support Arnold AFB mission requirements. The program will include occupational safety, safety awareness, weapons safety, mishap investigations, hazard abatement and tracking, safety inspections, and safety training.

3.6.1 Safety Program Administration

3.6.1.1 The Contractor shall support the Government in establishing a standardized safety program for Arnold AFB, AEDC White Oak, and AEDC Moffett Field.

Safety programs include: Occupational and Weapons Safety, IAW Occupational Safety and Health Administration (OSHA), NFPA, AEDC SHE Standards, other applicable safety references when incorporated by reference in OSHA and defined AFIs or Chapters in AFIs, as applicable. Safety support does not include day-to-day safety support outside of Arnold AFB; however, annual safety inspections of all Arnold AFB facilities, including AEDC White Oak and Moffett Field, shall be conducted by FSS. Other AEDC GSUs and Contractors at AEDC will maintain their own day-to-day safety program. At least one Occupational Safety Professional shall have a bachelor's degree in Occupational Safety or completed requirements as a Certified Safety Professional. All other Occupational Safety Professionals shall have > 3 years' experience.

Performance Standard

STD: Maintain Safety Professional qualifications.

Deliverable

A048 Safety Program Management Plan

3.6.1.2 The Contractor shall execute an OSHA-compliant safety program within FSS, and conduct weekly program status meetings with the Government to discuss relevant issues / status of programs.

The Contractor will also participate in a monthly walk-down of selected FSS-managed facilities / areas with the COR.

Performance Standards

- a) STD: Zero Class A or B mishaps (injury or property).
- b) STD: Injury rates at or below average Total Recordable Incident Rate and Days Away, Restricted, or Transferred rates per the North American Industry Classification System code assigned.

Deliverable

A049 Injury and Property Damage Charts

3.6.1.3 The Contractor shall conduct a safety awareness program to disseminate policy, close calls, mishap prevention, seasonal topics and other associated safety information.

The High Mach newspaper, email messages, and toolbox topics will be used to disseminate safety information to all AEDC personnel. These shall include recall notices, near misses, safety publicity, seasonal safety topics, etc., and shall be made available to Arnold AFB and all AEDC GSUs.

Deliverables

A050 High Mach Safety Article

A051 Toolbox Topics Document

3.6.1.4 The Contractor shall support the Government in establishing and maintaining a Weapons Safety program IAW AFMAN 91-201, AFI 91-202 and AFI 91-202_AFMCSUP Chapters 9.

The Contractor shall execute the safety portion of the program, including rocket motor acceptance and movement to / from storage facilities. Duties include conducting monthly spot inspections of explosive areas for FSS-licensed locations, rocket motor movements from receipt to storage facilities and back, safe storage, and ensuring weapons / explosives safety training is conducted and documented as required. The Contractor shall complete a pre-task checklist for all rocket motor-related tasks. Duties do not include explosive areas outside of FSS-licensed storage, inspections, testing using explosives, completing explosive site plans, or transporting rockets / propellants to test facilities. The TOS Contractor will transport rocket motors / propellant to test facilities and conduct their own internal explosive safety program. The Government will perform acceptance inspections on all other explosives, i.e. small arms and propellant assets. Notify AEDC/SE and the Munitions Accountable Systems Officer in TSD/LG, in advance, for rocket motor delivery and movements. The Contractor Weapons Safety program manager shall have DoD / Military Weapons Safety program management experience and have completed the USAF Weapons Safety Manager's Course or comparable training.

Performance Standards

- a) STD: Zero explosives / weapons mishaps.
- b) STD: Maintain Weapons Safety program manager experience and qualifications / training.

Deliverables

A052 Pre-task Checklist

A053 Weapons Safety Spot Inspection Documentation

A054 Explosives Training Roster

3.6.1.5 The Contractor shall support the semi-annual ESOHC.

The ESOHC is a coordinated effort between FSS, other base contractors, and Government personnel. The FSS Contractor has the responsibility of providing mishap trend analyses, inspection trend analyses, status of the Master hazard Abatement Program and other applicable information as requested by the Government identified in AFI 91-801, Attachment 2. Requested information shall be provided to AEDC/SE one week prior to the scheduled ESOHC date.

3.6.1.6 The Contractor shall establish a three year review cycle for and conduct AEDC SHE Standards reviews with coordination and input from other base contractors and the Government. If a major regulatory change has occurred, an out-of-cycle update to the SHE STD is required.

SHE standards include:

SHE A10	Job Safety Analysis
SHE B02	Lockout Tagout
SHE B03	Control of Hazardous Areas Using Safety Signs, Tags and Barricades
SHE B04	High Voltage Electrical Work
SHE B05	Confined Space
SHE B06	Low Voltage Electrical Work
SHE B07	Audible Alarms and Visual Signals
SHE B08	Safety Showers and Eye Fountains
SHE C05	Welding and Cutting

SHE C06	Excavations, Trenching and Shoring
SHE D01	Powered Industrial Trucks
SHE D02	Pressure Vessels and Systems
SHE D03	Identification Of Piping Systems
SHE D04	Compressed Gas Cylinders
SHE D05	Hoisting Devices
SHE D06	Aerial Work Platforms
SHE D08	Portable Power Tools
SHE D10	Scaffolds
SHE E04	Pyrophoric Fuels
SHE E15	Explosives Safety
SHE F02	Personal Protective Equipment (PPE)
SHE F06	Fall Protection

Performance Standard

STD: SHE Standards shall remain current.

Deliverable

A024 AEDC SHE Standards

3.6.1.7 The Contractor shall support the Government for outside agency safety visits and inspections, i.e. OSHA, AFMC, AFTC, etc.

3.6.2 Safety Program Elements

3.6.2.1 The Contractor shall support the Government by conducting all Class D and E property damage mishap investigations at Arnold AFB, AEDC White Oak, and AEDC Moffett Field to determine root cause. Minimum required in the report: Date, location, cost (use AFI 91-204, para 1.11. Mishap Costs to determine direct mishap cost), workcenter and, objects involved; narrative with brief synopsis, investigation and analysis; primary findings and recommendations. Assist the Government with Class A, B, and C mishap investigations, as requested.

The Contractor will ensure investigators have experience through OJT and have completed a mishap investigation training course.

Refer to AFI 91-204 to define property damage mishap classifications and use as a guide for mishap investigation reports. Historically, about 15 Class D-E Property Damage Mishap Investigation Reports are generated each year.

Performance Standards

a) STD: 100% of Class D or E property damage mishap reports shall be provided to the Government within 25 calendar days of mishap. Extensions may be requested with sufficient justification through the Government for complex mishaps and unforeseen circumstances.

b) STD: 100% of initial reporting via phone or email to the Operations Center for FSS property damage and injury mishaps within 15 minutes from mishap.

Deliverable

A055 Property Damage Mishap Investigation Report

3.6.2.2 The Contractor shall establish and execute an annual facility safety inspection program and conduct spot inspections.

The annual facility safety inspection program includes ~405 facilities estimated to total about 3 million square feet. These include all facilities within and outside of the gated areas on Arnold AFB, AEDC White Oak, and AEDC Moffett Field, including industrial and office areas, unless a Memorandum of Agreement / Understanding for tenants state otherwise. Inspections include facilities outside the mission area, such as the golf course, Arnold Lakeside Center, Gossick Leadership Center, the marina, Wingo Inn, and other base recreational areas.

Annual facility safety inspections and special / seasonal inspections shall be submitted in a report to AEDC/SE after each scheduled inspection within 15 days of the inspection. FSS Safety shall conduct an outbrief (with AEDC/SE) to each Division Chief post-inspection within 3 days. Outbrief topics shall address as a minimum: Facilities Inspected, Identified Findings by RACs, trends and recommendations. Inspections shall be conducted, reports documented and hazards shall be tracked IAW criteria listed in AFI 91-202 AFMCSUP, Chapter 3, paragraphs 3.6 through 3.6.3, 3.10 and 8.7.

The Contractor shall maintain a complete list of facilities to include Arnold AFB, NFAC and Tunnel 9. This list shall reflect the date inspected each year.

The Contractor shall conduct and document 20 spot inspections of Arnold AFB industrial and administrative facilities per month IAW AFI 91-202 AFMCSUP, paragraph 3.7 through 3.7.3.6., and track findings until closed. The Contractor shall identify and conduct 5 targeted high interest

spot inspections per month IAW AFI 91-202 AFMCSUP, paragraph 3.8. High interest spot inspections are defined as facilities / operations that contain the greatest risk to life and property. High interest spot inspection areas shall be identified periodically as determined by the FSS Contractor with input from AEDC/SE. Ten percent of all spot inspections shall occur after / before normal duty hours.

The Contractor shall report / coordinate all newly identified RACs 1-3 per definitions in AFI 91-202, *The USAF Mishap Prevention Program*, paragraph 8.7., with the COR.

3.6.2.3 The Contractor shall produce an inspection schedule for each calendar year and conduct facility safety inspections, providing inspection reports to the Government.

Notify AEDC/SE personnel three days prior to facility inspections to allow for opportunities to accompany the inspector.

Deliverables

A056 Annual Safety Facility Inspection Schedule

A057 Facility Safety Inspection Report

A058 Occupational Safety Spot Inspection Log

A059 FSS Inspectable Facilities List

3.6.2.4 The Contractor shall administer an AEDC Master Hazard Abatement Plan IAW AFI 91-202, Chapter 12 and AF I91-202_AFMCSUP, Chapter 12.

The master hazard abatement plan shall be used to accurately document, track, prioritize, and help advocate for funds to abate RAC 1-3 hazards and RAC 4/5 hazards at Arnold AFB, AEDC White Oak, and AEDC Moffett Field. A review of RACs 1-3 will be conducted with the COR quarterly, as a minimum.

Deliverable

A060 Master Hazard Abatement Plan

3.6.2.5 The Contractor shall participate in the HMMP Team IAW AFI 32-7086 to support hazardous materials management, process oversight, and procedures development.

3.6.3 Safety Training

3.6.3.1 The Contractor shall ensure applicable OSHA training is identified, conducted, tracked, and documented for FSS personnel.

Performance Standard

STD: No work performed by untrained Contractor personnel.

3.6.3.2 The Contractor shall implement AFI 91-207, *The USAF Traffic Safety Program*, paragraphs 1.1.2., 2.2.2.- 2.2.5., 2.3., and 3.1.-3.7. for the FSS contractor workforce. The Contractor shall also implement / conduct a Vehicle Training program if using Government-owned / leased motor vehicles IAW AFI 91-207, section 4.7.

Seatbelts, motorcycle / bicycle helmets and required outer clothing shall be worn 100% of the time; hands free / single ear bud devices must also be used when operating a cellphone while driving on a military installation.

3.6.4 Mandatory and Guidance Documents

All references included are current as of the date on the cover sheet of this PWS. This list is subject to change based on operational / mission requirements, as well as revisions to the listed documents. The Contractor shall comply with future revisions issued for the documents listed.

Document	Title	Mandatory (M) or Guidance (G)
AFI 90-801	Environment, Safety, and Occupational Health Councils	G
AFI 91-202	The US Air Force Mishap Prevention Program	M
AFI 91-202 AFMC Supplement	The US Air Force Mishap Prevention Program	M
AFI 91-207	The USAF Traffic Safety Program	M
AFMAN 91-201	Explosives Safety Standards	M
AFMAN 91-201 AFMC Supplement	Explosive Safety Standards	M
AFI 91-204	Safety Investigations and Reports	M

3.7 Occupational and Environmental Health (OEH)

The primary responsibility of the Arnold AFB OEH Program is to provide operational health threat risk assessment and reduction expertise to enhance health service support capabilities by executing federally mandated United States OSHA, EPA, and Radiological/Nuclear & health physics requirements for DoD personnel.

3.7.1 Industrial Hygiene

3.7.1.1 The Contractor shall implement an OEH Program to protect Government employees' health at Arnold AFB while enhancing operational capabilities.

Anticipate, recognize, evaluate, and control health hazards associated with occupational and environmental exposures to chemical, physical and biological hazards in all Government workplaces. Government personnel have oversight responsibilities for all operations performed at Arnold AFB. Oversight duties require visits to most buildings on the installation during all phases of testing operations. Most visits are for short durations, but may require observations to determine if there is a health hazard associated with that task.

3.7.1.2 The Contractor shall perform routine qualitative and/or quantitative OEH assessments on all processes in all Government workplaces (industrial and administrative) that identify health hazards.

Performance Standards

- a) STD: Inspections and audits completed within required timeframe.
- b) STD: Appropriate corrective actions identified and implemented within required timeframe.

Deliverable

A061 Industrial Hygiene Survey Report

3.7.1.2.1 The Contractor shall perform OEH assessments for new process(es) not previously assessed within 3-months of process(es) being identified or before the process(es) has been performed more than three times, whichever is longer IAW AFMAN 48-146 section 1.1.3.1.

3.7.1.2.2 The Contractor shall maintain electronic documentation of all OEH assessments and follow-up actions.

3.7.1.2.3 The Contractor shall evaluate, categorize, document, and make recommendations for engineering controls, administrative controls, and/or personal protection requirements in Government workplaces IAW AFMAN 48-146, section 2.1.

Recommendations will utilize the proper hierarchy for controls with eliminating the hazard being the first preference and PPE being the least desirable.

Deliverable

A061 Industrial Hygiene Survey Report

3.7.1.2.4 The Contractor shall conduct follow-up surveys and investigations to determine if all corrective actions have been accomplished and effective.

Utilize the “plan, do, check, act” process to verify effectiveness. Utilize metrics incorporating leading and lagging indicators, e.g., leading indicators - zero compliance discrepancies; lagging indicators-zero occupational illnesses.

3.7.1.3 The Contractor shall provide assistance to DoD shop supervisors to maintain compliant hazard communication program IAW AFI 90-821, section 3.1.

Verify applicable Globally Harmonized System requirements for DoD workplaces and assist development of workplace-specific training programs.

3.7.1.4 The Contractor shall perform special assessments that focus resources on OEH-related hazards that require additional evaluation or classification based on information gained during routine assessments or non-routine tasks IAW AFMAN 48-146, section 1.1.

Performance Standard

STD: 100% compliant with AFMAN 48-146.

Deliverable

A061 Industrial Hygiene Survey Report

3.7.1.5 The Contractor shall implement a thermal stress monitoring program. Alerts will be published through the operations center during the thermal conditions IAW AFPAM 48-151.

Performance Standard

STD: 100% compliant with AFMAN 48-151.

3.7.1.6 The Contractor shall provide technical assistance to operations and facilities personnel in the implementation of asbestos and lead management and abatement programs.

Technical assistance consists of reviewing sampling data provided by other contractors who have performed abatement projects. The Contractor will also conduct abatement spot checks as necessary to confirm compliance and inspect abatement containment areas to ensure they comply with regulations. Abatement requirements are a result of AEDC facility maintenance and sustainment projects and can fluctuate from year to year.

3.7.1.7 The Contractor shall evaluate operations, maintenance, and investment projects, where Government employees are involved, to identify OSHA compliance issues. Document the results of the evaluation.

Note: The Government will enforce compliance with OSHA regulations for Government personnel. The Contractor is responsible for enforcing compliance for its own employees.

3.7.1.8 The Contractor shall provide assistance in the analysis and evaluation of environmental issues and initiatives IAW AFI 32-7001.

3.7.1.8.1 The Contractor shall participate in the HMMP Team IAW AFI 32-7086 to support hazardous materials management, process oversight, and procedures development.

Performance Standard

STD: 100% compliant with AFI 32-7086.

3.7.1.9 The Contractor shall use the Defense Occupational and Environmental Health Readiness System (DOEHRS) to archive all OEH exposure data IAW DoDI 6055.5.

DOEHRS is the DoD software application designed for and used by all Services, and is the AF-approved OEH-MIS for active duty, DoD personnel, Air National Guard, and AF Reserve Command.

3.7.1.10 The Contractor shall provide training for and assign personnel to support the base Radiation Safety Officer and Laser Safety Officer with program management.

Performance Standard

STD: Maintain Radiation Safety Officer and Laser Safety Officer experience and qualifications / training.

Deliverable

A062 RF Radiation Emitter and Laser Inventory

3.7.1.11 The Contractor shall provide guidance to the Incident Commander during emergency response activities on decontamination procedures and PPE required to mitigate the hazard(s) of the response.

Provide technical expertise, sample, identify, quantify and monitor hazards such as toxic industrial chemicals/toxic industrial materials and chemical, biological, radiological, and nuclear material and approve PPE use.

Provide 24 hour, 7 day/week response capabilities.

Performance Standard

STD: Telephone standby is required at all times and off duty response shall be within one hour of notification

3.7.2 Training Program

3.7.2.1 The Contractor shall plan, develop, and conduct a Government approved training program for Arnold AFB Government personnel as necessary.

Training includes but not limited to as required by OH surveys:

- a. Asbestos Awareness
- b. Asbestos Specialty
- c. Chemical Specific
- d. Ergonomics
- e. Hazard Communication
- f. HAZWOPER
- g. Hearing Conservation
- h. Hexavalent Chrome
- i. Laser Safety
- j. Lead Awareness
- k. Lead Worker
- l. Multi-Gas Meter
- m. Radiation Safety
- n. Respiratory Protection

3.7.2.2 The Contractor shall conduct a respiratory protection program, when required for Government employees, IAW AFI 48-137.

Performance Standard

STD: 100% compliant with AFI 48-137.

3.7.2.3 The Contractor shall implement a fetal protection program for DoD personnel and evaluate occupational hazards to pregnant employees for potential risk to the mother and the unborn fetus IAW AFI 48-145, section 2.12.3.

Performance Standard

STD: 100% compliant with AFI 48-145.

3.7.3 Vulnerability Assessments

3.7.3.1 The Contractor shall perform annual water vulnerability assessments on base drinking water system IAW AFMAN 10-246.

3.7.3.2 The Contractor shall perform Toxic Industrial Chemical/Toxic Industrial Materials assessment on base and surrounding area IAW AFI 10-245, section 1.4.4.12

3.7.3.3 The Contractor shall perform Water System Backflow Prevention/Cross-Connection Surveys IAW AFI 32-1067, sections 2.8 and 3.3.4.8.

3.7.4 Program Administration

3.7.4.1 The Contractor shall write and maintain AEDC SHE Standards relevant to Occupational Safety and Health.

OEH Program standards and plans include Arnold AFB SHE Standards. SHE standards include:

SHE E7	Asbestos
SHE E10	Fetal Protection
SHE D12	Lasers
SHE E19	Lead and Heavy Metals
SHE C3	Local Exhaust Ventilation
SHE F4	Respiratory Protection

Performance Standards

a) STD: Draft submissions are submitted by required dates and are 100% free from technical errors.

AQL: Draft submissions 100% free from significant technical errors.

b) STD: Final submissions are submitted by required dates and are 100% free from technical errors.

Deliverable

A024 AEDC SHE Standards

3.7.4.2 The Contractor shall conduct annual program reviews and populate applicable database with findings IAW AFI 48-137 section 2.12.9.5 and AFI 48-148 section 2.20.2.

Deliverable

A063 Program Progress Report

3.7.4.3 The Contractor shall implement an OEH Audit Program IAW AFI 90-201.

The program must include internal inspections/audits and provide for full support of and participation in external inspections/audits as they apply to OEH. Track all actions to correct areas not in compliance. The Contractor shall support all integrated aspects of MICT to include Inspection Reports, data collection and entry into the Finding Tracker, and corrective action identification, tracking, and implementation. OEH has one (1) checklist with approximately 51 total questions annually.

Performance Standards

- a) STD: Inspections and audits completed within required timeframe.
- b) STD: Appropriate corrective actions identified and implemented within required timeframe.

Deliverable

A083 MICT Self-Assessment Report

3.7.4.4 The Contractor shall develop, maintain, and update all standards and plans for all aspects of the OEH Program to meet all federal and state laws, applicable federal and state regulations, and DoD and AF guidance.

3.7.5 Mandatory and Guidance Documents

All references included are current as of the date on the cover sheet of this PWS. This list is subject to change based on operational / mission requirements, as well as revisions to the listed documents. The Contractor shall comply with future revisions issued for the documents listed.

Document	Title	Mandatory (M) or Guidance (G)
AFI 32-1067	Water and Fuel Systems	M
AFI 10-245	Antiterrorism (AT)	M
AFMAN 10-246	Food and Water Protection Program	M
AFI 48-145	Occupational and Environmental Health Program	M
AFI 48-137	Respiratory Protection Program	M
DoDI 6055.5	Occupational and Environmental Health	M
AFPAM 48-151	Thermal Injury	M
AFI 48-148	Ionizing Radiation Protection	M
AFI 90-821	Hazard Communication Program	M
AFMAN 48-146	Occupational and Environmental Health Program Management	M

AFI 32-7001	Environmental Management	M
-------------	--------------------------	---

3.8 Base Supply

Arnold AFB is a nonstandard RDT&E installation. This Government-owned / led and contractor-operated model employs a combination of standard and non-standard processes to test and evaluate aircraft, missile, and space systems at the flight conditions they will experience during missions.

Arnold AFB's infrastructure is not supported by AF wholesale supply or maintenance activities. Therefore, Arnold AFB relies upon interoperating contractors to manage the life-cycle of Arnold AFB assets. FSS interfaces with TOS demand planning, ordering, repair, maintenance, and disposition processes to provide complete lifecycle management of the infrastructure.

3.8.1 Warehouse Management

This area includes approximately 16 touchpoints for storage operations. The most significant commodities managed include approximately 250 gallons of hazardous material; 150 gas cylinders; a supply point consisting of over 2K assets; courtesy storage, and a unique storage requirement for 1.3K Special Purpose Recoverable Authorized Maintenance (SPRAM) assets.

3.8.1.1 Care of Supplies in Storage

3.8.1.1.1 The Contractor shall ensure appropriate employees receive documented initial and refresher training on storage operations, safety, and fire prevention IAW AFJMAN 23-210. Also reference DoD 4145.19-R for guidance.

Performance Standard

STD: Zero defects on documented initial and refresher training on storage operations, safety, and fire prevention.

Deliverable

A070 Logistics Personnel Training and Certification Report

3.8.1.1.2 The Contractor shall secure classified, COMSEC, pilferable and sensitive items IAW AFJMAN 23-210. Also reference DoD 4145.19-R for guidance.

Performance Standard

STD: 100% accountability of Supply Point and Special Purpose Recoverable Authorized Maintenance (SPRAM) assets in storage and zero defects.

3.8.1.1.3 The Contractor shall maintain, in writing, a list of personnel authorized to handle / accept sensitive / classified or controlled material based upon access requirements guidance contained in AFI 16-1404 and AFI 31-501.

Performance Standard

STD: Zero defects in securing of sensitive items.

Deliverable

A070 Logistics Personnel Training and Certification Report

3.8.1.1.4 The Contractor shall (upon discovery), immediately report any unresolved weapons or classified item discrepancies to the Arnold AFB Security Services, Contracting Officer, 96 Logistics Readiness Squadron (LRS), and Arnold AFB Logistics Chief.

Performance Standard

STD: Notification within 24 hours.

3.8.1.1.5 The Contractor shall notify the asset custodian identified on the DD Form 1574 of items in the row demonstrating signs of corrosion, leaking, and deterioration to include crates and containers. The Contractor shall notify the COR if corrective actions have not been taken within 30 calendar days.

Performance Standard

STD: Notify COR on 100% of discrepancies unresolved within 30 days.

3.8.1.1.6 The Contractor shall ensure personnel handle electrostatic devices IAW T.O. 00-25-234, MIL-STD-1686, and that the storage area is clearly marked. Also reference DoD 4145.19-R for guidance.

Performance Standard

STD: Zero defects.

3.8.1.1.7 The Contractor shall maintain warehouse layouts and schematics.

Performance Standard

STD: 100% accuracy.

Deliverable

A072 Warehouse Schematic / Planogram

3.8.1.1.8 The Contractor shall manage the Hazardous Material Pharmacy.

3.8.1.1.8.1 The Contractor shall manage and store hazardous material, including Contractor Acquired Property (CAP) procured by other Arnold AFB contractors IAW AFI 32-7086 and AFJMAN 23-209.

Deliverable

A067 Hazardous Material Storage Report

3.8.1.1.8.2 The Contractor shall operate a HAZMART Pharmacy facility to stock, store, and distribute materials on an as-needed basis IAW AFI 32-7086, EPA, OSHA and applicable AF directives meeting environmental standards. Hazardous material shall be tracked from receipt to consumption or disposal. Also reference DoD 4145.19-R and DLA Disposition Services Customer Service Handbook and DLA Disposition Services Turn-in Smartbook for guidance.

Deliverables

A067 Hazardous Material Storage Report

A064 Property Disposition Report

3.8.1.1.8.3 The Contractor shall work with Arnold AFB Hazardous material custodians for the turn-in of excess serviceable hazardous assets. Reference DLA Disposition Services Customer Service Handbook and DLA Disposition Services Turn-in Smartbook for guidance.

Deliverable

A064 Property Disposition Report

3.8.1.1.8.4 The Contractor shall, store, issue and label all stock-listed hazardous material using Government furnished hardware and software. Also reference DoD 4145.19-R for guidance.

EESOH-MIS is the standardized AF HAZMAT and hazardous waste tracking system.

Performance Standard

STD: 100% of assets in stock labeled.

3.8.1.1.8.5 The Contractor shall support Arnold AFB's HMMP cross-functional team IAW AFI 32-7086, SHE Standard E6 and HMMP Team-developed procedures as applicable.

The Logistics HMMP cross-functional team members will be familiar with both EESOH-MIS and their applicable functional area's self-inspection checklists. The Logistics contractor cross-functional team member also remains responsible for its inherent HAZMAT management policies, standards, and procedures.

3.8.1.1.9 The Contractor shall manage the gas cylinder program to include Government and vendor owned cylinders IAW AEDC SHE Standard D4 (Compressed Gas Cylinders).

Performance Standard

STD: 100% of assets stored properly.

3.8.1.1.10 The Contractor shall assign warehouse locations to assets under their control. The Contractor shall update warehouse locations in ES-S within three (3) workdays of location assignment.

Performance Standard

STD: 100% accountability of assets and zero defects.

3.8.1.1.11 The Contractor shall ensure Work Asset Management (WAM) warehouse locations and ES-S locations are identical.

Performance Standard

STD: 100% match of ILS-S and WAM warehouse locations.

3.8.1.1.12 The Contractor shall ensure load size and rating is posted on storage rack / shelving units.

Performance Standard

STD: Load size and rating posted on 100% of racks and shelving units.

3.8.1.1.12.1 The load size and rating of storage racks / shelving shall be determined by a qualified structural engineer if manufacturer's specifications do not specify the load size and rating for the storage racks / shelving.

Performance Standard

STD: 100% of assets identified and tagged.

3.8.1.1.13 The Contractor shall ensure storage racks / shelving are properly aligned, plumb, secured and level.

Performance Standard

STD: 100% of racks / shelving are properly aligned, plumb, secure, and level.

3.8.1.1.14 The Contractor shall perform inspections of storage racks / shelving in conjunction with inventories and reconciliations to identify obvious damage. Inspections shall be documented on locally devised spreadsheet maintained on the end cap of each warehouse row.

3.8.1.1.14.1 The Contractor shall submit a WAM work request to repair damaged storage racks / shelving and notify the COR. The work request number will be documented on the local spreadsheet.

Performance Standard

STD: 100% of deficiencies have documented work orders.

3.8.1.1.15 The Contractor shall replace worn and missing tags on assets in storage.

Performance Standard

STD: 100% legible tags.

3.8.1.2 Supply Point and FRI Management

Arnold AFB Supply Points have been established to facilitate asset reporting through Government Accountable Property Systems of Record (APSRs) in order to comply with Financial Improvement and Audit Readiness (FIAR) requirements. Assets maintained on Arnold AFB supply points have been purchased locally, and transactions for these items are processed as free issue from the Integrated Logistics Support – Supply (ILS-S) system to avoid impact to the AF Stock Fund.

Arnold AFB Facility Reconfiguration Items (FRI) are managed on SPRAM accounts in order to comply with FIAR requirements. These SPRAM assets are stored in the warehousing system.

SPRAM and supply point assets are tracked in the APSR and in the Arnold AFB WAM to achieve audit readiness for Arnold AFB unique assets while preserving the Arnold AFB work order and accounting processes.

Supply point and SPRAM management is outlined in AFTCI 23- 101, para 5.3.4, 5.8 (DRAFT) and AEDCI 23-001, para 5.4, 5.5 (DRAFT).

3.8.1.2.1. The Contractor shall use the Oracle WAM system to process local retail supply transactions for supply point and SPRAM assets, and shall integrate the use of Integrated Logistics System-Supply (ILS-S) as required for FIAR compliant inventory management functions.

Performance Standard

STD: 100% match of ILS-S and WAM records.

3.8.1.2.1.1 The Contractor shall perform asset identification, tagging and labeling functions for all FRI and supply point assets in storage.

3.8.1.2.1.2 The Contractor shall provide clearly marked and segregated storage areas for SPRAM and Supply Point assets.

Performance Standard

STD: Clearly marked SPRAM and Supply Point storage areas.

3.8.1.2.2 The Contractor shall provide warehousing support for supply point assets and FRI maintained in the central warehouse (CWH) facility(s) and outside storage areas. Open storage shall be maintained using AFMAN 23-210, section 3-44 and AFI 23-101. Also reference DoD 4145.19-R for guidance.

Performance Standard

STD: 100% accountability of assets and zero defects; zero safety / security incidents.

3.8.1.2.3 The Contractor shall perform Supply Point and FRI Management.

Arnold AFB Supply Points have been established to facilitate asset reporting through Government APSRs in order to comply with FIAR requirements. The management philosophy for these assets is reduction through attrition. Assets maintained on Arnold AFB supply points have been purchased locally, and transactions for these items are processed to avoid impact to the AF Stock Fund. FRI are managed on SPRAM accounts. Supply point and SPRAM management is outlined in AFTCI 23- 101, para 5.3.4, 5.8 and AEDCI 23-001, para 5.4, 5.5.

3.8.1.2.3.1 The Contractor shall manage the CWH supply point IAW applicable AFTC and AEDC instructions to include coordinating changes (additions / deletions), processing supply point issues / returns, clearing transaction rejects, and performing supply point inventories and reconciliation to determine balance discrepancies IAW AFMAN 23-122.

The Arnold AFB supply point is used to track items removed from the infrastructure and items that have been inducted into the AF retail stock. The primary objective of the supply point is to account for retail spares that have not been issued to a contractor as GFM.

Supply point and FRI records are duplicated in Oracle WAM to promote consistency in the ordering processes codified in Oracle WAM. This is designed to foster audit readiness while minimizing the disruption to the Arnold AFB processes that track costs for projects.

Arnold AFB supply point assets are coded as expendable and all transactions are processed as free issue to prevent unnecessary SMAG charges or accounting challenges. This requires close coordination between the supply point monitor and the 96LRS. Supply point addition, change, or deletion requests require approval by TSD-LG.

Performance Standards

a) STD: 100% of documents submitted to 96 LRS/LGRMC within 9 calendar days.

b) STD: 100% of warehouse refusals that cannot be resolved within 24 hours are researched with 96 LRS/LGRMMF.

c) STD: 100% of assets in Supply Point captured in the appropriate Government approved property system of record.

3.8.1.2.3.2 The Contractor shall reconcile supply point balances upon completion of supply point inventories and reconciliations to ensure balances are in-sync across ILS-S and Oracle WAM.

Performance Standard

STD: 100% match of ILS-S and WAM balances.

3.8.1.2.4 The Contractor shall perform FRI management functions of coordinating with government SPRAM custodians on additions to the inventory, processing the issue and return of FRIs to storage areas upon receipt of Oracle WAM work requests, processing excess FRI for disposal and processing FRI loans as directed by the government Loan Control Officer. DLA Disposition Services Customer Service Handbook and DLA Disposition Services Turn-in Smartbook for guidance.

Deliverable

A064 Property Disposition Report

3.8.1.2.4.1 The Contractor shall reconcile FRI / SPRAM balances upon completion of annual SPRAM inventories to ensure balances are in-sync across ILS-S and Oracle WAM.

Performance Standard

STD: 100% of documents submitted to 96 LRS/LGRMC within 29 calendar days.

3.8.1.2.4.2 Contractor shall assist FRI and SPRAM custodians with required inventories.

Areas of assistance may include facilitating custodian entry into applicable warehouse, developing each functional areas schedule to ensure inventory timelines are adhered to, helping custodians physical locate assets, and providing Material Handling Support Equipment.

3.8.1.3. Pick-up and Delivery

This area delivers approximately 7.8K assets per year including issues from the supply point, SPRAM, and the TOS contractor storage locations. This function also picks up approximately 1K items per year for movement to the cargo movement function and 3K assets per year for movement to the Disposition Consolidation Point (DCP). Automated Data Processing Equipment (ADPE) identified for disposal is palletized by the BCITS function and movement of palletized ADPE to the DCP is done upon notification by the Base Equipment Control Officer once transactions have been posted to the record and required paperwork is included with the pallet. Upon request, Contractor shall preposition pallets in or around customer work areas to facilitate movement requirements.

3.8.1.3.1 The Contractor shall provide the delivery function for all material assets to include TOS CAP and TOS Government Furnished Material.

Performance Standard

STD: 100% proof of delivery.

3.8.1.3.2 The Contractor shall deliver cylinder products, pick-up empty cylinders, and coordinate with the TOS contractor to return cylinders to the vendor.

3.8.1.3.3 The Contractor shall use Oracle WAM to coordinate delivery of Government Furnished Material and TOS CAP items.

Performance Standard

STD: 100% proof of receipt for issue transactions.

3.8.1.3.4 The Contractor shall deliver CWH supply point items and FRIs.

3.8.1.3.5 The Contractor shall employ scanners or other devices required to update movement of assets in material management and contractor property systems employed by Arnold AFB.

3.8.1.3.6 The Contractor shall pick-up Base Operating Support (BOS) assets and move to the DCP for processing.

Peculiar circumstances may require the contractor to provide to provide moving, staging, shipment escorting, and unloading / loading of customer test article and equipment within the Arnold AFB mission area based on the Project Manager approved transportation plan. Such transportation requirements may necessitate the use of specialized material handling equipment not routinely utilized in the performance of PWS Section 3.8.

3.8.2 Materiel Management

Arnold AFB must strike a balance between APSR material management requirements and Government Property Clause requirements. Items to be inducted to an APSR or processed for disposition require research and cataloging actions so that items can be tracked to final disposition. These actions range from identifying the indicative data required by the APSR to assigning local numbers found in the DLA Electronic Turn-In Document System.

3.8.2.1 Research and Cataloging

3.8.2.1.1 The Contractor shall provide cataloging and research for assets requiring induction into the APSR per AEDCI 23-001. Reference DoD 4100.39-M and AFH 23-123, Vol 2, Pt 2, Chapter 8 for guidance.

3.8.2.1.2 The Contractor shall furnish to AEDC/TSD-LG a monthly report of research actions performed for assets that require induction into an APSR.

The general requirement is to provide the capability to interface at varying degrees of specialization with the standard AF processes of warehousing, research and cataloging, movement and delivery, supply point, SPRAM management, and property disposal support to achieve and maintain FIAR compliance. Included in this general requirement is to provide the 96 LRS with information and data required to research and cataloging activities in support of Arnold AFB.

Deliverable

A068 Cataloging Report

3.8.2.2 Systems, Processes and Procedures

3.8.2.2.1 The Contractor shall coordinate, perform and manage processes and procedures associated with a base material management program IAW DoDIs, AFIs, AFTCI 23-101, AEDCI 23-001 and other applicable directives.

Performance Standards

- a) STD: 100% Supply Point inventory accuracy.
- b) STD: 100% WAM inventory accuracy for SPRAM/FRI.

3.8.2.2.2 The Contractor shall appoint a Limited Inspector IAW AFI 23-101, para 5.9.4 to coordinate inspections and provide access for maintenance by TOS asset owners.

Performance Standard

STD: At least one trained Limited Inspector.

Deliverable

A070 Logistics Personnel Training and Certification Report

3.8.2.2.3 When assets tracked in the APSR are shipped, the Contractor shall annotate the DD Form 1348-1A shipment documents with the in-checker code, in-checker date, mode of shipment, transportation control number (TCN), date shipped and forward to 96 LRS/LGRMC for entry into the Cargo Management Operating System (CMOS) System.

Performance Standard

STD: Zero delinquent shipments.

Deliverable

A066 Shipment Report

3.8.2.2.4 The Contractor shall coordinate / interface with the 96th LRS and the Air Force Sustainment Center's 635 Supply Chain Operations Group and 735th Supply Chain Operations Group as required in performing material management functions for supply point and SPRAM account assets.

3.8.2.2.5 The Contractor shall work with the TOS contractor to establish policies and procedures to ensure documented transfer and disposal of TOS GFP and CAP items (chain of custody).

Deliverable

A073 Logistics Operating Procedures

3.8.2.2.6 The Contractor shall coordinate with the COR and TOS receiving to determine appropriate handling methods to include delivery destination records where special handling is required.

3.8.2.2.7 The Contractor shall work with the TOS contractor to establish policies and procedures to ensure documented transfer of property items being excessed.

Performance Standard

STD: 100% accountability and zero defects.

Deliverable

A073 Logistics Operating Procedures

3.8.2.2.8 The Contractor shall coordinate with TOS and BCITS Contractors to develop automated tools to reconcile Oracle WAM and ILS-S balances.

3.8.2.2.9 The Contractor shall coordinate with TOS as required in the development of joint procedures and associated contractor agreements codified for managing the life cycle of material assets in APSRs.

Performance Standard

STD: 100% of procedures are published with effective date within 3 years of current date.

Deliverable

A073 Logistics Operating Procedures

3.8.2.2.10 The Contractor shall document, as required, interface touch points related to TOS CAP and other BOS items in TOS work areas.

Deliverable

A073 Logistics Operating Procedures

3.8.2.2.11 The Contractor shall develop work instructions to ensure interoperability and consistency of performance between base contractors and organizations. All publications and procedures shall be submitted to the Government Logistics Chief and Government Property Administrator for coordination prior to publication.

Deliverable

A073 Logistics Operating Procedures

3.8.2.2.12 The Contractor shall provide courtesy storage (as space permits) for TOS CAP and other BOS assets. Courtesy storage will not exceed 12 months unless approved by TSD-LG. Courtesy storage items will be segregated from supply point and SPRAM assets. Reference DoD 4145.19-R for additional guidance.

Performance Standard

STD: Zero assets exceeding 12 months unless approved.

Deliverable

A065 Courtesy Storage Report

3.8.2.2.12.1 The Contractor shall provide as required warehouse space for unique Government projects.

3.8.2.2.13 The Contractor shall perform semiannual reviews of work areas to identify assets requiring induction into the Government APSR or addition to the GFP Listing, or needing to be excessed.

Performance Standard

STD: 100% of contractor work areas reviewed.

3.8.2.2.14 The Contractor shall coordinate with Arnold AFB Property Administrator to capture equipment assets found in work centers ensuring assets in their custody are inducted into their APSR and / or contractor's property management system.

Assets in Contractor custody meet the following criteria:

- 1) Government equipment / property in work areas not identified on the GFP listing

- 2) Assets of any value with controlled item indicator codes identifying them as controlled, classified, or sensitive.

3.8.2.2.15 The Contractor shall identify and disposition underutilized, impaired, or obsolete property identified during their semiannual review. These assets may require induction into the Government APSR or addition to the GFP Listing, or may need to be excessed. This also includes assets not identified on official and / or contractor records. Reference DLA Disposition Services Customer Service Handbook and DLA Disposition Services Turn-in Smartbook for guidance.

Deliverable

A064 Property Disposition Report

3.8.2.2.16 The Contractor shall advertise and conduct customer training to instruct Arnold AFB contractors on how to request services.

3.8.2.2.17 The Contractor shall develop and implement (as necessary) degraded operations procedures contingency plan to ensure supply support management continues during power and / or computer outages or degraded operations exercises.

Degraded Operations exercises shall be conducted as required by 96th LRS.

Deliverable

A073 Logistics Operating Procedures

3.8.2.2.18 The Contractor shall maintain a warehouse surveillance program. The surveillance program shall address as a minimum, safety, security, housekeeping, and condition of supplies in storage assets. Reference DoD 4145.19-R for guidance.

Performance Standard

STD: Storage areas clean, secure, and free of safety hazards and infestation.

Deliverable

A071 Warehouse Surveillance Report

3.8.2.2.18.1 The Contractor shall establish and maintain a housekeeping program and at a minimum, will address dust and debris accumulation, signs of infestation, mold-growth, spills or leaks, and safety.

Performance Standard

STD: Storage areas clean, secure, and free of safety hazards and infestation.

Deliverable

A071 Warehouse Surveillance Report

3.8.2.2.19 The Contractor shall manage a self-inspection program and is responsible to perform quarterly Assessor roles / responsibilities for MICT assessments IAW AFI 90-201 and AEDC MICT Business Rules.

Ensure accurate, reliable, and critical assessments are performed on the Self-Assessment Communicators. Ensure applicable supporting documentation is uploaded for all Self-Assessment Communicators. Base Supply has one (1) checklist with approximately 16 total questions annually. Government COR will perform MICT Validator role.

Performance Standard

STD: 100% on time reporting.

Deliverable

A083 MICT Self-Assessment Report

3.8.2.2.19.1 The Contractor shall provide the government with written corrective action plans for all deficiencies to determine primary and, if applicable, contributing root causes.

Deliverable

A083 MICT Self-Assessment Report

3.8.2.2.20 The Contractor shall provide as-required Air Force Common Output Level Standards (AF COLS) metric value updates for Installation Support (IS) Service standards.

The Air Force developed AF COLS to enable enterprise-wide base and customer-service oriented service performance standards reporting by functional area. The Contractor will be required to use the AF COLS Reporting Tool (RT), a Microsoft SharePoint-based performance management system used to facilitate the recording and reporting of AF COLS data from the base level up to HQ USAF. The Contractor may request access to the AF COLS RT utilizing the following link: <https://cs2.eis.af.mil/sites/12508/RT/Module/Home.aspx>.

Performance Standard

STD: 100% on time reporting.

Deliverable

A074 AF COLS Data

3.8.2.2.21 The Contractor shall project infrastructure APSR hardware and peripheral requirements for AEDC enterprise Automatic Identification Technology initiative

requirements data calls or annual refresh requirements and provide to the Government Logistics Chief.

Performance Standard

STD: 100% on time reporting.

3.8.2.2.21.1 The Contractor shall participate in and provide recommendations for annual Mechanized Material Handling Systems and Storage Aid Systems data calls.

Performance Standard

STD: 100% on time reporting.

3.8.2.2.22 The Contractor shall operate, manage, and coordinate maintenance of Mechanized Material Handling Systems or mechanized storage equipment.

3.8.2.2.23 The Contractor shall attend all applicable meetings, prepare slides, and/or other briefing materials as required.

Performance Standard

STD: 100% on time reporting.

3.8.2.2.24 The Contractor shall participate in semiannual inventory review committees to assist in addressing asset maintenance, excess, loans, donations, management processes, and other materiel management topics.

Performance Standard

STD: Contractor representative on the Inventory Review Committee.

3.8.2.2.25 The Contractor shall make recommendations to the Government for the prevention and correction of Fraud, Waste, and Abuse.

3.8.2.2.26 The Contractor shall maintain security of facilities and resources.

The Central Warehouse shall be treated as a controlled environment and shall sign-in, issue visitor badges, and escort visitors at all times within the warehouse.

3.8.2.2.26.1 The Contractor shall submit WAM work orders to correct malfunctions of fire suppression, alarm systems, security locks, and warehouse lighting and notify COR if corrective actions have not been taken within 30 calendar days.

3.8.2.2.26.2 The Contractor shall submit WAM work orders to repair improved open storage areas as needed and notify COR if corrective actions have not been taken within 30 calendar days.

3.8.2.2.27 The Contractor shall comply with support agreements made between AEDC and Supplier and / or Receiver organizations.

3.8.3 Disposition Consolidation Point

3.8.3.1 Disposal Management

3.8.3.1.1 The Contractor shall catalog excess items as required as part of the DLA disposal process. Reference DLA Disposition Services Customer Service Handbook and DLA Disposition Services Turn-in Smartbook for guidance.

Deliverable

A064 Property Disposition Report

3.8.3.1.2 The Contractor shall manage the property disposal process for all Government owned property and material to include receipt, handling, transfer and final disposition. Reference DLA Disposition Services Customer Service Handbook and DLA Disposition Services Turn-in Smartbook for guidance.

Deliverable

A064 Property Disposition Report

3.8.3.1.3 The Contractor shall operate and manage the DCP consisting of salvage yard warehouse 6 and 8, and adjoining hardstands.

3.8.3.1.4 The Contractor shall demilitarize assets as required IAW DoDM 4160.28 (Vol 1), (Vol 2), and (Vol 3).

Performance Standard

STD: Zero discrepancies.

3.8.3.2 DLA-DS Processing

3.8.3.2.1 The Contractor shall dispose of assets excess to contract requirements through the DLA-DS unless otherwise directed by the Arnold AFB Plant Clearance Officer. Reference DLA Disposition Services Customer Service Handbook and DLA Disposition Services Turn-in Smartbook for guidance.

Deliverable

A064 Property Disposition Report

3.8.3.2.2 The Contractor shall manage the property transfer process to DLA-DS.

3.8.3.2.3 The Contractor shall pick-up and deliver base assets destined for the DCP.

3.8.3.3 Scrap Processing

3.8.3.3.1 The Contractor shall coordinate with TOS contractor on processing of scrap through the base recycling program.

3.8.3.3.2 The Contractor shall comply with TOS Government approved scrap procedures for the disposal of precious metals.

3.8.4 Mandatory and Guidance Documents

All references included are current as of the date on the cover sheet of this PWS. This list is subject to change based on operational / mission requirements, as well as revisions to the listed documents. The Contractor shall comply with future revisions issued for the documents listed.

Document	Title	Mandatory (M) or Guidance (G)
AEDCI 23-001	Materiel Management	M
AEDC MICT Business Rules	AEDC Management Internal Control Toolset (MICT) Business Rules	M
AFTCI 23-101	Material Management	M
AFH 23-123, Vol 2, Pt 2, Chapter 8	Integrated Logistics System-Supply (ILS-S) Standard Base Supply System Operations	G
AFI 23-101	Air Force Materiel Management	M
AFI 32-7086	Hazardous Materials Management	M
AFI 90-201	The Air Force Inspection System	M
AFJMAN 23-210	Joint Service Manual for Storage and Materials Handling	M
AFJMAN 23-209	Storage and Handling of Hazardous Material	M
AFMAN 23-122	Materiel Management Procedures	M
DoDM 4160.28 (Vol 1)	Defense Demilitarization: Program Administration	M
DoDM 4160.28 (Vol 2)	Defense Demilitarization: Demilitarization Coding	M
DoDM 4160.28 (Vol 3)	Defense Demilitarization: Procedural Guidance	M
DoD 4145.19-R	Storage and Materials Handling	G
DoD 4100.39-M	Federal Logistics Information System (FLIS) Procedures Manual	G

T.O. 00-25-234	General Shop Practice Requirements for the Repair, Maintenance, and Test of Electrical Equipment	M
AFI 16-1404	Air Force Information Security Program	G
AFI 31-501	Personal Security Program Management	G
SHE D4	Compressed Gas Cylinders	M
MIL-STD-1686	Electro-Static Discharge Control Program for Protection of Electrical and Electronic Parts, Assemblies and Equipment (excluding electrically initiated explosive devices)	M
DLA Disposition Services Customer Handbook	DLA Disposition Services Customer Handbook	G
DLA Disposition Services Turn-In Smartbook	DLA Disposition Services Turn-In Smartbook	G

3.9 Cargo Movement

Arnold AFB is a nonstandard RDT&E installation. This Government-owned / led and contractor-operated model employs a combination of standard and non-standard processes to test and evaluate aircraft, missile, and space systems at the flight conditions they will experience during missions.

Arnold AFB's infrastructure is not supported by AF wholesale supply or maintenance activities. Therefore, Arnold AFB relies upon interoperating contractors to manage the life-cycle of Arnold AFB assets. FSS cargo movement function interfaces with TOS to move various commodities between Government and commercial customers for execution of the Arnold AFB mission.

Cargo movement addresses over 2.6K shipments per year. This includes 2.4K commercial bills of lading; 100 Government bills of lading; 80 hazardous bills of lading; 580 test related

shipments; and 225 small package shipments. The FSS Contractor manufactures approximately 100 containers per year and blocks / braces approximately 100 items per year.

3.9.1 Inbound

Arnold AFB's unique infrastructure results in few inbound Military Standard Requisitioning & Issue Procedures (MILSTRIP) requirements. Approximately 3.5K Government and commercial carrier off loads are processed at the base supply dock. This activity is associated with purchase orders for TOS where it is processed IAW the Contractor's procedures to meet the requirements of FAR 52.245-1.

3.9.1.1 MILSTRIP / Non-MILSTRIP

Requirement is to differentiate between MILSTRIP and NON-MILSTRIP processes and be capable of employing both to move assets.

3.9.1.1.1 The Contractor shall provide inbound freight services using applicable commercial and DoD systems.

These services are required to support Government, commercial, and customers from allied countries. This capability requires the ability to manage logistics using Government processes and systems for Government customers and commercial processes to support non-government processes. Also required is the ability to implement and or employ Government APSRs when necessary to process government property.

3.9.1.1.2 The Contractor shall establish a Transportation Account Code (TAC) for assets to be shipped to the 96th and Due-Out Released to Arnold AFB.

3.9.1.2 Receipt Planning

3.9.1.2.1 The Contractor shall process, package, and prepare for shipment and receive sensitive, classified, and hazardous material IAW DoD 4500.9-R and AFI 24-602, Volume 2.

Performance Standard

STD: 100% accountability in control of classified / sensitive material.

Deliverable

A066 Shipment Report

3.9.1.3 In-Checking

3.9.1.3.1 The Contractor shall provide inbound freight services.

3.9.1.3.2 Contractor shall establish joint procedures to ensure receipts for TOS purchases are not processed as inbound cargo.

Performance Standard

STD: 100% of published joint procedures with effective date within 3 years.

Deliverable

A073 Logistics Operating Procedures

3.9.2 Outbound

3.9.2.1 MILSTRIP / Non-MILSTRIP

Requirement is to differentiate between MILSTRIP and NON-MILSTRIP processes and be capable of employing both to move assets.

3.9.2.1.1 The Contractor shall provide outbound freight services using applicable commercial and DoD systems.

These services are required to support Government, commercial, and customers from allied countries. This capability requires the ability to manage logistics using Government processes and systems for Government customers and commercial processes to support non-Government processes. Also required is the ability to implement and or employ Government APSRs when necessary to process government property.

3.9.2.1.2 The Contractor shall maintain a shipment process IAW AFI 24-602, Volume 2 utilizing DD Form 1348-1A, DD Form 1149, and DD Form 250 as applicable for shipments.

3.9.2.1.3 When MILSTRIP assets tracked in the APSR are shipped, the Contractor shall annotate the DD Form 1348-1A shipment documents with the in-checker code, in-checker date, mode of shipment, TCN, date shipped and forward to 96 LRS/LGRMC for entry into the Cargo Management Operating System.

Performance Standard

STD: No less than 98% of priority items shipped within 12 business hours.

Deliverable

A066 Shipment Report

3.9.2.1.4 The Contractor shall ship GFP and items not accounted for in an AF APSR IAW Non-MILSTRIP shipment procedures outlined in AFI 24-602, Volume 2.

3.9.2.2 Shipment Planning

3.9.2.2.1 The Contractor shall manage hazardous cargo IAW AFI 32-7086 and AFMAN 24-204.

Performance Standards

a) STD: Zero defects.

b) STD: 100% compliant with AFMAN 24-204 (IP) Attachment 25.

3.9.2.2.2 The Contractor shall ensure Priority shipments are shipped within 12 business-hours, unless shipment is held to meet a mode to expedite movement.

Performance Standard

STD: 100% accountability of bills of lading.

3.9.2.2.3 The Contractor shall route requirements from Surface Deployment and Distribution Command for Government Shipments as required IAW DoD 4500.9-R, Part II.

3.9.2.2.4 The Contractor shall process, package, and prepare for shipment and receive sensitive, classified, and hazardous material IAW DoD 4500.9-R and AFI 24-602, Volume 2.

Performance Standard

STD: Zero defects.

Deliverable

A066 Shipment Report

3.9.2.2.5 The Contractor shall use applicable phases of the CMOS to accomplish shipment labeling / documentation for government shipments IAW AFI 24-602, Volume 2.

Performance Standard

STD: Zero defects for Government shipments.

3.9.2.2.6 The Contractor shall comply with Federal and local laws, regulations, and ordinances regarding vehicle size, permit requirements, weight limitations and hazardous classification requirements for material moving on public highways IAW 49 CFR.

Performance Standard

STD: Zero defects.

3.9.2.2.7 The Contractor shall maintain a shipment planning capability to process DD Form 1348-1A, DD Form 1149, and DD Form 250 as applicable for shipments IAW AFI 24-602, Volume 2.

Deliverable

A066 Shipment Report

3.9.2.2.8 The Contractor shall assign the proper TAC for all shipments entering the Defense Transportation System IAW AFI 24-602, Volume 2.

Performance Standard

STD: Zero defects.

Deliverable

A066 Shipment Report

3.9.2.2.9 The Contractor shall use commercial carriers based on best value for services required and when not prohibited by AFI or law IAW DoD 4500.9-R, Part II.

Deliverable

A066 Shipment Report

3.9.2.2.10 The Contractor shall ship aircraft engines IAW T.O. 00-85-20.

Performance Standard

STD: Zero defects.

Deliverable

A066 Shipment Report

3.9.2.3 Packing and Crating

3.9.2.3.1 The Contractor shall provide all outbound surface freight services including, manufacture of special containers or dunnage, pallets, packing, blocking and bracing, and processing for shipment.

3.9.2.3.2 The Contractor shall provide special packing / crating services as required for the shipment of customer test articles, customer test equipment, and any other unusual or peculiar circumstances that require special packaging / crating services.

3.9.2.3.3 The Contractor shall package, preserve, mark, and / or label cargo for shipment or storage IAW AFI 24-602, Volume 2, 49 CFR, DoD 4500.9-R, MIL-STD-129, or appropriate T.O.s for Government assets. Commercial articles and material on contract may be shipped IAW Voluntary Consensus Standards, Industry Leading Practices, or best commercial practices

Performance Standard

STD: Zero defects.

3.9.2.3.4 The Contractor shall provide equipment packing / crating services as needed.

Peculiar circumstances may require the Contractor to provide specialty materials and / or labor to meet test customer requirements for the packing and crating of test articles. Such packing report and crating requirements would necessitate specialized materials not routinely utilized in the performance of this PWS and / or require highly specialized design, construction, and packing of crates as specified by the test customer.

3.9.3 Program Management

Program Management requirements include the administrative processes for surveillance, training, self-assessments, bills of lading, compliance programs, and any other programs required by law or regulation to ensure a sound and auditable Cargo Movement Program.

3.9.3.1 Wood Packaging Materials (WPM)

3.9.3.1.1 The Contractor shall manage a WPM program IAW DoD Manual 4140.65 and International Standards for Phytosanitary Measures (ISPM) 15 Regulation of Wood Packaging Material in International Trade.

Performance Standard

STD: Zero defects.

3.9.3.2 Personal Property

3.9.3.2.1 The Contractor shall establish and maintain a Freight Carrier Performance Program and evaluate Freight Carrier performance, maintain records of the evaluation, and utilize evaluation information to make carrier selection IAW AFI 24-602, Volume 2.

Performance Standard

STD: 97% accuracy rate.

3.9.3.2.2 The Contractor shall assist and counsel Government personnel on household goods shipments.

Travel Management Office functions, as they relate to Personal Property Shipments, can be referenced in AFI 24-602, Volume 4; AFMAN 24-204, Preparation of Hazardous Materials for Military Air Shipments; 3.10 TR VI & VII, Joint Federal Travel Regulations; and DoD 4500.9-R Parts I, II & IV, Defense Traffic Management Regulations.

3.9.3.3 Process and Procedures

3.9.3.3.1 The Contractor shall provide efficient and economical cargo movement services.

3.9.3.3.2 The Contractor shall ensure hazardous cargo certifiers complete Hazardous Cargo Certification Training IAW AFMAN 24-204, Attachment 25.

Performance Standard

STD: 100% certification of personnel handling hazardous cargo.

Deliverable

A070 Logistics Personnel Training and Certification Report

3.9.3.3.3 The Contractor shall support Arnold AFB's HMMP cross-functional team IAW AFI 32-7086, SHE Standard E6 and HMMP Team-developed procedures as applicable.

The Logistics HMMP cross-functional team members will be familiar with both the EESOH-MIS and their applicable functional area's self-inspection checklists. The Logistics Contractor cross-functional team member also remains responsible for its inherent HAZMAT management policies, standards, and procedures.

3.9.3.3.4 The Contractor shall ensure applicable employees maintain appropriate clearances to receive, accept, handle, and process sensitive / classified or controlled material IAW EO 13526 and DoDI 5200.02

Performance Standard

STD: 100% accountability in control of classified / sensitive material.

Deliverable

A070 Logistics Personnel Training and Certification Report

3.9.3.3.5 The Contractor shall appoint Limited Inspector(s) IAW AFI 24-602, Volume 2.

Performance Standard

STD: At least one trained Limited Inspector.

Deliverable

A070 Logistics Personnel Training and Certification Report

3.9.3.3.6 The Contractor shall establish procedures for accountability, preparation, distribution, obligation, and cancellation for Bills of Lading that obligate Government funds. The Contractor shall maintain a bill of lading register for authorized shipments.

Performance Standard

STD: 100% accountability of bills of lading.

Deliverables

A073 Logistics Operating Procedures

A069 Incoming / Outgoing Cargo Report

3.9.3.3.7 The Contractor shall maintain a record of obligations used to ship property through the Traffic Management Office.

Manage Funding Authorities on a monthly basis, identify any discrepancies and prepare and submit a printed report on Operations and Maintenance appropriated funds obligated by transportation to AEDC/FM and Government Logistics Chief.

3.9.3.3.8 The Contractor shall operate a base drive-on / drive-off scale in compliance with state and Federal law for support of Government and Contractor operations Monday – Friday 0700-1600, excluding Federal holidays.

Performance Standard

STD: 100% compliant with State and Federal laws regarding drive-on / drive-off scale compliance.

3.9.3.3.9 The Contractor shall inspect and maintain shop equipment IAW T.O. 34-1-3, T.O. 00-5-1, & 29 CFR 1910.212/263.

3.9.3.3.10 The Contractor shall comply with applicable regulations to secure and account for cargo and freight documentation IAW DoD 4500.9-R and AFI 24-602, Volume 2.

Lot size is the total number of forms secured and issued per quarter.

Performance Standard

STD: Zero defects.

Deliverable

A069 Incoming / Outgoing Cargo Report

3.9.3.3.11 The Contractor shall establish procedures for accountability, use, issuance, preparation, distribution, and cancellation for Bills of Lading IAW AFI 24-602, Volume 2.

Performance Standard

STD: 100% of joint procedures must have a published effective date within three years of the current date.

Deliverable

A073 Logistics Operating Procedures

3.9.3.3.12 The Contractor shall ensure forms obligating Government funds are complete and accurately prepared IAW AFI 24-602, Volume 2.

The Contractor will ship and receive assets using Government and Commercial Bills of Lading as well as DD Forms 1149. The Contractor shall file all Commercial Bill of Lading (CBL), Government Bill of Lading (GBL), and DD Form 1149 on the AEDC Logistics SharePoint site and provide access to the Government Property Administrator, Government Finance, and Government Logistics Office.

The SharePoint will be updated and inclusive of all incoming and outgoing GBLs, CBLs, and 1149s for each month. The SharePoint folders will be organized by year and will include subfolders for incoming and outgoing for each year. Lastly, the SharePoint site shall include subfolders for CBLs, GBLs, and DD Form 1149s for both incoming and outgoing subfolders for each month of contract performance.

Lot size is supporting documentation associated with expenditures.

Performance Standard

STD: Zero defects.

Deliverables

A069 Incoming / Outgoing Cargo Report

A066 Shipment Report

3.9.3.3.13 The Contractor shall update AF Installation and Mission Support Center's reporting data in required frequencies.

Performance Standard

STD: 100% on time reporting.

3.9.3.3.14 The Contractor shall maintain a bill of lading register for authorized shipments IAW DoD 4500.9-R.

Performance Standard

STD: Zero defects.

Deliverable

A069 Incoming / Outgoing Cargo Report

3.9.3.3.15 The Contractor shall counsel the Arnold AFB Mortuary Affairs Family Assistance Representative or other individuals managing the affairs of the deceased on personal property disposition IAW Arnold AFB Mortuary Plan 34-501.

3.9.3.3.16 The Contractor shall attend all applicable meetings, prepare slides, and/or other briefing materials as required.

3.9.3.3.17 The Contractor shall manage a self-inspection program and is responsible to perform quarterly Assessor roles / responsibilities for MICT assessments IAW AFI-90-201 and follow AEDC MICT Business Rules.

Ensure accurate, reliable, and critical assessments are performed on the Self-Assessment Communicators. Ensure applicable supporting documentation is uploaded for all Self-Assessment Communicators. Cargo Movement has three (3) checklists with approximately 77 total questions annually. Government COR will perform MICT Validator role.

Performance Standard

STD: 100% on time reporting.

Deliverable

A083 MICT Self-Assessment Report

3.9.3.3.17.1 The Contractor shall provide the Government with written corrective action plans for all deficiencies to determine primary and, if applicable, contributing root causes.

Deliverable

A083 MICT Self-Assessment Report

3.9.3.3.18 The Contractor shall provide as-required Air Force Common Output Level Standards (AF COLS) metric value updates for Installation Support (IS) Service standards.

The Air Force developed AF COLS to enable enterprise-wide base and customer-service oriented service performance standards reporting by functional area. The Contractor will be required to use the AF COLS Reporting Tool (RT), a Microsoft SharePoint-based performance management system used to facilitate the recording and reporting of AF COLS data from the base level up to HQ USAF. The Contractor may request access to the AF COLS RT utilizing the following link: <https://cs2.eis.af.mil/sites/12508/RT/Module/Home.aspx>.

Performance Standard

STD: 100% on time reporting.

Deliverable

A074 AF COLS Data

3.9.3.3.19 The Contractor shall comply with support agreements made between AEDC and Supplier and / or Receiver organizations.

3.9.4 Mandatory and Guidance Documents

All references included are current as of the date on the cover sheet of this PWS. This list is subject to change based on operational / mission requirements, as well as revisions to the listed documents. The Contractor shall comply with future revisions issued for the documents listed.

Document	Title	Mandatory (M) or Guidance (G)
AEDC MICT Business Rules	AEDC Management Internal Control Toolset (MICT) Business Rules	G
AFI 24-602, Volume 2	Preparation and Movement of Air Force Cargo	M
AFI 24-602, Volume 4	Personal Property Moving and Storage	M
AFI 32-7086	Hazardous Materials Management	M
AFI 90-201	The Air Force Inspection System	M
AAFB 34-501	Mortuary Plan	M
AFMAN 24-204	Preparing Hazardous Materials for Military Air Shipments	M
29 Title CFR	Labor	M
49 Title CFR	Transportation	M

Defense Logistics Agency Homepage	http://www.dla.mil/	G
DLA Digital Turn-in Toolbox	http://www.dla.mil/ddsr/	G
DoD 4140.65	Issue, Use, And Disposal Of Wood Packaging Material (WPM)	M
DoD 4500.9-R	Defense Transportation Regulation	M
DoDI 5200.02	DoD Personnel Security Program	M
E.O. 13526	National Security Information	G
ISPM 15	Regulation of Wood Packaging Material in International Trade	G
MIL-STD-129	Military Marking for Shipment and Storage	M
T.O. 34-1-3	Inspection and Maintenance, Machinery and Shop Equipment	M
T.O. 00-5-1	Air Force Technical Order System	M
SHE D4	Compressed Gas Cylinders	M

3.10 Vehicle Operations and Maintenance

The Vehicle Operations and Maintenance component at Arnold AFB perform limited Vehicle Operations support functions that are typically found on a traditional operating base. Additionally, the Vehicle Maintenance section conducts intermediate maintenance for the assigned vehicle and vehicular equipment fleet. The Vehicle Operations Control Center provides wrecker operations, transportation for group tours and distinguished guests, and provides school bus services for military dependents. The Vehicle Maintenance / Management activity provides safe and serviceable motor vehicles and vehicular equipment to meet mission requirements. Vehicle Maintenance is responsible for the effective management, accountability, service and inspection of the assigned vehicle fleet. The current vehicle fleet consists of 81 USAF registered special purpose, diesel operated vehicles i.e. (Cranes, Fire Trucks, Construction Equipment, R-11 Refueling Tanker, Trailers etc.) and 313 vehicular equipment items powered by multiple fuel types i.e. diesel, electric, propane, gasoline (Aerial work platforms, Air Compressors, Farm Tractors, Mowing equipment, Welders, Forklifts etc.). Intermediate Maintenance can include major and minor repairs such as: Preventive Maintenance and Inspections, repairing, fabricating or replacing unserviceable components, refinishing, modifying (as directed by a Technical Order), repairing accessories and auxiliary equipment and conducting structural repairs. When repair exceeds the basic capability, maintenance may be performed by a local off-base contract. Due to the nature of certain vehicle repairs that are away from Vehicle Maintenance, a Mobile Maintenance team is required to provide support for off-site repairs.

3.10.1 Fleet Administration

3.10.1.1 The Contractor shall use economical, reliable and up-to-date procedures to authorize, acquire, account for and maintain vehicles in a safe and serviceable condition throughout their lifecycle.

The minimum serviceability standards for day-to-day operations will be IAW manufacturer's specifications, applicable technical reference and comply with AFI 24-302, *Vehicle Management* and T.O. 36-1-191, *Technical and Managerial Reference for Motor Vehicle Maintenance*. In the event GSA leased vehicles are introduced to the Arnold AFB Master Vehicle Report (MVR), the Contractor shall ensure the vehicles are maintained consistent with GSA schedules and standards; however, deficiencies affecting safety will be corrected at the GSA approved maintenance facility regardless of reimbursement (bill-back). The Contractor determines shop capability and decides which source of repair (Organizational, Intermediate, Depot, Mobile or Schedule) to use.

Performance Standard

STD: Zero safety incidents per month and no more than 3 defects per month for serviceable items. Lot is number of vehicles released from maintenance per month.

3.10.1.2 The Contractor shall perform vehicle operations and maintenance services for Government-registered vehicles and vehicular equipment at Arnold AFB.

The current vehicle / vehicular equipment fleet is identified in Appendix L and Attachment 7, USAF Owned / Registered Vehicles. The quantity of vehicles will fluctuate; factors for fluctuation include but are not inclusive to: continuous evaluations by both Government and Contractor or USAF 441st Vehicle Support Chain Operations Squadron (VSCOS) enterprise-wide mandates, such as command leveling.

3.10.1.2.1 The Contractor shall furnish all personnel, supervision, vehicles, equipment, tools, materials, and other items and services (except those identified as Government furnished for Vehicle Management and Operations services) at Arnold AFB.

The Contractor shall provide required vehicles above the Air Force Registered vehicles provided to meet their workload requirements. Contractor-provided vehicles shall meet current industry standards. Maintenance technicians will achieve Automotive Service Excellence certifications.

3.10.1.2.2 The Contractor shall provide vehicle management and conduct vehicle maintenance in Government-provided real property (buildings 1400, 1401, and 1402).

3.10.1.2.3 The Contractor shall ensure appropriate vehicle and personnel insurance coverage is provided as required by federal, state, and local laws and directives.

3.10.1.2.4 The Contractor shall provide maintenance, repair, and replacement of Government Furnished Vehicles / Equipment IAW AFI 24-302, paragraph 4.80 at Arnold AFB.

Vehicle / equipment replacement cost and acquisition (for FSS Contractor functions) will be the sole responsibility of the FSS Contractor. Additionally, before executing any vehicle turn in action on USAF Registered Vehicles (viewable in RFP Attachment 7), the Contractor must coordinate in writing intent and specifics with the Government Chief of Logistics.

3.10.1.2.4.1 The Contractor shall resolve vehicle or vehicular equipment issues for government furnished vehicles and equipment.

This activity involves resolving issues related to the migration of AEDC assets off the MVR and potential transition of AEDC's Enterprise Resource Management System to the applicable Base Supply System. This activity is required to be well-versed on Air Force processes and systems to assist in transitioning from non-standard to standard Air Force systems.

3.10.1.2.4.2 The Contractor shall provide a vehicle maintenance program at Arnold AFB.

3.10.1.2.4.2.1 The Contractor shall provide parts, labor, tools, and equipment required to maintain the USAF owned vehicle fleet IAW the standards established in T.O. 36-1-191, applicable vehicle T.O.s, and / or commercial manuals. Vehicles released from vehicle maintenance shop shall meet the standards delineated in the aforementioned publications.

Minor Maintenance: Upon customer arrival, the Contractor shall inspect vehicle for operator care, damage, or possible abuse; check mileage, and determine work requirements. The Contractor shall accomplish minor maintenance when the work requirement is determined to be 2 hours or less in duration and does not require expenditures exceeding \$60.00 for any single component. The Contractor shall enter the work on AF Form 1827, Minor Maintenance Work Order, and ensure completed work information is input to the Defense Property Accountability System (DPAS). Maintenance costs exceeding the \$60.00 component cost or 2 hours in work duration shall be major maintenance. The Contractor shall replace tires and batteries IAW AFI 24-302.

Major Maintenance: When work costs exceed the minor maintenance requirement and is approved by the COR, the Contractor shall generate a DPAS Work Order, perform work and notify customer for pick-up. This work includes repairing or replacing parts, assemblies, sub-assemblies and components IAW AFI 24-302. The Contractor may have to fabricate parts when required and perform body, glass, upholstery and structural repair. The Contractor shall ensure completed work information is input to DPAS for USAF Registered vehicles. All parts exceeding \$2,500 must be approved by the Contracting Officer prior to the purchase, to include three (3) sources provided with the part request. Government Chief of Logistics approval is required for repairs exceeding the Maximum One Time Repair Authorization.

3.10.1.2.4.2.2 The Contractor shall accomplish periodic maintenance and special inspections / tests / certifications, on or before due dates / miles / hours, IAW the intervals established in T.O. 36-1-191 or other applicable technical publications.

Provide each using organization with a listing of vehicles / equipment projecting periodic maintenance and / or special inspections on a weekly basis.

Performance Standard

STD: Zero overdue monthly special inspections.

3.10.1.2.4.2.3 The Contractor shall prepare and maintain vehicle maintenance documentation records and files IAW the Air Force Records Information Management System and applicable publications for USAF owned vehicles.

3.10.1.2.4.2.4 The Contractor shall perform mobile maintenance on Government vehicles as directed by the Government in Appendix L and Attachment 7.

3.10.1.2.4.2.5 The Contractor shall provide repair costs up to the Maximum-One-Time-Repair Allowance established IAW T.O. 36-1-191.

The repair estimate will be the total cost of contract services and expenditures which can be identified to the repair job. For the purposes of contract repairs, all labor and material charges are to be considered direct costs. Labor costs will be computed using the Contractor's line item labor rate listed in the repair contract. Vehicles are beyond economical repair when the total contract costs exceed the DPAS computed Maximum-One-Time-Repair Allowance.

3.10.1.2.4.2.6 The Contractor shall prepare and process vehicles for shipment and turn-in to salvage as required.

Repair processing, documentation, and action suspense's shall be IAW shipping instructions. The Contractor shall be responsible for maintenance costs associated with the repair of vehicles transferred to another base unless directed by VSCOS to ship in "As-Is" condition. Specifics regarding vehicle serviceability standards and types of maintenance (scheduled / unscheduled) are clearly defined within AFI 24-302 and T.O.36-1-191.

3.10.1.2.4.2.7 The Contractor shall paint and mark vehicles IAW T.O. 36-1-191, Chapter 2.

Paint shall meet or exceed original equipment manufacturers specifications. The Contractor has the option to either paint vehicles or subcontract the effort. The Contractor shall not brush or roller paint any vehicle surface unless approved by the Government COR.

3.10.1.2.4.2.8 The Contractor shall provide corrosion control treatment and repair IAW T.O. 36-1-191, Chapter 6, to prevent premature vehicle deterioration, maintain vehicle serviceability, structural integrity, and to extend the service life of the vehicle / equipment.

3.10.1.2.4.2.9 The Contractor shall accomplish upholstery repair / replacement using material of a matching color and equal in quality to the original material.

3.10.1.2.4.2.10 The Contractor shall provide serviceable replacement batteries and battery service for USAF owned vehicles and equipment. The Contractor shall accomplish servicing, storage, and disposal of batteries IAW federal, state, and local directives / regulations.

3.10.1.2.5 The Contractor shall provide a Tire Repair and Replacement Program at Arnold AFB.

3.10.1.2.5.1 The Contractor shall repair and replace USAF owned vehicles / equipment tires IAW T.O. 36-1-191, Chapter 4.

3.10.1.2.5.2 The Contractor shall order replacement tires IAW AFI 24-302.

3.10.1.2.5.3 The Contractor shall be responsible for cost of replacement tires. The Contractor shall properly dispose of all unserviceable tires.

Performance Standard

STD: Zero Defects. Lot is number of tires procured for Air Force Registered Vehicles.

3.10.1.2.6 The Contractor shall maintain vehicles and vehicular equipment items identified on the USAF Master Nuclear Certification Listing (MNCL) IAW manufacturer standards, TO 36-1-191 and other relevant vehicle maintenance technical orders and manuals. The Contractor shall also perform an annual MVR fleet review to ensure compliance with Nuclear Certified Equipment program requirements.

The Contractor shall monitor the Nuclear Certified Equipment program IAW AFI 24-302 and AFI 63-125. Although AEDC is a non-nuclear complex, a 100% review / survey must be documented annually. This review shall also include GFP vehicles and vehicular equipment items.

Performance Standard

STD: Zero overdue annual reviews.

Deliverable

A075 Nuclear Certified Master Vehicle Report

3.10.1.3 The Contractor shall provide information on operations capabilities.

Participate in project planning involving transportation functions, provide alternative methods and related costs for planning purposes, provide status, answer vehicle operations management questions, answer for nonperformance, and provide rationale for Contractor decisions.

3.10.1.3.1 The Contractor shall ensure vehicle operators complete required inspections for vehicles and vehicular equipment within their scope of responsibility to maintain.

Operators are required to complete inspections to validate that vehicles are clean and serviceable.

Performance Standard

STD: No more than three (3) defects per month.

3.10.1.3.2 Contractor shall adhere to state and local air quality regulations and vehicle idling policy IAW AFI 24-302.

3.10.1.4 The Contractor shall manage a self-inspection program and is responsible to perform quarterly Assessor roles / responsibilities for MICT assessments IAW AFI 90-201 and also follow AEDC MICT Business Rules.

Ensure accurate, reliable, and critical assessments are performed on the Self-Assessment Communicators). Ensure applicable supporting documentation is uploaded for all Self-Assessment Communicators. Vehicle Operations and Maintenance has three (3) checklists with approximately 73 total questions annually. Government COR will perform MICT Validator role.

Deliverable

A083 MICT Self-Assessment

3.10.1.4.1 The Contractor shall provide as-required Air Force Common Output Level Standards (AF COLS) metric value updates for Installation Support (IS) functional areas.

The Air Force developed AF COLS to enable enterprise-wide base and customer-service oriented service performance standards reporting by functional area. The Contractor will be required to use the AF COLS Reporting Tool (RT), a Microsoft SharePoint-based performance management system used to facilitate the recording and reporting of AF COLS data from the base level up to HQ USAF. The Contractor may request access to the AF COLS RT utilizing the following link: <https://cs2.eis.af.mil/sites/12508/RT/Module/Home.aspx>.

Deliverable

A074 AF COLS Data

3.10.1.4.2 The Contractor shall provide the government with written corrective action plans for all deficiencies to determine primary and, if applicable, contributing root causes.

3.10.2 Managing the Vehicle Fleet

3.10.2.1 The Contractor is required to take on the roles and responsibilities as Vehicle Fleet Manager (VFM) and / or Vehicle Management Superintendent (VMS) as outlined in AFI 24-302, Chapter 3.

3.10.2.1.1 The Contractor shall serve as the central point of contact and will interact with VSCOS and GSA at appropriate levels to support and manage vehicle lease program requirements of government organizations IAW AFI 24-302 and GSA directives.

There are currently no GSA or lease vehicle authorizations on the MVR. The government requirement for GSA vehicles does exist on AEDC (9-12 general purpose vehicles).

Performance Standard

STD: Zero defects. All vehicles must be maintained consistent with GSA schedules and standards. Deficiencies affecting safety will be corrected at the GSA approved maintenance facility regardless of reimbursement (bill-back). Follow GSA procedures when authorized by FAR 52.

3.10.2.1.2 The Contractor shall develop and implement local Vehicle Management guidance in the form of OIs.

Traditionally, OIs are established for hours of operation, housekeeping, safety, security, fire prevention, minimum essential repairs, quality control procedures, hazardous and solid waste management and pollution prevention procedures and to cover location or unit-unique operations. Further guidance can be found in AFI 24-302, Arnold AFB's HMMP IAW AFI 32-7086, and SHE Standard E6.

The appointed Vehicle Operations & Maintenance HMMP cross-functional team members will be familiar with both EESOH-MIS and their applicable functional area's self-inspection checklists. Additionally, the cross-functional team member remains responsible for its inherent HAZMAT management policies, standards, and procedures.

Deliverable

A078 Vehicle Operations and Maintenance Operating Procedures

3.10.2.1.3 The Contractor shall develop, implement and monitor local prevention policy and reporting procedures for vehicle and vehicular equipment accidents and abuse damages and / or repairs.

3.10.2.1.4 The Contractor shall be appointed as a primary and alternate vehicle custodians.

The Contractor shall ensure all vehicle accounts are inventoried and signed annually. A floor to book will be the process to accomplish the inventory. The signed date will not exceed the inventory production date by 15 calendar days. Once the listing is signed, the AEDC/TSD Chief of Logistics will review and endorse the inventory. Signed listings will be forwarded to 441 VSCOS.

Performance Standard

STD: 100% compliance with requirements.

3.10.2.2 The Contractor shall provide vehicle inspection / cleaning services.

3.10.2.2.1 The Contractor shall accomplish inspections utilizing the AF Form 1800. Deficiencies shall be entered on the form and reported for maintenance IAW AFI 24-301 and AFI 24-302.

3.10.2.2.3 The Contractor shall operate, manage, and perform preventative maintenance on the vehicle wash station.

The vehicle wash station / equipment is located in Arnold AFB real property building 1400. The Contractor shall perform preventive maintenance, corrosion control, and lubrication on the equipment. The Contractor shall provide supplies required to wash and dry vehicles to include soap (soap must be Air Force approved, environmentally friendly, and IAW T.O. 36-1-191, paragraph 6.14.1.1 and AFI 24-302, paragraph 10.4.10.4.3), lint-free drying material, brushes, and buckets. Soap shall be added to vehicle washing equipment IAW soap manufacturer's specifications. The Contractor shall provide hoses and nozzles as necessary. The Contractor shall operate the wash rack when the outside ambient air temperature is 35°F and above.

3.10.2.2.3.1 The Contractor shall provide the COR with a verbal status report within two hours after any failure of the washing facility.

3.10.2.2.3.2 The Contractor shall create a work order in the AEDC Work Order Management System. This will ensure repairs are completed IAW Civil Engineering policies and procedures. Contractor will provide status reports as determined by the COR.

The report shall include a description of the problem, parts required, parts order / work order date, and an estimated time to be returned to service.

3.10.2.2.4 The Contractor shall manage the Vehicle Accident and Abuse Program IAW AFIs 24-301 and 24-302.

The Contractor shall prepare and submit reimbursement request letters, with appropriate attachments, to the COR no later than five workdays after final documentation has been

completed for Air Force registered / owned vehicles. The Contractor and COR shall follow up with AEDC/FM and the responsible organization to ensure prompt reimbursement.

3.10.2.2.5 The Contractor shall manage the Vehicle Control Program and establish a Vehicle Control Officer (VCO) program IAW AFI 24-302 where applicable.

The Contractor shall maintain a current list of VCOs and provide the COR a current copy at the start of the contract and as changes occur.

Deliverable

A077 Vehicle Control Program Training Roster

3.10.2.2.5.1 The Contractor shall develop a Government-approved lesson plan outlining VCO training, briefing, and testing.

Training shall be completed within ten (10) workdays of VCO / Vehicle Control Non-Commissioned Officer (VCNCO) designation by Organization / unit Commanders / Directors.

Deliverable

A077 Vehicle Control Program Training Roster

3.10.2.2.5.2 The Contractor shall prepare and maintain VCO meeting minutes.

The Contractor shall send copies of the minutes to all VCOs and the COR not later than 15 calendar days after meeting.

Deliverable

A077 Vehicle Control Program Training Roster

3.10.2.2.6 The Contractor shall conduct a monthly vehicle assessment inspection of 10% of the installation's vehicle fleet (AF owned and leased), as a means to monitor usage and organizational requirement validity.

3.10.2.3 The Contractor shall maintain a Shop Equipment Program.

3.10.2.3.1 The Contractor shall be responsible for inspection and routine maintenance of shop equipment / machinery.

The Contractor shall obtain COR approval for any final disposition of equipment / machinery.

3.10.2.3.2 The Contractor shall establish a schedule and perform inspections and preventive maintenance on Government furnished shop equipment and machinery using

T.O. 34-1-3 as a guide and maintain applicable Department of Defense or Air Force T.O. Forms for each item.

Preventive maintenance schedules shall be made available to the COR at the start of the each contract period and update as changes occur.

3.10.2.3.3 The Contractor shall be responsible for documentation and submission of warranty claims to equipment suppliers or manufacturers.

3.10.2.3.4 The Contractor shall monitor all Test, Measurement, and Diagnostic Equipment (TMDE) requiring calibration IAW T.O. 00-20-14, 32B14-3-1-101 and 33K-1-100-1 ensuring calibration is accomplished as required.

Performance Standard

STD: Zero defects.

3.10.2.3.5 The Contractor shall provide accountability for all TMDE on the semi- annual inventory IAW AFI 24-302.

3.10.2.3.6 The Contractor shall develop and perform individual tool control and accountability procedures IAW AFI 24-302.

Each tool shall be individually recognizable as belonging to a specific tool inventory. The Contractor shall develop an OI to specify tool accountability procedures to fit the local mission and physical shop layout.

Deliverable

A078 Vehicle Operations and Maintenance Operating Procedures

3.10.2.3.7 The Contractor shall maintain and manage a Materiel Control Program.

3.10.2.3.7.1 Motor vehicle and equipment replacement parts shall meet the specifications / quality of the original manufacturer's part.

The Contractor may use used parts only on an exception basis when other sources have been exhausted, and with prior written approval of the Government. Used parts include cannibalized parts from Government furnished vehicles. The Contractor shall provide written justification when requesting authorization to utilize used parts including comparison costs, availability, and source.

3.10.2.3.7.2 The Contractor shall provide all oil and lubrication products required in the performance of the contract. Contractor-furnished products shall meet the requirements established by vehicle manufacturers and AFI 24-302.

3.10.2.3.7.3 The Contractor shall reclaim and use engine coolant as required by AFI 24-302.

3.10.2.3.7.4 Contractor provided parts and materials shall meet all required environmental mandates as required by AFI 24-302.

The Contractor shall use parts that meet or exceed Original Equipment Manufacturer specifications for vehicles. The Contractor shall be responsible for procuring, storing, receiving, and purchasing all materials to perform the maintenance on the assigned vehicle fleet.

Performance Standard

STD: Zero defects per month. Lot size is the number of replacement parts ordered per month.

3.10.3 Fleet Management and Analysis

3.10.3.1 The Contractor shall develop and manage a Reports & Analysis Program.

3.10.3.1.1 The Contractor shall collect, accumulate, store and input maintenance and operations data into DPAS.

3.10.3.1.2 The Contractor shall use and maintain the labor hour accounting system IAW AFI 24-302, paragraph 7.29.

3.10.3.1.3 The Contractor is responsible for accuracy of data input and corrections made prior to product distribution.

3.10.3.1.4 The Contractor shall report DPAS operating system problems, which are beyond their capability to correct, to the Standard Systems Group help desk within one workday for resolution.

The Contractor shall notify the COR within two duty hours when system problems occur and when resolved.

3.10.3.1.5 The Contractor shall prepare and distribute records, reports, and products as specified in AFI 24-302, and as requested by the Government.

3.10.3.1.6 The Contractor shall perform special studies, reports, and analysis related to vehicle operations and management functions and costs as requested by HQ AFMC/A4RD, VSCOS, COR, or Contracting Officer.

3.10.3.1.7 The Contractor personnel shall be qualified to utilize all DPAS modules to their full capability.

This includes the input of data, correction of database information, and the extraction of reports.

3.10.3.2 The Contractor shall provide a Maintenance Control Program at Arnold AFB.

3.10.3.2.1 The Contractor shall provide, on request, information pertaining to the maintenance status (estimated time in-commission, status of back ordered parts) of any vehicle undergoing repair, to the COR and applicable VCO.

3.10.3.2.2 The Contractor shall prioritize and control the flow of vehicles through the maintenance work centers according to the established maintenance priority.

3.10.3.2.3 The Contractor shall develop policies and procedures for managing and tracking vehicle condition “Waivers” and obtain Government approval prior to waiving any maintenance.

Using the appropriate series Operator’s Inspection Guide and Trouble Report as a permanent waiver card is optional. Alternatives for tracking waived items will be established using a computer listing. The Contractor shall maintain waiver cards in the vehicle’s permanent record jacket.

Deliverable

A078 Vehicle Operations and Maintenance Operating Procedures

3.10.3.2.4 The Contractor shall generate a Minor Maintenance Work Order / AF Form 1827, or Vehicle and Equipment Work Order from DPAS on all vehicle / equipment inspections and repair of USAF owned vehicles IAW instructions outlined in AFI 24-302.

3.10.3.2.5 The Contractor shall account for all Non-Mission Capable (NMC) hours IAW AFI 24-302.

NMC time shall start when the vehicle deficiency is reported to maintenance and ends when the user is notified that repairs are complete. The Contractor shall be responsible for all vehicle NMC time to include NMC Supply and NMC Maintenance.

Performance Standard

STD: No less than 95% vehicle in-commission rate for Government-registered and Government furnished vehicles and vehicular equipment.

AQL: No less than 90% vehicle in-commission rate for Government-registered and Government furnished vehicles and vehicular equipment.

3.10.3.2.6 The Contractor shall check the Vehicle Operator's Inspection Guide and Trouble Report for proper completion by the vehicle operator when a vehicle is turned in for maintenance.

3.10.3.2.7 The Contractor shall complete AF Form 4355 prior to the work order being opened.

3.10.3.2.8 The Contractor shall enter the correct information in the maintenance control report portion of the AF Form 1800 series prior to releasing the vehicle from maintenance.

3.10.3.3 The Contractor shall monitor, document, and make full use of warranty repairs IAW T.O. 36-1-191, Chapter 7.

3.10.3.3.1 The Contractor shall track all parts installed having warranties in the vehicle historical file.

3.10.3.3.2 The Contractor shall accomplish, time compliance T.O.s, modifications, service bulletins, and Air Force directed inspections / alterations within the specified time IAW AFI 24-302.

Performance Standard

STD: Zero defects per month.

3.10.3.3.3 The Contractor shall initiate submit and prepare Material Deficiency Reports, Deficiency Reports, and Vehicle Warranty and Unsatisfactory Reports using the Joint Deficiency Reporting System (JDRS) in conjunction with T.O. 00-35D-54-WA-1 and IAW T.O. 36-1-191, Chapter 7.

The Contractor shall establish a JDRS account as user login is mandatory.

3.10.3.3.4 The Contractor shall conduct a physical yard check of all vehicles within the maintenance compounds / facilities weekly IAW AFI 24-302.

3.10.3.3.5 The Contractor shall provide all requests for vehicle accessories and add-ons are IAW AFI 24-302, and submit recommendation to COR office for approval. When required, the Contractor shall transfer vehicle accessories and add-on equipment to meet mission requirements of USAF owned vehicles.

The initial / replacement cost and life cycle management of these items shall be the requesting organization's financial responsibility.

3.10.3.3.6 The Contractor shall perform routine and specific analysis or studies related to fleet management, fleet performance, vehicle authorizations, and utilization as requested by the COR.

3.10.3.3.7 The Contractor shall interface with the 441 VSCOS to sell surplus registered vehicles IAW AF Surplus Vehicle Sales Program requirements.

Vehicle Management activities will support and execute the AF Surplus Vehicle Sales Program. Responsibilities include but are not limited to the instructions outlined in AFI 24-302, Chapter 7.

3.10.3.3.8 The Contractor shall establish a Green Procurement Program and comply with all DoD procurement preference requirements.

Vehicle Management activities will support the DoD Green Procurement Program and give first preference (preferred procurement) to EPA-designated recycled-content vehicular products and USDA-designated bio-based products and shall purchase designated products / items in the following categories to the maximum extent practical; meeting performance and safety standards set forth by vehicle manufactures and T.O.s, while being procured in a cost-effective manner: Engine Coolants, Engine Oil, Gear Oil, Hydraulic Fluids and Lubricants (EPA and USDA), Sorbent Products (USDA), Tires (EPA) etc.

3.10.4 Vehicle Operations Support

3.10.4.1 The Contractor shall provide vehicle operations support at Arnold AFB.

3.10.4.1.1 The Contractor shall operate the Vehicle Operations Control Center.

Vehicle operations services shall be IAW AFI 24-301, AFI 24-302 and applicable manuals and directives. Normal operating hours shall be 0700 - 1600 Monday through Friday, except holidays. NOTE: Scheduled transportation requirements for distinguished visitors shall be provided and coordinated with the COR.

The Contractor shall provide transportation for group tours and distinguished guests:

Small Group (3 to 11 passengers) = 43 tours annually

Large Group (12 to 28 passengers) = 36 tours annually

3.10.4.1.2 The Contractor shall attend scheduled and unscheduled meetings and participate as the base vehicle operations management representative.

3.10.4.1.3 The Contractor shall provide vehicle operators to load / unload vehicles being shipped / received. This includes delivering vehicles to and from shipping and receiving lots, and to DLA-DS.

3.10.4.1.4 The Contractor shall provide vehicle recovery / wrecker service for USAF owned vehicles 24 hours a day, seven days a week IAW AFI 24-301.

During normal duty hours, the Contractor shall provide vehicle recovery / wrecker service for non-emergency calls within one hour. For emergency service requests during normal duty hours, vehicle recovery / wrecker service shall be provided within ten minutes. After normal duty hours, the Contractor shall provide vehicle recovery / wrecker service within two hours of

notification and approval from Government Logistics Chief. This service will not extend beyond the confines of installation property.

3.10.4.1.5 The Contractor shall provide and maintain a Command and Control Vehicle (CACV).

3.10.4.1.5.1 The Contractor shall provide a CACV for AEDC with applicable communication add-ons IAW AFI 24-301, Chapter 3.

Prior to any CACV changes or configuration modifications (form, fit or function), the Contractor shall gain approval in writing from the Government Chief of Logistics.

3.10.4.1.5.2 The Contractor shall coordinate installation of two-way radios in Contractor assigned / provided vehicles with the base communications activity.

The Contractor shall coordinate installation and provide support for a UHF/VHF system for the flight safety vehicle and for the airfield manager in base operations with the base communications activity IAW AFI 91-202, *The US Air Force Mishap Prevention Program*, paragraph 2.4.1.

The Contractor shall notify the COR and submit requests for installation through the base communications activity. The Contractor shall reimburse the Government for loss or damage to radio equipment caused by Contractor personnel. The Contractor shall notify the COR for repair or replacement.

3.10.4.2 The Contractor shall coordinate with the closest USAF installation Operator Records and Licensing office as needed to facilitate licensing, certification, and training requirements for Government organizations.

The Contractor shall familiarize themselves with AFI 24-301, Chapter 11, and adhere to traditional licensing processes and requirements where applicable.

3.10.4.3 The Contractor shall provide school bus service for military dependents.

The number of school children the Contractor shall provide bus service described herein shall not exceed forty-five (45). The Government reserves the right to add or delete the number of children with no charge in price, unless the number exceeds forty-five (45).

3.10.4.3.1 The Contractor shall provide and operate vehicle for the purpose of transporting Arnold Village school children to Robert E. Lee Elementary, East Middle, and Tullahoma High Schools in Tullahoma, TN.

The Contractor is required to provide back-up service in the event of illness or mechanical breakdown.

3.10.4.3.2 The Contractor shall immediately contact the AEDC Operations Center if the Contractor cannot provide for safe on time delivery of children, or in the event of a mechanical breakdown, and provide details on timing and alternate transportation.

The Contractor shall contact the COR to inform of the situation and proposed remedy. The Contractor shall contact the AEDC Operations Center at (931) 454-7752 by 6:30 A.M. whenever there is a weather-related problem preventing or delaying the transportation of the school children. The Operations Center will relay the information to the COR, and depending on the conditions, may call the Contractor for additional details.

3.10.4.3.3 The Contractor shall be required to show proof of insurance and to maintain the necessary liability coverage as required by the State of Tennessee for the period of the contract.

3.10.4.3.4 The vehicle(s) supplied and operated by the Contractor shall conform to all State and local laws pertaining to the safe operation and maintenance of school buses as provided by the State of Tennessee Rules, Regulations, and Minimum Standards for the Governance of Public Schools in the State of Tennessee.

The Contractor shall agree to allow COR and / or other Government personnel to ride and / or follow their bus at any time to ensure safe operation of the school bus.

3.10.4.3.5 The Contractor shall provide a written response to any formal complaints or problems addressed in writing to the COR within two (2) working days.

Such response shall include proposed corrective action as required.

3.10.4.3.6 The Contractor shall provide Student Expectations and School Bus Rules and shall report disciplinary problems to the AEDC Senior Enlisted Manager or First Sergeant equivalents.

Children authorized to utilize this bus service will be monitored and managed by the Contractor and must provide an updated list of students to the COR as required.

Deliverable

A076 School Bus Rules & Student Expectations Memorandum

3.10.5 Mandatory and Guidance Documents

All references included are current as of the date on the cover sheet of this PWS. This list is subject to change based on operational / mission requirements, as well as revisions to the listed documents. The Contractor shall comply with future revisions issued for the documents listed.

Document	Title	Mandatory (M) or Guidance (G)
AEDC MICT Business Rules	AEDC Management Internal Control Toolset (MICT) Business Rules	G
AFI 90-201	The Air Force Inspection System	M
AFI 24-301	Vehicle Operations	M
AFI 24-302	Vehicle Management	M
AFI 32-7086	Hazardous Materials Management	M
AFI 63-125	Nuclear Certification Program (AFMC Supplement)	M
SHE E6	Hazardous Materials Management	M
T.O. 36-1-191	Technical and Managerial Reference for Motor Vehicle Maintenance	M
T.O. 00-20-14	Technical Manual for Air Force Metrology and Calibration Program	M
T.O. 00-35D-54-WA-1	USAF Deficiency Reporting and Investigating System	M
T.O. 32B14-3-1-101	Technical Manual for Operation and Service Instructions	M
T.O. 33K-1-100-1	Calibration Procedure for Maintenance Data Collection Codes and Calibration Measurement Summaries	M
T.O. 34-1-3	Technical Manual for Machinery and Shop Equipment Inspection and Maintenance	G

3.11 Interface Management

This section covers specific interface requirements between the FSS Contractor, other AEDC Contractors, and the Government.

3.11.1 The Contractor shall communicate and coordinate resource and support requirements with other AEDC Contractors and the Government.

3.11.2 The Contractor shall support and participate in the AEDC Exercise Program IAW AFI 90-201, *The Air Force Inspection System*, AFMC Supplement 90-201, and local requirements.

3.11.3 The Contractor shall manage the FSS Unit Emergency Management Program IAW AFI 10-2501, *AF Emergency Management Program Planning and Operations*, to include

Unit Emergency Management Representatives, EOC Representatives, CAT Members, and Disaster Response Force (DRF) Members.

FSS Contractor participation in the EOC, CAT, and DRF include one Security Services representative and one Fire and Emergency Services representative.

3.11.4 The Contractor shall coordinate access to FSS managed areas for other Contractors providing work and services to Arnold AFB.

3.11.5 The Contractor shall participate in the Arnold AFB building manager program to identify and input maintenance needs of facilities where the FSS Contractor is the primary occupant.

A list of buildings where the FSS Contractor is the primary occupant or primary user can be found in Appendix M.

3.11.5.1 The Contractor shall execute the Antiterrorism Representative (ATR) program in support of the Arnold AFB building manager program.

The Contractor shall:

- a) Appoint in writing primary and alternate ATRs to meet program requirements for Arnold AFB facilities;
- b) Ensure all appointed ATRs complete Level I-AT Awareness, Antiterrorism Officer Level II, and locally provided AT training;
- c) Create, revise and maintain required documentation for all occupied facilities, to include work instructions and checklists;
- d) Manage the RAM program for all Arnold AFB facilities;
- e) Ensure RAMs are completed and reported as required;
- f) Orchestrate FPCON changes for every facility and report attainment to Antiterrorism Officer; and
- g) Ensure building residents are trained on appropriate actions for RAMs and FPCONs.

Deliverables

A079 Antiterrorism Training Certificate

A080 Antiterrorism Representative Appointment Letter

A081 Facility Antiterrorism Plan

3.11.6 The Contractor shall communicate and coordinate all base communications and base Information Technology resource, infrastructure, and support requirements with the Government.

3.11.7 The Contractor shall coordinate with the AEDC Geo-Integration Office (GIO) whenever mapping, surveying, or cartography activities are anticipated and provide geo-

spatial products as required. Contractor produced geo-spatial services and products shall comply with the Spatial Data Standards for Facilities, Infrastructure, and Environment data model. All Contractor created geo-spatial products shall be provided in digital form to the AEDC-GIO for storage and ad hoc access.

The Government serves as the primary POC for base-level geo-spatial activities through the AEDC-GIO. The AEDC-GIO maintains, manages, exposes, and protects the Arnold AFB Common Installation Picture and Mission Data Sets integrated through the GeoBase Program and ensures compliance with the GeoBase Enterprise Architecture. The AEDC-GIO provides data standards and projection parameters to support interoperability of Contractor services to the Arnold AFB GIS.

3.11.8 The Contractor shall support the TOS-managed integrated scheduling program.

The integrated scheduling process is used to schedule test, maintenance, capital improvements, and civil engineering efforts from all Arnold AFB contracts and Government sources. The FSS Contractor will need to remain cognizant of integrated scheduling issues that may impact FSS activities, and feed information to the integrated scheduling team that may affect Government projects or other Arnold AFB contractors.

3.11.9 The Contractor shall support the development of the rough order of magnitude (ROM) cost estimates for testing.

The level of FSS support to the development of the ROM varies dependent in workload and customer requirements, and may include estimates for security services and industrial security.

3.11.10 The Contractor shall support the development of the Statement of Capability (SOC) for tests.

SOCs are detailed documents which effectively act as a contract for tests conducted for Government customers. The level of FSS support to the development of the SOC varies dependent in workload and customer requirements and may include estimates for security services and industrial security.

3.11.11 Mandatory and Guidance Documents

All references included are current as of the date on the cover sheet of this PWS. This list is subject to change based on operational / mission requirements, as well as revisions to the listed documents. The Contractor shall comply with future revisions issued for the documents listed.

Document	Title	Mandatory (M) or Guidance (G)
AFI 10-245	Antiterrorism (AT)	M

AFI 90-201	The Air Force Inspection System	M
AFI 90-201 AFMC SUPP	Special Management – The Air Force Inspection System	M
AFI 10-2501	AF Emergency Management Program Planning and Operations	M

3.12 General Management

This section highlights requirements that apply across multiple sections of the PWS.

3.12.1 The Contractor shall plan, implement, and maintain a documented Quality Management System (QMS) to ensure adherence to all contract requirements with respect to cost, schedule, and performance.

Ensuring the quality of services provided by the Contractor via a Contractor QMS is the sole responsibility of the Contractor. The Contractor shall plan, implement, and maintain a documented QMS with respect to industry best practices and AFI 63-138, Chapter 6. The Contractor's QMS shall be robust enough to execute four key quality functions: (1) Detection of Contractor performance problems and defects; (2) root cause analysis; (3) corrective action processes; and (4) follow-up, measurement, and continuous improvement. The Contractor shall be the proactive participant in overall program quality, not the Government COR. The goal of the Contractor's QMS shall be to obtain satisfactory performance or greater across all contract requirements, reflective of continuous improvement and active risk management with no reliance on COR's surveillance.

Performance Standards

- a) STD: Quality control plans implemented for each functional area no later than 90 days after contract execution begins.
- b) STD: Contractor senior management approved QMS no later than one year after contract execution begins.

3.12.1.1 The Contractor shall plan, write, and provide a monthly Executive Program and Quality Review report and brief to Government program management and leadership.

The report and brief shall be presented by appropriate Contractor management and leadership. The briefing shall be coordinated with the Government to select time, place, and audience each month. The Executive Program and Quality Review report shall be provided at the time of the brief. If scheduling circumstances prevent the brief, the written report shall be provided in lieu of the brief.

Deliverable

A082 Executive Program and Quality Review

3.12.2 The Contractor shall provide a clean and orderly environment for workers.

Work areas shall be maintained in a neat, clean, and orderly manner. Workers shall clean up their workspace upon completion or suspension of a job.

3.12.3 The Contractor shall coordinate all software license purchases and renewals with the Government Configuration Management / Software License management office IAW AFMAN 17-1203, *Information Technology Asset Management*.

Performance Standards

a) STD: No unauthorized software or unlicensed software shall be allowed on systems under this contract.

b) STD: Discrepancies shall be resolved within 6 months.

3.12.4 In coordination with the base records management office, the Contractor shall store, retrieve, collect, archive, protect, and maintain a records management program, IAW disposition instructions (AFI 33-360, AFI 33-322, and AFMAN 33-363).

3.12.5 The Contractor shall comply with all United States laws and regulations including the International Traffic in Arms Regulation (ITAR) for export of defense articles, defense services, and technical data.

The Contractor shall notify the Contracting Officer prior to engaging in direct discussions with foreign nationals or engaging in other actions which would constitute an export as described in the ITAR.

3.12.6 The Contractor shall route all Scientific and Technical Information (STINFO) through the STINFO office.

3.12.7 The Contractor shall comply with the AF / NASA ARC lease agreement at AEDC Moffett Field and the AF / GSA lease agreement at AEDC White Oak.

3.12.8 The Contractor shall perform Security Services, Operations Center and C2 Element Functions, Fire and Emergency Services, and Environmental Management after normal working hours up to 24 hours per day, seven days per week as requested to support mission requirements upon implementation of contingency plans and during emergencies, major accidents, disasters, or Continuation of Essential DoD Contractor Services during crises.

Security Services, Operations Center C2 Element Functions, Fire and Emergency Services, and Environmental Management are deemed to be mission essential services during a crisis. The Contractor shall have the capability to surge to sufficient manning to ensure these services are maintained throughout the duration of the contingency, disaster, or during a crisis for any operational emergency.

3.12.9 In coordination with the Base Information Technology Equipment Custodian office, the Contractor shall acquire, store, protect, and maintain accountability of all ADPE and Personal Wireless Communications Systems under their control IAW AF policy, AFMAN 33-153, *Information Technology Asset Management*, or the most current AF policy if the current policy becomes replaced or rescinded.

3.12.10 The Contractor shall implement AF IA requirements as identified in: AFPD 17-1, *Information Dominance Governance and Management*, AFI 17-130, *Information Assurance Management*, including all tasks and directives identified therein including, but not limited to; 8500 Series – IA Implementation or their replacements on all FSS Information Technology systems. The FSS Contractor shall be a COMSEC user, and implement EMSEC user requirement as required.

Contractor shall:

- Coordinate with the BCITS Contractor on IA issues and implement IA controls as required.
- Implement COMSEC and EMSEC user requirements as required.
- Participate in base level COMSEC / EMSEC / IA level programs.
- Appoint IA Managers as appropriate.
- Ensure all personnel performing IA functions meet the requirements identified in DoD 8570. Contractors must comply with DFARS 252.239.7001.
- Track and maintain all FISMA reporting requirements for the Contract, and provide status to the AF
- Be responsible for vulnerability scanning and correcting vulnerabilities on FSS systems.
- Provide IA artifacts to the BCITS Contractor sufficient to ensure appropriate level of approval to operate (Certification & Accreditation).
- Implement IA controls on all FSS IT systems, networks and applications.
- Operate and maintain FSS systems and applications IAW DoD/AF IA principles.
- Ensure all users of FSS IT systems and services comply with IA directives.

- Accomplish TCNO and IAVA implementation, tracking and reporting

Performance Standards

a) STD: Zero compromises.

b) STD: 90% of systems in use must have an approved ATO.

3.12.11 The Contractor shall request a deviation from the cognizant Government POC and receive approval in writing if deviation from any mandatory technical or process requirement of this contract is deemed by the Contractor to be advantageous to the Government.

3.12.12 The Contractor shall, on the first business day of each week, provide to AEDC/FM accurate cost data on a project-by-project basis for all test projects. In addition, the Contractor shall provide to AEDC/FM accurate cost data on non-test projects as requested by the Government.

Cost data shall contain, at a minimum: project number, resource category, cost, and quantity. The elements of resource category and cost are determined by the Contractor's proposal. Elements are to be aggregated and segregated based on resource category.

3.12.13 Mandatory and Guidance Documents

All references included are current as of the date on the cover sheet of this PWS. This list is subject to change based on operational / mission requirements, as well as revisions to the listed documents. The Contractor shall comply with future revisions issued for the documents listed.

Document	Title	Mandatory (M) or Guidance (G)
AFI 17-130	Information Awareness (IA) Management	M
AFMAN 17-1203	IT Asset Management	M
AFI 33-360	Publications and Forms Management	M
AFI 33-322	Records Management Program	M
AFMAN 33-363	Management of Records	M
AFMAN 33-153	Information Technology Asset Management	M
AFI 63-138	Services Contracts Quality Management Oversight	M
AFPD 17-1	Information Dominance Governance and Management	M
DFARS 252.239.7001	Information Assurance Contractor Training and Certification	M

4 Special Requirements

This section describes the special requirements for this effort. The following subparagraphs provide details of various considerations on this effort.

4.1 Contractor Identification

(a) Contractor personnel and their subcontractors must identify themselves as Contractors or subcontractors during meetings, telephone conversations, in electronic messages, or correspondence related to this contract.

(b) Contractor-occupied facilities (on AFMC or other Government installations) such as offices, separate rooms, or cubicles must be clearly identified with Contractor supplied signs, name plates or other identification, showing that these are work areas for Contractor or subcontractor personnel.

4.2 Rights in Information and Data

(a) The Contractor shall transfer ownership to the Government of all technical data, computer software, and computer software documentation as defined in DFARS 252.227-7013 and 252.227-7014 and all other data of any description or form, including all sketches, notebooks, designs, drawings, specifications, blueprints, models, negatives, photographs, findings, memoranda, reports, recommendations, automated data processing equipment (ADPE) programs, as well as all copies of the foregoing, created, produced, developed, delivered, furnished, or provided under this contract, unless otherwise identified by the Contractor in DFARS 252.227-7017 as being furnished with Government purpose rights, limited rights, or restricted rights under either DFARS 252.227-7013 or DFARS 252.227-7014. Except for technical data, computer software, or computer software documentation identified by the Contractor under DFARS 252.227-7017 as being furnished with Government purpose rights, limited rights, or restricted rights, the Contractor retains no right, title, or interest in and to such data, computer software, and computer software documentation which becomes the property of the Government. This property shall be delivered by the Contractor to the Government upon completion or termination of this contract or when directed by the Contracting Officer. The Government reserves its right to take delivery of this data, computer software, and computer software documentation via Contract Data Requirements Lists (CDRLs) or as deferred delivery at the point the Government chooses. As owner, the Government may use, reproduce, or disclose the data, computer software, and computer software documentation covered by this clause in any way and for any purpose it may desire with the exception that competition sensitive data, marked as such by the Contractor and so agreed to by the Government, such as personal data on individuals, payroll records, management methodology, and organizational approaches, shall not be disclosed outside the Government. The Contractor shall mark the number of this contract on all data, computer software, and computer software documentation delivered hereunder. Any

data, computer software, or computer software documentation belonging to third parties and furnished to the Contractor by the Government in performance of this contract shall be treated as property of the Government.

(b) Except as specifically authorized by this contract, or as otherwise approved in writing by the Contracting Officer, all information and data furnished by the Government to the Contractor in the performance of this contract shall be used only in connection with the work under this contract and shall be protected by the Contractor from unauthorized use, release, duplication, or disclosure.

(c) The Contractor shall take appropriate measures to assure that its personnel, who have or might reasonably have access to such information and data referred to in paragraph (b) above, agree to honor the Contractor's commitment and safeguard such information and data (See Special Requirement 4.12, Organizational Conflict of Interest).

(d) If the Contractor acquires technical or other data, computer software, or computer software documentation necessary for the performance of this contract from any third party through license or otherwise, in addition to providing the Government with rights or title to such data, computer software, and computer software documentation in accordance with subparagraph (a) of this clause, the Contractor shall also obtain all rights necessary to allow such rights in data, computer software, and computer software documentation to be assigned to any successor contractor to this contract.

4.3 Associate Contractor Agreements

(a) The Contractor agrees to cooperate with the AEDC operating and support contractors listed below to ensure the continued successful accomplishment of the overall Complex mission. The Contractor shall negotiate with these associate contractors to develop appropriate Associate Contractor Agreements (ACAs) towards the integrated support, cooperation, exchange and sharing of information essential to successful performance of the individual efforts. These agreements must not restrict any of the Government's rights established pursuant to this or any other contract. The Contractor shall not duplicate contracted functions intended by the Air Force to be provided by an associate contractor pursuant to the terms of their contracts.

(b) The Test Operations and Sustainment (TOS) Contractor shall take the lead in the negotiation and administration of all ACAs. These agreements shall be finalized within (60) days from the award date of this contract or the various operating and support contracts, whichever is later, and shall be subject to approval by the Contracting Officer. A copy of each agreement shall be provided to the Contracting Officer for review before execution of the document by the cooperating contractors. The agreements shall not include any provisions for payments from one contractor to another. Should the parties fail to finalize an ACA within the time allotted, the differences shall be resolved by the direction of the Contracting Officer.

(c) As a minimum, the ACAs shall: (1) identify the associate contractors and their relationships; (2) identify the program involved and the relevant Government contracts of the associate contractors; (3) describe the associate contractor interfaces by general subject matter; (4) specify the categories of information to be exchanged or support to be provided; (5) include the expiration date (or event) of the ACA; and (6) identify potential conflicts between relevant Government contracts and the ACA; include agreements on protection of proprietary data and restrictions on employees.

(d) All costs associated with compliance to this clause are included in the estimated cost of this contract and shall not be the basis for an equitable adjustment. Agreements may be amended as required by the Government during the performance of this contract. If the parties fail to agree upon any amendment or interpretation of existing ACAs, the areas representing disagreements shall be resolved by direction of the Contracting Officer. The Contractor is not relieved of any contract requirement or entitled to any adjustment to the contract terms because of failure to resolve disagreements with an associate contractor.

(e) Liability for the improper disclosure of any proprietary data contained in or referenced by any agreement shall rest with the parties to the agreement, not the Government.

(f) The following contractors are associate contractors with whom agreements are required whether such contracts are pre-existing or to be awarded:

Contractor	Address	Program / Contact
APRO International, Inc.	9081 Best Bower Ct. Vienna, VA 22182-2170	Contract No. FA4890-14-D-0001-0004, Precision Measurement Lab (PMEL) Ms. Wanda Hale
National Aerospace Solutions, LLC (NAS)	12021 Sunset Hills Road, Suite 600 Reston VA 20190	Contract No. FA9101-15-C-0500, Test Operations and Sustainment (TOS) POC: TBA
QuantiTech, Inc.	360A Quality Circle, NW, Suite 100 Huntsville AL 35806-4546	Task Order No. FA2486-16-F-0034 Technical and Management Advisory Services (TMAS) Ms. Melanie Hooker
OBXtek	8300 Boone Blvd., Suite 800 Tysons Corner VA 22182	Contract No. FA9101-15-F-0001 Base Communications and Information Technology Services (BCITS) POC: TBA

Bhate Environmental Associates, Inc.	445 Union Blvd, Suite 129 Lakewood CO 80228	Task Order No. W9128F-13-D-0012-0001 Performance Based Remediation (PBR) Mr. Frank Gardner
Other Contractors TBD		

4.4 Directive Applicability

(a) The Contractor is required to comply with directives (such as regulations and specifications referenced throughout the contract clauses), special requirements, and the PWS. These are identified as directives in effect on the date of this contract. Should the issuing authority revise or delete any of those directives, this contract shall automatically incorporate the change provided that the change is within the scope of the contract. Should the change impact the price of the contract, the Contractor shall notify the Contracting Officer pursuant FAR 52.243-1, Changes--Fixed Price, Alternate II (APR 1984), before complying with the change.

(b) "Mandatory Directives." The Contractor shall comply with these directives in the performance of this contract. These directives are cited in the PWS of the contract.

(c) "Guidance Directives." These directives are included in the contract to provide assistance to the Contractor in performing the work. The Contractor is expected to be conversant with these documents.

(d) Mandatory publications cited in the PWS may reference another publication. Compliance with the referenced publication is not mandatory unless that referenced publication is specifically cited as a mandatory publication in the PWS or elsewhere in the Contract.

(e) The Contractor shall comply with all approved AEDC Standards as applicable to each section of the PWS of the contract.

(f) The Contractor shall comply with all Federal, State, and local laws and regulations.

4.5 Miscellaneous Receipts

The Contractor shall contact the Contracting Officer before selling / disposing of timber / salvage sales to ensure that the Contractor does not perform functions considered to be inherently governmental. Miscellaneous funds received by the Contractor from such sources will be handled as directed by the Contracting Officer. The Contractor shall then notify the Contracting Officer of the amount of such miscellaneous receipts within 15 days of receipt.

This clause is not intended to limit the sources of refunds or credits contemplated by FAR 31.201-5.

4.6 Transition

(a) The Contractor shall provide transition services for phase-in or phase-out activities. Phase-in activities will be performed during the 90-day transition period, 1 September 2018 - 30 November 2018. Phase-out activities will be performed upon the Contracting Officer's written notice in accordance with FAR 52.237-3, Continuity of Services.

(b) The Contractor shall follow the transition plan submitted as part of their proposal and keep the Government fully informed of status throughout the transition period. Throughout the phase-in / phase-out periods, it is essential that attention be given to minimize interruptions or delays to work in progress that would impact the mission. The Contractor must plan for the transfer of work control, delineating the method for processing and assigning tasks during the phase-in / phase-out periods.

(c) The Contractor shall preserve, maintain current, and, at the direction of the Contracting Officer, reproduce and turn over to the Contracting Officer or his designee all operating and maintenance manuals, drawings, specifications, procedures, current inventory listings, software, and all other data which have been developed or acquired under this contract or previous contracts for the operation of AEDC. (Reference Special Requirement 4.2, Rights in Information and Data)

(d) The Contractor may be replaced by a succeeding contractor(s) in the performance of the work contemplated by this contract. It is recognized that the best interests of the Government will be served through employment by the succeeding contractor(s) of those Contractor employees who may be acceptable to the succeeding contractor(s). The Contractor shall cooperate fully with the Government and the succeeding contractor(s) designated in writing by the Contracting Officer, to include:

(1) Making available to the Contracting Officer or his designee any and all records or other data requested with regard to compensation, benefits and other personnel information sufficient to enable the successor contractor to comply with the Service Contract Labor Standards, the Collective Bargaining Agreement, and FAR 52.222-17, Nondisplacement of Qualified Workers (See FAR 52.224-2, Privacy Act (APR 1984)).

(2) Permitting employees to be interviewed at AEDC for possible employment by a succeeding contractor(s). Employees shall be on leave status while being interviewed.

4.7 Security Requirements

The Contractor shall be required to comply with all security directives and other security requirements identified in this contract. These requirements apply to all contractors on Arnold AFB in the performance of their contract.

(a) Base Access: The Contractor shall comply with all installation access requirements as directed in AAFB 31-101, Integrated Defense Plan. The AEDC/CC reserves the right to refuse entry and / or re-entry of any person to AEDC for just cause to protect personnel, facilities, and property under their control through the use of a barment order when such actions are deemed necessary.

(b) Freedom of Information Act (FOIA): The Contractor shall comply with FOIA requirements in accordance with DODM 5400.7, DoD Freedom of Information (FOIA) Program, Chapter 4. This regulation sets policy and procedures for the disclosure of records to the public and for marking, handling, transmitting, and safeguarding Controlled Unclassified Information (CUI) material.

(c) Controlled Unclassified Information (CUI):

(1) The Contractor shall safeguard CUI information provided under this contract as specified in DODM 5200.01-V4, DoD Information Security Program: Controlled Unclassified Information. CUI is information that does not meet the standards for National Security Classification under Executive Order 13526, dtd Dec 2009, but is pertinent to the national interests of the United States or to the important interests of entities of the Federal Government, and (ii) under law or policy that requires protection from unauthorized disclosure, special handling safeguards, or prescribed limits on exchange or dissemination. If CUI is lost, misused, compromised, or accessed by unauthorized persons, it could adversely affect U.S. national interest, the conduct of DoD programs, or the privacy of DoD personnel. CUI comes in many forms: personal data under the Privacy Act, personnel records, privileged data (chaplain and judge advocate records), investigative data, scientific and technical information (STINFO), export controlled data (critical technologies), proprietary data, or for official use only (FOUO) data. Sensitive information meets the criteria for exemption from mandatory public disclosure under the FOIA. For guidance with marking CUI, contact AEDC/TSD-IP at (931) 454-3290.

(2) If access to export-controlled information is required, the Contractor shall be required to be registered as a certified Government contractor through the Joint Certification Office, Defense Logistics Information Service (DLIS). To request DLIS Certification, submit a DD Form 2345, Militarily Critical Technical Data Agreement, to the DLIS, Battle Creek, MI address indicated at the top of the DD Form 2345 along with a copy of the company's state business license, incorporation certificate, sales tax identification form, or other documentation, which verifies the legitimacy of the company. A copy of their DD2345, Militarily Critical

Technical Data Agreement, must be provided when issued. Except as allowed by DFARS 252.225-7048, Export-Controlled Items, foreign nationals shall not have access to export-controlled information without an export license. All export control laws as stipulated in both Export Administration Regulation and International Traffic in Arms Regulation must be followed without exception. For guidance in applying appropriate export control markings, contact AEDC/XP2 at (931) 454-7329.

(3) The Contractor must obtain Foreign Disclosure Office (FDO) approval through the Contracting Officer prior to allowing any non-U.S. or un-validated U.S. Lawful Permanent Resident persons access to CUI or export-controlled information. (see DFARS 252.225-7048, Export-Controlled Items).

(d) Reporting Requirements: Contractor personnel shall report to an appropriate authority any information or circumstances of which they are aware may pose a threat to the security or safety of DOD personnel, contractor personnel, resources, and classified or unclassified defense information. Contractor employees shall be briefed by their immediate supervisor upon initial on-base assignment.

(e) Physical Security: The Contractor shall be responsible for safeguarding all Government property and controlled forms provided for contractor use. At the end of each work period, all Government facilities, equipment, and materials shall be secured.

(f) Computer Security (COMPUSEC) / Automated Information System Requirements: If access to unclassified computer systems is required, the following requirements apply: Users must be a U.S. citizen or receive AEDC or Air Force Materiel Command (AFMC) Foreign Disclosure Office (FDO) approval prior to access being granted; requestor must have a favorable National Agency Check with Inquiries (NACI) clearance or an approved Interim Automated Information Systems (AIS) request on file; and requestor must complete the Air Force (AF) Information Assurance (IA) Training. The user must submit a DD Form 2875, System Authorization Access Request, to request access to any classified or unclassified computer system. Users bringing portable electronic devices (PEDs) on base and wanting to connect to AEDC computer systems / networks shall comply with AFI 17-130 (latest version), Cybersecurity Program Management, and Arnold AFB approved processes. Employees shall complete any additional computer security training requirements mandated by the host base.

(g) Information Security (INFOSEC): Information, regardless of media, shall be controlled and maintained in accordance with (IAW) with the National Industrial Security Program Operating Manual (NISPOM); AFMAN 17-1301, Computer Security; and guidance provided by the Servicing Security Activity (SSA), AEDC/TSD-IP.

(h) Privacy Act: Comply with AFI 33-332, Air Force Privacy and Civil Liberties Program, when collecting and maintaining information protected by the Privacy Act of 1974, Title 5,

U.S.C., Section 552a. Remove or destroy official records only IAW AFM 33-363, Management of Records.

(i) Operations Security (OPSEC): Comply with AFRPD 10-7, Information Operations; AFI 10-701, Operations Security; DoD 5220.22-R, Industrial Security Regulation (ISR), Chapter 10; and local plans and publications.

(j) Antiterrorism (AT) Training: DoD contractors shall be provided AT information as required by DFARS Clause 252.225-7043, Antiterrorism / Force Protection for Defense Contractors Outside the United States. All DoD contractor employees shall complete annual Level 1 AT Awareness Training. This training can be accessed through the Advanced Distributed Learning Services (ADLS) at <https://golearn.adls.af.mil/login.aspx>. For contractors traveling outside the U.S. on official Government business, AEDC/TSD-SF will provide an AT briefing as mandated by AFI 10-245, Antiterrorism (AT).

(k) Contractor Consent to Background Checks: The Contractor shall not employ persons to perform under this contract if such employee is deemed or identified as a potential threat to the health, safety, security, general well-being, or operational mission of the installation and its population; nor shall the Contractor or subcontractor employ persons under this contract who have an outstanding criminal warrant as identified by the Tennessee Information Enforcement System (TIES) through the National Crime Information Center. TIES checks will verify if a person is wanted by local, state, or federal agencies. All contractor and subcontractor personnel must consent to TIES background checks. Contractor and subcontractor personnel who do not consent to a TIES check will be denied access to the installation. Information required to conduct a TIES check includes: full name, driver's license number, and / or social security number, date of birth of the person entering the installation, and completion of a background check questionnaire. The Contractor must have this information ready to provide to the Visitor Control Center, if requested.

(1) Contractors must ensure their employees and those of their subcontracts have the proper credentials allowing them to work in the United States. Persons later found to be undocumented or illegal aliens will be remanded to the proper authorities.

(2) The Contractor shall not be entitled to any compensation for delays or expenses associated with complying with the provisions of this clause. Furthermore, nothing in this clause shall excuse the Contractor from proceeding with the contract as required.

(l) Access to Installation During Force Protection Conditions (FPCONs): Gaining access to the installation during FPCONs will be done IAW the requirements outlined in the local Antiterrorism / Integrated Defense Plan(s). Contractors will be assigned a mission essential designation IAW requirements contained in Antiterrorism / Integrated Defense Plan(s). Only

the installation commander or the unit commander requesting contract support will assign the mission essential designation.

(m) **Property Protection:** Property protection for the facility where the Contractor's primary work center is located will be the responsibility of the local facility manager and local security manager, or their duly authorized representative IAW AFI 31-101, Integrated Defense, and command / local directives to include Arnold Air Force Base (AAFB) Plan 31-101. The Contractor must safeguard all Government-owned equipment and materials in their possession or use.

(n) **Counter Intelligence (CI) Polygraph Screenings:** All Arnold AFB personnel with Special Access Program (SAP) access are required to sign a Consent to Polygraph memorandum upon their first program access. Contractor personnel with privileged access on SAP Information Technology (IT) systems shall complete a CI polygraph screening upon notification from AEDC/TSD-IP.

4.8 Government Property

(a) Attachments 5, 6, and 7 are the listing of Government furnished property. Attachments 5 and 6 include columns identified as “-1” and “-2.” The “-1” refers to Government property that is furnished to the Contractor under the requirements of FAR Clause 52.245-1, Government Property. The “-2” refers to Government property that is furnished to the Contractor under the requirements of FAR Clause 52.245-2, Government Property Installation Operation Services. As stated in FAR Clause 52.245-2, all “-2” items identified in Attachments 5 and 6 are “as-is, where-is.”

(b) In addition to the requirements of FAR Clauses 52.245-1 and 52.245-2, the Contractor shall identify any additional property located in the Contractor work areas and report it promptly to the Contracting Officer and Government Property Administrator.

(c) The Government vehicles listed in Attachment 7 represent the AEDC Vehicle Authorization Listing (VAL). Attachment 7 is to be used as reference only for the general number and type of vehicles the FSS contractor is required to maintain. The number of Government vehicles on the VAL is subject to change due to Air Force mission requirements.

4.9 Joint Use of Government Property

(a) The Contractor may temporarily loan GFP to another contractor in the performance of work on Government installations during the performance of this contract. The Contractor may allow such use of GFP on a non-interference basis, with the understanding that the Contractor is under no obligation to make such items available at particular times or location. The Contractor will not be entitled to an equitable adjustment if such GFP are not available when needed by the Contractor.

(b) Except for liabilities compensated by insurance required by this contract or included as a direct charge to this contract, the Contractor assumes the risk of, and shall be responsible for, damage to any Government-leased vehicle when such vehicle is operated by a Contractor employee under the terms of this clause to include liability for simple negligence of Contractor employees. Further, the Contractor shall be liable for any costs associated with the misuse of any such Government-owned or Government-leased vehicle. The Contractor will not be responsible for reasonable wear and tear to such vehicles.

(c) The types of GFP authorized for use by another contractor under this clause including, but not limited to, forklifts, Polaris utility vehicle, chemical sprayer, and tow-behind blower.

4.10 Supervision of Employees

The Government shall not exercise any supervision or control over the Contractor employees or subcontractor employees performing services under this contract. The Contractor's employees shall be accountable not to the Government but solely to the Contractor who in turn is responsible to the Government. However, the Government reserves the right to order the removal from the Government installation of any individual by letter from the AEDC Commander in accordance with applicable law or regulation.

4.11 Required Insurance

Pursuant to FAR 52.228-5, Insurance - Work on a Government Installation (JAN 1997), the Contractor shall maintain the following minimum amounts of insurance:

TYPE	AMOUNT
Workers' Compensation & Employer's Liability Insurance	\$100,000
General Liability Insurance (Bodily Injury)	\$500,000 per occurrence
Automobile Liability	\$200,000 per person
	\$500,000 per occurrence for bodily injury
	\$20,000 per occurrence for property damage

4.12 Organizational Conflict of Interest

(a) The purpose of this clause is to ensure that:

(1) In providing services to the Government and its customers under this contract, the contractor's objectivity and judgment are not biased because of its present, or future, financial, contractual, organizational, or other interests;

(2) The Contractor does not obtain an unfair competitive advantage by virtue of its access to non-public Government information regarding the Government's program plans and resources;

(3) The Contractor does not obtain any unfair competitive advantage by virtue of its access to proprietary or competition sensitive information belonging to others;

(4) The Contractor ensures no bias or unfair competitive advantage exists while aggressively addressing any perception issue that may arise; and

(5) The contract complies with Section 207 of the Weapon Systems Acquisition Reform Act of 2009, Pub. L. No. 111-23 (May 22, 2009).

(b) Definitions for purposes of this clause:

(1) "Contractor" means the business entity receiving the award of this contract, as well as its parents, affiliates, divisions, subsidiaries and successor entities. The term "affiliates" is defined in FAR 2.101 and 19.101. The term "contractor" includes the firm, or firms, who were required to sign the contract document (see FAR 4.102). The term contractor also includes participants in any formal contractor team arrangement as defined in FAR 9.601. Examples of formal contractor team arrangements include, but are not limited to, partnerships, joint ventures, and alliances.

(2) "Organizational conflict of interest," or "OCI," means that a relationship or situation exists where an offeror or Contractor (including chief executives and directors, to the extent that they will or do become involved in the performance of the contract, and proposed consultants or subcontractors where they may be performing services similar to the services provided by the prime) has past, present, or currently planned interests that may directly or indirectly relate to the work to be performed under a Department of Defense contract which

(i) May diminish its capacity to give impartial, technically sound, and objective assistance and advice, or

(ii) May result in it having an unfair competitive advantage. OCI does not include the normal flow of benefits from the performance of the contract.

(3) "OCI mitigation plan" means the formal written description of the actions the Contractor has agreed to take to mitigate an OCI. The Government is responsible for approval and enforcement of the Contractor's plan. While implementation of the mitigation plan rests largely with the contractor, the Government bears responsibility for ensuring the plan is properly implemented.

(4) "Proprietary information" means all information designated as proprietary in accordance with law and regulation, and held in confidence or disclosed under restriction to prevent uncontrolled distribution and unauthorized use. Examples include, but are not limited to,

marked information, information submitted in confidence to the Government, limited or restricted data, trade secrets, sensitive financial information, and computer software. Proprietary information may also appear in cost and pricing data or involve classified information. Refer to FAR 3.104-1 for the definition of contractor bid and proposal information requiring protection. Refer to FAR 3.104-4 for disclosure, protection, and marking of contractor bid or proposal information and source selection information.

(i) Proprietary information shall not include information which

(A) Was known to the contractor prior to its receipt from a company or the Government,

(B) Was independently developed by the contractor without access to a company's proprietary data,

(C) Is or becomes public knowledge without the fault of the Contractor,

(D) Has been lawfully obtained by the contractor without restrictions on disclosure from a source other than a company or the Government, or

(E) Is or becomes available to a third party from a company on an unrestricted basis.

(ii) Other limitations set forth in this contract may apply to the use of information and data. The burden of proof as to the applicability of any of the exceptions described in paragraph (b)(4)(i) shall rest on the contractor.

(e) The Contractor may gain access to proprietary information of other companies during contract performance. When the Contractor has access to the proprietary information of other companies, the Contractor must enter into a company-to-company agreement to:

(1) Protect another company's information from unauthorized use or disclosure; and

(2) To refrain from using the information for any purpose other than that for which it was furnished. The Contractor shall furnish these agreements to the Contracting Officer for review. The Contractor is not permitted to use the proprietary information obtained in performing this contract for any other purpose without the prior approval of the Contracting Officer.

(g) The Contractor shall comply with all restrictions described in FAR 9.505. The Contractor must also thoroughly inculcate in its employees, through formal training in company policies and procedures, an awareness of the philosophy of both this clause and FAR Subpart 9.5. All employees shall be educated in and formally acknowledge the absolute necessity of refraining from divulging proprietary information from other companies received in connection with work under this contract to any unauthorized person.

The Contractor shall require its employees to sign written agreements prohibiting proprietary information disclosure except in accordance with a Government-approved plan. This written agreement shall in substance provide that such employee will not, during their employment by the contractor or thereafter, disclose to others or use for their own behalf, proprietary information from other companies received in connection with the work under this contract. The agreement shall acknowledge the employee is trained regarding handling proprietary information and discuss penalties for violations.

(h) If the Contractor discovers an actual or potential OCI not previously considered and adequately mitigated under this clause and a Government-approved OCI mitigation plan, the Contractor shall make a prompt and full disclosure in writing to the Contracting Officer. This disclosure shall include a description of the action the Contractor has taken or proposes to take, or actions recommended to be taken by the Government, in order to avoid, neutralize, or mitigate the conflict.

(i) The Contractor shall report any violation or suspected violation of this clause or a Government-approved OCI mitigation plan, whether by its own personnel or those of its subcontractors, to the Contracting Officer. This report shall include a description of the violation and the actions the contractor has taken or proposes to take to mitigate and avoid repetition of the violation. The Contractor shall routinely monitor its proposed business development and shall discuss any real or perceived OCI issues with the Contracting Officer and affected AEDC customers to proactively resolve and / or mitigate potential OCI issues. After conducting any necessary discussions, the Contracting Officer and the Contractor shall agree on appropriate corrective action, if any, or the Contracting Officer shall direct such action, subject to the terms of this contract.

(j) OCI violations are a significant contract performance issue. Violations of an OCI mitigation plan or this clause may have consequences such as contract termination, suspension and debarment, or other appropriate remedies or administrative actions.

(k) The Contractor may propose changes to an approved OCI mitigation plan. Such changes are subject to the mutual agreement of the parties and will become effective only upon incorporation by contract modification or written approval of the revised plan by the Contracting Officer.

(l) For all other AEDC support contracts, the Government realizes the potential exists for actual or perceived OCIs to develop if the same Contractor performs work on both the FSS contract and another AEDC contract. To alleviate these concerns, a Contractor performing work in any role on the FSS contract must have an approved mitigation plan prior to performing any work on any other AEDC contract.

(m) The Contractor shall include paragraphs (a) through (j) of this clause in every subcontract, purchase order, or other agreement. Exceptions must be approved in writing by the Contracting Officer.

4.13 Government Performance of Services During Labor Strikes

(a) Because the services called for under this contract are of critical importance to the Air Force, the Government reserves the right to take over performance of this contract in the event of a labor strike by the Contractor's employees which impairs the Contractor's ability to satisfactorily perform the contract. In such event, the services shall be performed exclusively by Government employees and not a mix of Government and nonstriking Contractor employees. Under such circumstances, and at the direction of the Contracting Officer, the Contractor agrees to remove its nonstriking force from the performance site and not to interfere in any way with Government performance. The Contractor further agrees under such circumstances to permit the Government to use any essential Contractor-furnished property. The Government will equitably compensate the Contractor for use of such property.

(b) The Contractor shall not be entitled to payment for any performance period or part thereof during which the Government assumes performance pursuant to this clause. This clause does not limit the Government's rights under any other clause of this contract.

4.14 Rights of the Government to Perform Functions with Its Own Personnel

(a) The Government reserves the right to perform or supplement performance of contract functions with Government personnel during periods of disaster, war emergencies, police actions, or acts of God.

(b) The performance described in (a) above, will not constitute a breach of contract by the Government within the meaning of FAR Clause 52.249-8, Default (Fixed-Price Supply and Service).

4.15 Disputes: Agreements to Use Alternate Dispute Resolution (ADR)

The Contractor and the Government agree to use their best efforts to resolve any disputes that may arise without litigation. If unassisted negotiations are unsuccessful, the parties will use ADR techniques in an attempt to resolve the dispute. Litigation will only be considered as a last resort when ADR is unsuccessful or has been documented by the party rejecting ADR to be inappropriate for resolving the dispute. If the ADR is not successful, the parties retain their existing rights.

4.16 Base Support

Base support shall be provided by the Government to the Contractor in accordance with this provision.

- (a) Base support includes Government-controlled working space, material, equipment, services (including automatic data processing), or other support (excluding use of the Defense Switched Network (DSN)) which the Government determines can be made available at, or through, any Air Force installation where this contract shall be performed. All Government property in the possession of the Contractor, provided through the Base Support clause, shall be used and managed in accordance with the Government Property clause.
- (b) Unless otherwise stipulated in the contract schedule, support shall be provided on a no-charge-for-use basis and the value shall be a part of the Government's contract consideration.
- (c) The Contractor agrees to immediately report (with a copy to the cognizant ACO) inadequacies, defective base support, or nonavailability of support stipulated by the contract schedule, together with a recommended plan for obtaining the required support. Facilities shall not be purchased under this provision. Additionally, the Contractor (or authorized representative) shall not purchase, or otherwise furnish any base support requirement provided under this provision (or authorize others to do so), without prior written approval of the Contracting Officer regarding the price, terms, and conditions of the proposed purchase, or approval of other arrangements.
- (d) Following are installations where base support will be provided: Arnold AFB TN, and AEDC Moffett Field, Mountain View, CA
- (e) The Government support to be furnished under this contract is:
- (1) Commercial utilities
 - (2) Training which is available only through Government-provided training facilities
 - (3) Government bills of lading as appropriate
 - (4) Facilities and equipment as appropriate
 - (5) Communication services and equipment as appropriate
 - (6) Ground fuels (Arnold AFB TN only)
 - (7) Instrument calibration which exceeds AEDC PMEL capabilities (Arnold AFB TN only)
 - (8) Emergency services
 - (9) Vehicle Maintenance Facility, Building 1400 (Arnold AFB TN only) (see paragraph [f] below).
- (f) The Government agrees to allow the Contractor to use the Vehicle Maintenance Facility (Building 1400), equipment, and tools for maintenance, repair, and washing of Contractor-owned

vehicles and vehicular equipment utilized in the performance of this contract. The Contractor agrees that use of such facility and equipment will not affect schedule and performance of requirements identified in PWS 3.10. The Contractor also agrees not to use parts and consumables purchased in support of requirements identified in PWS 3.10 for the purpose of maintaining and repairing Contractor-owned vehicles and vehicular equipment. This agreement does not include the maintenance and repair of Contractor-rented / leased vehicles and vehicular equipment.

4.17 Strike Plan

The Contractor shall develop and maintain a strike contingency plan that establishes procedures to cope with labor disputes among its workforce. One copy of the Contractor's strike plan shall be provided to the Contracting Officer for acceptance not later than 60 days after contract award. Changes to the plan shall be submitted to the Contracting Officer within 45 days of occurrence.

4.18 Parts and Materials Required for USAF-Owned Vehicles

(a) All costs of direct parts and materials, as well as specialized subcontract work, incurred to perform necessary repairs and corrective maintenance on vehicles listed in Attachment 7, USAF Owned / Registered Vehicles, to include the registered vehicles that are primarily used by the TOS contractor (see Appendix L, Attachment 1, Performance Work Statement) will be reimbursed on CLIN XX14, Major Maintenance of USAF-Owned Vehicles. These purchases shall be approved by the Contracting Officer prior to expenditure of funds.

(b) Direct parts and materials shall not include parts, materials, equipment, or subcontracts in support of preventive and scheduled maintenance, including state inspections, when the cost is otherwise within the scope of the firm-fixed-price CLINs in this contract.

(c) All labor, whether for scheduled or unscheduled maintenance and repairs, shall be included in the CLIN XX12, Vehicle Operations and Maintenance.

4.19 Over and Above Work Requirements and Procedures

(a) Over and above (O&A) work is defined as that which is not included in the firm-fixed-priced CLINs but is within the general scope of the contract that may be negotiated prior to authorizing the Contractor to begin work but not later than completion of 40 percent of the work. Examples of O&A work is protective services and test security surges where overtime work may be required. No additional payment or reimbursement shall be made for routine Contractor responsibilities.

(b) Upon request by the Contracting Officer (CO) or upon identification by the Contractor of necessary O&A efforts, the Contractor shall prepare written work request proposals and submit to the CO. As a minimum, the proposals must reference the contract number, be serially

numbered, include a description of the O&A effort, and the required number of regular- and / or overtime hours at the fully loaded labor rates set forth in the appropriate O&A CLIN.

(c) The CO will negotiate all O&A efforts prior to authorizing the Contractor to proceed or as soon as practicable after issuance of the notice to proceed. This written authorization will provide a description of the effort, the agreed-to, firm-fixed price, and performance period for the work request. For those actions which cannot be definitized prior to the date of required performance, the CO may authorize the Contractor to commence performance up to completion of 40 percent of the work, at which point the Contractor shall cease performance until negotiations are completed. Failure to agree upon a reasonable price shall be considered a question of fact subject to the "Disputes" clause of the contract. Undefined work request proposals shall be definitized in writing.

(d) At any time during the contract performance, when sufficient data becomes available on a repetitive task, either the Contractor or the Government may request a negotiation to establish a firm-fixed-price CLIN for that item for the remaining life of the contract.

4.20 Vehicle and Equipment Fuel

(a) Fuel for Contractor-operated vehicles and equipment may be obtained at the Test Operations and Sustainment (TOS) Contractor-operated base service station using a Vehicle Identification Link (VIL) key to provide traceability to the fuel consumer. This key will be issued by the TOS contractor.

(b) Fuel costs for Government-furnished vehicles and equipment dedicated for use on AEDC Arnold AFB TN will be borne by the Government. Fuel costs for subcontracted service providers using other than Government-furnished property are not included in this clause.

(c) If Government-furnished vehicles or equipment is replaced with Contractor-furnished vehicles or equipment, this clause applies only for replacement vehicles and equipment dedicated for use on AEDC Arnold AFB TN.

4.21 Direct Parts and Materials

"Direct Parts and Materials" are those parts, materials, or equipment purchased, supplied, manufactured, or fabricated by the Contractor for the purpose of performing the services required by this contract. "Direct Parts and Materials" may also include equipment rental and subcontracts, when specifically authorized in writing by the Contracting Officer. "Direct Parts and Materials" shall not include parts, materials, equipment, or subcontracts when the cost of such is otherwise included in the firm-fixed-priced contract line item numbers (CLINs) under this contract.

4.22 Government Furnished Property

(a) The Government will furnish the Contractor the equipment, materials, supplies, and vehicles identified in Attachment 6, Government Furnished Property. The Contractor shall manage, protect, and maintain this property IAW applicable regulations as well as FAR 52.245-01, Government Property; FAR 245-09, Use and Charges; DFARS 252.211.7003, Item Unique Identification and Valuation; DFARS 252.211-7007, Reporting of Government- Furnished Property; and DFARS 252.211-7008, Use of Government-Assigned Serial Numbers.

(b) The Contractor shall submit Property Management Procedures to the Government within 60 days after contract start date. The Government will approve the Contractor Property Management System and review procedures. The Contractor shall submit an annual GFP inventory plan and a Self-Assessment plan to the Government prior to conducting the inventory or assessments. The Contractor shall perform 100-percent annual inventories of all GFP. The Contractor shall identify and pick-up any additional property located in the Contractor work areas. The Contractor is responsible for conducting disposition of excess property. The Contractor shall request disposition instructions from the Government Property Administrator prior to conducting disposition of excess property. The Contractor is required to manage scrap assets and materials and notify the TOS Contactor when a scrap sale is needed or required. The Contractor shall assist with monitoring the scrap sale activities and weighing trucks. The Contractor is required to perform contract closeout prior to completion of the contract, to include 100-percent GFP inventory and excess disposition.

4.23 Pricing for Labor Categories

Prices for labor categories included in the Contractor's proposal Attachment L-8, Cost Model, shall be used as the basis of estimate for the following: test-specific security support, any and all over-and-above work performed, and any contract modifications.

5 Acronyms

AEDC	Arnold Engineering Development Complex
AEDCI	AEDC Instruction
ACO	Assistant Chief of Operations
ADLS	Advanced Distributed Learning Service
ADPE	Automated Data Processing Equipment
AF	Air Force
AFB	Air Force Base
AFCEC	Air Force Civil Engineer Center
AFI	Air Force Instruction
AFMC	Air Force Materiel Command
AFSFC	Air Force Security Force Center
AFTC	Air Force Test Center
ALS	Advanced Life Support
AM	Airfield Manager
APIMS	Atmospheric Pressure Ionization Mass Spectrometry
APSR	Accountable Property System of Record
ARC	Ames Research Center
ATO	Authority to Operate
ATR	Antiterrorism Representative
ATV	All-Terrain Vehicle
BCITS	Base Communications and Information Technology Services
BDOC	Base Defense Operations Center
BOS	Base Operating Support
C2	Command and Control
CACV	Command and Control Vehicle
CAP	Contractor Acquired Property

CAT	Crisis Action Team
CATM	Combat Arms Training and Maintenance
CBC	Controller Basic Checklist
CBT	Computer Based Training
CCIR	Commanders Critical Information Requirements
CFR	Code of Federal Regulations
CI	Counterintelligence
CIF	Controller Information File
CMOS	Cargo Management Operating System
COR	Contracting Officer's Representative
CPI	Critical Program Information
CUI	Controlled Unclassified Information
CWH	Central Warehouse
DBIDS	Defense Biometric Identification System
DCP	Disposition Consolidation Point
DFC	Defense Force Commander
DLA-DS	Defense Logistics Agency Disposition Services
DoD	Department of Defense
DoDI	Department of Defense Instruction
DOEHRS	Defense Occupational and Environmental Health Readiness System
DPAS	Defense Property Accountability System
DRF	Disaster Response Force
DSS	Defense Security Service
EBS	Environmental Baseline Survey
ECAMP	Environmental Compliance Assessment and Management Program
ECC	Emergency Communications Center
EDD	Explosive Detector Dog

EESOH-MIS	Enterprise Environmental Safety and Occupational Health Management Information System
EIAP	Environmental Impact Analysis Process
EMCS	Energy Management Control Systems
EMS	Environmental Management System
EOC	Emergency Operations Center
EOD	Explosive Ordnance Disposal
EPA	Environmental Protection Agency
ESOHC	Environmental, Safety, and Occupational Health Council
FES	Fire and Emergency Services
FES-IMS	Fire and Emergency Services Information Management System
FESAP	Fire Emergency Services Assessment Plan
FESTP	Fire and Emergency Services Training Program
FIAR	Financial Improvement and Audit Readiness
FNVCP	Foreign National Visitor Control Plan
FPCON	Force Protection Condition
FRI	Facility Reconfiguration Items
FRP	Facility Response Plan
FSD	Fire Safety Deficiency
FSO	Facility Security Officer
FSS	Facility Support Services
FTE	Full-Time Equivalent
GFE	Government Furnished Equipment
GFP	Government Furnished Property
GIO	Geo-Integration Office
GIS	Geographic Information System
GSA	General Services Administration
GSU	Geographically Separated Unit

HD	High Definition
HMMP	Hazardous Materials Management Process
HQ	Headquarters
IAW	In Accordance With
IDP	Integrated Defense Plan
IDS	Intrusion Detection System
ILS-S	Integrated Logistics System-Supply
ISSE	Information System Security Engineer
ISSM	Information System Security Manager
ISSO	Information System Security Officer
ITAR	International Traffic in Arms Regulations
JDRS	Joint Deficiency Reporting System
JPAS	Joint Personnel Adjudication System
JSIG	Joint Security Implementation Guide
LMR	Land Mobile Radio
LRS	Logistics Readiness Squadron
MICT	Management Internal Control Toolset
MILSTRIP	Military Standard Requisitioning & Issue Procedures
MVR	Master Vehicle Report
NASA	National Aeronautics and Space Administration
NATO	North Atlantic Treaty Organization
NEPA	National Environmental Policy Act
NFIRS	National Fire Incident Response System
NFPA	National Fire Protection Association
NISP	National Industrial Security Program
NISPOM	National Industrial Security Program Operating Manual
NMC	Non-Mission Capable
NLW	Non-Lethal Weapon

NPDES	National Pollutant Discharge Elimination System
NSA	National Security Agency
ODS	Ozone Depleting Substance
OEH	Occupational and Environmental Health
OI	Operating Instruction
OPREP	Operational Reporting
OPSEC	Operations Security
ORM	Operational Risk Management
OSHA	Occupational Safety and Health Administration
PC	Probable Cause
PED	Portable Electronic Device
PFS	Physical Fitness Standards
PMEL	Precision Measurement Equipment Laboratory
POC	Point of Contact
PPE	Personal Protective Equipment
PRS	Performance Requirements Summary
PSO	Program Security Officer
PSR	Program Security Representative
PWS	Performance Work Statement
QMS	Quality Management System
QRC	Quick Reaction Checklists
RAC	Risk Assessment Code
RAM	Random Antiterrorism Measure
ROM	Rough Order of Magnitude
SAP	Special Access Program
SCBA	Self-Contained Breathing Apparatus
SCI	Sensitive Compartmented Information
SFMIS	Security Forces Management Information System

SHE	Safety, Health, and Environmental
SOC	Statement of Capability
SOP	Standard Operating Procedure
SOW	Statement of Work
SPP	Standard Practice Procedures
SPRAM	Special Purpose Recoverable Authorized Maintenance
SSA	Servicing Security Activity
STAR	Storage Tank Accounting and Reporting
STINFO	Scientific and Technical Information
SWPP	Storm Water Pollution Prevention
TAC	Transportation Account Code
TCN	Transportation Control Number
TDEC	Tennessee Department of Environment and Conservation
TIG	Technical Implementation Guide
TMDE	Test, Measurement, and Diagnostic Equipment
T.O.	Technical Order
TOS	Test Operations and Sustainment
TWRA	Tennessee Wildlife Resource Agency
UFC	Unified Facilities Criteria
UTP	Unit Training Plan
UTV	Utility Vehicle
VCC	Visitor Control Center
VCO	Vehicle Control Officer
VCNCO	Vehicle Control Non-Commissioned Officer
VFM	Vehicle Fleet Manager
VGSA	Visitor Group Security Agreement
VMS	Vehicle Management Superintendent
VSCOS	Vehicle Support Chain Operations Squadron

WAM	Work Asset Management
WET	Water Enterprise Tracking
WPM	Wood Packaging Materials

6 Deliverables

The Contractor shall provide deliverables as described. Deliverables shall be specified by the Government. Format and delivery schedule for deliverables shall be outlined in CDRLs.

Identifier	Name	Description
A001	SAP Accredited Area Standard Operating Procedure	Provides instructions for proper protection, use, and dissemination of classified material by enforcing information, personnel, physical, communications, industrial, and IA security standards
A002	SAP Certification and Accreditation Package	Includes physical security and TEMPEST documentation for the establishment and accreditation of an accredited area
A003	JSIG System Authorization Package	Used to identify, control, and authorize a contractor's proposed stand-alone computer systems and / or networks created and used during the performance of this contract
A004	DIACAP and RMF Deliverable Data	Used to satisfy the requirements of the DIACAP and / or RMF process
A005	Test Security Plan	Identifies all security requirements associated with a scheduled test. This guidance, along with Industrial Security guidance ensures effective safeguarding of both classified and CUI program-related information.

A006	OPSEC Program Plan	Used to identify and monitor a contractor's OPSEC activities during contract performance
A007	Standard Practice Procedures Document	Ensures effective implementation of the requirements of DoD 5220.22-M, NISPOM
A008	Information Protection (IP) Standard Operating Procedure (SOP) for Secured Areas	Provides instructions and guidance to ensure compliance with requirements contained in applicable NISPOM, Air Force, program, and other cognizant security agency directives for secured and Commercial Test Areas
A009	Blood Borne Pathogens Exposure Control Plan	Outlines the mandatory requirements for all employees with the potential for exposure to Blood Borne Pathogens (BPP) during performance of their assigned duties
A010	Hazardous Communications Plan	Ensures supervisors and employees who handle, use, or are potentially exposed to hazardous chemicals in the course of official duties are provided information and training on the AF HAZCOM Program and the specific hazards in their work areas
A011	Security Services Work Instructions	Designed to cover day-to-day operations and responsibilities accounting for special contingencies and higher FPCONs

A012	Mission Area Fence Line Check Report	Provides the AT Program Manager a near real-time picture of possible vulnerable areas within the base perimeter fencing
A013	QRC Notifications	Provides information regarding activities / events / accidents / incidents, etc. occurring on / off base that are affiliated with the base, personnel, equipment, etc.
A014	Daily Events Log	Documents daily information about Operations, Maintenance, Information Management, and Support to AEDC
A015	Morning Report	Report on Test, Operations, and maintenance information for previous days testing activities / events
A016	Operations Center UTP	Identifies all the locally developed training requirements for Operations Center Operations and Operational Reporting
A017	Operational Report	All reports deemed reportable IAW AFMAN 10-206
A018	Standard of Cover	Establishes the distribution and concentration of fixed and mobile resource of an organization to address fire response districts and fire demand zones
A019	Fire Prevention Education Plan	Used by the Government to establish a baseline of

		expectations for contractor fire prevention education efforts
A020	Fire Prevention Inspection Report	Document the results of fire prevention inspections
A021	Fire Department Occupational Safety, Health, and Wellness Program Worksheet	Documents the results of the installation's Fire Department Occupational Safety and Health Program
A022	Emergency Medical Services Program Report	Includes summary information concerning the number of Emergency Medical Services responses and details for any response that either did not meet the response time mandates of the PWS or for which the established protocols were not followed
A023	Fire Incident Report	Provides information about any fire incidents which may occur at the installation and is consolidated for analysis of causes, trends, etc.
A024	AEDC SHE Standards	Defines safety, health, and environmental policy
A025	Environmental Management and Compliance Plan	Establishes a baseline of expectations for environmental compliance work and for contractor performance for the execution year and the next five out years
A026	Environmental Baseline Survey	Supports real property transactions and to satisfy CERCLA Section 120(h)(4) requirements and allow

informed decisions on whether and to what extent such transactions should be pursued and under what restrictions or limitations to mitigate the U.S. Government's responsibilities and obligations for environmental conditions on the affected real property

A027	Environmental Reporting Information	For complying with requirements or conditions established in state or federal regulatory agency issued environmental permits, regulations and compliance directives
A028	Technical Review Comments	Documents review of technical reports, studies, memoranda, plans, and designs prepared by outside agencies or contractors
A029	Hazardous Materials Management Plan	Provides guidance on proper procedure for management of HM, reflecting Air Force, DoD, and regulatory requirements, installation HM management, incorporating steps and activities to identify sources of, manage, and track HM, support of the Hazmart, including actions to reduce HM usage, roles and responsibilities
A030	Spill Prevention, Controls, and Countermeasures Plan	Provides guidance on proper procedure for management of spill prevention, controls, and countermeasures reflecting Air

Force, DoD, and regulatory requirements, installation spill processes, incorporating procedures for minimizing impacts of environmental releases and evaluating and monitoring of pollution sources and controls

A031	Facility Response Plan	Demonstrates a facility's preparedness to response to a worst case oil discharge
A032	Spill Report	Provides documentation of a spill or release of any substance which, if it reaches the environment, would constitute a pollution incident
A033	Integrated Natural Resource Management Plan	Provides guidance and procedures for the operation and management of the Arnold AFB Natural Resources Program through integration of all aspects of natural resources management with each other and the rest of the Arnold AFB mission
A034	Integrated Cultural Resource Management Plan	Provides guidance and strategy for managing and protecting Arnold AFB cultural resources in consonance with accomplishment of the Arnold AFB mission, and for complying with applicable statutes, regulations, policies, and procedures

A035	Geographic Information System Program Data	Described methods, equipment, and accuracy for conducting location surveys and mapping, and the subsequent development of GIS data to support mapping and document production
A036	Environmental Permit Request Documentation	Forms the basis to complete application packages to regulatory agencies for environmental permits and permit modifications to support AEDC operations and maintenance
A037	Compliance Evaluation Report	Documents all inspections to comply with current environmental permit requirements or AF program management requirements for submission to the AF or Regulatory Agencies
A038	Pollution Prevention Monitoring Report	Documents all Pollution Prevention Monitoring to comply with current environmental permit requirements or AF program management requirements for submission to Regulatory Agencies
A039	Hazardous Waste Management Plan	Provides guidance on proper procedure for management of hazardous waste, reflecting Air Force, DoD, and regulatory requirements, installation hazardous waste activities, incorporating pollution prevention practices

and waste minimization into hazardous waste management activities

A040	Hazardous Waste Compliance Plan	Provides guidance on proper procedure for maintaining compliance of the hazardous waste management program, reflecting Air Force, DoD, and regulatory requirements, installation hazardous waste activities, incorporating pollution prevention practices and waste minimization into hazardous waste management activities
A041	Hazardous Waste Reduction Plan	Provides guidance on proper procedure for reducing hazardous waste generation, reflecting Air Force, DoD, and regulatory requirements, installation hazardous waste activities, incorporating pollution prevention practices and waste minimization into hazardous waste management activities
A042	Integrated Solid Waste Management Plan	Provides guidance and strategy for managing and maintaining Arnold AFB solid waste program, and for complying with applicable statutes, regulations, policies, and procedures
A043	Air Quality Program Information	Maintains current AEDC Air Program data in the APIMS, and prepares reports for

submission to Regulatory
Agencies

A044	ODS Management Plan	Provides a viable, systematic road map and methodology for elimination of Class I ODS releases through elimination or significant reduction of the ODS source
A045	Storm Water Pollution Prevention Plan	Provide guidance on proper procedure for management of storm water and pollution prevention, reflecting Air Force, DoD, and regulatory requirements, installation storm water pollution prevention activities, incorporating steps and activities to identify sources of storm water pollution, including actions to be taken that will prevent or control storm water contamination
A046	Aboveground Storage Tank Compliance Plan	Provides guidance and strategy for managing and maintaining Arnold AFB Above Ground Storage Tank program, and for complying with applicable statutes, regulations, policies, and procedures
A047	Environmental Impact Assessments	Documents the potential environmental impact of proposed actions and the resulting recommendations and decisions
A048	Safety Program Management Plan	Establishes a baseline of expectations for work and

		Contractor performance for the reporting period
A049	Injury and Property Damage Charts	Used to document the results of an effective mishap prevention program
A050	High Mach Safety Article	Supports the mishap prevention effort by disseminating safety information to a broad audience
A051	Toolbox Topics Document	Used to inform / educate the AEDC workforce on safety, industrial hygiene, public health, fire prevention and security related topics
A052	Pre-Task Checklist	Helps to ensure required rocket motor operations / movement procedures are conducted safely
A053	Weapons Safety Spot Inspection Documentation	Used to document spot inspections of explosive areas for operating locations, rocket motor movements from receipt to storage facilities and back (when applicable), safe storage, and ensure weapons / explosives safety training is conducted and documented as required
A054	Explosives Training Roster	Used to document all personnel who operate, handle, transport, maintain, load or dispose of missiles, explosives or nuclear weapons

		have received mandatory explosives safety training
A055	Property Damage Mishap Investigation Report	Documents the results of quality and timely Class D and E property mishap investigations
A056	Annual Safety Facility Inspection Schedule	Provides a facility inspection schedule that can be distributed to units
A057	Facility Safety Inspection Report	Used to document and report facility and program safety inspections
A058	Occupational Safety Spot Inspections Log	Used to document spot inspections evaluating day-to-day safety and health of an organization, workcenter, facility, etc
A059	FSS Inspectable Facilities List	Provides a comprehensive list of inspectable facilities to ensure all AEDC real property facilities and real property installed equipment are inspected for safety annually to meet OSHA and Air Force requirements
A060	Master Hazard Abatement Plan	Documents the base hazard abatement program used to document, track, prioritize and help advocate for funds to abate identified hazards
A061	Industrial Hygiene Survey Report	Describes conditions in the workplace, health hazards present, and the impact of those hazards on the workers

A062	RF Radiation Emitter and Laser Inventory	Provides information on all radio frequency emitters and lasers used on the installation
A063	Program Progress Report	Provides the means to evaluate and monitor the progress made by the Contractor of tasks in accomplishing the goals established for the program
A064	Property Disposition Report	Tracks disposition transactions outside of the APSR to support financial statement audits performed by independent auditors
A065	Courtesy Storage Report	Required to manage all items courtesy stored in the warehousing system
A066	Shipment Report	Tracks shipment transactions outside of the APSR to support financial statement audits performed by independent auditors
A067	Hazardous Material Storage Report	Tracks hazardous material transactions outside of the APSR to support financial statement audits performed by independent auditors
A068	Cataloging Report	Tracks the Contractor's research and catalog actions for material or equipment being inducted into the Government APSR
A069	Incoming / Outgoing Cargo Report	Tracks all incoming and outgoing shipments

A070	Logistics Personnel Training and Certification Report	Validates Contractor personnel are trained and / or certified to perform applicable Supply and Cargo operations
A071	Warehouse Surveillance Report	Used to monitor and assess Contractor's management of warehouse space
A072	Warehouse Schematic / Planogram	Used manage the effective utilization of warehouse space within the Contractor's span of control
A073	Logistics Operating Procedures	Validates the Contractor has developed procedures to execute the requirements of the contract
A074	AF COLS Data	Objectively measures and assesses performance in order to communicate levels of service and necessary resources to the installation commander
A075	Nuclear Certified Master Vehicle Report	Used to document annual Master Vehicle Report (MVR) fleet review to verify nuclear certification status of the assigned Registered Vehicle Fleet
A076	School Bus Rules and Student Expectations Memorandum	Sets rules and expectations for authorized users of the school bus in a manner consistent with the established standards for safety and courteous behavior
A077	Vehicle Control Program Training Roster	Documents the establishment of the Vehicle Control

		Program training requirements and ensures the contractor provides Vehicle Control Officer (VCO) / Vehicle Control Non-Commissioned Officer (VCNCO) orientation
A078	Contractor's Vehicle Ops and Maintenance Operating Procedures	Designed to cover day-to-day operations and responsibilities for vehicle operations and maintenance
A079	Antiterrorism Training Certificate	Validates completion of required training for all appointed Antiterrorism Representatives
A080	Antiterrorism Representative Appointment Letter	Ensures compliance with Antiterrorism Program requirements and identifies facility points of contacts to occupants and the Installation Antiterrorism Officer
A081	Facility Antiterrorism Plan	Ensures compliance with Antiterrorism Program requirements and defines facility-specific work instructions for program implementation
A082	Executive Program and Quality Review	Documents contract execution and communicates the effectiveness of the Contractor's QMS
A083	MICT Self-Assessment Report	Documents compliance with contract Federal Acquisition Regulation clauses, contract requirements, or headquarters requirements

A084

Statement of Work

Describes the actual work to be performed on an acquisition procurement as specified by the procuring activity

7 Performance Requirements Summary

Statements		Standards	Method of Performance Assessment
3.1.1	Establish and manage all Arnold AFB physical space and all other spaces determined by the SSA requiring additional safeguards in order to establish standard security practices and procedures for classified and commercial test areas as well as managing the Special Access Programs (SAP) Security Program under the direction of the Government Special Security Officer (GSSO)	- Valid FCL and personnel maintain clearance level requirements - No security violations, security compromises, or test / programmatic delays that result in a loss or compromise of classified information - Score / Achieve no less than a Satisfactory rating 650 on the Defense Security Service's (DSS) Assessment Rating Matrix and no less than a "Satisfactory" on all other, internal and external security reviews, inspections, audits, and / or vulnerability assessments - Required security training completed and required DSS professional certifications or ASIS International professional certifications obtained and maintained - FSO, PSR, or SAP ISSM available to meet with the Government on urgent security issues within two hours of initial request - No test or programmatic impacts occur as a result of the absence of responsible security personnel - AFSO21 processes or similar tool used to determine efficiencies or improve processes and procedures	- COR surveillance - Facility clearance and personal clearance audits - Monthly JPAS reviews - Monthly review of incident reports - Training documentation audits - Feedback provided by Government personnel and customer surveys

		- Receive no less than a Satisfactory rating from internal or external inspections - 100% of systems have an approved Authority to Operate (ATO) - SAP ATO packages renewed within 1 month of their expiration - 100% of applicable test related Security Classification Guides maintained on site - 100% accountability of equipment and media review maintained to ensure proper marking and release	
3.1.2	Assist the Government to develop, coordinate, and execute OPSEC program requirements and Foreign Government Protection requirements for Arnold AFB and AEDC Moffett Field.	- No security compromises or test delays resulting from ineffective security - Fully integrated OPSEC Support Staff training completed within 30 days of contract start date - OPSEC integrated into all acquisition programs and contractor documentation - OPSEC Web Risk and Vulnerability Assessments conducted	- COR surveillance - Monthly review of incident reports - OPSEC documentation reviewed - Training documentation audits - Monthly review of Web Risk VA source documents
3.1.3	Provide security administrative support sufficient to ensure compliance with DoD, service, and local directives at Arnold AFB and AEDC Moffett Field.	- 100% of potential candidates sufficiently pre-vetted to ensure the candidate can obtain and maintain access to potential classified, CUI and base access - 100% of all security investigations reviewed for quality and completeness prior to submission to minimize delays with processing - 100% of personnel security clearances reviewed prior to gaining access to classified and /	- COR surveillance - Monthly investigation surveillance - Monthly review of incident reports - Monthly review of CVS system - Feedback provided by Government personnel and customer surveys

		- or controlled and restricted areas managed by the Contractor - Zero Rejection Rate for electronic fingerprint services - No programmatic impacts from adverse personnel suitability issues - 100% of personnel supporting a test are trained prior to performing any work related to identified CPI - All controlled media located and retrieved within 24 hours or as required - Assistance with at least one security initiative per quarter	- Training documentation review prior to each test - Monthly Surveillance
3.1.4	The Contractor shall manage all controlled spaces and provide security incident support within their managed spaces at Arnold AFB and Moffett Field.	- Entry / Exit inspection schedule and data maintained for inspection purposes and random enough to deter unauthorized removal of classified material and documented - Zero security violations due to compromise of classified or CUI material - Secure bins for collection of CUI available across installation - Zero unauthorized entries or security incidents due to inadequate security guidance or controls - SAP Security Incident inquiries meet specific reporting requirements	- Monthly review of inspection source documentation - Monthly review of incident reports - COR surveillance - Incident documentation audits
3.1.5		- No security compromises or test delays resulting from ineffective security - Administrative, analysis, and ID&C systems compliant with security policies	- COR surveillance - System audits - FNVCP and OPSEC documentation reviewed prior to each test

		- 100% accountability of equipment and media review - SAP ATO packages renewed within 1 month of their expiration - 100% of applicable test related Security Classification Guides maintained on site - 100% test support personnel are properly trained - All FNVCP's properly marked and logged and controlled for all classified and CUI	- Training audits
3.2.1	Protect facilities, materials, and personnel from injury or damage and protect weapons, ammunition, and classified information 24 hours a day/365 day a year.	- Provide trained, certified, and qualified armed security personnel - Provide all equipment, tools, materials, and other items and services necessary to perform security services as defined in this PWS - Maintain a sufficient number of trained Security Services personnel to deal with disorders or events with and / or without advance warning and the capability to man 12 hour shifts for an extended period of time - Develop and maintain internal work instructions to cover day-to-day operations and responsibilities accounting for special contingencies and higher FPCONs - Provide armed / unarmed Test Post guards as required by the Test Security Plan on a project-by-project basis - Provide and maintain fully equipped and marked non-tactical vehicles	- COR surveillance - Random sampling of documentation

		- Maintain physical fitness and personal appearance standards	
3.2.2	Manage and execute the AF Combat Arms, Training and Maintenance (CATM), Visitor Control Center (VCC), Installation Entry Control Points (IECP), mobile patrols to include boat and all-terrain vehicle patrols, test posts and the Protection, Explosive Detector Dog (EDD) Program. Provide the Government with support in the development and execution of the Arnold AFB Integrated Defense Plan, Integrated Defense Risk Management Process, Antiterrorism and Force Protection Programs	- Perform small arms qualification training for firearms issued on Arnold AFB - Operate the firearms storage facility (Armory and Alternate Armory) - Perform entry and exit control at the Main Gate, Commercial Delivery Gate 2 and Military Family Housing Gate, 24 hours a day / 365 day a year - Provide a base patrols 24 hours a day / 365 day a year who will supervise activities for shift guards - Operate two Government provided All-Terrain Vehicles (ATVs) - Provide, maintain and operate a two (2) person patrol boat - Operate and maintain two Single Purpose EDDs and two Contractor provided K9 handlers	- COR surveillance - Random sampling of documentation
3.2.3	Provide general management to ensure service quality and adherence to DoD guidance, regulations, local, state and federal laws	- Maintain AAFB physical security to protect safety and security of personnel, property, and resources - Conduct Integrated Defense training for asset owners / users, to include scheduled New Hire Orientations - Provide Active Shooter Training to all Security Services and pre-deployment personnel - Establish and manage physical security programs, including; Reports and Analysis, SFMIS Administrator and Defense Biometric Identification System,	- COR surveillance - Random sampling and training documentation audits - Review of After Action Reports - Review of Fence Line Check Report

		and the Resource Protection Program - Assist the full-time Electronic Security Systems Officer, operate and monitor the IDS	
3.3.1	Operate and maintain an Operations Center 24 hours/day, 7 days/week.	- Operations Center properly manned at all times - QRCs and CBCs accurate and current - Controllers properly trained - Daily Events Log accurately maintained - Timely response to stakeholders	- COR surveillance - Training documentation audits - Document, data, and CDRL review - Feedback provided by Government personnel
3.3.2	Operate and maintain the C2 Node 24 hours/day, 7 days/week.	- Active support and engagement with CAT Director - Provide administrative / coordination support for tests and checkouts at Arnold AFB, AEDC White Oak, and AEDC Moffett Field - Active monitoring of EAMs - UTP developed and executed in compliance with AFMC Policy and Procedure Office - OPREPs and CCIRs generated as needed	- COR surveillance - Training documentation audits - Document, data, and CDRL review - Feedback provided by Government personnel
3.4.1	Provide a fully certified, trained and uniformed Fire and Emergency Services work force.	- Services will include overall program management, resource management, planning, administration, operations, supervision, labor, materials, supplies, and equipment - Work execution in accordance with DoD and AF identified directives and PWS requirements	- COR surveillance - Feedback provided by Government personnel conducting periodic staff assistance visits - Standard of Cover report
3.4.2	Conduct an in-depth fire prevention and education program.	- Policies and procedures for implementing fire investigations established	- COR surveillance - Feedback provided by Government personnel

		- Maintain inspection, maintenance, and service of AAFB fire extinguishers - Annual facility fire prevention assessment conducted on all facilities - Policy, inspection schedule, and procedures for inspecting commercial kitchen hood and duct systems established - Perform fire protection design reviews as needed - FES certification and proficiency training program established	conducting periodic staff assistance visits. - Fire Prevention Visit Reports - Fire Prevention and Education Plan
3.4.3	Create and maintain a comprehensive Fire and Emergency Services operations program.	- Pre-incident plans for all potential high fire and life- risk facilities, hazardous operations, and assigned / transient aircraft developed - Participation with current mutual aid agreements - Fire Incident Response data submitted to DoD National Fire Incident Response System - Provide Advanced Life Support (ALS) response - Participation in all Emergency Management exercises	- COR surveillance - Feedback provided by Government personnel conducting periodic staff assistance visits - After Action Reviews - Emergency Medical Services Reports - Fire Incident Reports
3.4.4	Establish resource and property protection and management program.	- Manage and conduct annual inventory on land mobile radios, and equipment provided by the Government	- COR surveillance - Feedback provided by Government personnel conducting periodic staff assistance visits
3.5.1	Formulate, document, maintain, and execute an Environmental Management Program.	- 100% compliant with applicable laws, regulations, permits, and AFIs - Inspections, audits, surveys, reports, reviews, data submission completed within required timeframe	- COR surveillance - Document, data, and CDRL review - Inspections as required

		- Appropriate corrective actions identified and implemented within required timeframe - Maintain current information in all databases, systems, etc	
3.5.2	Formulate, implement, and maintain pollution prevention controls for the reduction or elimination of pollution sources at the point of generation to include hazardous materials management and spill control.	- 100% compliant with applicable laws, regulations, permits, and AFIs - Zero adverse mission impacts - 100% compliance with enforceable or mission continuity requirements - Zero preventable reportable spills - Maintain current information in all databases, systems, etc. - Inspections, audits, surveys, reports, reviews, data submission completed within required timeframe	- COR surveillance - Document, data, and CDRL review - Inspections as required
3.5.3	Develop, conduct, maintain, and advance comprehensive Resource Management.	- 100% compliant with applicable laws, regulations, permits, and AFIs - Zero adverse mission impacts - Maintain current information in all databases, systems, etc. - Inspections, audits, surveys, reports, reviews, data submission completed within required timeframe - Maintain Section 10 Endangered Species Permit for bats - Meet Secretary of the Interior's Standards and Guidelines Professional Qualifications Standards in Archeology and Historic Preservation	- COR surveillance - Document, data, and CDRL review - Inspections as required
3.5.4	Develop and implement a Compliance Program for Assessment, Hazardous	- 100% compliant with applicable laws, regulations, permits, and AFIs	- COR surveillance

	Waste, Clean Air, Storm Water, Storage Tank, EIAP, Auditing / Reporting.	- Zero adverse mission impacts - Maintain current information in all databases, systems, etc. - Inspections, audits, surveys, reports, reviews, data submission completed within required timeframe - Appropriate corrective actions identified and implemented within required timeframe	- Document, data, and CDRL review - Inspections as required
3.6.1	Establish a standardized safety program, OSHA-compliant safety program, safety awareness program, and Weapons Safety program.	- Occupational Safety Professionals and Weapons Safety Program manager have required training / experience - Zero Class A or B mishaps (injury or property) - Injury rates at or below average Total Recordable Incident Rate and Days Away, Restricted, or Transferred rates per the North American Industry Classification System code assigned - Zero explosives / weapons mishaps	- Training documentation audits - COR surveillance - Property damage and injury charts - CDRL review
3.6.2	Establish Safety Program Elements.	- 100% of Class D or E property damage mishap reports shall be provided to the Government within 25 calendar days of mishap - 100% of initial reporting via phone or email to the Operations Center for FSS property damage and injury mishaps within 15 minutes from mishap	- COR surveillance - Property damage and injury charts - CDRL review
3.6.3	Establish a Safety Training Program.	- PPE worn 100% of the time - No work performed by untrained Contractor personnel	- COR surveillance / spot inspections - Documents, data, and CDRL review
3.7.1	Implement an OEH Program and perform assessments to protect Government	- Inspections, audits, and corrective actions completed within required timeframe	- COR surveillance - Documents, data, and CDRL review

	employees' health at Arnold AFB.	- Electronic documentation of all OEH assessments and follow-up actions accurately maintained - Compliant hazard communication program implemented and maintained - Active participation in the HMMP team - OEH exposure data archived in DOERS	- Feedback provided by Government personnel
3.7.2	Plan, develop, and conduct a Government approved training program for Arnold AFB Government personnel as necessary.	- Training developed and conducted in accordance with AF regulations	- COR surveillance - Training documentation audits
3.7.3	Perform vulnerability assessments on Toxic Industrial Chemicals / Toxic Industrial Materials on Arnold AFB and on the base drinking water system.	- Assessments completed within required timeframe	- COR surveillance - Documents, data, and CDRL review
3.7.4	Develop and maintain OEH plans and standards, and conduct annual program reviews.	- Plans, standards, and program reviews are accurately completed within required timeframe	- COR surveillance - Documents, data, and CDRL review
3.8.1	Maintain life-cycle activities for warehoused material including hazardous material; gas cylinders; supply point assets, and Special Purpose Recoverable Authorized Maintenance (SPRAM) assets.	- Safe, serviceable and accurate inventory	- COR surveillance - Documents, data, and CDRL review
3.8.2	Perform material management functions for material in accordance with Government Property Clause requirements and accountable property system of record requirements.	- Auditable records of Government Property	- COR surveillance - Documents, data, and CDRL review
3.8.3	Perform property disposal process for Government property.	- Proper disposition of Government Property	- COR surveillance - Documents, data, and CDRL review
3.9.1	Perform inbound processing services for Government and commercial property.	- Accurate and timely processing of inbound cargo	- COR surveillance

			- Documents, data, and CDRL review
3.9.2	Perform outbound processing services for Government and commercial property.	- Accurate and timely processing of outbound cargo	- COR surveillance - Documents, data, and CDRL review
3.9.3	Perform administrative processes for surveillance, training, self-assessments, bills of lading, compliance programs, and any other programs required by law or regulation associated with the cargo program.	- Auditable records of inbound and outbound Government Property transactions	- COR surveillance - Documents, data, and CDRL review
3.10.1	Perform Vehicle Fleet Administration to ensure minimum serviceability standards for vehicle fleet health is in-line with applicable standards throughout their lifecycle. Perform and manage a self-inspection program that monitors, analyzes and accesses MICT data of Regular AF Vehicle Management activities and other functional metrics to build awareness of fleet performance.	- Zero Safety incidents and no more than 3 defects per month for serviceable items - Accurate and timely Self-Assessment communicator inputs	- COR surveillance - Written customer complaints - Documents, data, and CDRL review
3.10.2	Perform Vehicle Fleet Manager (VFM) and / or Vehicle Management Superintendent (VMS) roles. Perform Vehicle Control Program duties. Perform Materiel Control Program duties to support Vehicle Management decentralized purchasing methods.	- Compliance with the responsibilities, objectives and principles of Vehicle Management	- COR surveillance - Documents, data, and CDRL review
3.10.3	Provide all qualified Fleet Management & Analysis personnel to support the Defense Property Accountability System (DPAS) fleet management information system and general daily processes.	- Compliance with the responsibilities of program objectives	- COR surveillance - Documents, data, and CDRL review

3.10.4	Provide Vehicle Operations services to support mission requirements, including school bus service for military dependents at Arnold Village.	- Vehicle Operations Control Center established; provides licensed vehicle operators - Certified and licensed personnel provided. Compliance with all mandatory State and local laws pertaining to safe operation and maintenance of school buses.	- COR surveillance - Written customer complaints - Documents, data, and CDRL review
3.11	Maintain effective working relationships with Arnold AFB Government and contractor personnel	- Work execution in accordance with Associate Contractor Agreements and PWS requirements - Active engagement in Emergency Management Program	- COR surveillance - Feedback provided by Government and contractor personnel
3.12	Provide general management to ensure service quality and adherence to laws and regulations	- Monthly reporting on Quality Management System	- COR surveillance - Monthly Executive Program and Quality Review

APPENDICES

APPENDIX A	SECURED AREAS
APPENDIX B	FESAP CHECKLIST
APPENDIX C	MUTUAL AID AGREEMENTS
APPENDIX D	ABOVEGROUND STORAGE TANKS
APPENDIX E	ENVIRONMENTAL PERMITS
APPENDIX F	ENVIRONMENTAL PLANS
APPENDIX G	HAZARDOUS WASTE GENERATION
APPENDIX H	NPDES DATA
APPENDIX I	PERMITTED SEPTIC TANKS
APPENDIX J	REFRIGERATION EQUIPMENT INVENTORY
APPENDIX K	SIGNIFICANT LEAKS OR SPILLS HISTORICAL DATA
APPENDIX L	ARNOLD AFB VEHICLE FLEET
APPENDIX M	FSS BUILDING MANAGER INVENTORY

APPENDIX A – SECURED AREAS

This list is subject to change based on operational / mission requirements. Changes to this list will not require a contract modification.

Area	Bldg_No
Library Vault	100
Technical Publications	100
Ops Center	100
CAT Conference Room	100
Video Teleconference (VTC)	100
Security Office – 2 nd Floor	253
Combination Control Office	253
First Floor - Vault	253
Document Control	253
Model Machine Shop	451
APTU Control Room	578
APTU Customer Room	578
APTU Test Cell	579
APTU REB	584
Tunnel D Control Room	607
Tunnel D High Bay	607
VKF Computer Room	676
VKF Calibration Lab	676
VKF Tunnel A (Upper & Lower)	676
VKF Tunnel B (Upper & Lower)	676
VKF Tunnel C Upper & Lower)	676
VKF Tunnel A Equipment Rm.	676

VKF Tunnel B Equipment Rm	676
VKF Tunnel C Equipment Room	676
VKF Tunnel A Tank	676
VKF Tunnel B Tank	676
VKF Tunnel C Tank	676
VKF Small Customer Room (DSWAN-Pending)	676
VKF ABC Control Room	676
VKF ABC High Bay Test Area	676
VKF Large Customer Room	676
G-Range, Screen [Control] Room	678
G-Range Tunnel	678
G-Range / Analysis	678
Post Office	685
Tunnel 4T Cover Bldg	707
HTL Shop Analysis, Pre/Post Test Area (2 nd Floor)	718
Hawks Nest	718
Arc Heaters CR	722
Arcs Test Areas (H1 & H2)	722
Arcs Test Area (H3)	728
4T CR	745
PWT Blue Room	760
PWT Buildup Bay 207	760
PWT Buildup Bay 208	760
PWT Buildup Bay 210	760
TSTZ Analysis, Room 1	760

TSTZ Analysis, Room 2	760
TSTZ Analysis, Room 3	760
TSTZ Analysis, Room 4	760
TSTZ Analysis, Room 5	760
TSTZ Analysis, Room 6	760
TSTZ Analysis, Room 7	760
TSTZ Analysis, Room 8	760
TSTZ Analysis, Room 9	760
Tunnel 16T Tunnel	785
16T CR	785
Ice House	863
ETF Computer Room	876
ETF, Room 116 A	876
ETF, Room 116 B	876
ETF, Room 116 C	876
ETF, Room 118 A	876
ETF, Room 118 B	876
ETF, Room 118 C	876
T3 Control Room	878
T11 Control Room	878
ETF AC&T (B-Plant Control Room)	878
B-Plant Computer Room	878
J1 APMS Room	880
J1 DCR	880
J1 CR	880
J1 Test Cell	880

J2 APMS Room	880
J2 DCR	880
J2 Control Room	880
J2 Test Cell	880
T-3 Test Cell & DCR	898
ETF Auxiliary Building	899
C1 Test Cell	912
C1 DAR	912
C1 & C2 Analysis Area	912
C-Plant Main Control Room	929
AMSC Data Analysis Area	939
AMSC/Conference Room	939
AMSC Archive	940
10V Control Room 11/18/05	1077
10V Foundation Room	1077
10V Clean Room	1077
10V Analysis Room 308	1077
STAT SIPR Room 130	1088
STAT Instrument Room	1088
STAT High Bay and Control Room	1088
Build-up Bay 1A	1093
Build-up Bay 2A	1093
Build-up Bay 1B	1093
Build-up Bay 2B	1093
SDREN	1099
Central Computer Facility (CCF)	1103

EAF Basement (108)	1103
EAF Basement (114)	1103
EAF RBA Customer (107)	1103
Alt Ops Center	1103
HPC (128)	1103
P&W Data Analysis	1306
RPA2	2215

APPENDIX B – FESAP CHECKLIST

Category I Governance and Administration
Criterion 1A: Governing Body. The governing body and/or agency manager is legally established to provide general policies to guide the agency, approved programs and services, and appropriated financial resources.
CC 1A.1 The agency is legally established.
CC 1A.2 The agency complies with legal requirements of local, state/provincial, and federal governments (i.e. inspection reports, regulatory references, meeting minutes, and legal opinions).
1A.3 The agency has a methodology to monitor and track applicable local, state/provincial, and federal requirement changes.
1A.4 The governing body of the agency periodically reviews and approves services and programs.
1A.5 The method used to select the agency's chief fire officer/chief executive officer includes evaluation of candidate qualifications and credentials.
1A.6 The role and composition of various policy making, planning, and special purpose bodies are defined by the governing body in an organization chart.
1A.7 The governing body or designated authority approves the organizational structure that carries out the agency's mission.
1A.8 The governing body has policies to preclude individual participation of governing board members and staff in actions involving possible conflict of interest.
1A.9 A communication process is in place between the governing body and the administrative structure of the agency.
1A.10 The governing body publishes a mission statement.
Criterion 1B: Agency Administration. The organizational structure aligns with or supports the agency's mission, purposes, goals, strategies, and objectives.
CC 1B.1 The administrative structure reflects the agency's mission, goals, objectives, size, and complexity.
1B.2 Financial, equipment, and personnel resource allocation reflects the agency's mission, goals, and objectives.
1B.3 Personnel functions, roles, and responsibilities are defined in writing and a current organization chart exists that includes the agency's relationship to the governing body.

Category II — Assessment and Planning
Criterion 2A: Documentation of Area Characteristics. The agency collects and analyzes data specific to the distinct characteristics of its legally defined service area(s) and applies the findings to organizational services and services development.
2A.1 Service area boundaries for the agency are identified, documented, and legally adopted by the authority having jurisdiction.
2A.2 Boundaries for other service responsibility areas, such as automatic aid, mutual aid, and contract areas, are identified, documented, and appropriately approved by the authority having jurisdiction.
CC 2A.3 The agency has a documented and adopted methodology for organizing the response area(s) into geographical planning zones.
CC 2A.4 The agency assesses the community by planning zone and considers the population density within planning zones and population areas, as applicable, for the purpose of developing total response time standards.
2A.5 Data that includes property, life, injury, environmental, and other associated losses, as well as the human and physical assets preserved and or saved, are recorded for a minimum of three (initial accreditation agencies) to five (currently accredited agencies) immediately previous years.
2A.6 The agency utilizes its adopted planning zone methodology to identify response area characteristics such as population, transportation systems, area land use, topography, geography, geology, physiography, climate, hazards and risks, and service provision capability demands.
2A.7 Significant socio-economic and demographic characteristics for the response area are identified, such as key employment types and centers, assessed values, blighted areas, and population earning characteristics.
2A.8 The agency identifies and documents all safety and remediation programs, such as fire prevention, public education, injury prevention, public health, and other similar programs, currently active within the response area.
2A.9 The agency identifies critical infrastructure within the planning zones.
Criterion 2B: All-Hazard Risk Assessment and Response Strategies. The agency identifies and assesses the nature and magnitude of all hazards and risks within its jurisdiction. Risk categorization and deployment impact considers such factors as cultural, economic, historical, environmental values, and operational characteristics.
CC 2B.1 The agency has a documented and adopted methodology for identifying, assessing, categorizing, and classifying risks throughout the community or area of responsibility.
2B.2 The historical emergency and non-emergency service demands frequency for a minimum of three immediately previous years and the future probability of emergency and non-emergency service demands, by service type, have been identified and documented by planning zone.
2B.3 Event consequence loss and save data that includes property, life, injury, environmental, and other losses and saves are assessed for three (initial accreditation agencies) to five (currently accredited agencies) immediately previous years.
CC 2B.4 The agency's risk identification, analysis, categorization, and classification methodology has been utilized to determine and document the different categories and classes of risks within each planning zone.
2B.5 Fire protection and detection systems are incorporated into the risk analysis.
2B.6 The agency assesses critical infrastructure within the planning zones for capabilities and capacities to meet the demands posed by the risks.

Criterion 2C: Current Deployment and Performance. The agency identifies and documents the nature and magnitude of the service and deployment demands within its jurisdiction. Based on risk categorization and service impact considerations, the agency's deployment practices are consistent with jurisdictional expectations and with industry research. Efficiency and effectiveness are documented through quality response measurements that consider overall response, consistency, reliability, resiliency, and outcomes throughout all service areas. The agency develops procedures, practices, and programs to appropriately guide its resource deployment. CC 2C.1 Given the levels of risks, area of responsibility, demographics, and socio-economic factors, the agency has determined, documented, and adopted a methodology for the consistent provision of service levels in all service program areas through response coverage strategies. 2C.3 Fire protection systems and detection systems are identified and considered in the development of appropriate response strategies. CC 2C.4 A critical task analysis of each risk category and risk class has been conducted to determine the first-due and effective response force capabilities, and a process is in place to validate and document the results. CC 2C.5 The agency has identified the total response time components for delivery of services in each service program area and found those services consistent and reliable within the entire response area. 2C.6 The agency has identified the total response time components for delivery of services in each service program area and assessed those services in each planning zone. CC 2C.7 The agency has identified efforts to maintain and improve its performance in the delivery of its emergency services for the past three (initial accreditation agencies) to five (currently accredited agencies) immediately previous years. 2C.8 The agency's resiliency has been assessed through its deployment policies, procedures, and practices.
Criterion 2D: Plan for Maintaining and Improving Response Capabilities. The agency has assessed and provided evidence that its current deployment methods for emergency services appropriately address the risk in its service area. Its response strategy has evolved to ensure that its deployment practices have maintained and/or made continuous improvements in the effectiveness, efficiency, and safety of its operations, notwithstanding any outside influences beyond its control. The agency has identified the impacts of these outside influences to the authority having jurisdiction. CC 2D.1 The agency has documented and adopted methodology for assessing performance adequacies, consistencies, reliabilities, resiliencies, and opportunities for improvement for the total response area. 2D.2 The agency continuously monitors, assesses, and internally reports, at least quarterly, on the ability of the existing delivery system to meet expected outcomes and identifies the remedial actions most in need of attention. CC 2D.3 The performance monitoring methodology identifies, at least annually, future external influences, altering conditions, growth and development trends, and new or changing risks, for purposes of analyzing the balance of service capabilities with new conditions or demands. 2D.4 The performance monitoring methodology supports the annual assessment of the efficiency and effectiveness of each service program at least annually in relation to 2D.5 Impacts of incident mitigation program efforts, (such as community risk reduction, public education, and community service programs), are considered and assessed in the monitoring process. CC 2D.6 Performance gaps for the total response area, such as inadequacies, inconsistencies, and negative trends, are determined at least annually. CC 2D.7 The agency has systematically developed a continuous improvement plan that details actions to be taken within an identified timeframe to address existing gaps and 2D.8 On at least an annual basis, the agency formally notifies the authority having jurisdiction (AHJ) of any gaps in the operational capabilities and capacity of its current delivery system to mitigate the identified risks within its service area, as identified in its standards of cover. 2D.9 On at least an annual basis, the agency formally notifies the AHJ of any gaps between current capabilities, capacity, and the level of service approved by the AHJ. 2D.10 The agency interacts with external stakeholders and the AHJ at least once every three years, to determine the stakeholders' and AHJ's expectations for types and levels of services provided by the agency.

Category III — Goals and Objectives
Criterion 3A: Strategic Planning. A strategic plan (3 [initial accreditation candidates] to 5 [currently accredited agencies] years in the future) is in place, and along with the budget is guiding the activities of the agency. The plan is submitted to the appropriate authority having jurisdiction (AHJ).
CC 3A.1 The fire service agency has a published strategic plan.
3A.2 The strategic plan is approved within the agency and submitted to the governing body or administrative officer with responsibility over the fire agency and to whom the chief fire officer/chief executive officer reports.
Criterion 3B: Goals and Objectives. The agency's general goals and specific objectives direct its priorities in a manner consistent with its mission and appropriate for the community it serves.
CC 3B.1 The agency publishes general organizational goals directed toward achieving its long-range plans. The agency publishes corresponding specific objectives to implement these goals and incorporate the measurable elements of time, quantity, and quality.
3B.2 The agency assesses its current status when establishing goals and objectives.
3B.3 The agency invites internal and external stakeholder participation in the development, implementation, and evaluation of the agency's goals and objectives.
3B.4 Published materials accurately portray the agency's goals and objectives as well as mission, vision and values in context.
3B.5 The governing body responsible for establishing policy reviews the agency's goals and objectives.
3B.6 When developing organizational values, the agency consults its members.
Criterion 3C: Implementation of Goals and Objectives. The agency uses a management process to implement its goals and objectives.
CC 3C.1 Some form of organizational management process is identified and used to track progress and results of agency goals and objectives relating to general organizational and operational programs.
CC 3C.2 The agency designates personnel to lead the implementation of respective goals and objectives.
3C.3 All members receive information explaining the agency's goals and objectives.
3C.4 The agency, when necessary, identifies outside resources that can be consulted in regards to accomplishing an agency's goals and objectives.
Criterion 3D: Measurement of Organizational Progress
Processes are in place to measure and evaluate progress towards completion of specific objectives and overall system performance. The goals and objectives are re-examined and modified periodically.
CC 3D.1 The agency's goals and objectives are examined and modified at least annually for quality and to ensure they remain current and consistent with the agency's mission, vision, and long range plan(s).
CC 3D.2 The agency evaluates administrative and operational processes to determine improvements in efficiency and execution in pursuing organizational objectives.
3D.3 The agency provides progress updates to the governing body, its members, and the public regarding goals and objectives.

Category IV Financial Resources
Criterion 4A: Financial Planning. Agency planning involving broad staff participation activates financial planning and resource allocation. The agency's plan for financing shall reflect sound strategic planning and a commitment to its stated goals and objectives. The agency must deem financial support for programs and services adequate to maintain the number and quality of personnel and other operational costs.
4A.1 The governing body and regulatory agencies give the agency appropriate direction in budget and planning matters within their scope of services.
CC 4A.2 Policies, guidelines and processes for developing the annual budget are defined and followed.
4A.3 The financial planning/budget adoption process provides transparency for all expenditures and revenues for the agency.
4A.4 The budget process involves input from appropriate persons or groups, including staff officers and other agency members.
4A.5 The annual budget, short and long-range financial planning, and capital expenditures are consistent with agency priorities and support achievement of the agency's strategic plan and goals and objectives.
4A.6 Budgeted expenditures are consistent with projected financial resources.
Criterion 4B: Financial Practices. Financial management of the agency exhibits sound budgeting and control, proper recording, reporting, and auditing.
4B.1 Financial resources management adheres to generally accepted accounting practices (GAAP) as used by Government Finance Officers Association (GFOA) of the Unlisted States and Canada, National Advisory Council on State and Local Budgeting Practices (NACSLBP), or authority having jurisdiction (AHJ), and all financial management including: budgeting, accounting, and reporting. Appropriate safeguards are in place for expenditures, fiscal reports are provided for administrative decision making, and sufficient flexibility exists to meet contingencies.
4B.2 Financial administration responsibilities are organized into specific assignments, which are supported by specific clearly-defined policies.
4B.3 The agency explains projected operating deficit (expenditures exceeding revenues in a budget year) and develops a plan to rectify the deficit.
4B.4 The agency establishes and meets a schedule for review of financial reports.
CC 4B.5 Qualified auditors conduct annual independent financial audits for the prior fiscal year. If deficiencies exist, the agency makes plans to resolve audit exceptions.
4B.6 The agency and any subsidiary entities or auxiliaries have financial risk management policies and programs that protect the agency and its assets.
4B.7 Programs designed to develop financial support from outside sources are planned and coordinated to reflect the objectives of the agency. Agency policy govern all fund raising activities, comply with GAAP and/or other recognized financial principles, and subject to public disclosure and periodic independent financial audits.
4B.8 Any revenue producing organizations permitted to use the agency's name and/or reputation conform to agency principles of financial operation.
4B.9 The agency provides financial management policies on any grant program where funding is received from an outside source. Provisions to ensure compliance with all granting agency requirements must be outlined and monitored.
4B.10 The agency has adopted policies of the financial management program which sets, and utilizes fees and charges.
Criterion 4C: Resource Allocation. Appropriately allocated financial resources support the established organizational mission, the stated long-term plan, goals and objectives, maintain the quality of programs, and services. Financial stability is a fundamental aspect of an agency's integrity. The agency must ensure that programs and services provided can be supported by the necessary fiscal resources using sound budgetary practices.
CC 4C.1 Given current and anticipated revenues, the agency can maintain adopted levels of service.
4C.2 The governing body has an investment policy.
4C.3 Policies, guidelines, and processes exist for procurement practices within the agency.
4C.4 Plans exist for the payment of long-term liabilities and debts.
4C.5 The agency projects future asset maintenance costs with related funding plans.
4C.6 Financial plans avoid the use of one-time funding sources to cover ongoing costs unless plans are provided to ensure a means of continuity for personnel resources and capital assets.
4C.7 The governing body has adopted a general fund reserve policy and established a time frame to meet established reserve fund levels. Operating revenues or expenditures should be established as the basis of the fund policy.
4C.8 The agency maintains contingency funds in accordance with generally accepted accounting practices (GAAP) recommendations and anticipate budgetary restrictions and or shortfalls.

Category V Programs
Criterion 5A: Community Risk Reduction Program. The agency operates an adequate, effective, and efficient program to manage community risks as identified in the community risk assessment and standards of cover. The approach is comprehensive and includes both prevention and mitigation strategies such as life safety, hazard risk reduction, plan review, code compliance, and the detection, reporting and control of fires. The agency should conduct a thorough risk-analysis as part of activities in Category II to determine the need for specific community risk reduction program.
CC 5A.1 The authority having jurisdiction has an adopted fire prevention and building code(s).
CC 5A.2 The code enforcement program ensures compliance with applicable fire protection law(s), local jurisdiction, hazard abatement, and agency objectives as defined in the community risk assessment and standards of cover.
CC 5A.3 The program has sufficient staff with specific expertise to meet the community risk reduction program goals, objectives and identified community risks.
5A.4 A plan review process ensures that adopted codes and ordinances determine the construction of buildings and infrastructure (such as, hydrants, access, street width).
CC 5A.5 The agency conducts a formal and documented appraisal, at least annually, to determine the impacts of the community risk reduction program and its efforts in risk reduction based on the community risk assessment, standards of cover, and measures performance against adopted loss reduction goals.
5A.6 The community risk reduction program identifies the frequency that occupancies are inspected.
5A.7 The agency sets specific, targeted, and achievable annual loss reduction benchmarks for fire incidents and fire casualties based upon the community risk assessment and baseline performance.
5A.8 Fire inspection personnel should receive annual continuing education to maintain proficiency.
Criterion 5B: Public Education Program. A public education program is in place and directed toward reducing specific risks in a manner consistent with the agency's mission and as identified within the community risk assessment and standards of cover. The agency should conduct a thorough risk-analysis as part of activities in Category II to determine the need for specific public education program.
CC 5B.1 The public education program (such as development and delivery) targets specific risks, behaviors, and audiences identified through incident, demographic, program data analysis, community risk assessment, and standards of cover.
CC 5B.2 The program has sufficient staff with specific expertise to meet the public education program goals, objectives and identified community risks.
CC 5B.3 The agency conducts a formal and documented appraisal, at least annually, to determine the impacts of the public education program and its efforts in risk reduction based on community assessment, standards of cover, and measures performance.
5B.4 There are programs in place that identify large loss potential or high risk audiences (such as low socio-economic status, age, cultural/ethnic differences where appropriate), forge partnerships with those who serve those constituencies, and enable specified programs to mitigate fires and other emergency incidents (such as home safety visits, smoke alarm installations, free bicycle helmet programs, falls prevention programs, etc.).
5B.5 The agency should evaluate the juvenile firesetter intervention program. This program should refer all juveniles identified as involved in fire-play or fire setting behavior for educational intervention or other intervention services.
Criterion 5C: Fire Investigation, Origin and Cause Program. The agency operates an adequate, effective, and efficient program directed toward origin and cause investigation and subsequent classification of fires, explosions, and other emergency situations that endanger life or property. The agency should conduct a thorough risk-analysis as part of activities in Category II to determine the need for fire investigation program.
CC 5C.1 The agency's fire investigation, origin, and cause program is authorized by adopted statute, code, or ordinance.
CC 5C.2 The agency uses a consistent approach to the scientific method which is utilized to investigate and determine the origin and cause of all fires and explosions.
CC 5C.3 The program has sufficient staff with specific expertise to meet the fire investigation, origin, and cause program goals, objectives, and identified community risks.
5C.4 The agency has established written agreements and procedures, that are reviewed and revised at least annually, with relevant local, regional, state/provincial, and federal fire investigation agencies to ensure appropriate and consistent scene processing, evidence collection, and information sharing.
CC 5C.5 The agency conducts a formal and documented appraisal, at least annually, to determine the impacts of the fire investigation, origin, and cause program and its efforts to reduce fires based on community assessment, standards of cover, and measures performance.

Criterion 5D: Domestic Preparedness, Planning and Response. The agency operates an all-hazards preparedness program that includes a coordinated multi-agency response plan designed to protect the community from terrorist threats or attacks, major disasters, and other large-scale emergencies occurring at or in the immediate area.
CC 5D.1 The agency publishes an all-hazards plan that defines roles and responsibilities of all participating departments and/or external agencies. The agency identifies and authorizes an appropriate multi-agency organizational structure to carry out the all-hazards plan predetermined functions and duties.
5D.2 The agency complies with the National Incident Management System (NIMS) or appropriate incident management system, and its operational methods are compatible with all external response agencies.
5D.3 The agency identifies and documents outside agency support.
5D.4 The agency has processes to record information and provide data on needed resources, scope, nature of the event, and field resources deployed to local, state/provincial, and federal agencies.
5D.5 The agency, at least annually, conducts tests of and evaluates the all-hazards plan and domestic preparedness, planning, and response program.
5D.6 The agency conducts and documents a vulnerability assessment and has operational plans to protect the agency's specific critical infrastructure, including but not limited to materials, supplies, apparatus, facilities security, fuel, and information systems.
5D.7 The agency has a documented Continuity of Operations Plan (COOP) that is reviewed and updated at least every 5 years, to ensure essential operations are maintained.
5D.8 The agency has processes in place for intelligence sharing with other public safety agencies.
Criterion 5E: Fire Suppression. The agency operates an adequate, effective, efficient, and safe fire suppression program directed toward controlling and/or extinguishing fires to protect people from injury or death and reduce property loss. If identified risks are outside the scope of the agency's capabilities, Category X performance indicators should address the agency's ability to receive aid from mutual aid partners in those areas. The agency should conduct a thorough risk-analysis as part of activities in Category II to determine the need for specific fire suppression programs.
CC 5E.1 Given its standards of cover and emergency deployment objectives, the agency meets its staffing, response time, station(s), pumping capacity, apparatus, and equipment deployment objectives for each type and magnitude of fire suppression incident(s).
CC 5E.2 The agency uses a standardized incident command/management system, which is supported by agency policy and training programs.
CC 5E.3 The agency conducts a formal and documented appraisal, at least annually, to determine the effectiveness of the fire suppression program and its impact on meeting the agency's goals and objectives.

Criterion 5F: Emergency Medical Services (EMS). The agency operates an EMS program with a designated level of out-of-hospital emergency medical care that meets the needs of the community.
CC 5F.1 Given its standards of cover and emergency deployment objectives, the agency meets its staffing, response time, station(s), apparatus, and equipment deployment objectives for each type and magnitude of emergency medical incident(s).
CC 5F.2 The agency has standing orders/protocols in place to direct EMS response activities to meet the stated level of EMS response.
CC 5F.3 The agency has online and offline medical control.
CC 5F.4 The agency creates and maintains a patient care record, hard copy or electronic, for each patient encountered. This report contains provider impression, patient history, data regarding treatment rendered, and the patient disposition recorded. The agency must make reasonable efforts to protect reports from public access and maintain them as per local, state/provincial, and federal records retention requirements.
CC 5F.5 The agency has a Health Insurance Portability and Accountability Act (HIPAA) or equivalent (e.g., Freedom of Information and Protection of Privacy [FOIP] for Canada) <u>compliance program in place for the EMS program that meets federal and state/provincial guidelines, and all personnel are properly trained in HIPAA/FOIP regulations and</u>
5F.6 The agency has a quality improvement/quality assurance program (QI/QA) in place to improve system performance and patient outcomes.
CC 5F.7 The agency conducts a formal and documented appraisal, at least annually, to determine the effectiveness of the EMS program and its impact on meeting the agency's goals and objectives. This should include an evaluation of the agency's standard operating procedures, protocols, and equipment.
5F.8 The agency has developed a plan or has already implemented a cardio pulmonary resuscitation (CPR) and public access defibrillation program for the community.
Criterion 5G: Technical Rescue. The agency operates an adequate, effective, efficient, and safe program directed toward rescuing trapped or endangered persons from any life-endangering cause (e.g., structural collapse, vehicle accidents, swift water or submersion, confined space, cave-in, trench collapse, fire). The agency must conduct a thorough risk-analysis as part of activities in Category II to determine the need for specific technical rescue programs. Agencies that only provide first responder services must also complete this criterion.
CC 5G.1 Given the agency's standards of cover and emergency deployment objectives, the agency meets its staffing, response time, station(s), apparatus, and equipment deployment objectives for each type and level of risk of a technical rescue incident(s).
5G.2 The agency establishes minimum training and operational standards; compliant with local, state/provincial, and national standards, and that all personnel who function in the technical rescue program meet training and operational standards.
CC 5G.3 The agency conducts a formal and documented appraisal, at least annually, to determine the effectiveness of the technical rescue program and its impact on meeting the agency's goals and objectives. This appraisal must include a full-scale evaluation of the response components, including mutual aid, when part of the deployment model.
Criterion 5H: Hazardous Materials (Hazmat). The agency operates an adequate, effective, efficient, and safe hazardous materials program directed toward protecting the community from the hazards associated with the uncontrolled releases of hazardous and toxic materials. The agency must conduct a thorough risk-analysis as part of activities in Category II to determine the need for specific hazardous materials program. Agencies that only provide first responder services must also complete this criterion.
CC 5H.1 Given the agency's standards of cover and emergency deployment objectives, the agency meets its staffing, response time, station(s), apparatus, and equipment deployment objectives for each type and magnitude of hazardous materials incident(s).
5H.2 The agency maintains appropriate training, operations policies, and documentation that response personnel are compliant with all applicable hazardous materials regulations and laws.
CC 5H.3 The agency conducts a formal and documented appraisal, at least annually, to determine the effectiveness of the hazardous materials program and its impact on meeting the agency's goals and objectives. This appraisal must include a comprehensive evaluation of the response components, including mutual aid, when part of the deployment model.
5H.4 The agency complies with all aspects of applicable hazardous material regulations such as, annual refresher training, medical monitoring of response personnel, annual physical examinations as applicable per standards, and exposure record retention.

Criterion 5I: Aviation Rescue and Fire Fighting Services. The agency operates an adequate, effective, efficient, and safe program directed toward an aviation accident or incident occurring at or in the immediate area.
CC 5I.1 Given its standards of cover and emergency deployment objectives, the agency meets its staffing, response time, station(s), extinguishing agent requirements, apparatus, and equipment deployment objectives for each type and magnitude of aviation incident.
CC 5I.2 The agency conducts a formal and documented appraisal, at least annually, that includes an analysis of response procedures, equipment, training, and after action reports to determine the effectiveness of the aviation rescue and fire fighting services program and meeting the agency's goals and objectives.
Criterion/Indicator
Criterion 5J: Marine and Shipboard Rescue and Fire Fighting Services. The agency operates an adequate, effective, efficient, and safe program directed toward a marine or shipboard fire or incident occurring at or in the immediate area.
CC 5J.1 Given its standards of cover and emergency deployment objectives, the agency meets its staffing, response time, station(s), extinguishing agency requirements, apparatus, and equipment deployment objectives for each type and magnitude of marine and shipboard incident.
CC 5J.2 The agency conducts a formal and documented appraisal, at least annually, that includes an analysis of response procedures, equipment, training, and after action reports to determine the effectiveness of the marine and shipboard rescue and fire fighting services program and meeting the agency's goals and objectives.
Criterion 5K: Wildland Fire Services. The agency operates an adequate, effective, and efficient program directed toward a wildland fire.
CC 5K.1 Given its standards of cover and emergency deployment objectives, the agency meets its staffing, response time, station(s), apparatus, and equipment deployment objectives for each type and magnitude of wildland fire services incident.
CC 5K.2 The agency conducts a formal and documented appraisal, at least annually, to determine the effectiveness of the wildland fire services program, to include suppression, mitigation, educational activities, and its impact on meeting the agency's goals and objectives.
5K.3 The agency has developed a wildland risk assessment including: a fuel management plan, fire adaptive communities plan, and an inspection and code enforcement program.
CC 5K.4 The agency conducts or participates in a wildland fire training and certification/qualification program that meets wildland fire services operational needs and complies with local, state/provincial, and national/international standards.

Category VI Physical Resources
Criterion 6A: Physical Resources Plan. Development and use of physical resources is consistent with the agency's established plans. A systematic and planned approach to the future development of facilities is in place.
6A.1 The development, construction, or purchase of physical resources is consistent with the agency's goals and strategic plan.
CC 6A.2 The governing body, administration, and staff are involved in the planning for physical facilities.
Criterion 6B: Fixed Facilities The agency designs, maintains, manages fixed facility resources that meet the agency's goals and objectives.
6B.1 Each function or program has adequate facilities and storage space. (e.g., operations, community risk reduction, training, support services, and administration).
6B.2 Buildings and outbuildings are clean and in good repair, and the surrounding grounds are well kept. Maintenance is conducted in a systematic and planned manner.
CC 6B.3 Facilities comply with federal, state/provincial, and local codes and regulations at the time of construction, required upgrades for safety are identified, and where resources allow, addressed. For those items that warrant further attention a plan for implementation is identified in the agency's long term capital improvement plan (i.e. fire alarm systems, sprinkler system, seismic, vehicle exhaust system, asbestos abatement, etc.).
Criterion 6C: Apparatus, Vehicles, and Maintenance. Apparatus resources are designed, purchased, maintained to adequately meet the agency's goals and objectives.
CC 6C.1 Apparatus types are appropriate for the functions served (e.g., operations, staff support services, specialized services, and administration).
6C.2 A current replacement schedule exists for all apparatus and support vehicles based on current federal and state/provincial recognized standards, vehicle condition, department needs, and requirements.
6C.3 A process is in place for writing apparatus replacement specifications that allows for employee input.
Criterion 6D: Apparatus Maintenance. The inspection, testing, preventive maintenance, replacement schedule, and emergency repair of all apparatus is well established and meets the emergency apparatus service and reliability needs.
CC 6D.1 An apparatus maintenance program is established. Apparatus maintenance, preventative maintenance, inspection, testing, and emergency repair is conducted by trained and certified technicians in accordance with the manufacturer's recommendations, and federal and/or state/provincial regulations. Attention is given to the safety, health, and security aspects of equipment operation and maintenance.
6D.2 The maintenance and repair facility is provided with sufficient space and equipped with appropriate tools.
6D.3 An adequate number of trained and certified maintenance personnel are available to meet the program needs.
6D.4 The level of supervision is adequate to manage the program.
6D.5 The reserve vehicle fleet is adequate or a documented contingency plan is in place for the event that apparatus must be taken out of service.
CC 6D.6 The inspection, testing, preventive maintenance, replacement schedule, and emergency repair of all apparatus is well established and meets the emergency apparatus service and reliability of the agency.

Criterion 6E: Tools, Supplies, and Small Equipment. Equipment and supplies are adequate and designed to meet the agencies goals and objectives.
6E.1 Tools and equipment are distributed appropriately, are in sufficient quantities, and meet the operational needs of the specific functional area or program (e.g., fire suppression, community risk reduction, investigations, haz mat, etc.).
6E.2 Tools and equipment replacement is scheduled, budgeted, implemented, and is adequate to meet the agency's needs.
CC 6E.3 Equipment maintenance, testing, and inspections are conducted by qualified personnel, following manufacturer's recommended schedules.
6E.4 An inventory control and maintenance tracking system is in place and current.
6E.5 Supplies and materials allocation is based on established objectives and appropriate to meet the operational needs of the specific functional area or program (e.g., fire suppression, community risk reduction, investigations, haz mat, etc.), and is compliant with local, state/provincial, and national standards.
Criterion 6F: Safety Equipment. Safety equipment is adequate and designed to meet agency goals and objectives. For the purposes of this criterion, safety equipment includes personal protective equipment (PPE) and related equipment (e.g., self-contained breathing apparatus).
CC 6F.1 Safety equipment is identified and distributed to appropriate personnel.
6F.2 Distributed safety equipment is sufficient for the functions performed.
6F.3 Safety equipment replacement is scheduled, budgeted, implemented, and adequate to meet the agency's needs.
6F.4 Safety equipment maintenance, testing, and inspections are conducted by trained and qualified personnel, and appropriate records are kept.
6F.5 A safety equipment inventory control and maintenance tracking system is in place and current.

Category VII Human Resources
Criterion 7A: Human Resources Administration. General human resources administration practices are in place and are consistent with local, state/provincial, and federal statutory and regulatory requirements.
CC 7A.1 A human resources manager is designated.
7A.2 The human resources program has adequate staffing to accomplish the human resources administrative functions.
7A.3 Policies are established to direct the human resources administrative practices in accordance with local, state/provincial, and federal requirements. The policies are reviewed annually and updated as needed.
Criterion 7B: Recruitment, Selection, Retention and Promotion. Systems are established to attract, select, retain, and promote qualified personnel in accordance with applicable local, state/provincial, and federal statutory requirements.
7B.1 A mechanism is in place to identify and announce potential entry level, lateral, and promotional positions.
7B.2 The agency administration and its members are part of the recruiting process.
CC 7B.3 Processes and screening/qualifying devices used for recruitment and selection of initial, lateral, and promotional candidates are job related and comply with all local, state/provincial, and federal requirements, including equal opportunity and discrimination statutes.
7B.4 The agency's workforce composition is reflective of the service area demographics, or the agency has put forth a reasonable effort by instituting an effective recruitment plan to achieve the desired workforce composition.
7B.5 A new member orientation program is in place.
CC 7B.6 A supervised probationary process is used to evaluate new and promoted members based on the candidates' demonstrated knowledge, skills, and abilities.
7B.7 The agency has an employee/member recognition program.
7B.8 The agency's working conditions and environment attract, diverse and qualified applicants, and retains a tenured workforce.
7B.9 The agency conducts exit interviews or periodic employee surveys or other mechanisms are used to acquire feedback and improve policies and procedures.
7B.10 The agency conducts workforce assessments and has a plan to address projected personnel resource needs, including retention and attrition of tenured and experienced employees/members.
Criterion 7C: Personnel Policies and Procedures. Personnel policies and procedures are in place, documented, and guiding both administrative and personnel behavior.
CC 7C.1 Personnel policies, procedures, and rules are current, written, and communicated to all personnel.
CC 7C.2 The agency has a policy that defines and prohibits sexual, racial, disability, or other forms of harassment, bias, and unlawful discrimination of employees/members and describes the related reporting procedures. The policy and organizational expectations specific to employee behavior are communicated formally to all members/employees and
7C.3 A disciplinary system is in place and enforced.
7C.4 An internal ethics and conflict of interest policy is published and communicated to employees/members.
7C.5 A grievance/complaint procedure is published and communicated to employees/members.
Criterion 7D: Use of Human Resources. Human resources development and utilization is consistent with the agency's established mission, goals, and objectives.
CC 7D.1 A position classification system and a process by which jobs are audited and modified are in place.
7D.2 Current written job descriptions exist for all positions, and incumbent personnel have input into revisions.
7D.3 A personnel appraisal system is in place.
7D.4 Methods for employee/member input or a suggestion program are in place.
7D.6 The agency has a leadership development program and/or succession plan.

Criterion 7E: Personnel Compensation. A system and practices for providing employee/member compensation are in place.
CC 7E.1 Rates of pay and compensation are published and available to all employees/members.
7E.2 Member benefits are defined, published, and communicated to all employees/members.
Criterion 7F: Occupational Health, Safety, and Risk Management. The agency's occupational health, safety, and risk management programs protect the organization and personnel from unnecessary injuries or losses from accidents or liability.
7F.1 A specific person or persons are assigned responsibility for implementing the occupational health, safety, and risk management programs.
7F.2 The agency's policies and procedures report, evaluate, address, and communicate workplace hazards as well as unsafe/unhealthy conditions and work practices.
7F.3 The agency documents Steps taken to implement risk reduction and address identified workplace hazards.
7F.4 Procedures are established and communicated specific to minimizing occupational exposure to communicable diseases or chemicals.
CC 7F.5 The agency's occupational health and safety training program instruct the workforce in general safe work practices, from point of initial employment through each job assignment and/or whenever new substances, new processes, procedures, or equipment are introduced. It provides specific instructions on operations and hazards specific to the
7F.6 The agency uses near miss reporting to elevate the level of situational awareness in an effort to teach and share lessons learned from events that, except for a fortunate break in the chain of events, could have resulted in a fatality, injury, or property damage.
7F.7 The agency has a process in place to investigate and document accidents, injuries, legal actions, etc.. The agency's information management system supports this process.
7F.8 The agency incorporates risk management practices to increase the level of decision making and the ability to identify unsafe conditions and practices during emergency operations.
Criterion 7G: Wellness/Fitness Programs. The agency has a wellness/fitness program for recruit and incumbent personnel. The agency specifies and communicates the provisions if employees/members do not comply with the wellness/fitness program.
CC 7G.1 The agency provides for initial, regular, and rehabilitative medical, and fitness evaluations.
7G.2 The agency provides personnel with access to fitness facilities and equipment.
7G.3 The agency provides wellness/fitness training to all employees/members.
7G.4 The agency provides an employee/member assistance program with timely access to critical incident stress debriefing and behavioral counseling resources.
7G.5 A formal and documented appraisal is conducted, at least annually, to determine the effectiveness of the wellness/fitness programs and its impact on meeting the agency's goals and objectives.

Category VIII Training and Competency
Criterion 8A: Training and Education Program Requirements. A training program is established to support the agency's needs. The agency provides access to and guidance on educational programs that increase advancement potential and support the agency's needs.
CC 8A.1 The organization has a process in place to identify training needs. The process identifies the tasks, activities, knowledge, skills, and abilities required to deal with anticipated emergency conditions.
8A.2 The agency's training program is consistent with the mission statement, goals and objectives and meets its needs.
8A.3 The training program is consistent with legal requirements for performing mandatory training.
8A.4 The agency identifies minimum levels of training required for all positions in the organization.
8A.5 A command and staff development program is in place that encourages pursuit of professional credentialing.
Criterion 8B: Training and Education Program Performance. Training and education programs are provided to support the agency's needs.
8B.1 A process is in place to ensure that personnel are appropriately trained.
8B.2 The agency provides a training schedule that meets the organization's needs.
CC 8B.3 The agency evaluates individual and crew performance through validated and documented performance-based measurements.
8B.4 The agency analyzes student evaluations to determine reliability of training conducted.
8B.5 The agency maintains a training records management system that meets recognized standards.
Criterion 8C: Training and Education Resources. Training and education resources, printed and non-printed library materials, media equipment, facilities, and staff are available in sufficient quantity, relevancy, diversity, and are current.
CC 8C.1 Facilities and apparatus are provided to support the agency's all-hazards training needs. The agency has plans addressing any facilities and apparatus not available internally to complete training activities.
CC 8C.2 The agency has instructional personnel with teaching qualifications and expertise to meet its needs.
8C.3 Instructional materials are current, support the training program, and are easily accessible.
8C.4 The agency has a process for purchasing, developing, or modifying existing curriculum to meet its needs.
8C.5 Equipment utilized for training are properly maintained in accordance with the agency's operational procedures. The agency makes training equipment readily accessible to instructional personnel.
8C.6 The agency maintains a current inventory of all training equipment and resources.
8C.7 A selection process is in place for training and educational resource materials.
CC 8C.8 Training materials are evaluated at least annually, to reflect current practices and meet the needs of the agency.

Category IX Essential Resources
Criterion 9A: Water Supply. The water supply resources are reliable and capable of distributing adequate volumes of water and pressures to all areas of agency responsibility. All areas meet fire flow requirements in accordance with applicable fire flow criteria.
CC 9A.1 The agency establishes minimum fire flow requirements for new development in accordance with nationally and internationally recognized standards. This information should be included in the fire risk evaluation and pre-fire planning process.
CC 9A.2 An adequate and reliable water supply is available for firefighting purposes for identified risks. The identified water supply sources are sufficient in volume and pressure, based on nationally and internationally recognized standards, to control and extinguish fires.
9A.3 The agency maintains regular contact with the managers of public and private water systems to stay informed about available water supplies.
9A.4 The agency maintains copies of current water supply sources and hydrant maps for its service area.
9A.5 Hydrant adequacy and placement reflect the locality's known hazards and the agency's needs for dealing with those hazards. Hydrant placement is based on nationally and internationally recognized standards.
9A.6 Fire hydrants are located so that each is visible and accessible at all times.
9A.7 Public fire hydrants are inspected, tested, and maintained in accordance with nationally and internationally recognized standards. The agency's fire protection related processes are evaluated, at least annually, to ensure adequate and readily available public or private water.
9A.8 The agency identifies and plans for alternate sources of water supply for those areas without hydrants, where hydrant flows are insufficient, or in the event of a major disruption in public water supply capabilities.
9A.9 The agency has operational procedures in place outlining the available water supply.
Criterion 9B: Communication Systems. The public and the agency have an adequate, effective, and efficient emergency communications system. The system is reliable and able to meet the demands of major operations, including command and control within fire/rescue services during emergency operations, and meets the needs of other public safety agencies having the need for distribution of information.
CC 9B.1 A system is in place to ensure communications with portable, mobile, and fixed communications systems in the field. When an area is identified as not being capable of adequate emergency scene communications, such as inside buildings or below grade level, an operational plan is written.
9B.2 The emergency communications system is capable of receiving automatic and/or manual early warning and other emergency reporting signals.
9B.3 The agency's communications center(s) is/are adequately equipped and designed, (e.g., security, telephones, radios, equipment status, alarm devices, computers, address files, dispatching circuits, playback devices, recording systems, printers, consoles, desks, chairs, lighting, and map displays).
9B.4 The uninterrupted electrical power supply for the primary communications equipment in the communications center is reliable and has automatic backup capability.
9B.5 Adequate numbers of fire or emergency dispatchers, supervisors, and management personnel are on duty to handle the anticipated call volume.
9B.6 A maintenance program is in place with regularly scheduled system tests.
9B.7 The agency has established time-based performance objectives for alarm handling. These objectives are formally communicated to communications center managers through direct report, contracts, service level agreements, memorandums of agreement, etc.
9B.8 Communications training programs for emergency dispatchers and emergency response personnel ensure adequate, timely, and reliable agency emergency response.
9B.9 The interoperability of the communications system is evaluated and documented. The agency has processes in place to provide for interoperability with other public safety agencies in the field including: portable, mobile, and fixed communications systems, tools, and equipment.
CC 9B.10 A formal and documented appraisal is conducted, at least annually, to determine the effectiveness of the emergency communications system and its impact of meeting the agency's goals and objectives.
9B.11 The dispatch process utilizes a formal and recognized Emergency Medical Dispatch (EMD) system that allows for pre-arrival instructions and adequate triaging of medical calls for service.
9B.12 The agency has a system in place for the recall of off-duty personnel for incidents of significance.

Criterion 9C: Administrative Support Services and Office Systems. Administrative support services and general office systems are in place with adequate staff to efficiently and effectively conduct and manage the agency's administrative functions, such as organizational planning and assessment, resource coordination, data analysis/research, records keeping, reporting, business communications, public interaction, and purchasing.
CC 9C.1 The administrative support services are appropriate for the agency's size, function, complexity, mission, and are adequately staffed and managed.
9C.2 Sufficient general office equipment, supplies, and resources are in place to support agency needs.
9C.3 Technological resources (e.g., telecommunications equipment, computer systems, general business software) and the information management system are appropriate to support the agency's need. Access is available to technical support personnel with expertise in the systems deployed by the agency. Documentation and analysis of data (e.g., formative, process, impact, and outcome measurement) are assessable to the agency.
9C.4 Public reception and public information (i.e. public information officer) components support the customer service needs of the agency.
CC 9C.5 Organizational documents, forms, standard operating procedures or general guidelines, and manuals are reviewed at least every three years and updated as needed for all agency programs.
9C.6 Administrative support staff members have adequate training and education in order to perform their roles and responsibilities.
9C.7 Public records are maintained, available, and disposed of in accordance with local, state/provincial, and federal legal mandates. Record retention and destruction are documented in accordance with an adopted procedure.
Category X External Systems Relationships
Criterion 10A: External Agency Relationships. The agency's operations and planning efforts include relationships with external agencies and operational systems that affect or may influence its mission, operations, and/or cost effectiveness.
CC 10A.1 The agency develops and maintains outside relationships that support its mission, operations, and/or cost effectiveness.
10A.2 The agency's strategic plan identifies relationships with external agencies/systems and their anticipated impact or benefit to the agency's mission, operations, or cost effectiveness.
10A.3 The agency researches, analyzes, and gives consideration to all types of functional relationships that may aid in the achievement of its goals and objectives.
10A.4 A conflict resolution process exists between all external organizations with whom the agency has a defined relationship.
Criterion 10B: External Agency Agreements. The agency maintains current agreements with those external agencies which support the identified programs. All external agency agreements required to be maintained in support of any program must be current, reviewed and/or updated within the accreditation period and adopted by the appropriate governing bodies. All agreements should support the agency's effort to take advantage of any operational and cost effective benefits. Data reports, at least annually, should reflect the impact of each agreement on the agency.
CC 10B.1 External agency agreements are reviewed on an annual basis and revised as necessary to meet objectives.
10B.2 The agency has a process by which their agreements are managed, reviewed, and revised.

APPENDIX C – MUTUAL AID AGREEMENTS

Arnold AFB currently holds eight (8) mutual aid agreements with local Fire and Emergency Services providers, and all are valid until 10 May 2021. Mutual aid agreement partners include:

1. Capitol Hill, TN Volunteer Fire Department
2. Winchester, TN Fire Department
3. Tullahoma, TN Fire Department
4. Hillsboro, TN Volunteer Fire Department
5. Hickerson Station, TN Volunteer Fire Department
6. Estill Springs, TN Fire Department
7. Decherd, TN Fire Department
8. Coffee County, TN Ambulance Service

A sample mutual agreement is included in the following pages.

**AGREEMENT FOR MUTUAL AID IN FIRE PROTECTION
AND HAZARDOUS MATERIALS INCIDENT RESPONSE
BETWEEN
ARNOLD AIR FORCE BASE, TN
AND
THE CAPITOL HILL VOLUNTEER FIRE DEPARTMENT**

This Mutual Aid Agreement (the "Agreement"), is made and entered into this 1st day of February 2016, between the Secretary of the Air Force (the "Air Force") acting by and through the Commander, Arnold Air Force Base pursuant to the authority of 42 U.S.C. § 1856a and the Capitol Hill Volunteer Fire Department. Together the Air Force and the Capitol Hill Volunteer Fire Department are hereinafter referred to as the "Parties".

WITNESSETH:

WHEREAS, each of the Parties hereto maintains equipment and personnel for the suppression of fires and the management of other emergency incidents occurring within areas under their respective jurisdictions; and

WHEREAS, as set forth in 42 U.S.C. § 1856 the term "fire protection" includes personal services and equipment required for fire prevention, the protection of life and property from fire, firefighting, and emergency services, including basic medical support, basic and advanced life support, hazardous material containment and confinement, and special rescue incidents involving vehicular and water mishaps, and trench, building, and confined space extractions; and

WHEREAS, the Parties hereto desire to augment the fire protection capabilities available in their respective jurisdictions by entering into this Agreement.

NOW, THEREFORE, in consideration of the mutual covenants, obligations and agreements herein established, the Parties hereby agree as follows:

- a. The authority to enter into this Agreement is set forth in 42 U.S.C. § 1856a, and Title 15 United States Code Section 2210, the regulations implementing same at Title 44 Code of Federal Regulations Part 151 *Emergency Management and Assistance* and Air Force Instruction (AFI) 32-2001, *Fire Emergency Services Program*.
- b. This Agreement will serve as the agreement between the Parties for securing to each mutual aid in fire protection services as defined above.
- c. On request to a representative of the Arnold Air Force Base Fire Department by a representative of the Capitol Hill Volunteer Fire Department, fire protection equipment and personnel of the Arnold Air Force Base fire department will be dispatched to any point within the area for which the Capitol Hill Volunteer Fire Department normally provides fire protection services as designated by the representatives of the Capitol Hill Volunteer Fire Department.

d. On request to a representative of the Capitol Hill Volunteer Fire Department by a representative of the Arnold Air Force Base Fire Department, fire protection equipment and personnel of the Capitol Hill Volunteer Fire Department will be dispatched to any point within the jurisdiction of the Arnold Air Force Base as designated by the representative of the Arnold Air Force Base Fire Department.

e. Any dispatch of equipment and personnel by the Parties pursuant to this Agreement is subject to the following conditions:

(1) Any request for aid hereunder will include a statement of the amount and type of equipment and personnel requested and will specify the location to which the equipment and personnel are to be dispatched, but the amount and type of equipment and the number of personnel to be furnished will be determined by the responding organization. The requesting organization will ensure access to site for the responding organization.

(2) The responding organization will report to the Officer in Charge of the requesting organization at the location to which the equipment is dispatched, and will be subject to the orders of that official.

(3) The responding organization will be released by the requesting organization when the services of the responding organization are no longer required or when the responding organization is needed within the area for which it normally provides fire protection.

(4) Hazardous Materials incident response will include the response to, and control and containment of any release or suspected release of any material suspected to be or known to be hazardous. Where the properties of a released material are not known, it will be considered hazardous until proven otherwise by the requesting organization using all technical resources available. Cleanup and removal of contained hazardous materials will be the responsibility of the requesting organization.

(5) In the event of a crash of an aircraft owned or operated by the United States or military aircraft of any foreign nation within the area for which the Capitol Hill Volunteer Fire Department normally provides fire protection services, the Chief of the Arnold Air Force Base Fire Department or his/her representative may assume full command on arrival at the scene of the crash.

(6) Where local agencies do not assign an Incident Safety Officer, an Air Force representative will be assigned to act as the Incident Safety Officer for Arnold Air Force Base to observe Air Force operations.

f. Each Party hereby agrees that its intent with respect to the rendering of assistance to the other Party under this Agreement is not to seek reimbursement from the Party requesting such assistance. Notwithstanding the above, the Parties hereby recognize that pursuant to Section 11 of the *Federal Fire Prevention and Control Act of 1974* (15 U.S.C. § 2210) and Federal regulations issued there under (44 CFR Part 151), the Capitol Hill Volunteer Fire Department is permitted to seek reimbursement for all or any part of its direct expenses and losses (defined as

additional firefighting costs over normal operational costs) incurred in fighting fires on property under the jurisdiction of the United States. Furthermore, under the authority of 42 U.S.C. § 1856a, and pursuant to any applicable state or local law each Party hereby reserves the right to seek reimbursement from the other for all or any part of the costs (defined as additional firefighting costs over normal operational costs) incurred by it in providing fire protection services to the other Party in response to a request for assistance.

g. Both Parties agree to implement the National Incident Management System during all emergency responses on and off installations in accordance with *National Fire Protection Association (NFPA) Standard 1561*.

h. Each Party waives all claims against the other Party for compensation for any loss, damage, personal injury, or death occurring as a consequence of the performance of this Agreement. This provision does not waive any right of reimbursement pursuant to paragraph f.

i. All equipment used by the Capitol Hill Volunteer Fire Department in carrying out this Agreement will, at the time of action hereunder, be owned by it; and all personnel acting for the Capitol Hill Volunteer Fire Department under this Agreement will, at the time of such action, be an employee or volunteer member of the Capitol Hill Volunteer Fire Department.

j. The rendering of assistance under the terms of this Agreement will not be mandatory; however, the Party receiving a request for assistance will endeavor to immediately inform the requesting Party if the requested assistance cannot be provided and, if assistance can be provided, the quantity of such resources as may be dispatched in response to such request.

k. Neither Party will hold the other Party liable or at fault for failing to respond to any request for assistance or for failing to respond to such a request in a timely manner or with less than optimum equipment and/or personnel, it being the understanding of the Parties that each is primarily and ultimately responsible for the provision of fire protection services needed within their own jurisdictions.

l. Should a dispute arise between the Parties under or related to this Agreement, the Parties agree that within 30 days after notice of the dispute from one Party to the other, the Parties will attempt to resolve the dispute through negotiations. If such negotiations reach an impasse, the Parties agree that within 60 days after Notice of an impasse, they will attempt to resolve the matter through any method or combination of non-binding Alternate Dispute Resolution (ADR) methods available under the *Administrative Dispute Resolution Act of 1996*, Pub. L. No. 104-320 (codified at 5 U.S.C. §§ 571-583). The cost of any third party neutral will be divided equally between the Parties, and the selection of any third party neutral will be by agreement of the Parties. If such ADR proceeding does not result in resolution of the dispute, the Parties may separately pursue any remedy available to a Party under the law. However, both Parties agree that the initiation of formal litigation does not preclude further attempts at resolving the dispute through alternative dispute resolution methods. Both Parties agree that the terms of this clause will be considered the "Administrative Remedies" that must be exhausted, prior to institution of any formal litigation.

m. All notices, requests, demands, and other communications, which may or are required to be delivered hereunder will be in writing and will be delivered by messenger, by a nationally recognized overnight mail delivery service or by certified mail, return receipt requested, at the following address:

For the Air Force:

AEDC/CC
100 Kindle Drive, Suite A-303
Arnold Air Force Base, TN 37389-1303

And:

Department of the Air Force
AFCEC/CXF
139 Barnes Drive, Suite 1
Tyndall AFB FL 32403-319

And:

Arnold Air Force Base
c/o Fire Chief
251 Von Karman Road
Arnold AFB TN 37389

For the Capitol Hill Volunteer Fire Department:

Capitol Hill Volunteer Fire Department
Attn: Fire Chief
5631 AEDC Road
Winchester, TN 37398

TERMS OF THE AGREEMENT

n. This Agreement will become effective on the date of the last signature to the Agreement and will remain in effect for 5 years from that date (the "Term"). Either Party may unilaterally terminate this Agreement during the Term by sending notification of its intent to terminate to the other Party at least one hundred and eighty (180) days in advance of the proposed date of termination. Such notification will be in the form of a written submission to the other Party.

o. Upon becoming effective, this Agreement will supersede and cancel all previous agreements between the Parties concerning the rendering of assistance from one to the other for the purposes stated in this Agreement.

p. The modification or amendment of this Agreement, or any of the provisions of this Agreement, will not become effective unless executed in writing by both parties.

q. This Agreement may be executed in one or more counterparts, each of which will be deemed an original.

IN WITNESS WHEREOF, The Parties have caused this Agreement to be executed by their duly authorized representatives on the dates shown below:


FIRE DEPARTMENT
For the Capitol Hill Volunteer
Fire Department

THE UNITED STATES OF AMERICA
by the Secretary of the Air Force

By: 
TOM EDWARDS

Chief, Capitol Hill Fire Department

Date: 1/8/16

By: 
RODNEY F. TODARO, Colonel, USAF

Commander, Arnold Air Force Base

Date: MAY 10 2016

APPENDIX D – ABOVEGROUND STORAGE TANKS

SPCC-REGULATED CONTAINERS IN THE INSPECTION AND TESTING PROGRAM

LEGEND

	Oil Filled Operational Equipment (OFOE)
	Shop Built Bulk Storage Containers Falling Under Steel Tank Institute Standard STI SP001
	Field Erected Bulk Storage Containers Falling Under API 653

INSPECTION SCHEDULE CODES

Tank Type	Code	Definition
OFOE	AR	As required by pre and post operative test procedures
Bulk	P	*Periodic Inspection (at least monthly) by Tank Owner's Inspector
Bulk	E (Year)	Formal External Inspection by Certified Inspector (year next required)
Bulk	L (Year)	Leak Test by Tank Owner or Designee (year next required)

Organization Code	Definition
AF	Air Force
AM	Test Asset and Support Department
MS	Mission Support Department
MS42	ATA Fuels Farm Operations Section
PM221	Environmental Quality Section
TNARNG	Tennessee Army National Guard
TE	ATA Integrated Test and Evaluation Department

* Notes: ATA Fuel Farm Operations Section may conduct inspections daily and/or weekly during active operations.
Bulk Container ID# 5495 is located in a confined space and is monitored electronically. Actual physical inspections of this container will occur in conjunction with the system Preventative Maintenance (PM) Master inspection.

TABLE A: SPCC REGULATED CONTAINERS IN THE INSPECTION AND TESTING PROGRAM

Volume	Volume Units	Contents, Detailed	Applicable Standard	Bulk Storage or Oil-Filled	STI Category	Inspection Schedule	Responsible Org
110	Gallons	Lube Oil-DTE Heavy Med	None	OFOE	N/A	AR	AM
39	Cubic Feet	HYDRAULIC OIL, DTE-105	None	OFOE	N/A	AR	AM
9	Cubic Feet	Mobile DTE HVY MED.	None	OFOE	N/A	AR	AM
750	Gallons	Mobile DTE HVY MED.	none	OFOE	N/A	AR	AM
500	Gallons	Mobile DTE HVY MED.	none	OFOE	N/A	AR	AM
750	Gallons	Mobile DTE HVY MED.	none	OFOE	N/A	AR	AM
500	Gallons	Mobile DTE HVY MED.	none	OFOE	N/A	AR	AM
500	Gallons	Mobile DTE HVY MED.	none	OFOE	N/A	AR	AM
750	Gallons	Mobile DTE HVY MED.	none	OFOE	N/A	AR	AM
500	Gallons	Mobile DTE HVY MED.	none	OFOE	N/A	AR	AM
750	Gallons	Mobile DTE HVY MED.	none	OFOE	N/A	AR	AM
750	Gallons	Mobile DTE HVY MED.	none	OFOE	N/A	AR	AM
350	Gallons	Mobile DTE HVY MED.	none	OFOE	N/A	AR	AM

Volume	Volume Units	Contents, Detailed	Applicable Standard	Bulk Storage or Oil-Filled	STI Category	Inspection Schedule	Responsible Org
500	Gallons	Mobile DTE HVY MED.	none	OFOE	N/A	AR	AM
47	Cubic Feet	Mobile DTE 105	None	OFOE	N/A	AR	AM
150	Cubic Feet	Lube Oil	STI SP001	Bulk	1	P	AM
150	Cubic Feet	Lube Oil	STI SP001	Bulk	1	P	AM
15	Cubic Feet	Lube Oil	None	OFOE	N/A	AR	AM
131	Cubic Feet	Lube Oil/ Mobile DTE Lite	none	OFOE	N/A	AR	AM
15	Cubic Feet	DIESEL	STI SP001	Bulk	1	P	AM
110	Gallons	Mobile DTE-24	None	OFOE	N/A	AR	AM
110	Gallons	HYDRAULIC OIL, DTE-24	None	OFOE	N/A	AR	AM
250	Gallons	HYDRAULIC OIL, DTE-24	None	OFOE	N/A	AR	AM
250	Gallons	Mobile DTE-24	None	OFOE	N/A	AR	AM
250	Gallons	Mobile DTE-24	None	OFOE	N/A	AR	AM
250	Gallons	HYDRAULIC OIL, DTE-24	None	OFOE	N/A	AR	AM

Volume	Volume Units	Contents, Detailed	Applicable Standard	Bulk Storage or Oil-Filled	STI Category	Inspection Schedule	Responsible Org
250	Gallons	HYDRAULIC OIL, DTE-24	None	OFOE	N/A	AR	AM
250	Gallons	HYDRAULIC OIL, DTE-24	None	OFOE	N/A	AR	AM
250	Gallons	Mobile DTE-24	None	OFOE	N/A	AR	AM
250	Gallons	Mobile DTE-24	None	OFOE	N/A	AR	AM
600	Gallons	HYDRAULIC OIL	None	OFOE	N/A	AR	AM
600	Gallons	HYDRAULIC OIL	None	OFOE	N/A	AR	AM
600	Gallons	HYDRAULIC OIL	None	OFOE	N/A	AR	AM
1200	Gallons	HYDRAULIC OIL	None	OFOE	N/A	AR	AM
6400	Gallons	LUBE OIL (TEXACO REGAL 68, R & O)	None	OFOE	N/A	AR	AM
4800	Gallons	LUBE OIL (TEXACO REGAL 68, R & O)	None	OFOE	N/A	AR	AM
1200	Gallons	HYDRAULIC OIL	None	OFOE	N/A	AR	AM

Volume	Volume Units	Contents, Detailed	Applicable Standard	Bulk Storage or Oil-Filled	STI Category	Inspection Schedule	Responsible Org
80	Gallons	Mobile DTE-24 HYDRAULIC OIL	None	OFOE	N/A	AR	AM
162	Gallons	HYDRAULIC OIL	None	OFOE	N/A	AR	AM
125	Gallons	Mil-H-5606 HYDRAULIC OIL	None	OFOE	N/A	AR	AM
820	Gallons	HYDRAULIC OIL	None	OFOE	N/A	AR	AM
620	Gallons	HYDRAULIC OIL	None	OFOE	N/A	AR	AM
620	Gallons	HYDRAULIC OIL	None	OFOE	N/A	AR	AM
3525	Gallons	LUBE OIL (TEXACO REGAL 68, R & O)	none	OFOE	N/A	AR	AM
3525	Gallons	LUBE OIL (TEXACO REGAL 68, R & O)	none	OFOE	N/A	AR	AM
5500	Gallons	LUBE OIL (TEXACO REGAL 68, R & O)	none	OFOE	N/A	AR	AM
5500	Gallons	LUBE OIL (TEXACO REGAL 68, R & O)	none	OFOE	N/A	AR	AM
150	Gallons	JP FUEL / TRICHLOROETHYLENE	none	OFOE	N/A	AR	AM

Volume	Volume Units	Contents, Detailed	Applicable Standard	Bulk Storage or Oil-Filled	STI Category	Inspection Schedule	Responsible Org
100	Gallons	JP FUEL / STEAM	none	OFOE	N/A	AR	AM
100	Gallons	JP FUEL / STEAM	none	OFOE	N/A	AR	AM
150	Gallons	JP FUEL / TRICHLOROETHYLENE	None	OFOE	N/A	AR	AM
85	Gallons	JP FUEL / WATER	none	OFOE	N/A	AR	AM
85	Gallons	JP FUEL / WATER	none	OFOE	N/A	AR	AM
85	Gallons	JP FUEL / WATER	none	OFOE	N/A	AR	AM
42301	Gallons	JP-8 +100 FUEL	API 653	Bulk	N/A	Per API (2028)	MS42
42301	Gallons	JP-8 FUEL	API 653	Bulk	N/A	Per API (2028)	MS42
42301	Gallons	JP-8 FUEL	API 653	Bulk	N/A	Per API (2028)	MS42
42301	Gallons	JP-8 FUEL	API 653	Bulk	N/A	Per API (2028)	MS42
42301	Gallons	FUEL, COMMINGLED	API 653	Bulk	N/A	Per API (2026)	MS42
25000	Gallons	JP - 5 Fuel	API 653	Bulk	N/A	Per API (2017)	MS42
40000	Gallons	JP-8 +100 FUEL	API 653	Bulk	N/A	Per API (2028)	MS42

Volume	Volume Units	Contents, Detailed	Applicable Standard	Bulk Storage or Oil-Filled	STI Category	Inspection Schedule	Responsible Org
40000	Gallons	JP-8 +100 FUEL	API 653	Bulk	N/A	Per API (2028)	MS42
25000	Gallons	FUEL, COMMINGLED	STI SP001	Bulk	1	P, E(2030)	MS42
390	Gallons	JP-8 ADDITIVE (SPEC-AID 8Q462)	STI SP001	Bulk	1	P	MS42
5000	Gallons	JP WASTE FUEL	STI SP001	Bulk	1	P	AM
340	Gallons	DIESEL	STI SP001	Bulk	1	P	AM
105	Gallons	DIESEL	STI SP001	Bulk	1	P	AM
80	Gallons	TEXACO R&O 46	None	OFOE	N/A	AR	AM
1413	Gallons	TEXACO R&O 46	none	OFOE	N/A	AR	AM
80	Gallons	TEXACO R&O 46	None	OFOE	N/A	AR	AM
1413	Gallons	TEXACO R&O 46	none	OFOE	N/A	AR	AM
80	Gallons	TEXACO R&O 46	None	OFOE	N/A	AR	AM
1550	Gallons	TEXACO R&O 46	none	OFOE	N/A	AR	AM
500	Gallons	JP FUEL / WATER	none	OFOE	N/A	AR	AM

Volume	Volume Units	Contents, Detailed	Applicable Standard	Bulk Storage or Oil-Filled	STI Category	Inspection Schedule	Responsible Org
500	Gallons	JP FUEL / WATER	none	OFOE	N/A	AR	AM
419	Gallons	FUEL / R22	None	OFOE	N/A	AR	AM
4655	Gallons	TEXACO R&O 68	None	OFOE	N/A	AR	AM
4655	Gallons	TEXACO R&O 68	None	OFOE	N/A	AR	AM
4655	Gallons	TEXACO R&O 68	None	OFOE	N/A	AR	AM
4655	Gallons	TEXACO R&O 68	None	OFOE	N/A	AR	AM
7515	Gallons	TEXACO R&O 68	None	OFOE	N/A	AR	AM
7515	Gallons	TEXACO R&O 68	None	OFOE	N/A	AR	AM
7515	Gallons	TEXACO R&O 68	None	OFOE	N/A	AR	AM
7515	Gallons	TEXACO R&O 68	None	OFOE	N/A	AR	AM
300	Gallons	DIESEL	STI SP001	Bulk	1	P	AM
100	Gallons	DIESEL	STI SP001	Bulk	1	P	AM
100	Gallons	LUBE OIL	None	OFOE	N/A	AR	AM

Volume	Volume Units	Contents, Detailed	Applicable Standard	Bulk Storage or Oil-Filled	STI Category	Inspection Schedule	Responsible Org
100	Gallons	LUBE OIL - 7808	None	OFOE	N/A	AR	AM
500	Gallons	TEXACO REGALLONS R&O 32 HYDRAULIC OIL	None	OFOE	N/A	AR	AM
500	Gallons	TEXACO REGALLONS R&O 32 HYDRAULIC OIL	None	OFOE	N/A	AR	AM
500	Gallons	TEXACO REGALLONS R&O 32 HYDRAULIC OIL	None	OFOE	N/A	AR	AM
170	Gallons	HYDRAULIC OIL - DTE 13M	None	OFOE	N/A	AR	AM
170	Gallons	HYDRAULIC OIL - DTE 13M	None	OFOE	N/A	AR	AM
500	Gallons	TEXACO REGALLONS R&O 32 HYDRAULIC OIL	None	OFOE	N/A	AR	AM
500	Gallons	TEXACO REGALLONS R&O 32 HYDRAULIC OIL	None	OFOE	N/A	AR	AM
500	Gallons	TEXACO REGALLONS R&O 32 HYDRAULIC OIL	None	OFOE	N/A	AR	AM
350	Gallons	TEXACO REGALLONS R&O 32 HYDRAULIC OIL	None	OFOE	N/A	AR	AM
350	Gallons	TEXACO REGALLONS R&O 32 HYDRAULIC OIL	None	OFOE	N/A	AR	AM
500	Gallons	TEXACO REGALLONS R&O 32 HYDRAULIC OIL	None	OFOE	N/A	AR	AM
500	Gallons	TEXACO REGALLONS R&O 32 HYDRAULIC OIL	None	OFOE	N/A	AR	AM

Volume	Volume Units	Contents, Detailed	Applicable Standard	Bulk Storage or Oil-Filled	STI Category	Inspection Schedule	Responsible Org
500	Gallons	TEXACO REGALLONS R&O 32 HYDRAULIC OIL	None	OFOE	N/A	AR	AM
700	Gallons	Texaco R&O 68	none	OFOE	N/A	AR	AM
700	Gallons	TEXACO R&O 68	none	OFOE	N/A	AR	AM
700	Gallons	TEXACO R&O 68	none	OFOE	N/A	AR	AM
700	Gallons	TEXACO R&O 68	none	OFOE	N/A	AR	AM
500	Gallons	TEXACO REGALLONS R&O 32 HYDRAULIC OIL	None	OFOE	N/A	AR	AM
500	Gallons	TEXACO REGALLONS R&O 32 HYDRAULIC OIL	None	OFOE	N/A	AR	AM
1000	Gallons	TEXACO REGALLONS R&O 32 HYDRAULIC OIL	None	OFOE	N/A	AR	AM
500	Gallons	TEXACO REGALLONS R&O 32 HYDRAULIC OIL	None	OFOE	N/A	AR	AM
500	Gallons	TEXACO REGALLONS R&O 32 HYDRAULIC OIL	None	OFOE	N/A	AR	AM
500	Gallons	TEXACO REGALLONS R&O 32 HYDRAULIC OIL	None	OFOE	N/A	AR	AM
500	Gallons	TEXACO REGALLONS R&O 32 HYDRAULIC OIL	None	OFOE	N/A	AR	AM

Volume	Volume Units	Contents, Detailed	Applicable Standard	Bulk Storage or Oil-Filled	STI Category	Inspection Schedule	Responsible Org
500	Gallons	TEXACO REGALLONS R&O 32 HYDRAULIC OIL	None	OFOE	N/A	AR	AM
150	Gallons	LUBE OIL	None	OFOE	N/A	AR	AM
200	Gallons	LUBE OIL	None	OFOE	N/A	AR	AM
46	Gallons	LUBE OIL	None	OFOE	N/A	AR	AM
115	Gallons	MOBIL HM VG-68 / WATER	None	OFOE	N/A	AR	AM
800	Gallons	MOBIL HM VG-68 TURBINE OIL	None	OFOE	N/A	AR	AM
1500	Gallons	MOBIL HEAVY MEDIUM VG-68 TURBINE OIL	none	OFOE	N/A	AR	AM
1500	Gallons	MOBIL HEAVY MEDIUM VG-68 TURBINE OIL	none	OFOE	N/A	AR	AM
1000	Gallons	MOBIL HEAVY MEDIUM VG-68 TURBINE OIL	none	OFOE	N/A	AR	AM
110	Gallons	DIESEL	STI SP001	Bulk	1	P	AM
590	Gallons	HYDRAULIC OIL	None	OFOE	N/A	AR	AM
340	Gallons	HYDRAULIC OIL	None	OFOE	N/A	AR	AM

Volume	Volume Units	Contents, Detailed	Applicable Standard	Bulk Storage or Oil-Filled	STI Category	Inspection Schedule	Responsible Org
590	Gallons	HYDRAULIC OIL	None	OFOE	N/A	AR	AM
100	Gallons	HYDRAULIC OIL, MOBIL DTE 24	None	OFOE	N/A	AR	AM
120	Gallons	HYDRAULIC OIL, MOBIL DTE 24	None	OFOE	N/A	AR	AM
225	Gallons	HYDRAULIC OIL, MOBIL DTE 24	None	OFOE	N/A	AR	AM
85	Gallons	HYDRAULIC OIL, MOBIL DTE 24	None	OFOE	N/A	AR	AM
60	Gallons	HYDRAULIC OIL, MOBIL DTE 24	None	OFOE	N/A	AR	AM
160	Gallons	HYDRAULIC OIL, MOBIL DTE 24	None	OFOE	N/A	AR	AM
500	Gallons	HYDRAULIC OIL, MOBIL DTE 24	None	OFOE	N/A	AR	AM
520	Gallons	HYDRAULIC OIL	None	OFOE	N/A	AR	AM
90	Gallons	HYDRAULIC OIL	None	OFOE	N/A	AR	AM
900	Gallons	Lube Oil - Mobil Heavy-Medium	none	OFOE	N/A	AR	AM
1000	Gallons	MOBIL HEAVY MEDIUM VG-68 TURBINE OIL	none	OFOE	N/A	AR	AM
1500	Gallons	MOBIL HEAVY MEDIUM VG-68 TURBINE OIL	none	OFOE	N/A	AR	AM

Volume	Volume Units	Contents, Detailed	Applicable Standard	Bulk Storage or Oil-Filled	STI Category	Inspection Schedule	Responsible Org
1500	Gallons	MOBIL HEAVY MEDIUM VG-68 TURBINE OIL	none	OFOE	N/A	AR	AM
385	Gallons	HYDRAULIC OIL	None	OFOE	N/A	AR	AM
280	Gallons	HYDRAULIC OIL	None	OFOE	N/A	AR	AM
780	Gallons	*Mobil DTE-24	None	OFOE	N/A	AR	AM
1135	Gallons	HYDRAULIC OIL	none	OFOE	N/A	AR	AM
310	Gallons	HYDRAULIC OIL, DTE 24	None	OFOE	N/A	AR	AM
310	Gallons	HYDRAULIC OIL, DTE 24	None	OFOE	N/A	AR	AM
280	Gallons	HYDRAULIC OIL	none	OFOE	N/A	AR	AM
780	Gallons	HYDRAULIC OIL	None	OFOE	N/A	AR	AM
430	Gallons	LUBE OIL	None	OFOE	N/A	AR	AM
740	Gallons	LUBE OIL	None	OFOE	N/A	AR	AM
150	Gallons	LUBE OIL	None	OFOE	N/A	AR	AM
200	Gallons	AMBREX OIL 43C	None	OFOE	N/A	AR	AM

Volume	Volume Units	Contents, Detailed	Applicable Standard	Bulk Storage or Oil-Filled	STI Category	Inspection Schedule	Responsible Org
740	Gallons	LUBE OIL	None	OFOE	N/A	AR	AM
475	Gallons	LUBE OIL	None	OFOE	N/A	AR	AM
140	Gallons	LUBE OIL	None	OFOE	N/A	AR	AM
200	Gallons	AMBREX OIL 43C	None	OFOE	N/A	AR	AM
700	Gallons	LUBE OIL	None	OFOE	N/A	AR	AM
700	Gallons	LUBE OIL	None	OFOE	N/A	AR	AM
130	Gallons	LUBE OIL	None	OFOE	N/A	AR	AM
55	Gallons	LUBE OIL	None	OFOE	N/A	AR	AM
200	Gallons	AMBREX OIL 43C	None	OFOE	N/A	AR	AM
300	Gallons	REMOTE COUPLING OIL	None	OFOE	N/A	AR	AM
65	Gallons	AMBREX OIL 43C	None	OFOE	N/A	AR	AM
700	Gallons	LUBE OIL	None	OFOE	N/A	AR	AM
400	Gallons	LUBE OIL	None	OFOE	N/A	AR	AM

Volume	Volume Units	Contents, Detailed	Applicable Standard	Bulk Storage or Oil-Filled	STI Category	Inspection Schedule	Responsible Org
300	Gallons	LUBE OIL	None	OFOE	N/A	AR	AM
75	Gallons	DIESEL	STI SP001	Bulk	3	P, E&L(2020)	AM
55	Gallons	HYDRAULIC OIL	None	OFOE	N/A	AR	AM
1200	Gallons	HYDRAULIC OIL	none	OFOE	N/A	AR	AM
70	Gallons	HYDRAULIC OIL	None	OFOE	N/A	AR	AM
300	Gallons	FUEL	none	OFOE	N/A	AR	AM
190	Gallons	HYDRAULIC OIL	None	OFOE	N/A	AR	AM
60	Gallons	HYDRAULIC OIL	None	OFOE	N/A	AR	AM
85	Gallons	HYDRAULIC OIL	None	OFOE	N/A	AR	AM
830	Gallons	LUBE OIL	None	OFOE	N/A	AR	AM
135	Gallons	HYDRAULIC OIL	None	OFOE	N/A	AR	AM
740	Gallons	LUBE OIL	none	OFOE	N/A	AR	AM
430	Gallons	LUBE OIL	none	OFOE	N/A	AR	AM

Volume	Volume Units	Contents, Detailed	Applicable Standard	Bulk Storage or Oil-Filled	STI Category	Inspection Schedule	Responsible Org
100	Gallons	HYDRAULIC OIL, DTE 24	None	OFOE	N/A	AR	AM
310	Gallons	HYDRAULIC OIL	None	OFOE	N/A	AR	AM
310	Gallons	HYDRAULIC OIL	None	OFOE	N/A	AR	AM
55	Gallons	LUBE OIL	none	OFOE	N/A	AR	AM
100	Gallons	OIL, 1010	none	OFOE	1	AR	AM
60	Gallons	OIL, Engine (typically part of the 7808 family)	none	OFOE	N/A	AR	AM
100	Gallons	OIL, Engine (typically part of the 7808 family)	None	OFOE	N/A	AR	AM
135	Gallons	DIESEL	STI SP001	Bulk	1	P	MS
730	Gallons	HYDRAULIC OIL	None	OFOE	N/A	AR	AM
70	Gallons	HYDRAULIC OIL	None	OFOE	N/A	AR	AM
235	Gallons	HYDRAULIC OIL, DTE 24	None	OFOE	N/A	AR	AM
1104	Gallons	HYDRAULIC OIL, DTE 24	None	OFOE	N/A	AR	AM
1500	Gallons	LUBE OIL (TEXACO 68 R & O)	None	OFOE	N/A	AR	AM

Volume	Volume Units	Contents, Detailed	Applicable Standard	Bulk Storage or Oil-Filled	STI Category	Inspection Schedule	Responsible Org
150	Gallons	LUBE OIL (TEXACO 68 R & O)	None	OFOE	N/A	AR	AM
1500	Gallons	LUBE OIL (TEXACO 68 R & O)	None	OFOE	N/A	AR	AM
1860	Gallons	HYDRAULIC OIL, DTE 24	None	OFOE	N/A	AR	AM
355	Gallons	HYDRAULIC OIL, DTE 24	None	OFOE	N/A	AR	AM
450	Gallons	MOBIL AMBREM MEL 43C	None	OFOE	N/A	AR	TE
180	Gallons	DIESEL	STI SP001	Bulk	3	P, E&L(2020)	TE
50	Gallons	HYDRAULIC OIL	None	OFOE	N/A	AR	TE
600	Gallons	HYDRAULIC OIL	None	OFOE	N/A	AR	TE
120	Gallons	OIL	None	OFOE	N/A	AR	TE
60	Gallons	HYDRAULIC OIL (MIL-H-5606)	None	OFOE	N/A	AR	AM
380	Gallons	HYDRAULIC OIL	None	OFOE	N/A	AR	AM
1035	Gallons	JP FUEL	STI SP001	Bulk	1	P	TE
1035	Gallons	JP FUEL	STI SP001	Bulk	1	P	TE

Volume	Volume Units	Contents, Detailed	Applicable Standard	Bulk Storage or Oil-Filled	STI Category	Inspection Schedule	Responsible Org
1800	Gallons	TEXACO REGALLONS R&O 32 HYDRAULIC OIL	None	OFOE	N/A	AR	AM
620	Gallons	TEXACO R&O 68	None	OFOE	N/A	AR	AM
620	Gallons	Texaco R&O 68	None	OFOE	N/A	AR	AM
164	Gallons	HFE 7100	None	OFOE	N/A	AR	AM
164	Gallons	HFE 7100	None	OFOE	N/A	AR	AM
110	Gallons	LUBE OIL	None	OFOE	N/A	AR	AM
7500	Gallons	JP Fuel	STI SP001	Bulk	1	P	TE
110	Gallons	LUBE OIL	None	OFOE	N/A	AR	AM
100	Gallons	HYDRAULIC OIL	None	OFOE	N/A	AR	AM
140	Gallons	MOBILE DTE 24 HYDRAULIC OIL	None	OFOE	N/A	AR	AM

**TABLE B: POLY TANKS IN THE SPCC PROGRAM FALLING UNDER SHE
STANDARD E-11**

Volume	Volume Units	Contents, Detailed	Tank Material Construction
300	Gallons	Oil / Water	plastic
1025	Gallons	Oil / Water	plastic
1500	Gallons	Oil / Water	plastic
1500	Gallons	Oil / Water	plastic
1500	Gallons	Oil / Water	plastic
1500	Gallons	Oil / Water	plastic
1500	Gallons	Oil / Water	plastic
500	Gallons	Oil / Water	plastic
1350	Gallons	Oil / Water	plastic
1350	Gallons	Oil / Water	plastic
1350	Gallons	Oil / Water	plastic
1350	Gallons	Oil / Water	plastic
1350	Gallons	Oil / Water	plastic
1550	Gallons	Oil / Water	plastic
1550	Gallons	Oil / Water	plastic
1025	Gallons	Oil / Water	plastic
1025	Gallons	Oil / Water	plastic
1025	Gallons	Oil / Water	plastic
1025	Gallons	Oil / Water	plastic

1025	Gallons	Oil / Water	plastic
1025	Gallons	Oil / Water	plastic
1025	Gallons	Oil / Water	plastic
1025	Gallons	Oil / Water	plastic
2100	Gallons	Oil / Water	plastic
1025	Gallons	Oil / Water	plastic
1300	Gallons	Oil / Water	plastic
1550	Gallons	Oil / Water	plastic
630	Gallons	Texaco R&O 68	Poly
630	Gallons	Texaco R&O 32	Poly
630	Gallons	Mobil DTE Heavy Medium	Poly
630	Gallons	Mobil DTE Heavy Medium	Poly
630	Gallons	Mobil DTE 24	Poly
630	Gallons	Used Texaco R&O 32 / 68	Poly
630	Gallons	Used Texaco R&O 32 / 68	Poly
630	Gallons	Mobil DTE 24/Heavy Medium	Poly

APPENDIX E – ENVIRONMENTAL PERMITS

Permit	Reporting Requirements
AEDC C&D Landfill DML 16-102-0027	Quarterly Inspections
Asbestos Landfill	Quarterly Inspections
Hazardous Waste Container Storage Permit #TNHW-139	Annual and as required by permit conditions
NPDES Main Base Discharge WW Permit TN0003751	Monthly, quarterly, semi-annual, and annual
Underground Injection Control #COF0000007	Quarterly
Title V Permit	Semi-annual, annual
Storm Water Discharge (Industrial) TMSP #TNR053487	Monthly
Storm Water Discharge (Landfill) TMSP #TNR053036	Monthly
Operation of Wastewater Treatment Facilities SOP-06006	Monthly
FAMCAMP RV Park Dump Station SOP-16025	Monthly
Wellhead Protection Plan TN 0004409	N/A

APPENDIX F – ENVIRONMENTAL PLANS

Plan	Updates/Review
Integrated Natural Resources Management Plan	Five Year Update / Annual Review
Annual Work Plan	Annual Update / Review
Wildland Fire Management Plan	Annual Update / Review
Forest Management Plan	Annual Update / Review
Integrated Monitoring Plan	Annual Update / Review
Integrated Cultural Resources Management Plan	Five Year Update / Annual Review
Environmental Management and Compliance Program Plan	Annual Update / Review
Spill Prevention, Control, and Countermeasures Plan	Five Year Update / Annual Review
Facility Response Plan	Annual Update / Review
Integrated Solid Waste Management Plan	Annual Update / Review
Storm Water Pollution Prevention Plan	Five Year Update / Annual Review
Above Ground Storage Tank Compliance Plan	Annual Update / Review
Ozone Depleting Substances Management Plan	Annual Update / Review
Hazardous Materials Management Plan	Annual Update / Review
Hazardous Waste Compliance Plan	Annual Update / Review
Hazardous Waste Reduction Plan	Annual Update / Review
Hazardous Waste Management Plan	Annual Update / Review

APPENDIX G – HAZARDOUS WASTE GENERATION

RCRA and non-RCRA Hazardous Waste

RCRA Hazardous Waste

Year (CY)	RCRA waste generated (Kg)
2007	159,097
2008	31,508
2009	180,837
2010	81,947
2011	236,041
2012	132,999
2013	32,436
2014	35,887
2015	33,193
2016	46,503
2017	20,014

non-RCRA Hazardous Waste

Year (CY)	Non-RCRA waste generated (Kg)
2015	71,987
2016	89,631
2017	241,320

Note: The Hazardous Waste Permit requires sampling of all Hazardous Waste prior to storage

APPENDIX H – NPDES DATA

A. OUTFALL NUMBER	B. LATITUDE			C. LONGITUDE			D. RECEIVING WATER
	1. DEG.	2. Min.	3. Sec.	1. DEG.	2. Min.	3. Sec.	
006	35°	20'	25.6"	86°	08'	58.8"	Tributary of Spring Creek/Elk River
007	35°	23'	4.7"	86°	02'	9.7"	Tributary of Bradley Creek/Woods Reservoir
008	35°	19'	13.3"	86°	04'	11.8"	Woods Reservoir
SW2	35°	23'	27.7"	86°	02'	16.1"	Tributary of Bradley Creek/Woods Reservoir
SW3	35°	21'	54.8"	86°	02'	49.5"	Tributary of Brumalow Creek/Woods Reservoir

Internal Outfalls

01A	35°	22'	28.8"	86°	03'	18.6"	Tributary of Rowland Creek/Woods Reservoir
01B	35°	22'	39.4"	86°	02'	52.1"	Tributary of Rowland Creek/Woods Reservoir
01C	35°	22'	30.9"	86°	03'	22.7"	Tributary of Rowland Creek/Woods Reservoir
01D	35°	22'	58.4"	86°	03'	10.7"	Tributary of Rowland Creek/Woods Reservoir
02B	35°	23'	16.9"	86°	02'	35.1"	Tributary of Rowland Creek/Woods Reservoir ³

Flows, Sources Of Pollution and Treatment Technologies

1. Outfall No. (list)	2. Operation(s) Contributing Flow		3. Treatment		
	a. Operation (list)	b. Average Flow	a. Description	b. List Codes from Tbl. 2C-1	
001	Rowland Ditch	16.7 MGD		4-A	
	Wastewater Treatment Plant (existing Outfall # 01A)	0.15 MGD	Comminutor	1-L	
			Primary Basin	1-T	
			Trickling Filter	3-H	
			Aerobic Digester	5-A	
			Drying Beds	5-H	
			Disinfection (ultraviolet)	2-G	
			Discharge to Surface Water	4-A	
		See Note 1	Land Application	5-P	
	ASTF Air Strippers (existing Outfall # 01B)	0.17 MGD	Counter-current air stripping	1-D	
	Site 1 Ground Water Treatment Unit (existing Outfall # 01C)	0.08 MGD	Counter-current air stripping	1-D	2-A
	Site 22 Ground Water Treatment Unit (existing Outfall # 01D)	0.13 MGD	Counter-current air stripping	1-D	2-A
	Domestic potable water uses	0.2 MGD	NA	NA	
	Photo Lab	1 gpd	Electrolytic recovery	2-J	
	Effluent from Metal Parts Rinse Tank	0.07 MGD	NA	NA	
	Oil-Water Separators	0.54 MGD	Gravity Separation	1-H	
	Glycol Reboiler Condensate	0.02 MGD	Distillation	1-D	
	VKF Cooling Water	5 MGD	Discharge to Surface Water	4-A	
	Water Treat Plant Backwash	0.04 MGD	Discharge to Surface Water	4-A	
	Turbine ETF Cooling Water	28 MGD	Discharge to Surface Water	4-A	
	Misc. Cleaning Operations	<0.001 MGD	Discharge to Surface Water	4-A	
	ASTF Cooling Water	9 MGD	Discharge to Surface Water	4-A	
	Retention Pond	16.7 MGD	Sedimentation pond	1-U	
	VKF Headwall	1.2 MGD	Discharge to Surface Water	4-A	
	VKF Cooling Water	1.2 MGD	Discharge to Surface Water	4-A	

Note 1: Disposal as a special waste by the Air Force Defense Logistics Agency (DLA).

Flows, Sources Of Pollution and Treatment Technologies

001	G-Range Cooling Water	0.6 MGD	Discharge to Surface Water	4-A	
	Glycol Reboiler Condensate	0.01 MGD	Distillation	1-D	
	Cooling Tower Blowdown	0.1 MGD	Discharge to Surface Water	4-A	
	PWT Cooling Water	0.5 MGD	Discharge to Surface Water	4-A	
	Mark I Cooling Water	0.15 MGD	Discharge to Surface Water	4-A	
	PWT Reverse Osmosis Discharge	720 gpd	Discharge to Surface Water	4-A	
	Site 8a Air Stripper (existing Outfall # 02b)	0.06 MGD	Counter-current air stripping	1-D	
002	Bradley Ditch Maintenance Discharge	See Note 2	Discharge to Surface Water	4-A	
SW2	Bradley Storm Water		Discharge to Surface Water	4-A	
003	Brumalow Ditch Maintenance Discharge	See Note 3	Discharge to Surface Water	4-A	
SW3	Brumalow Storm Water		Discharge to Surface Water	4-A	
005	Little Brumalow Ditch	0.072 MGD	Discharge to Surface Water	4-A	
	Steamplant Condensate	0.035 MGD	Discharge to Surface Water	4-A	
	Groundwater drainage	0.012 MGD	Discharge to Surface Water	4-A	
	Steamplant Reverse osmosis	0.04 MGD	Discharge to Surface Water	1-S 4-A	
	Non-contact Cooling Water	0.025 MGD	Discharge to Surface Water	4-A	
	Note: Storm water from this area is included in Outfall SW3				

Note 2: Discharge through Outfall #001 except during maintenance, then through Outfall #002.

Note 3: Discharge through Outfall #001 except during maintenance, then through Outfall #003.

Flows, Sources Of Pollution and Treatment Technologies

006	Site 6 Ground Water Treatment Unit	0.04 MGD	Counter-current air stripping	1-D	2-A
007	F Ditch	0.054 MGD	Discharge to Surface Water	4-A	
	EAF Office Bldg HVAC discharge	0.04 MGD	Discharge to Surface Water	4-A	
	EAF Office Bldg Groundwater drainage	0.01 MGD	Discharge to Surface Water	4-A	
	Non-industrial storm water	0.004 MGD	Discharge to Surface Water	4-A	
008	Arnold Village Marina	0.16 MGD	Discharge to Surface Water	4-A	
	Non-Contact Cooling Water	0.16 MGD	Discharge to Surface Water	4-A	
	Non-industrial storm water	0.1 gpm	Discharge to Surface Water	4-A	

Intermittent Operations

1. Outfall Number (list)	2. Operation(s) Contributing Flow (list)	3. Frequency		4. Flow				
		a. days per week (specify average)	b. months per year (specify average)	a. Flow Rate (in mgd)		b. Total Volume (specify with units)		c. Duration (in days)
				1. Long Term Average	2. Maximum Daily	1. Long Term Average	2. Maximum Daily	
001	Solid & Liquid Rocket ETF& APTU	<1	12	0.05	0.15	NA	NA	0.003
	Water Treatment Plant Backwash	5	12	0.04	0.08	NA	NA	0.02
	J-6 Solid Rocket ETF	<1	6	0.06	3.9	NA	NA	0.003
	Oil-Water Separators	7	12	0.14	0.5	NA	NA	0.3
	Oil-Water Separators	7	12	0.4	0.5	NA	NA	1
	Photo Lab	5	12	<<0.001	<<0.001	NA	NA	0.003
	Glycol Reboiler Condensate	5	12	0.02	0.05	NA	NA	0.5
	Glycol Reboiler Condensate	5	12	0.01	0.02	NA	NA	1
	VKF Cooling Water	5	12	5	43.2	NA	NA	1
	Turbine ETF Cooling Water	5	12	28	230	NA	NA	1
	ASTF Cooling Water	5	12	9	72	NA	NA	1
	Miscellaneous Cleaning Operations	1	12	<<0.001	<<0.001	NA	NA	1
	Non-Contact Cooling Water Loop	5	12	3	21.6	NA	NA	1
	PWT RO Discharge	2	12	0.0007	0.02	NA	NA	0.05
	Injection of Turbine Engine Cleaners during Testing	<1	12	<<0.001	<<0.001	NA	NA	1
	Cooling Tower Blowdown	<1	12	0.13	3.0	NA	NA	0.1
01B	ASTF Air Stripper	7	12	0.1	0.87	NA	NA	0.14
002	Bradley Ditch	0	0	0	2	NA	NA	0
003	Brumalow Ditch	0	0	0	1	NA	NA	0
007	F Ditch	2	10	0.11	2.8	NA	NA	1

APPENDIX I – PERMITTED SEPTIC TANKS

UIC Permit #COF-0000007

UIC Reference #	Location	Facility #
1	New Skeet Range Club House	2819
3	Arnold Golf Course, new club house	2815
4	Arnold Golf Course, old building	
7	Airfield	2303
9	J-6 Steam Plant	563
11	Rocket Prep Area #1	1697
12	Rocket Prep Area #1 - Igniter Checkout	1695
13	Painting and Blasting Facility	1601
14	X-Ray Laboratory	2108
15	Rocket Prep Area #2	2215
16	Change House	2213
17	Rocket Prep Area #3	2210
18	Explosive Storage	2228
19	Rocket Prep Area #4	2201
20	Crockett Cove, wash house	
22	Crockett Cove, kitchen	
23	AEDC Recreation Area Bath House	2904
24	Gossick Leadership Center	2912
25	Gossick Leadership Center, Kitchen	1912
27	Old Fam Camp (Family Campground) Bathhouse	2915
28	New Fam Camp Bathhouse	2917
30	Arnold Village Softball Field	3090
31	Arnold Village Community Center (#2)	3055
33	Arnold Village Hobby Shop	3055
35	Primary Pumping Station	3038
38	Hunter's Checking Station	
42	TNARNG, Range, Main Bathroom	2731
44	Crockett Cove – Trailer Campground	

APPENDIX J – REFRIGERATION EQUIPMENT INVENTORY

Location	Equipment ID	Model #	Serial #	Isolated Circuits	Refrigerant	Total System Charge (lbs)	Total System Charge (oz)
BUILDING 912	000557	FH075A-A10	151947A	2	R-22	67	
BUILDING 430	001494	L82K07424	L82K07424	2	R-134A	140	
BUILDING 430	001494	30XAA0906N-0-523	1717Q91484	2	R-134A	194	0
COM TOWER BY RPA 1	001537	WA602A05XP5XXJ	153A011570915-0		R-22	10	
INSTRUMENT RM	001762	UH138WC00	138886A	2	R-22	25	0
NORTH END	001871	4WCC3060A30	113112727L		R-410A	15	0
MT&L RM 223	001977	38YCC036650	350JE23803		R-22	6	6
RM 214	001978	DH245AHAAE1	728832-001		R-22	16	0
BUILDING 676	001979	SAHB-B404-A	C85E-13956		R-22	6	8
MT&L NORTH OFFICE	001982	RAUCO304BB00B	J90B80247		R-22	80	
J4 LEB EAST WALL	002015	FH199A-A00	125058A		R-22	0	
MT&L NORTH OFFICE	002080	RAUCO304BB00B	J90BA0247		R-22	80	
RM 216	002091	BU060E-AAE15832	728832-002		R-22	0	
RM 135	002092	ACS-U3.5-SS	68348001A		R-22	0	
MT&L TUNNEL C	002101	TCA150S2BN10	5607L18739	2	R-22	24	
MT&L TUNNEL A CTRL	002106	SAHE-C124-AA	C86D-02677	2	R-22	19	
CAD/CAM	002115	C2WC	6637J535-4		R-22	0	
BUILDUP AREA A	002116	51HKF224301	T562384		R-22	0	
BUILDUP AREA A	002117	50MF-2033-00	E275627		R-22	0	
BUILDUP AREA B	002119	51HKF224301	T562375		R-22	0	
BUILDUP AREA C	002121	51HKF224301	T562385		R-22	0	
BUILDUP AREA D	002122	WR183S	2805169958		R-22	0	
MT&L TUNNEL A	002128	SAHE-C124-AA	C86D-02681	2	R-22	19	0
RM 251 B IPS	002131	253-8752591	270307531		R-22	0	
2ND FL HALLWAY	002153	E1RA036546G	W0B7422869		R-22	5	1
BUILDING 876	002155	45HP13LC160F1	1610F14475		R-410A	9	
EFT SHOP COMP RM	002177	FH219W-A01	96719A	2	R-22	34	
COMPUTER RM	002178	FH219W-A01	967178	2	R-22	37	3
COMPUTER RM	002179	FH219W-A01	96719B		R-22	17	
EFT SHOP COMP RM	002180	CF69W-A00	111172B		R-22	6	10
EFT SHOP TOOL RM	002184	SWUB-8304-C	09020		R-22	3	15

Location	Equipment ID	Model #	Serial #	Isolated Circuits	Refrigerant	Total System Charge (lbs)	Total System Charge (oz)
NORTH EQUIP RM	002241	HR-90	678-R22-002241		R-22	0	
NORTH EQUIP RM	002243	30XAA1106F02R3	5005Q90524	2	R-134A	243	
RM 210	002250	BU060E7ADE1903A	N10K740192		R-407C	40	
COMPUTER RM	002258	FH199AUA00	P12351		R-22	0	
J5 LEB	002263	FH199AUA00	P12357	2	R-22	60	
J5 LEB	002265	FH745AUA00	P12028		R-22	30	
NORTH SIDE	002292	SACC-C154-A	C81J-1903A	2	R-22	34	8
NORTH SIDE	002301	CU-69W	86965A		R-22	0	
SOUTH EQUIP RM	002319	CGWD0404CF0NBT1	U92F097722		R-22	73	
BACK OF BUILDING	002612	30XAA1406F-02-03	0606Q90601	2	R-134A	317	0
DORM	002621	WSC048E3REAONBOCI	913100145L		R-410A	11	3
WEST SIDE	002662	WCH090C400BC	261010420		R-22	15	
COMPUTER RM	002735	DH075AHAAE1	806683-001	2	R-22	18	
FSD MAINT	002786	BWC180L400AB	S18143159D	2	R-22	31	8
APTU CONTROL	002957	UH128W-A01	86963A	2	R-22	26	
BUILDING 878	002961	CMTW64-4	9410464		R-22	37	
R1D CONTROL RM	002985	CEMW-5	5307-2		R-22	8	
T-3 COMPUTER RM	002987	WCS-B5-0-SS	80565-003A		R-22	6	
T-3 CONTROL RM	002992	WCS-B5-0-SS	80565-003B	2	R-22	10	
ACT COMPUTER RM	002993	CAW-2034	8783SY1203-6575		R-407C	18	0
T-5 EQUIP RM	002996	SWVBC104C	S84H-15437		R-22	6	
T-1 EQUIP RM	003000	CMTW64-4	9410463		R-22	8	0
ALC WALKIN	003017	F3AM-A105-TFC-020	10E21711V		R-22	14	
T-2 EQUIP RM	003121	CMTW64-4	9410462		R-22	23	
T-4 CONTROL RM	003180	C2ED120A46A	NNTM458449		R-22	11	
T-3 EMISSIONS LAB	003186	SWUBB754F	S89J69791		R-22	8	
BUILDING 878	003208	CF069W-C00	878-R22-003208		R-22	10	
HTL CONTROL RM	003216	FH127W-A01	86964A	2	R-22	22	
ROOF	003218	50TCQD17A2A6A0	03120U2364	2	R-410A	32	10
BUILDING 740	003230	CGAM040F2E02AXD2A1	U11J24946	2	R-410A	64	0
BASEMENT	003231	SA33A	67177-9A-Z867		R-22	0	

Location	Equipment ID	Model #	Serial #	Isolated Circuits	Refrigerant	Total System Charge (lbs)	Total System Charge (oz)
BASEMENT	003231	CAUC-850Z-A	C81H-C7703		R-22	0	
MID EQUIP RM	003234	RTAA0804XQ01A3C0ABPN	U03M03451	2	R-22	122	
ACT CONTROL RM	003239	HFC 40	L3Q680284		R-22	56	0
SCANNER RM	003242	FH127W-A01	86964B		R-22	11	
BUILDING 745	003252	CU91C-A00	745-R22-003252		R-22	0	
BASEMENT EQUIP RM	003264	3HL060-630	Y655236	2	R-22	138	
BUILDING 745	003267	3HL050-630	Y655235		R-134A	270	
BUILDING 745	003267	30XAA1206RCOFRPC	0910Q91356	2	R-134A	270	
16 HARMON	003267	661CJ024-4	0298E11519		R-22	4	8
RM 108 COMPUTER RM	003268	DH290AUAAEI	634951-001	2	R-22	120	
HALLWAY CLOSET	003276	GT062-4NTN	JL023138		R-22	0	
RM 113 COMPUTER RM	003277	FD138W	44609		R-22	0	
SWITCH GEAR RM	003278	50R4-119	3134736		R-22	0	
BUILDING 740	003285	2TTA3030A300AA	8403P2A3F		R-22	8	0
RM 110	003288	633G	0704E22105		R-410A	6	0
PWT COMPUTER RM	003329	DH290AUAAEI	634951-002	2	R-22	150	
CABIB LAB	003332	CU47WA00	116597A		R-22	6	
NORTH EQUIP RM	003356	50BT-012-610	X881408		R-22	10	
ROOF	003357	TCH060C400BD	R281043270		R-22	7	
BUILDING 760	003358	50BA-016-640	W883487		R-22	25	
1ST FL RMS 105-107	003358	GEVE18041D0B00TBD0005002	W12L21999		R-410A	16	0
SE CORNER HI BAY	003520	SWUB-B304-E	S87F43687		R-22	0	
DDA RM	003553	DD0109A	89030039		R-22	6	10
16T CONTROL RM	003557	TSH300F4RPA030001	1408108350		R-410A	21	
16T CONTROL RM	003557	50TJ028	785-R22-003557	2	R-22	33	8
WEST SIDE	003562	50TFF006	785-R22-003562		R-22	8	0
16T CONTROL RM	003564	DH125AVAAEI	562593-001		R-22	27	0
PWT MOTOR DRIVE	003590	UH86W-A01	967190	2	R-22	20	
PWT MOTOR DRIVE	003591	VH199A-AAEIS493	872493-003	2	R-22	55	
PWT COMPUTER RM	003593	MMA36E-A00D0	0649N140062		R-22	2	
HI BAY ROOF	003594	MMA36E-A00D0	0648N139944		R-22	0	

Location	Equipment ID	Model #	Serial #	Isolated Circuits	Refrigerant	Total System Charge (lbs)	Total System Charge (oz)
ELEC SHOP	003595	WA101	G3A751223		R-22	0	
BUILDING 879	003694	BF071WGADE1687A	N13C740149		R-407C	7	3
J1 CONTROL RM	004001	DH125A-ASE1397097-004	880-R22-004001		R-22	0	
J2 OCER RM	004002	40MVC018	3313V00739		R-410A	4	6
WEST OF J2 DCR OUT	004004	TTA090A400CC	P26570GAH		R-22	10	8
J2 CONTROL RM	004007	DH125A-ASE1397097-001	397097-001		R-22	20	0
AIRSIDE CONTROL RM	004053	SWUB-B754-D	584H14290		R-22	8	11
EQUIP RM	004055	50XCW08AANF6AA-0AA	5114U66774		R-410A	6	14
BUILDING 881	004055	50BA008610	1480R0812		R-22	10	3
J3 CONTROL RM	004057	SUW-754A	52-10876		R-22	8	13
ETF EXHAUSTER A	004068	50BA008610	4680113809		R-22	16	
UPSTAIRS CONTROL RM	004068-1	50BA008610	4680G13809		R-22	10	
2ND FL EQUIP RM	004150	EW210-45F	JM-272041		R-22	24	
2ND FL EQUIP RM	004150	50XCW24AAKG6AA	4411U47978	2	R-410A	74	4
ROOF	004254	Y509L10-C	LEFR72356		R-22	1	11
J1 DCR	004303-1	AB060F	AG13307-003-J7		R-22	8	
WEST OF J1 DCR OUT	004303-2	4SCU13LC160F-1	161G01813		R-410A	10	0
WEST OF J1 DCR OUT	004304	SCU10B60C-2	1602B18042		R-22	0	
BUILDING 921	004373	SCU10B60C-7	1605E23160		R-22	10	0
BUILDING 922	004414	2A6C0072A4000AB	4204LCG2F		R-22	14	
BUILDING 912	004440	CDXC - 17	65089 - 001B		R-22	24	
BUILDING 912	004441	CDXC - 17	65089-001A		R-22	12	
NORTH EAST SIDE	004464	30GB-175-50	X798645	2	R-22	460	
BUILDING 929	004500	TTA180H400AA	16042XGATA		R-410A	46	
B-36	004618	RSL19E7J	GY4090581987		R-22	0	
RM 301	004619	51HF224301	Q550697		R-22	0	
EQUIP RM	004623	30XAA1206T-0GR4C	2808Q9005Z	2	R-134A	200	0
7V CLEAN RM	004750	38AH0284000	1405Q01969	2	R-22	178	0
RM 307	004751	51DTB111151	62T604376		R-22	0	
ROOF OF OPTICS	004752	50YH048600	W311287		R-22	0	
RM 309	004753	73XCA11Z1010	294688580		R-22	0	

Location	Equipment ID	Model #	Serial #	Isolated Circuits	Refrigerant	Total System Charge (lbs)	Total System Charge (oz)
7V CONTROL RM	004763	MMC038WP00	47993		R-22	15	
7V CONTROL RM	004764	U-R22-AC	1077-R22-004764		R-22	0	
7V CONTROL RM	004765	U-R22-AC	5116		R-22	5	4
7V CONTROL RM	004766	U-R22-AC	1077-R22-004766		R-22	0	
MARK 1	004823	ASK24E7J	FY3835391737		R-22	3	
4TH FL MARK 1 TEST	004825	FH199A-A01	128235A	2	R-22	200	
311 ELA	004828	U-R22-AC	1077-R22-004828		R-22	0	
BUILDING 1092	004979	MC6046H	JM004777		R-22	6	8
ROOF	005044	TTA036A	C36228602		R-22	6	4
ROOF	005050	TTA030A	C38256781		R-22	5	4
OUTSIDE GROUND	005051	30GXN102	1602F48016	2	R-134A	273	
RM 105 A	005124	FH302C-A00	141843P		R-22	0	
RM 105 A	005125	FH302C-A00	141843Q		R-22	0	
RM 142 B	005126	FH147C-A00	141843-R		R-22	0	
RM 142 B	005128	FH147C-A00	1418435-S		R-22	0	
WEST SIDE	005213	CGACD104RANKK	J91A70069	2	R-22	173	
NORTH SIDE	005251	38AQ-012-620	2790F-23		R-22	50	
NORTH SIDE	005252	50DQJ005600	48898G-4		R-22	15	
MAIN EQUIP RM	005556	2LALAVXQAEXAB	U13B05563		R-134A	700	
MAIN EQUIP RM	005557	2LALAVXQAEXAB	U13B05564		R-134A	700	
NORTH WALL	005572	SACB-B504-C	C84H-10705		R-22	0	
WEST OFFICES	005618	EC120-3VTC-FBTBUA-XAT	7735031175		R-410A	10	6
SOUTH END EQUIP RM	005918	TV-2556	2188852		R-22	54	
NORTH END EQUIP RM	005920	5F60-138	G933578		R-22	80	
NORTH OFFICE EQ RM	005925	CGWQ040FA0E10D000010000	1677A-01		R-410A	80	
CAFETERIA EQUIP RM	006042	CGWS0400CE0HAD1R1FF	U91A03960	2	R-22	91	0
ROOF	006142	RAUF-B404-A	C84J01549		R-22	8	
RPA 4	006234	RAUC-B754-A	C80K-13582		R-22	25	
GLC	006291	38AE016600	P59847		R-22	18	
EQUIP RM	006293	TTA300J400AA	16223TYB		R-410A	43	0
EQUIP RM	006293	38AKS028	3405Q02786		R-22	53	

Location	Equipment ID	Model #	Serial #	Isolated Circuits	Refrigerant	Total System Charge (lbs)	Total System Charge (oz)
IGLOO 2	006333	RAUF-B404-A	C84J-01548		R-22	15	
TUNNEL F	006423	CGWA0501MC51CC4C4C	L80D13186	2	R-22	90	
MT&L RM 223	006761	38YCO36650	3505E2880		R-22	9	
EQUIP RM	008746	RAUCC254	C05F05881		R-22	62	8
CTS RM	009554	FH125A-A10	192291-001	2	R-22	30	
ROOF	009557	SACBB504C	C85C12664		R-22	8	
T-3 COMPUTER RM	009558	DAWD-1034	90-1541-A	2	R-22	14	
VIDEO PRODUCTION	009561	DCDF308-A	0521C77696	2	R-22	54	
VIDEO PRODUCTION	009562	DADD0634	901165B		R-22	0	
AMSE RM 132	009563	DCDF308-A	0521C77695	2	R-22	44	
WEST SIDE	009564	BWC150L400AD	E39142668D	2	R-22	28	8
RM B203	009565	38TKB048500	229E14490		R-22	7	0
VT CONFERENCE RM	009566	38TKB048500	229E14490		R-22	7	7
J-6 TEST OFFICE	010423	DAMC-0534-A0	92-0868-A		R-22	12	
J-6 CONTROL RM	010424	DAAD-6034	2009-3236-B	2	R-407C	50	
WEST SIDE	010425	DAAD-1034	2009-3239B	2	R-407C	91	8
J-6 CONTROL RM	010426	DAAD-1034	2009-3240-B	2	R-407C	50	
J-6 ARMING RM	010427	DAAD-1034	2009-3238B	2	R-407C	56	
WEST SIDE	010428	RAUJC254BB0300D	C10F03215		R-410A	44	
RM 103 S UNIT	010431	DAAD1634	920208A		R-22	0	
BUILDING 350	010542	RTAA1254XT01A3COGKBF	U08H01116	2	R-22	260	
NORTH SIDE	010543	DMC037APL2	D25904		R-22	10	
BUILDING 445	010544	30HK040630	Y720860	2	R-22	70	
NORTH EAST MECH RM	010545	50BB-028-600	4390F38292	2	R-22	60	0
PWT OFFICE	010546	CGWCC501MANF62K	L86B35985	2	R-22	90	
LED BLDG CONTROL RM	010547	CEMA1034C	8301-1-1		R-22	0	
NORTH SIDE PRETEST	010548	GD 8023	68759-001A		R-22	1	10
T-5 CONTROL RM	010551	CF-69W-C00	131203A		R-22	6	10
T-4 CONTROL RM	010553	GCS-D5.0-35	90235-001A		R-22	6	
4TH FL COMPUTER RM	010554	FE192G-A01	880-R22-010554	2	R-22	34	
4TH FL COMPUTER RM	010555	FE192G-A01	P10642	2	R-22	34	

Location	Equipment ID	Model #	Serial #	Isolated Circuits	Refrigerant	Total System Charge (lbs)	Total System Charge (oz)
BUILDING 912	010557	GFAD-02834	2011-0253		R-407C	72	0
BUILDING 912	010558	FH125A-A10	177374-001		R-22	76	
BUILDING 912	010559	FH125A-A10	177374-002		R-22	38	
1B SCREEN RM	010560	AG5528F	1075-R22-010560		R-22	4	
CONTROL RM	010561	TCH180B400BA	G141427040-BA	2	R-22	20	12
WEST SIDE	010561	TCH180B400	G141427040	2	R-22	20	12
RPA-3	010562	TWA240B400AA	F47198413	2	R-22	59	
CAFETERIA ROOF	010567	50HJ008500	1293G41551	2	R-22	14	
J2 INTERCONNECT RM	010570	TCC060F400BD	2225WDR2H		R-22	11	5
COMPUTER RM	010571	DTW-0434-03	881-R22-010571		R-22	0	
7V CONTROL RM	010771	38AH0284000	1405Q01966	2	R-22	176	
SE CORNER	010772-1	38ARZ012-601	5103G20040		R-22	19	0
WEST WALL	010795	CEMA0334U	7737-1-1 L-89		R-22	10	8
ROOF	010906	SCH10AH	78MY19R1C		R-22	1	3
MAINTENANCE RM	010908	DH199A-AAE1	757145-002	2	R-22	45	
SOUTH SIDE	010909	50TCQD08A2A6-0A0A0	1310G50622		R-410A	10	3
BUILDING 880	011047	1-048-11A9	0880-SE-01		R-404A	4	0
1ST FL WEST EQUIP RM	011400	TTA090A400CA	K223LRJAH		R-22	18	12
1ST FL WEST EQUIP RM	011400	TWE090A300BB	K223LL95H		R-22	18	12
BUILDING 760	011401	TTA090A400CA	K2221LRAH		R-22	30	0
1ST FL WEST EQUIP RM	011401	TWE120A300BB	K231K835H		R-22	18	12
RM 107 OUTSIDE	011887	TWR012C100A1	K2043C4CF		R-22	2	8
BUILDING 630	012474	TWA030C300AZ	L122XTKCF		R-22	6	
J-6 CONTROL RM	01426-2	DAAD-1034	20093240B		R-407C	25	
BREAK RM	014781	QD0272A	990768076		R-404A	1	6
BUILDING 877	02178-1	HF219W-A01	96719B		R-22	17	
BUILDING 678	02432	WVP25HPA	206		R-22	2	6
BUILDING 251	0251-AC-01	0251-AC-01	0251-AC-01		R-410A	8	0
1 VANDENBURG	030511	25HP13LB106P-1	1606A21149		R-22	17	13
BUILDING 390	0390-AC-01	0390-AC-01	0390-AC-01		R-410A	3	8
BUILDING 676	0676-AC-01	24ABR324A310	2812E20711		R-410A	21	

Location	Equipment ID	Model #	Serial #	Isolated Circuits	Refrigerant	Total System Charge (lbs)	Total System Charge (oz)
BUILDING 760	076001-1	2TWB3036A1000AA	71317J74F		R-22	7	6
BUILDING 913	0913-AC-01	0913-AC-01	0913-AC-01		R-22	0	0
BUILDING 850	100201	WSC090E4RGA0JA001A	141211340L		R-410A	13	13
FUEL FARM OFFICE	100202	BWCO24C1OOCA	B38152425		R-22	5	0
EQUIP RM	100203	SWUBC104C	584H15438	2	R-22	40	0
EFT SHOP ROOF	100206	SAHB-B306-B	C-84C-03611		R-22	5	
NORTH SIDE CONF RM	100255	2TTA0036A4000AA	7271X6K3F		R-22	5	0
NORTH SIDE CONF RM	100255	H2CB036546A	MLXM274511		R-22	40	
T-11	100256	CAW-834	SY96-001-6498	2	R-22	10	
ACT CONTROL RM	100257	CAU-834	SY96-001-6500		R-22	5	0
BASEMENT EQUIP RM	100276	24ABR324A310	0406E08361		R-22	4	14
BASEMENT BREAK RM	100277	38ARZ008-601	2404G40071		R-22	0	
J1 DCR ROOF	100278	TCH048C460BC	L45103125D		R-22	5	13
BASEMENT	100279	UNK-AC-880	880-R22-100279		R-22	0	0
CONTROL RM	100289	SWUBB504C	S84K-17555		R-22	5	
BUILDING 912	100314	RTA42404XGO1A1C0BAG	U94M25132	2	R-22	456	
BUILDING 912	100331	FH125A-A10	73414A		R-22	0	
SOUND PROOF BOOTH	100361	Y509J10	JGFS00035		R-22	0	
EQUIP RM	100367	TAM4A0B42S31EDA	16224LU2AV		R-410A	8	14
WEST WALL	100373	BP120C00A2AAA3	NOM5390153	2	R-22	30	11
BUILDING 707	100374	38EH036520DL	2888E27794		R-22	0	
CTS RM	100375	HC8024A100AB	B43164467		R-22	0	
SOUTH ELEC EQUIP	100376	60WAC09N	048C900643617		R-22	7	6
NORTH ELEC EQUIP	100377	60WAC09N	048C900643615		R-22	0	
RM 116 USERS RM	100378	CU0686-C00	309365001		R-22	0	
ROOF	100379	50TCQA06	760-R410A-100379		R-410A	12	8
ROOF	100380	50TCQA06	760-R410A-100380		R-410A	12	8
ROOF	100381	50DA006610	6292674		R-22	0	
ROOF	100382	50CD006620	3185G51450		R-22	7	5
B4 BREAK RM	100383	51QH324301	760-R22-100383		R-22	0	
B1 OFFICE	100386	WRS1223HF	760-R22-100386		R-22	0	

Location	Equipment ID	Model #	Serial #	Isolated Circuits	Refrigerant	Total System Charge (lbs)	Total System Charge (oz)
BAY 205	100387	2538712585	760-R22-04		R-22	0	0
UNDER TUNNEL	100388	WCH060A400BA	G06101284		R-22	0	
SHOP	100389	5ILFA217301	62P557913		R-22	0	0
SHOP	100390	5ILFA217301	786-R22-100390		R-22	0	
TEST AREA	100391	R243	QA1579848		R-22	0	
TEST AREA	100392	WT183HES	28S05162589		R-22	0	
SHOP AREA	100393	WR183S	28107210962		R-22	0	
BACK OF BUILDING	100394	BWC180L400AB	518143159D		R-22	31	8
EAST WALL	100395	51F218300	A358729		R-22	0	
WEST WALL	100396	51F218300	A358730		R-22	0	
EQUIP RM	100397	TTA240B400BA	JI398434	2	R-22	60	
1ST FLOOR STAIRS	100400	CAA1534	8753SY1202-6502	2	R-407C	78	
BUILDING 676	100404	RTAA2704XM01A100ABF	V96K07376	2	R-22	456	
BREAK RM	100445	50BT006600	3385G57195		R-22	0	
J6 STEAM CONTROL RM	100446	DAME2.512	92-825-A		R-22	40	
CELL SIDE	100483	51SR2103B2	1075-R22-100483		R-22	0	
RM 126	100492	FH1225A-A10	131267A		R-22	18	8
RM 126	100492-2	FH1225A-A10	131267A-2		R-22	28	0
7V PREP RM ELA	100493	CV047W-C00	1077-R22-100493		R-22	6	
10V CLEAN RM	100494	07DB121601	3795F01	2	R-22	94	0
BUILDING 1077	100495	38AH-044-601	5003F68889	2	R-22	0	0
BUILDING 1088	100497	30HXC116RA-640AA	2502Q01726	2	R-134A	201	0
BUILDING 1088	100498	30HXC116RA-640AA	2502Q01727	2	R-134A	204	0
RPA 1	100541	TWA120A300AA	F48194039		R-22	28	
RPA 1	100542	TWA240B300AA	F45198275		R-22	22	
RPA	100543	50YM024310	T314197		R-22	0	
BUILDING 912	100557	FH073A-A10	151947A		R-22	35	
EQUIP RM	100572	RAUBC254BE01B1F	J84K81896		R-22	0	
1ST FLOOR	100599	ALR07F2J	KY5114232957		R-22	0	
BASEMENT	100600	RED-123-8	JS197878		R-22	1	5
OFFICE	100601	WR1839	28104171679		R-22	0	

Location	Equipment ID	Model #	Serial #	Isolated Circuits	Refrigerant	Total System Charge (lbs)	Total System Charge (oz)
NORTH SIDE	100606	BWC181L400AB	5241443790		R-22	31	8
NORTH SIDE	100607	B2CH048A46A	NCXM107849		R-22	11	
RIGGER'S OFFICE	100608	TCH090A400AB	F37142230D		R-22	11	6
BUILDING 451	100611	BAUC404A	78622859		R-22	0	
BUILDING 451	100612	MME0248	451-R22-100612		R-22	0	
BUILDING 451	100613	MME0248	451-R22-100613		R-22	0	
BUILDING 451	100614	MME0248	451-R22-100614		R-22	0	
BUILDING 451	100615	MME0248	451-R22-100615		R-22	0	
BUILDING 451	100616	51GMA11839	451-R22-100616		R-22	0	
BUILDING 451	100617	SWUBB304C	451-R410A-100617		R-410A	7	8
BUILDING 451	100618	PTHA1501GH	A8B00622		R-22	0	
BUILDING 451	100619	A1K25E7A	451-R12-100619		R-12	3	3
BUILDING 451	100620	A2R07F2A	451-R22-100620		R-22	0	
BUILDING 451	100621	51AR27	451-R22-100621		R-22	0	
BUILDING 451	100622	51AR27	451-R22-100622		R-22	0	
BUILDING 451	100623	WU133E	28709		R-22	0	
BUILDING 451	100624	51GMA118301	451-R22-100624		R-22	0	
BUILDING 451	100625	51EA212300	451-R22-100625		R-22	0	
BUILDING 451	100626	A1K25E7A	451-R22-100626		R-22	0	
J6 SUPPORT S SIDE	100627	B1CH09A46A	NLUM447641		R-22	17	
J6 SUPPORT S SIDE	100628	WSC120AHRGA	54410146SL		R-22	15	13
J6 SUPPORT S SIDE	100629	50PQ016606	P985765		R-22	0	
LIBRARY VAULT	100631	DMC020APL1	100-R22-100631		R-22	0	
EQUIP RM	100632	50BA016640	W883489		R-22	0	
BLADE RM	100634	SRUBB504D	S85E08746		R-22	6	0
SOUTH EAST EQUIP RM	100635	SWUBB754D	S84T16283		R-22	10	0
CLOSET	100636	SWUBB754D	S84H14284		R-22	10	
NORTH EAST EQUIP RM	100637	SWUBB754D	S84J16296		R-22	14	0
2ND FL EQUIP RM	100638	RA4CB624A	082B08857		R-22	0	0
BUILDING 718	100639	U-R22-AC-Y	718-R22-100639		R-22	26	5
NORTH SIDE	100676	BTC130G300DA	B11144977D		R-22	9	12

Location	Equipment ID	Model #	Serial #	Isolated Circuits	Refrigerant	Total System Charge (lbs)	Total System Charge (oz)
NORTH SIDE	100677	BTC130G300DA	B09143484D		R-22	9	12
NORTH SIDE	100678	542EPO9000	2487G11479		R-22	0	
NORTH WEST CORNER	100679	50QQ060540	4080E01127		R-22	10	
SOUTH SIDE	100681	HCH090A400A8	E19143505D		R-22	0	
EAST SIDE	100682	HCH090A400A8	E21143364D	2	R-22	24	
BREAK RM	100721	38AN012110	2104Y10275		R-22	1	13
RM 202	100731	38CKW036	0902E09547		R-22	5	
NORTH WEST	100743	BTC060D100KA	S42108113		R-22	0	
SVT CUST BLDG 1	100744	542EE09000	1388G19622		R-22	8	0
NORTH SIDE	100745	50TCQD08A2A6-0A0A0	1715P64166		R-410A	20	6
EAST SIDE	100746	BTC060D100KA	542108087		R-22	7	
WEST SIDE	100748	FX4DNF061	2416A84304		R-410A	11	
BUILDING 2108	100749	38YKB036600	1292E36679		R-22	9	12
HI BAY AREA	100750	SWUBC154D	S88F48102	2	R-22	18	8
WEST SIDE	100751	AWY-035C	2108-R22-100751		R-22	4	
A & E	100758	KV3	100-R22-100758		R-22	1	
CAFETERIA	100761	KV2	35371776		R-22	1	
CAFETERIA	100762	PWH215L44EE	117280-101E01		R-22	0	
CAFETERIA	100763	TRH020AL23T	TWK10078		R-22	6	
CAFETERIA EQUIP RM	100764	TRH010AM22F	TWJ9071		R-22	9	
CAFETERIA	100765	TRH010AM22F	TWK10121		R-22	8	
CAFETERIA	100766	TRH010AM22F	TWK10120		R-22	12	
MAIN CAFETERIA	100791	H3	32870931		R-22	1	
MAIN CAFETERIA	100792	HF#1	32-385408		R-22	1	
MAIN CAFE	100795	KAJ10100TAC	452-REF-100795		R-502	0	0
ALC WALKIN	100831	FJAM-A150-CVF-001	3017-R404A-100831		R-404A	0	0
LAKESIDE CLUB	100832	CJAL-0150-CAV-001	LR58386		R-404A	20	
A & E	100840	30XAA2406N-05W33	0407Q91219	2	R-134A	540	
A & E	100841	30XAA2406N-05W33	0507Q91220	2	R-134A	540	
RM A101A	100846	38CKW018330	2704E08295		R-22	12	0
RM A101A	100884	38CKW030320	2704E08882		R-22	24	

Location	Equipment ID	Model #	Serial #	Isolated Circuits	Refrigerant	Total System Charge (lbs)	Total System Charge (oz)
WEST ROOF	100885	TTA036A300B0	F38267079		R-22	8	
BUILDING 1080	100886	PTH15350G	9106129849		R-22	0	
BUILDING 111	100888	HS29A-060-13G	5807B33017		R-22	8	
BX ROOF	100889	50PQ008600NC	NO99503		R-22	0	
BX ROOF	100890	50PQ008600NC	Q098003	2	R-22	12	
BX ROOF	100890-2	50TFQ008601	2101G32221		R-22	6	0
OFFICE ROOF	100891	50EP008600PE	P098306		R-22	0	
COMMISSARY ROOF	100892	38AD034610	R09346		R-22	0	
OFFICE ROOF	100893	565BJB030	1987A15837		R-22	0	
NORTH WEST CORNER	100894	565BJ030	1987A15837		R-22	0	
WEST SIDE	100895	TWE048C300A3	L1835RNHF	2	R-22	17	10
WEST SIDE	100896	TWA00A48C300A3	L1831J5HF		R-22	8	13
FIRE HALL OFFICE	100912	RAKA-030JAZ	C5339F29940817		R-22	9	
SGT DESK	100913	SC10B24A	8400L1468		R-22	12	
DISPATCH AREA	100918	SCU10B24A-1	8400G30772		R-22	3	11
FIRE HALL DISPATCH	100919	51ATR708101	620789008		R-22	0	
FIRE HALL WT RM	100920	ASK24E7J	FY3827571737		R-22	2	15
EAST EQUIP RM	100921	0A1000100000000C	U14K00277	2	R-134A	238	
BUILDING 445	100926	RPH10A30	84981530585		R-22	5	
NORTH SIDE	100984	SAHE-C106AA	C8SL51172	2	R-22	16	
CREDIT UNION	100985	PHP10A60DC-1A	8497E14313		R-22	7	
CREDIT UNION	100986	AM12C6ESBA	1059790647		R-22	2	
BUILDING 456	100991	TCH036A300AB	C50150335		R-22	8	
NORTH EQUIP RM	100994	TWA090A400BC	P061UY9AH		R-22	0	
2ND FL CAD RM	101000	AACU091C	P12790		R-22	0	
SOUTH SIDE	101070	TCH04PC400AA	C441422760		R-22	0	
BLDG NO. 2	101072	542EE09000	1388G19620		R-22	8	
EAST END	101073	TCH04BC400AA	C29142213D		R-22	0	
MENS LOCKER	101074	RAD-323	AT001663010E		R-22	3	11
WOMENS LOCKER	101075	WA-323	CD71967608E		R-22	3	11
EAST SIDE	101079	7CH060A400PA	1400-R22-101079		R-22	0	

Location	Equipment ID	Model #	Serial #	Isolated Circuits	Refrigerant	Total System Charge (lbs)	Total System Charge (oz)
BREAK RM	101081	51QFG318351	G27764959		R-22	0	
DISPATCHING OFFICE	101082	B1HX060A46A	NOM7473462		R-410A	12	
ROOF OF OPERATOR RM	101083	W3DD0751TFD001	7290		R-22	31	
ROOF OF OPERATOR RM	101084	W5DD0752TFD001	PT10H00998R		R-22	60	0
MACHINE SHOP	101085	SWUBB754D	S84H14292		R-22	0	
SOUTH WALL	101087	51DTD112351	62R731814		R-22	0	
NORTHEAST SIDE	101088	HE022BBW	AG47438		R-22	0	
PROPERTY DISPOSAL	101089	ALR07F2T	MX4854003386		R-22	0	
BUILDING 1421	101090	WQ775HE	27910329335		R-22	0	
NORTH EAST EQUIP RM	101091	RAVCC20CBY1300D	C06C02200		R-22	90	
SOUTH SIDE	101092	BTC090C3B	B26185508		R-22	0	
EAST SIDE	101093	BTC090C3B	B26185507		R-22	0	
NORTH SIDE	101096	38AQ5008-601	4496G00095		R-22	15	
BLDG MANAGERS AREA	101115	AHMBE16DEXE1	SN306482		R-22	0	
OFFICE	101117	AJE11D6Z1	GT278805		R-22	0	
ROOF	101118	50KC-A04A2A5A0A0A0	1717C76928		R-410A	7	3
ROOF	101119	RAS63A	8J72779		R-22	10	
A/C OFFICE	101123	50TFQ006-A-611	3406G50628		R-22	12	
PAINT SHOP	101124	50BT004600	1485624219		R-22	3	8
CUSTODIAL OFFICE	101125	WC183S	22610229418		R-22	0	
CARPENTER SHOP	101126	R183S	2810417162		R-22	0	
SERVICE CALL OFFICE	101127	AM12C6EJBA	292234720		R-22	0	
PIPE SHOP	101128	8.28909E+14	260204363		R-22	0	
OUTSIDE	101133	50MQO37300	J750945		R-22	0	
1ST FLOOR	101134	WR121HE	2820416032		R-22	0	
BUILDING 1534	101137	HQ2181BW	1534-R22-101137		R-22	0	
EAST SIDE	101138	S1GMA124301	1540-R22-101138		R-22	0	
MECH RM	101139	RAUCB726B	C84L10576		R-22	18	
CLUB HOUSE	101141	PAF090H66AB	L022933323		R-22	15	0
CLUB HOUSE	101142	WCH090C300BC	L38103892D		R-22	12	5
GLC	101145	TTA180J400AA	1618125MTA		R-410A	25	0

Location	Equipment ID	Model #	Serial #	Isolated Circuits	Refrigerant	Total System Charge (lbs)	Total System Charge (oz)
2 HARMON	101150	661CJ024-A	029E11456		R-22	5	
4 HARMON	101151	661CJ024-A	0298E11461		R-22	9	
6 HARMON	101152	661CJ024-A	0698E21156		R-22	5	
8 HARMON	101153	661CJ024-A	0698E21155		R-22	5	
11 HARMON	101159	661CJ024-A	0298E11455		R-22	5	0
5 HARMON	101168	661CJ024-4	2298E22066		R-22	7	8
7 HARMON	101169	661CJ024-A	228E22061		R-22	9	
15 MCNARNEY	101175	661CJ024-A	0698E21080		R-22	5	
11 MCNARREY	101178	661CJ024-A	0698E21153		R-22	9	
6 MITCHELL	101182	38FCC036340	2204E00862		R-22	1	6
BASEMENT	101184	RTWA1004X001C3	697K5875	2	R-22	144	
RACQUETBALL GYM	10177	50HJQ006-501	4895G20124		R-22	11	0
BUILDING 878	102409	CJAL-0200-TAD-001	24D9LR38666		R-404A	8	
16T CONTROL RM	102540	1-048-1107 SPECIAL	9150		R-404A	5	8
HOBBY SHOP	103055	WCH180B30BEA	P51101875D	2	R-22	24	8
BUILDING 748	103924	WA242B06BP4XX5	748-R22-103924		R-22	0	
WEST WALL	103941	THCD92A4RCA21B1B1	7291005082		R-22	6	8
WEST WALL	103942	THC043A	729100508L		R-22	0	
BUILDING 1358	103942-1	WSC120A4RGA23B1000000A0	729100230C	2	R-22	15	12
BUILDING 862	103954	U-R22-AC-F	862-R22-103954		R-22	0	
BUILDING 863	103955	W12RK05N1F11A	B2L-P60004		R-22	0	
BUILDING 541	103958	577-0405-00	991597-18		R-404A	13	
WEST SIDE	103964	WSC090	72210091L		R-22	14	
SOUTH EAST SIDE	104118	U-R22-AC-L	799-R22-104118		R-22	0	
BUILDING 579	104194	KALA-016E-TAD-100	ET07705521R		R-404A	8	8
WEST SIDE	104230	25HNA648A300	0408E15130		R-410A	14	
WEST SIDE	104231	25HNAA8A300	3906E02754		R-410A	15	
BUILDING 251	104289	LMV245HV	902KAJP00196		R-410A	12	
BUILDING 451	104511	HAF3000GP	3344		R-420A	15	
2 MITCHELL	105100	24ABR336A330	1580E19314		R-22	0	
COM RM	105131	MXZ-3B24NA	01900037		R-410A	5	15

Location	Equipment ID	Model #	Serial #	Isolated Circuits	Refrigerant	Total System Charge (lbs)	Total System Charge (oz)
4 LONDON	105159	661CJ024-A	0298E11451		R-22	5	
6 LONDON	105160	661CJ024-A	0298E11454		R-22	5	
12 LONDON	105163	661CJ024-A	0298E11519		R-22	5	
18 LONDON	105166	661CJ024-A	0698E21087		R-22	0	
26 LONDON	105170	661CJ024-A	0298E11463		R-22	9	
1 MITCHELL	105173	541B0415HP	3047-R22-105173		R-22	0	
3 MITCHELL	105174	541B0415HP	3047-R22-105174		R-22	0	
7 VANDENBURG	105175	661CJ036-A	2998E22278		R-22	14	
9 VANDENBURG	105176	541B0415HP	3048-R22-105176		R-22	0	
5 VANDENBURG	105177	681CJ036-A	2998E22280		R-22	6	
3 VANDENBURG	105178	541B0415HP	3050-R22-105178		R-22	0	
COMMANDERS HOUSE	105179	661CJ060-A	0398E00822		R-22	10	
2 VANDENBURG	105180	661CJ036-A	0498E00353		R-22	6	5
HOBBY SHOP	105181	WC090C300H0	C13189198		R-22	12	5
CONCESSION STAND	105182	52B0A2073010A	2486A23454		R-22	3055	
CONCESSION STAND	105183	52B0A312301AA	0187A17866		R-22	0	
BOAT MAINT REPAIR	105184	WCH036A100AD	C36155251		R-22	0	
ROOF	105185	SCU10B24A-1	251-R22-105185		R-22	3	11
NORTH SIDE	105186	WCH060300BA	H37142900D		R-22	0	
TRAINING RM	105341	LMN125HV	902KABF00605		R-410A	5	8
RM A101A	105374	0100-AC-01	0100-R22-105374		R-22	0	0
RM A101A	105375	RAKA-BR	533M48941666		R-22	16	1
BUILDING 1088	105416	38APD05064A16020	2710Q39930	2	R-410A	116	0
PWT MOTOR DRIVE	105418	50TJ-024-6A1YA	3503F51483	2	R-22	18	
EFT SHOP RM 114	10550	DAAU-1634	92 1542 A		R-22	38	
T-3 COMPUTER RM	105581	DAWD-1034	2013-1423B		R-410A	5	0
SCREEN RM	10560	AW702-ET-093	1075-R22-10560		R-22	4	8
NORTH SIDE	105645	4MXW8536A10N0CA	16030303629X		R-410A	5	11
BUILDING 651	105663	WALH18DAA	SZ1H18DAA		R-410A	1	
BUILDING 651	105664	TWE090D300AB	16175UUFBA		R-410A	20	4
BUILDING 1093 TESTING	105668	WSH180E3R0A090	160710044D		R-410A	32	14

Location	Equipment ID	Model #	Serial #	Isolated Circuits	Refrigerant	Total System Charge (lbs)	Total System Charge (oz)
BUILDING 1093 TESTING	105669	WSH180E3R0A090	160610741D		R-410A	32	11
EQUIP RM	105700	GAM5B0B36M31EAA	16323RE6AV		R-410A	8	4
BUILDING 607	105701	WSC060E3REA1MB000A100	163812943L		R-410A	10	6
1ST FL E SECURE RM	10572	CU41GA00	105746A		R-22	7	0
MECH RM 1B	107	30HR090D600	P415880	2	R-22	129	
10V CONTROL RM	10773-1	38ARZ012-601	5103G20045		R-22	12	0
10V CONTROL RM	1077NA	39TH17DA-B-LHP-13	2004F11116		R-22	21	8
BUILDING 785	10785-1	WCH060A00BA	G06101284		R-22	12	11
FUEL FARM OFFICE	10869-1	WCH024B100CB	5215MN63H		R-22	5	8
BUILDING 876	108761	2TWA0060A40000AB	4472WGY2F		R-22	10	2
CARDOX UNIT	109121-1	D1-0480455711P	K-595-S		R-404A	86	8
NORTH SIDE	109807	RTAA070XH01A3D0ABDFGN	U97D01577		R-410A	96	
T11 CONTROL RM	109863	CAW-834	SY96-001-6500	2	R-22	10	
T12 CONTROL RM	109864	CAW-834	ST96-001-6497		R-22	11	0
ACT CONTROL RM	109865	CAU-834	SY96-001-6499		R-22	5	
WEST EQUIP RM	109946	TTA300F400AA	15303D75TA		R-410A	54	0
SL206 EQUIP RM	109947	CAA1534	AH-8861SY1210-6776		R-407C	37	8
NORTH EQUIP RM	109949	TWE06A400CA	P0548FG5H		R-22	0	
BUILDING 452	109950	TTA0726400A0	N4332LGFF		R-22	12	
WEST SIDE	109973	50KC-A06A2A5A0A0A0	0516C80303		R-410A	14	8
SOUTH WEST CORNER	109974	50TJQ008-601	939-R22-109974	2	R-22	8	10
BACK OF BUILDING	109975	50TJQ012-501	1899G30512	2	R-22	8	
BUILDING 645	109985	50ES-A30-5-FE	1912C12176		R-410A	6	2
WEST OF J2 DCR OUT	109990	RAKA060DAZ	5723-M270006953		R-22	7	10
MECH RM 1B	111	30HR090D600	Y720837	2	R-22	129	
BUILDING 1558	111313	AVP30ACA-10N0 H93CI	6698		R-22	5	5
VIDEO TELECON RM 2	111314	38YCA03654	3294E11863		R-22	7	13
J1 CONTROL RM	111321	HD125A-ASE1397097-003	880-R22-111321		R-22	0	
J2 CONTROL RM	111322	DH125A-ASE1397097-002	880-R22-111322		R-22	0	
BUILDING 878	111323	SPH10GZ9A-5	B901A2367		R-22	13	
BUILDING 445	111326	DIEE060846BDC	NNJM155413		R-22	10	

Location	Equipment ID	Model #	Serial #	Isolated Circuits	Refrigerant	Total System Charge (lbs)	Total System Charge (oz)
BUILDING 445	111326	WSC060E4RJA1B	141012704L		R-410A	10	10
2ND FL SECURE RM	111336	38YCC060620	4300E12802		R-22	10	8
OFFICE ROOF	111337	WCC024F100BG	1421-R22-111337		R-22	5	
2ND FL SOUTH EQUIP	111339	TTA180H400AA	16045N6DTA		R-410A	46	
RM A136	111340	PPA13NR048-J	2714X71544		R-22	15	11
BUILDING 760	111349	2TWR2060A1000AA	21832YP2F		R-22	17	8
RM 107 OUTSIDE	111351	2TWR20Z4A1000AA	240315K1F		R-22	8	5
BUILDING 785	111352	WSC060E4REA0FA	785-R410A-111352		R-410A	35	6
P&W LAB	111356	B1HA024A064	NMFM135351		R-22	6	2
EAST SIDE	111369	2TWA0072A3000AB	313454E2F		R-22	23	0
10V CLEAN RM	111375	3AR2012	5103G20045		R-22	23	0
10V CLEAN RM	111376	3AR2012	1077-R22-111376		R-22	23	0
NORTH EAST SIDE	111377	50HJQ008-621	3603G21745	2	R-22	18	
NORTH WEST SIDE	111378	50HJQ008-621	3603G21744	2	R-22	30	
NORTH SIDE	111379	8HDC018-341LA	3703X73294		R-22	3	10
BUILDING 922	111380	2A6C0072A4000AB	40231XY2F		R-22	14	
BUILDING 251	111381	50TFQ005 611BA	1904G50309		R-22	6	
NORTH WEST CORNER	111382	TWA090A400FB	64441B5AD		R-22	16	9
SERVICE TUNNEL N	113600	LCC048S2BF1G	5605B01340		R-22	7	10
SERVICE TUNNEL N	113601	LCC048S2BF1G	5605B01341		R-22	7	10
SOUTH SIDE	113602	WCC036F400BH	4164XPY1H		R-22	8	3
SOUTH SIDE	113603	WCC036F400BH	41041451H		R-22	8	3
SERVICE TUNNEL	113604	RQKA-A018JK 005	5615F490111521		R-22	4	1
WEST EQUIP RM	113606	TEM4AOC48S41SAA	171435143V		R-410A	8	2
A & E RM A-125	119	CEMA-1034-C-U	773731		R-22	15	
BUILDING 1400	1224	FARM TRACTOR	1400-R134A-1224		R-134A	4	1
BUILDING 1400	1226	TRACTOR	1226		R-134A	4	8
BUILDING 1400	1228	1400-AC-05	1400-AC-05		R-134A	4	
BUILDING 1400	1229	T5060	1400-AC-01		R-134A	4	0
WEST OUTSIDE PRINTIN	123	VS070ADA0E1670A	N16MBE0030		R-407C	168	
BUILDING 1400	1232	FARM TRACTOR	1400-AC-06		R-134A	0	0

Location	Equipment ID	Model #	Serial #	Isolated Circuits	Refrigerant	Total System Charge (lbs)	Total System Charge (oz)
BUILDING 1400	1236	1400-AC-01	1400-AC-01		R-134A	7	0
BUILDING 1400	1260	U-R134A-AC-G	1400-R134A-10VE		R-134A	10	
BUILDING 1400	134	TRACTOR	1400-AC-03		R-134A	0	0
BUILDING 1478	1478TEMP	WSH240EYRPA030001A2	140810823D		R-410A	20	0
BUILDING 1478	1478TEMP2	WSH24BE4R725XD0142	145E125T1D	2	R-410A	40	0
BUILDING 1400	1480	LOADER	1480		R-134A	4	
BUILDING 1400	1482	1482	1482-JBC-R134A		R-134A	1	
BUILDING 1525	1525-AC-01	PUY-A18NHA2	82V02576B		R-410A	3	8
WEST WALL	915-01	WA602-A00XP	153A01157091501		R-22	8	12
COURTYARD	2094	BWC036C400	S36153683		R-22	0	
BUILDING 676	2106	50TCQD12A2A6AO	111GG50675	2	R-410A	30	2
RM 225-B	2109	1068752071	Y82425332		R-22	3	8
2ND FL HALLWAY	2152	50BT006620	4990F42424		R-22	5	5
ROOF	251-R410A	UNK-AC-251	251-R410A		R-410A	8	0
DISPATCHER RM	259	2WCC3036A1000AA	6332N379H		R-22	7	0
TELEPHONE SWITCH RM	259	VH114A-AAEI	543427-001		R-22	7	0
TELEPHONE SWITCH RM	267	VH114A-AAE1	543427-002		R-22	15	
BUILDING 591	2822	50PQ016600AA	P985765		R-22	16	
SOUTH SIDE	289	YHH180G3RVA0200C10000000	152310583D		R-410A	21	8
BASEMENT SW CORNER	2894	SWUB-B754-C	S84F-10337		R-22	8	4
NORTH SIDE ROOF	298	WSC048A3R0A13	351102008L		R-22	10	3
PMEL OUTSIDE	3000	CHHB070TNCON	UA3B4699		R-22	0	
BUILDING 3027	30271	PTEC1201GBA	P1225909R		R-22	1	13
NORTH SIDE	342	TTA180C400EA	Z345NJBAH		R-22	26	0
NORTH SIDE	344	TTA180C300EA	Z345NJSAH		R-22	39	
EAST SIDE	345	38BA009630	2890G91639		R-22	0	
BUILDING 350	350-R410A	W70A1-BOOXPPXXXJ	338N102754473-02		R-410A	2	0
A/C OFFICE	359	TRUCK	2009 DODGE		R-134A	1	10
BUILDING 1525	370	UNK-AC-1525	1525-R134A-370		R-134A	0	
BUILDING 451	38AN012110	38AN012110	5003Y00974		R-22	1	15
BUILDING 1525	390	SERVICE TRUCK #390	#390-R134A		R-134A	3	4

Location	Equipment ID	Model #	Serial #	Isolated Circuits	Refrigerant	Total System Charge (lbs)	Total System Charge (oz)
WEST SIDE	390-R410A	UNK-AC-390	390-R410A		R-410A	3	8
GLC	39353	R52-DF	74839		R-22	0	
BUILDING 1400	396	1400-AC-04	1400-AC-04		R-134A	0	0
BREAK RM	4045	CTX18LYZGRWH	DT767357		R-22	3	8
ETF SPECIAL PROJECTS	4302	25HBR348A600	2006E26969		R-22	14	7
BUILDING 899	4302	38QN0606005M	U558084		R-22	14	0
OUTSIDE	451-CO2	BST015L6D	T14H08380		R-404A	2	0
BUILDING 451	451001	280216005	280216820419		R-420A	1	4
A & E CONFERENCE RM	5	50BA016610	K297952		R-22	24	
NORTH SIDE	518	50TCQD12A2A6A0A0A0	1216P62866	2	R-410A	29	5
BUILDING 445	529	4WCZ6060B4000AA	152710554L		R-410A	9	13
RM 7	5309	5309 ISO THERM	158		R-22	2	
BUILDING 445	531	PHF060L000A	L014133516		R-22	11	
BUILDING 445	533	C2ED120A46A	NMJM14028	2	R-22	11	12
RM C305	54	BAA024H1AB	J61065		R-22	6	
CARDOX UNIT	541000	0300-TFP-001	UNK-541-CARDOX		R-22	48	5
BUILDING 541	541001	TOMCO2	971597-183 FHPC		R-404A	8	3
BUILDING 543	543HVAC	AV-72-S-3-060	B97093		R-22	10	
BUILDING 1400	556	U-R134A-AC	ENGINE #1		R-134A	0	
PAINT SHOP	5756	KHA04854BN1G	5610A00530		R-410A	19	0
BUILDING 1400	597	1400-AC-02	1400-AC-02		R-134A	0	0
BUILDING 760	617	538CAX009B	0601Y20417		R-22	1	6
GLC	6291	38AE016600	P596847		R-22	18	
OUTSIDE	648	30XAA1606T-05WP3	4108Q90659	2	R-134A	235	
BUILDING 451	655	SCWH03042A01010	B0812S007		R-410A	3	13
BUILDING 451	655	SWUB-B304-C	S83J-18260		R-22	3	15
BUILDING 451	656	51DT112351C	629624183		R-22	0	
BUILDING 780	780FIRE	CJAL-0150--TAD-001	780-R404A-780FIRE		R-404A	8	6
JIG BORE RM	851	3E5J80	J9L08Z3516		R-12	227	0
J1/J2 CARDOX	878-898FIRE	CJAL-0150--TAD-001	CARDOX-R404A		R-404A	8	6
J1/J2 CARDOX	880C02	CJAL-0200-TAD-001	880-R22-880C02		R-22	13	

Location	Equipment ID	Model #	Serial #	Isolated Circuits	Refrigerant	Total System Charge (lbs)	Total System Charge (oz)
BUILDING 913	913-R22	UNK-AC-913	913-R22		R-22	0	0
BUILDING 936	UNIT 1	UNK-AC-936	936-R22-TRUCK UNIT 1		R-22	16	3
BUILDING 936	UNIT 2	UNK-AC-936	936-R22-TRUCK UNIT 2		R-22	16	3
INSPECTION LAB	958	CEMW1034CUP	20918	4	R-22	28	
BREAK RM	959	YS09J10-1	LKKR042772		R-22	5	
EXP LAB TRAILER	AF023610	60WH1-A15N	108C9207846-1		R-22	14	2
SERVING LINE	E100797	AJA7465AXAXE	OL72967178		R-420A	0	
BUILDING 350	E449	38AUQB07A0A6A0A0C0	0313C94698		R-410A	18	0
BUILDING 350	F229987	25005T-LT	0303383		R-134A	8	0
A/C OFFICE	JRTEMP1	SAC6043PM	5093		R-22	6	9
A/C OFFICE	JRTEMP2	50TCQD08A2A6-0A0A0	2814P69753	2	R-410A	20	4
J-6 TEST CELL	M12254	MDPT-22AF-240-25WCLH	M12254		R-22	0	
BUILDING 934	NE	UNK-CRANE-1401	1401-R134A-CRANE		R-22	0	0
BUILDING 934	ILER 646	UNK-MVAC-934	934-R22-TRAILER		R-22	5	0
BUILDING 2208	P790098	5080006-610	P790098		R-22	0	
	1 & 2	50TCQD12AZA6A	1110G50676	2	R-410A	31	
BUILDING 251	SCU1082AA	SCU1082AA	8400G30772		R-22	3	11
BUILDING 1478	1478	50TCQPA6A0AA	2814P69753		R-410A	14	0
BUILDING 678	678	294BB360A0062010	2812E02711		R-410A	22	0
BUILDING 676	TEMP676	TCH180E400BAD	1041102620	2	R-410A	36	
BUILDING 451	8	SPECIAL	68-433R541-1		R-420A	0	
BUILDING 1573	A00XP	WA602-A00XP	153A01157090301		R-22	8	12
BASEMENT EQUIP RM	Z097642	KA4C4-2H6L	F00A2126		R-134A	0	15
MAIN CAFE	Z100933	T-49	3197450		R-134A	2	8
BUILDING 880	Z105290	KA4C4-2H6L	E03A1496		R-134A	1	
MAIN CAFE	Z115493	0452-REF-01	0452-REF-01		R-404A	1	5
BUILDING 1400	Z27013	UNK-AC-1400	1400-R134A-Z27013		R-134A	0	0

APPENDIX K – SIGNIFICANT LEAKS OR SPILLS HISTORICAL DATA

1 January 2014 – 31 December 2016

Date	Pollutant	Quantity	Units	Location
07-Apr-14	R-22	115	Pounds	HVAC
19-Jun-14	Hydraulic Oil	250	Gallons	Hydraulic System #4
08-Jul-14	R-22	100	Pounds	HVAC
19-Jan-15	Transformer oil	530	Gallons	Transformer Yard
03-Mar-15	AFFF	500	Gallons	Foam House
15-Apr-15	Transformer oil	100	Gallons	Transformer yard area
17-Apr-15	Hydraulic Oil	400	Gallons	Valve 3B
06-May-15	Hydraulic Oil	550	Gallons	CVC1 Valve cluster
01-Jun-15	Ethylene Glycol	225	Gallons	RC1 reheat system
29-Jun-15	Sewage	50	Gallons	Sewage Lift Station
24-Aug-15	Sewage	100	Gallons	parking lot
14-Sep-15	Sewage	10	Gallons	cleanout cap
21-Sep-15	R-134A	3000	Pounds	Inside Bldg. 921
14-Dec-15	Ethylene Glycol	100	Gallons	RC1 Cooler
29-May-16	Sewage	100	Gallons	Fam Camp
29-May-16	Sewage	100	Gallons	Fam Camp
12-Jun-16	Sewage	20	Gallons	Fam Camp
26-Sep-16	R-134A	10000	Pounds	Inside Bldg. 922
04-Oct-16	Ethylene Glycol	100	Gallons	ETF C Plant Airside

APPENDIX L – ARNOLD AFB VEHICLE FLEET

CN	REG	CAT	MFG	TYPE	MODEL	TYPE, SIZE OR CAPACITY	ENG	VIN	USER	LOCATION	ORG	FUEL TYPE
81	07X9292	GP/OTH	CHEVROLET	VAN	EXPRESS	SPECIAL EMADS VAN	6.6	1GCGG25227156240	COMMUNICATION SERVICES	BLDG 350	TOS N40/NAS	Diesel
115	07X96912	GP/OTH	CHEVROLET	PICKUP	C-1500	1/2 TON - LD 4 X 4 EXTENDED CAB	5.3	1GCEK190272594752	3R-FORESTRY	BLDG 100	TSDCI	Unleaded
250	95X00250	GP/OTH	DODGE	UTILITY	3500	1 TON - MD	5.9	1B6MF36C4SS168917	2A-SVERDRUP	BLDG 934	TOS N40/NAS	Diesel
408	99X00408	GP/UV	CUSHMAN	UTILITY VEHICLE	898612	LSV	1061CC	6084098	2A-SVERDRUP	BLDG 868	TOS N40/NAS	Unleaded
411	98X00411	GP/UV	CUSHMAN	UTILITY VEHICLE	898612	LSV	49HP	6055850	2A-SVERDRUP	BLDG 1424	TOS N40/NAS	Unleaded
415	99X00415	GP/UV	CUSHMAN	UTILITY VEHICLE	848615	LSV	49HP	6087665	5D-ASO	BLDG 675	ASO Custodial	Unleaded
421	98X00421	GP/UV	EASY GO	UTILITY VEHICLE	WRKHSE	OGMVC	11HP	A55761	2B-CALSPAN	BLDG 876	TOS N40/NAS	Unleaded
422	00X00422	GP/UV	YAMAHA	UTILITY VEHICLE	YFM4FAM	OGMVC	401CM	JY4AJ03WXYA033092	4A-OSI	FP&C	OSI	Unleaded
423	07X00423	GP/UV	JOHN DEERE	UTILITY VEHICLE	GATOR	OGMVC	FE290	W04X2S0016224	3I-ROADS & GROUNDS	BLDG 876	TOS N40/NAS	Unleaded
424	97X00424	GP/UV	LEGEND	WHSE SCOOTER	535	OGMVC		97K5350087	2A-SVERDRUP	BLDG 718	TOS N40/NAS	Electric
428	07X00428	GP/UV	KUBOTA	UTILITY VEHICLE	RTV907	OGMVC	.898L	KRTV900A61067557	2A-SVERDRUP	BLDG 760	TOS N40/NAS	Diesel
429	01X00429	GP/UV	KAWASAKI	UTILITY VEHICLE	3000	OGMVC	FD620	JK1AF6G161B500165	2A-SVERDRUP	BLDG 718	TOS N40/NAS	Unleaded
430	07X00430	GP/UV	KAWASAKI	UTILITY VEHICLE	KVF750A7F	OGMVC	45.7 CI	JKAVFDA147B532220	4B-SECURITY POLICE	FP&C	PSI	Unleaded
431	07X00431	GP/UV	JOHN DEERE	UTILITY VEHICLE	GATOR	OGMVC	FE290	W04X2S0016222	2A-SVERDRUP	BLDG 876	TOS N40/NAS	Unleaded
434	07X00434	GP/UV	KAWASAKI	UTILITY VEHICLE	KVF750A7F	OGMVC	45.7 CI	JKAVFDA1X7B532318	4B-SECURITY POLICE	FP&C	PSI	Unleaded
436	07X00436	GP/UV	KAWASAKI	UTILITY VEHICLE	KVF750A7F	OGMVC	45.7 CI	JKAVFDA177B534625	4B-SECURITY POLICE	FP&C	PSI	Unleaded
437	07X00437	GP/UV	JOHN DEERE	UTILITY VEHICLE	GATOR	OGMVC	FE290	W04X2S0016223	2L-CALSPAN/OPS-MAINT	BLDG 876	TOS N40/NAS	Unleaded
438	92X00438	GP/UV	JOHN DEERE	UTILITY VEHICLE	AMT-626	OGMVC	FE290D	W00626X008753	2B-CALSPAN	BLDG 797	TOS N40/NAS	Unleaded
439	07X00439	GP/UV	JOHN DEERE	UTILITY VEHICLE	GATOR	OGMVC	FE290	W04X2S0016225	6C-BASE SUPPLY	WHSE 1	TOS N40/NAS	Unleaded
441	07X00441	GP/UV	KUBOTA	UTILITY VEHICLE	RTV900	OGMVC	.898L	KRTV900A71075362	2A-SVERDRUP	BLDG 797	TOS N40/NAS	Diesel
443	07X00443	GP/UV	CUSHMAN	WHSE SCOOTER	835	OGMVC		2557802	6C-BASE SUPPLY	WHSE 1	ASO Base Services	Electric
447	07X00447	GP/UV	CUSHMAN	WHSE SCOOTER	835	OGMVC		2557744	2A-SVERDRUP	BLDG 678 RM 104	TOS N40/NAS	Electric
448	11X00448	GP/UV	HONDA	UTILITY VEHICLE	MUV700	OGMVC	675cc	3H1VE0100AD100728	1N-SERVICES	COMMUNITY CENTER	TSD/SV	Unleaded
449	11X00449	GP/UV	HONDA	UTILITY VEHICLE	MUV700	OGMVC	675cc	3H1VE0103AD101159	1N-SERVICES	FITNESS CENTER	TSD/SV	Unleaded
451	01X00451	GP/UV	CUSHMAN	UTILITY VEHICLE	898614	LSV	4682	60-81495	TOS N60/CF5I	BLDG 1525 POWER CONTROL	TOS N60/CF5I	Unleaded
453	01X00453	GP/UV	CUSHMAN	UTILITY VEHICLE	898614	LSV	4682	60-84247	2A-SVERDRUP	BLDG 922	TOS N40/NAS	Unleaded
463	09X00463	GP/UV	CUSHMAN	WHSE SCOOTER	MINUTE MISER	OGMVC		2671026	6C-BASE SUPPLY	WHSE 1	ASO Base Services	Electric
464	01X00464	GP/UV	KAWASAKI	UTILITY VEHICLE	3000	OGMVC	FD620G	JK1AF6G152B502927	2A-SVERDRUP	BLDG 676	TOS N40/NAS	Unleaded
473	13X00473	GP/UV	POLARIS	UTILITY VEHICLE	L13G4AGALA	LSV	48 VOLT	52CGAAGAD0003072	3F-AEDC/TSSW	Bldg. 1099	AEDC/TSS	Electric
475	13X00475	GP/UV	POLARIS	UTILITY VEHICLE	L1345GALA	LSV	48 VOLT	52CG45GA7D0002969	4B-SECURITY POLICE	FP&C	PSI	Electric
476	11X00476	GP/UV	COLUMBIA PARCAR	UTILITY VEHICLE	SUV-4T	LSV	48 VOLT	5FCL5368XB1000365	3I-ROADS & GROUNDS	BLDG 1478	TOS N60/CF5I	Electric
477	11X00477	GP/UV	COLUMBIA PARCAR	UTILITY VEHICLE	SUV-4T	LSV	48 VOLT	5FCL53681B1000366	2A-SVERDRUP	BLD 868	TOS N40/NAS	Electric
478	07X00478	GP/UV	CUSHMAN	UTILITY VEHICLE	613	LSV	71HP	61056240	3M-ZONE MAINTENANCE	BLDG 1478	TOS N60/CF5I	Unleaded
479	07X00479	GP/UV	CUSHMAN	UTILITY VEHICLE	613	LSV	71HP	61061325	2B-SVERDRUP	VKP Plant	TOS N40/NAS	Unleaded

480	10X00480	GP/UV	KUBOTA	UTILITY VEHICLE	RTV900	OGMYC	.898L	KRTV900A910A0937	ASO Grounds	BLDG 1424	ASO Grounds	Diesel
481	10X00481	GP/UV	KUBOTA	UTILITY VEHICLE	RTV900	OGMYC	.898L	KRTV900A910A0642	ASO Grounds	BLDG 1424	ASO Grounds	Diesel
482	14X00482	GP/UV	KUBOTA	UTILITY VEHICLE	RTV1100	OGMYC			3T-POWER CONTROL	BLDG 1525	M5424	Diesel
483	15X00483	GP/UV	KUBOTA	UTILITY VEHICLE	RTV900	OGMYC	0.898L	ASKB2FDBHEG02126	2A-SVERDRUP	PWT, BLDG 797	TOS N40/NAS	Diesel
485	07X00485	GP/UV	KUBOTA	UTILITY VEHICLE	RTV900	OGMYC	.898L	KRTV900A61055797	2A-SVERDRUP	BLDG 797	TOS N40/NAS	Unleaded
486	09X00486	GP/UV	KUBOTA	UTILITY VEHICLE	RTV1100	OGMYC	1.1L	KRTV1100B1019747	5V-SAFETY	BLDG 1103	TOS N30/NAS	Unleaded
487	14X00487	GP/UV	KUBOTA	UTILITY VEHICLE	RTVX1100C	OGMYC	1.1L	ASKC2GDBHEG016214	3T-POWER CONTROL	BLDG 1525	TOS N60/CFSI	Diesel
488	15X00488	GP/UV	KUBOTA	UTILITY VEHICLE	RTVX1100C	OGMYC	1.1L	ASKC2GDBHEG013323	2A-SVERDRUP	BLDG 934	TOS N40/NAS	Diesel
489	15X00489	GP/UV	KUBOTA	UTILITY VEHICLE	RTVX1100C	OGMYC	1.1L	21923	2A-SVERDRUP	BLDG 934	TOS N40/NAS	Diesel
490	15X00490	GP/UV	KUBOTA	UTILITY VEHICLE	RTVX1100C	OGMYC	1.1L	ASKC2GDBCEG015753	3D-CE WORK CONTROL	BLDG 1478	TOS N60/CFSI	Diesel
523	99X00523	GP/UV	CUSHMAN	UTILITY VEHICLE	898611	LSV	49 HP	6076708	6G-SUPPLY QA	WHSE 1	TOS N30/NAS	Unleaded
525	10D00075	SP	INTERNATIONAL	DUMP TRUCK	7400	8 YARD DUMP	300HP	1HTWHAAR0AJ204690	3G-CONSTRUCTION/REFUSE	BLDG 1478	TOS N60/CFSI	Diesel
527	15X00527	GP/UV	KUBOTA	UTILITY VEHICLE	RTV900	OGMYC	0.898L	ASKB2FDBHEG021388	2A-SVERDRUP	BLDG 591	TOS N40/NAS	Diesel
528	99X00528	GP/UV	CUSHMAN	UTILITY VEHICLE	898611	LSV	49HP	607655A	2B-CALSPAN	MCOEL SHOP	TOS N40/NAS	Unleaded
530	16D00815	GP	Kenworth	Dump Truck	T-370	10 YARD DUMP		2NKH19X4IM194504	3I-ROADS & GROUNDS	BLDG 1478	TOS N60/CFSI	Diesel
534	10D00242	SP	INTERNATIONAL	DUMP TRUCK	7400	8 YARD DUMP	300HP	1HTWHAAR5AJ276470	3G-CONSTRUCTION/REFUSE	BLDG 1478	TOS N60/CFSI	Diesel
535	10D00241	SP	INTERNATIONAL	DUMP TRUCK	7400	8 YARD DUMP	300HP	1HTWHAAR9AJ276469	3G-CONSTRUCTION/REFUSE	BLDG 1478	TOS N60/CFSI	Diesel
536	06C00071	SP	INTERNATIONAL	DUMP TRUCK	7400	10 YARD DUMP	285hp	1HTWHAAR56J237627	3G-CONSTRUCTION/REFUSE	BLDG 1478	TOS N60/CFSI	Diesel
539	07X00539	SP	JLG	AERIAL WORK PLATFORM	800A		3.9	300109523	2A-SVERDRUP	BLDG 876	TOS N40/NAS	Diesel
541	07X00541	SP	JLG	AERIAL WORK PLATFORM	800A		3.9	300109534	2A-SVERDRUP	BLDG 797	TOS N40/NAS	Diesel
545	98L00581	SP	PIERCE	FIRE TRUCK RESCUE 15	P-28	FIRE TRUCK	12.7L	4P1CA0259WAO00453	3B-FIRE PROTECTION	FP&C	URS Fire & Emerg	Diesel
546	15L00043	SP	E-One	FIRE TRUCK ENGINE	P-22	FIRE TRUCK	ISL9 400	4EN6AA89F1009011	3B-FIRE PROTECTION	FP&C	URS Fire & Emerg	Diesel
547	96L00458	SP	KOVATCH	FIRE TRUCK ENGINE 2	P-24	FIRE TRUCK	8.3	1K9AF4283VN058518	3B-FIRE PROTECTION	FP&C	URS Fire & Emerg	Diesel
548	15L00028	SP	OSHKOSH	FIRE TRUCK	STRIKER	FIRE TRUCK	TCD2015 V08	10TADUF6FA774233	3B-FIRE PROTECTION	FP&C	URS Fire & Emerg	Diesel
550	17L00160	SP	Rosenbauer	FIRE TRUCK TANKER XX	P-26	FIRE TRUCK		3ALHC5CY8H0J66939	3B-FIRE PROTECTION	FP&C	URS Fire & Emerg	Diesel
554	87L00067	SP	OSHKOSH	FIRE TRUCK CRASH 5	P-19	FIRE TRUCK	NTC400	10T9L5BE4H1030317	3B-FIRE PROTECTION	FP&C	URS Fire & Emerg	Diesel
556	95L00387	SP	KOVATCH	FIRE TRUCK ENGINE 3	P-22	FIRE TRUCK	8.3	1K9AF4288SN058254	3B-FIRE PROTECTION	FP&C	URS Fire & Emerg	Diesel
558	03X00558	OTH	SHADOW MASTER	ENCLOSED TRAILER				4U01532284A017758	3B-FIRE PROTECTION	FP&C	URS Fire & Emerg	None
559	93X00559	OTH	Halmark	ENCLOSED TRAILER	K712Bt			16hpb1223rh022285	3B-FIRE PROTECTION	FP&C	URS Fire & Emerg	None
566	09C00608	SP	INTERNATIONAL	WRECKER	4400 SBA	WRECKER	260HP	1HTMKAANS4H213642	0I-VEHICLE MAINT	BLDG 1400	ASO O&M	Diesel
567	10X00567	GP/OTH	CAPACITY	YARD TRACTOR	TJ7000	YARD MULE	6.7L	4LMCB2111AJ021254	3I-ROADS & GROUNDS	BLDG 1478	TOS N60/CFSI	Diesel
570	03X00570	SP	JLG	SCISSOR LIFT	203200			200107366	3D-AC SHOP	BLDG 1478	TOS N60/CFSI	Electric
572	99X00572	SP	GENIE	AERIAL WORK PLATFORM	2-34			1756	2A-SVERDRUP	J-6/Bldg. 2124	TOS N40/NAS	Electric
573	12X00573	GP/OTH	INTERNATIONAL	STAKE & PLATFORM DUMP	4300M7			1HTJTSKL1C1548735	3I-ROADS & GROUNDS	BLDG 1478	TOS N60/CFSI	Diesel

574	01000580	SP	VOLVO	METAL TRUCK	WG42		VE275	4V5J18HE61N313705	1N-SERVICES	BLDG 1424	TSD/SV	Diesel
575	17D00331	Auto	INTERNATIONAL	Asphalt Truck				3HAZ2MMN9JL098701	3I-ROADS & GROUNDS	BLDG 1478	TOS N60/CFSI	Diesel
578	10D00079	Auto	INTERNATIONAL	WATER DISTRIBUTOR	DURA STAR			3HAMSAR4AL175446	3H-PAVEMENTS MAINTENANCE	BLDG 1478	TOS N60/CFSI	Diesel
579	89L00989	Auto	OSHKOSH	REFUELER	AS32R-11		8.3L	9K1038788	5Q-FUELS	BULK FUELS	TOS N60/CFSI	Diesel
581	98X00581	SP	UPRIGHT	SCISSOR LIFT	MX19			9596	2A-SVERDRUP	BLDG 1077	TOS N40/NAS	Electric
582	14X00582	SP	HAULOTTE	SCISSOR LIFT	2032E			CE152959	3L-PLUMBING SHOP	BLDG 1478	TOS N60/CFSI	Electric
584	11X00584	SP	JLG	AERIAL WORK PLATFORM	450AJ		3.0L	300153648	3T-POWER CONTROL	PWT	TOS N60/CFSI	Unleaded
585	02C00022	SP	INTERNATIONAL	LINE TRUCK	4900	100 FT/Over	DT530	1HTSHADT72H514284	3T-POWER CONTROL	BLDG 1525	TOS N60/CFSI	Diesel
587	11X00587	SP	JLG	AERIAL WORK PLATFORM	800A			300143302	3T-POWER CONTROL	16T CART AREA	TOS N40/NAS	Diesel
588	00X00588	SP	JLG	AERIAL WORK PLATFORM	600AJ		4251.0	300059001	2T-SVERDRUP	BLDG 876	TOS N40/NAS	Unleaded
591	11X00591	SP	JLG	AERIAL WORK PLATFORM	450AJ			300144148	3K-PAINT SHOP	BLDG 1478	TOS N60/CFSI	Diesel
592	01X00592	SP	JLG	SCISSOR LIFT	203200			200099913	2T-SVERDRUP	BLDG 876	TOS N40/NAS	Electric
593	10X00593	SP	JLG	SCISSOR LIFT	2646ES			200196389	2A-SVERDRUP	BLDG 760	TOS N40/NAS	Electric
594	12C00107	SP	MACK	REFUSE TRUCK	MUR613	40 YARD		1M2AV02C4DM010179	5D-ASO	BLDG 1424	ASO Custodial	Diesel
595	05X00595	SP	SKY JACK	SCISSOR LIFT	3219			244560	2A-SVERDRUP	BLDG 541	TOS N40/NAS	Electric
596	15C00133	SP	PETERBUILT	REFUSE TRUCK	PB320	40 YARD	PX9/SL9 380	3BP2L0X4F100597	5D-ASO	BLDG 1424	ASO Custodial	Diesel
599	03X00599	SP	JLG	SCISSOR LIFT	1930ES			4231073	2A-SVERDRUP	BLDG 912	TOS N40/NAS	Electric
600	85B11245	OTH	BOA	TRAILER	5012FLS			1423M493XAB25001	2T-SVERDRUP	J-4	TOS N60/NAS	None
601	05X00601	SP	JLG	SCISSOR LIFT	1930ES			200133031	2A-SVERDRUP	BLDG 880	TOS N40/NAS	Electric
602	53X00602	OTH	FREHAUF	TRAILER	CPT8			56672	3T-POWER CONTROL	HARDSTAND BLDG 1525	TOS N60/CFSI	None
604	07X00604	OTH	EZ DUMPER	TRAILER	LS66-165R			5H26165R58W014393	4B-SECURITY POLICE	FP&C	PSI	None
605	89B03238	OTH	KENTUCKY	TRAILER	AVC			1KXVR482XJL084831	2A-SVERDRUP	BLDG 646	TOS N40/NAS	None
606	07X00606	GP/UV	KUBOTA	UTILITY VEHICLE	RTV900	OGMVC	.898L	KRTV900A71075986	ASO Grounds	BLDG 1424	ASO Grounds	Unleaded
607	07X00607	GP/UV	KUBOTA	UTILITY VEHICLE	RTV900	OGMVC	.898L	KRTV900A71075443	3I-ROADS & GROUNDS	BLDG 1478	TOS N60/CFSI	Unleaded
608	07X00608	GP/UV	KUBOTA	UTILITY VEHICLE	RTV900	OGMVC	.898L	KRTV900A71073701	3I-ROADS & GROUNDS	BLDG 1478	TOS N60/CFSI	Diesel
609	07X00609	GP/UV	KUBOTA	UTILITY VEHICLE	RTV900	OGMVC	.898L	KRTV900A71075347	ASO Grounds	BLDG 1424	ASO Grounds	Diesel
610	03X00610	OTH	MIDLAND	TRAILER	FLATBED			1A9FB16243L429121	3I-ROADS & GROUNDS	BLDG 1478	TOS N60/CFSI	None
611	67B14041	OTH	FONTAINE	TRAILER	C16075			8677	2T-SVERDRUP	MODEL SHOP RIGGER BLDG	TOS N60/NAS	None
612	07X00612	GP/UV	KUBOTA	UTILITY VEHICLE	RTV900	OGMVC	.898L	KRTV900A71075977	3I-ROADS & GROUNDS	BLDG 1478	TOS N60/CFSI	Diesel
613	07X00613	OTH	P & T	TRAILER	5X8 AFT			5JTAU08157A014008	4B-SECURITY POLICE	FP&C	PSI not accepted	None
614	11X00614	OTH	INTERSTATE	TRAILER	ISFC10220TA3			4RACS2022BC029339	3O-AC SHOP	ODC	TOS N60/CFSI	None
616	11X00616	OTH	INTERSTATE	TRAILER	ISFC10220TA3			4RACS2023BC031567	3O-AC SHOP	ODC	TOS N60/CFSI	None
617	01X00617	GP/UV	KAWASAKI	UTILITY VEHICLE	400 4X4	OGMVC	29 HP	JKAVFKC1118527467	4A-OSI	A&E PARKING LOT	OSI	Unleaded
618	10X00618	OTH	PJ TRAILER	TRAILER	T8222			4P5T82222A1139600	ASO Grounds	BLDG 1424	ASO Grounds	None

619	01X00619	GP/UV	KAWASAKI	UTILITY VEHICLE	400 4X4	OGMYC	29 HP	JKAVFKC1718527456	4A-OSI	A&E PARKING LOT	OSI	Unleaded
620	05X00620	OTH	HORTON	ENCLOSED TRAILER	H712TA			5E2B1122451019931	3I-ROADS & GROUNDS	BLDG 1478	TOS N60/CFSI	None
621	01X00621	GP/UV	CUSHMAN	UTILITY VEHICLE	898614	LSV	49 HP	60B1128	2A-SVERDRUP	BLDG 591	TOS N40/NAS	Unleaded
625	95B00138	OTH	KALYN	TRAILER	LB-20			1K0E3824X51005299	2T-SVERDRUP	MODEL SHOP RIGGER BLDG	TOS N60/NAS	None
629	06X00629	OTH	HOMESTEADER	DUMP TRAILER	612PK			5HABD12217N001371	3I-ROADS & GROUNDS	BLDG 1478 HARD STAND	TOS N60/CFSI	None
630	00X00630	OTH	BIG TEX	TRAILER	305A-10			4K8AX1019Y1A66080	4A-OSI	SF PARKING LOT	OSI	None
631	93B03808	OTH	KAY	TRAILER	8PL3-60			1K9E16330P1005450	2T-SVERDRUP	MODEL SHOP RIGGER BLDG	TOS N60/NAS	None
633	09X00633	GP/UV	POLARIS	UTILITY VEHICLE					3P-CE PEST CONTROL	BLDG 1478 HARD STAND	TOS N60/CFSI	Unleaded
634	12X00634	OTH	BAUER	COMPRESSOR	DOTR26-WRAF	BREATHING AIR COMPRESSOR	54L2-29	1B9PE10130N730224	3B-FIRE PROTECTION	FIRE DEPT - LOT BEHIND FIRE HALL	URS Fire & Emerg	Diesel
635	01X00635	OTH	CARGO	ENCLOSED TRAILER	CE712TA			7911	4B-SECURITY POLICE	FP&C	PSI not accepted	None
637	07X00637	OTH	QUALITY	TRAILER	5105A			5LBBE101581017988	2A-SVERDRUP	ETF PARKING LOT	TOS N60/CFSI	None
638	89B01827	OTH	HOLDEN	TRAILER	LB40360			12HLB403XUN603047	3I-ROADS & GROUNDS	MP HARDSTAND	TOS N60/CFSI	None
639	05X00639	OTH	PACE	TRAILER	J76125A			4FPFB12115G095838	4B-SECURITY POLICE	BLDG 251	PSI not accepted	None
640	05X00640	OTH	HORTON	ENCLOSED TRAILER	H818TA			5E2B1182751021387	1Q-DISASTER PREPAREDNESS	A & E	TSDCX	None
641	94B03591	OTH	KAL	TRAILER	LB-25T			1K0E1623451005154	2T-SVERDRUP	MODEL SHOP RIGGER BLDG	TOS N60/NAS	None
642	04X00642	OTH	P & T	TRAILER	77X10			5JTAU10134A004882	3T-POWER CONTROL	HARDSTAND BLDG 1525	TOS N60/CFSI	None
643	06X00643	GP/UV	KUBOTA	UTILITY VEHICLE	RTV900G6	OGMYC	D902	56183	ASO Grounds	BLDG 1424	ASO Grounds	Diesel
644	90X00644	OTH	TALBERT	TRAILER	HST 7X3			9762	2A-SVERDRUP	J-6	TOS N40/NAS	None
645	05X00645	OTH	UNITED	FOAM TRAILER	F7/LDH-500		6 HP	159FT142150407164	3B-FIRE PROTECTION	FIRE DEPT	URS Fire & Emerg	Unleaded
646	89B03237	OTH	KENTUCKY	TRAILER				1KXVR2812K1084642	2A-SVERDRUP	BLDG 646	TOS N40/NAS	None
647	05X00647	OTH	HOMESTEADER	TRAILER	612MK			5HABD12268N055178	3I-STRUCTURAL	BLDG 1478 Scaffold Shed	TOS N60/CFSI	None
648	98X00648	OTH	PAR	TRAILER	PH202			4P5PH2025W1021147	32-ENVIRONMENTAL HEALTH	IRP OFFICE	URS Safety/Env	None
652	01X00652	OTH	BEHNKE	TRAILER	56-1025			11016874	32-ENVIRONMENTAL HEALTH	IRP OFFICE	URS Safety/Env	None
653	08X00653	OTH	ETNYER	TRAILER	SR35TL			Q30156	3I-ROADS & GROUNDS	BLDG 1478	TOS N60/CFSI	None
654	01X00654	OTH	BEHNKE	TRAILER	56-1025			11016872	32-ENVIRONMENTAL HEALTH	IRP OFFICE	URS Safety/Env	None
656	13X00656	OTH	UNITED	TRAILER	XDT			56JTE2026DA131573	3T-POWER CONTROL	HARDSTAND BLDG 1525	TOS N60/CFSI	None
657	01X00657	OTH	BEHNKE	TRAILER	56-1025			11016870	3T-POWER CONTROL	BLDG 1525	TOS N60/CFSI	None
660	05X00660	SP	GENIE	SCISSOR LIFT	G5-2032			75100	3M-OUTSIDE MACHINISTS	BLDG 1478	TOS N60/CFSI	Electric
661	98X00661	OTH	PACE	TRAILER	W5612SH			4FPFB1211XG032600	IN-SERVICES	Fitness or ODR	TSD/SV	None
662	05X00662	SP	GENIE	SCISSOR LIFT	G5-2032			75102	3T-POWER CONTROL	BLDG 1525	TOS N60/CFSI	Electric
663	65X00663	OTH	WELLS	TRAILER	WW2411				3T-POWER CONTROL	BLDG 1525	TOS N60/CFSI	None
664	05X00664	SP	GENIE	SCISSOR LIFT	G5-2032			75174	2T-SVERDRUP	BLDG 876	TOS N60/NAS	Electric
666	08X00666	OTH	YODOCK	TRAILER				1H9UD18478MO55450	4B-SECURITY POLICE	BLDG 251	PSI not accepted	None
667	10X00667	SP	JLG	SCISSOR LIFT	2630ES			200195803	2A-SVERDRUP	BLDG 868	TOS N60/CFSI	Electric

668	06X00668	SP	GENIE	SCISSOR LIFT	GS-2032			81924	3L-PLUMBING SHOP	BLDG 797	TOS N40/NAS	Electric
669	06X00669	OTH	WELLS	TRAILER	EW2425W			1WC200L2573056706	32-ENVIRONMENTAL HEALTH	IRP OFFICE	URS Safety/Env	None
670	98X00670	OTH	NUWAY	TRAILER	NW13800			452KD0815VH615806	IN-SERVICES	BLDG 1476	TSD/SV	None
671	06X00671	OTH	WELLS	TRAILER	EW2024W			1WC200J2573056823	4B-SECURITY POLICE	BLDG 251	PSI not accepted	None
673	06X00673	OTH	CARGO	TRAILER	C612SA			5LBBE121461009956	6D-BASE SUPPLY	BLDG 1103	ASO Base Services	None
674	06X00674	OTH	CARGO	TRAILER	C612SA			5LBBE121661009960	6D-BASE SUPPLY	BLDG 350	ASO Base Services	None
675	97X00675	OTH	PARR	TRAILER	97 LOAD			42ESH1624V1112099	32-ENVIRONMENTAL HEALTH	IRP OFFICE	URS Safety/Env	None
676	06X00676	OTH	CARGO	TRAILER	C612SA			5LBBE121261010071	6D-BASE SUPPLY	BLDG 430	ASO Base Services	None
677	06X00677	OTH	CARGO	TRAILER	C612SA			5LBBE121861009961	6D-BASE SUPPLY	BLDG 1103	ASO Base Services	None
678	05X00678	OTH	VIP	TRAILER	C5712T2		11 HP	5LBBE122851007926	1T-TELEPHONE MAINTENANCE	BESIDE BLDG. 259	BCEITS (formerly ITAG)	Unloaded
679	06X00679	OTH	CARGO	TRAILER	612SA			5LBBE121861012889	32-ENVIRONMENTAL HEALTH	IRP OFFICE	URS Safety/Env	None
684	08X00684	OTH	TRI STATE	TRAILER	K2635-1			A2203875	2A-SVERDRUP	BLDG 868	TOS N40/NAS	None
685	94X00685	OTH	ADVANCED	TRAILER	DT5128			1A9VBJG25P1247200	3K-PAINT SHOP	BLDG 1478	TOS N60/CFSL	None
686	10X25805	OTH	WELLS	TRAILER	EW2024			1WC200J25A1125805	AIR FORCE	Behind BLDG 934	TOS N40/NAS	Unloaded
687	06X00687	OTH	CARGO	TRAILER	C612SA			5LBBE1214510072	6D-BASE SUPPLY	BLDG 797	ASO Base Services	None
688	06X00688	OTH	CARGO	TRAILER	C612SA			5LBBE1216009959	6D-BASE SUPPLY	BLDG 1099	ASO Base Services	None
689	10X00689	OTH	COVERED WAGON	TRAILER	CV6X12SP			53FBE12128F001799	3L-PLUMBING SHOP	BLDG 1478	TOS N60/CFSL	None
700	60X00700	OTH	HENRY SPEN	TRAILER	MD1			755030	5Q-FUELS	BLDG 1099	TOS N60/CFSL	None
701	60X00701	OTH	HENRY SPEN	TRAILER	MD1			755031	5Q-FUELS	ASTF	TOS N60/CFSL	None
702	12X00702	OTH	CITY MACHINE & WELDING	TRAILER	MD1			1C9UA1520CA470312	5Q-FUELS	FUEL FARM	TOS N60/CFSL	None
704	99L05543	SP	HEIL	TRAILER	6000 GAL TANK TRAILER			19ONL4521Y3E13799	URS Safety/Env	IRP OFFICE	URS Safety/Env	None
705	13X00705	OTH	DURA-HAUL	TRAILER	5040 GAL TANK TRAILER			3P9PT2623C1033206	3T-POWER CONTROL	BLDG 1525	TOS N60/CFSL	None
707	05X00707	OTH	HORTON	TRAILER	H610SA			5E2B1101151023705	5D-ASO	BLDG 1424	ASO Custodial	None
709	09X02054	OTH	BRENNER	TRAILER	6000 GAL TANK TRAILER			10BF862349FC2054	32-ENVIRONMENTAL HEALTH	IRP OFFICE	URS Safety/Env	None
710	03X05114	OTH	GUL	TRAILER	6000 GAL TANK TRAILER			10BF862554F0P5114	32-ENVIRONMENTAL HEALTH	IRP OFFICE	URS Safety/Env	None
714	59L01273	SP	DOUGLAS	TRAILER	AM32A17			42	5Q-FUELS	J4	TOS N60/CFSL	None
732	61L01022	SP	STA	TRAILER	MH-1			3100028	5Q-FUELS	S3	TOS N60/CFSL	None
734	60L01861	SP	STA	TRAILER	MH-1			30550-3	5Q-FUELS	S3	TOS N60/CFSL	None
735	60L01862	SP	STA	TRAILER	MH-1			30550-11	5Q-FUELS	S3	TOS N60/CFSL	None
737	60L01863	SP	STA	TRAILER	MH-1			30550-22	5Q-FUELS	EMISSIONS LAB	TOS N60/CFSL	None
738	59L01274	SP	DOUGLAS	TRAILER	AM32A17			46	5Q-FUELS	MOTOR POOL YARD	TOS N60/CFSL	None
739	89L01379	SP	PRIE	TRAILER	AM32A56			182714	5Q-FUELS	ELA	TOS N60/CFSL	None
740	89L01380	SP	PRIE	TRAILER	AM32A56			182744	5Q-FUELS	GN2 MANIFOLD	TOS N60/CFSL	None
741	89L01381	SP	PRIE	TRAILER	AM32A56	0		2400-019	5Q-FUELS	C-PLANT	TOS N60/CFSL	None

742	89L01382	SP	PRE	TRAILER	AMS2A56			182775	5Q-FUELS	BLDG 922	TOS N60/CFSI	None
744	89L01383	SP	PRE	TRAILER	AMS2A56			182805	5Q-FUELS	GN2 MANIFOLD	TOS N60/CFSI	None
745	89L01384	SP	PRE	TRAILER	AMS2A56			2400-021	5Q-FUELS	MODEL SHOP	TOS N60/CFSI	None
746	89L01385	SP	PRE	TRAILER	AMS2A56			182836	5Q-FUELS	GN2 MANIFOLD	TOS N60/CFSI	None
747	89L01386	SP	PRE	TRAILER	AMS2A56			2400-022	5Q-FUELS	ELA	TOS N60/CFSI	None
748	83L01220	SP	HOBBS	TRAILER	F8D1P20			1H5P020130N004601	5Q-FUELS	FUEL FARM	TOS N60/CFSI	None
750	89L01388	SP	AIR	TRAILER	40665A			FH29398-01	5Q-FUELS	PMEL	TOS N60/CFSI	None
752	85L01710	SP	PRO	TRAILER	AT-E			B-32933	2A-SVERDRUP	BULK FUELS	TOS N40/NAS	None
753	89L01387	SP	PRE	TRAILER	AMS2A56			2400-023	5Q-FUELS	GN2 MANIFOLD	TOS N60/CFSI	None
760	90L01302	SP	HYD	TRAILER	M32A-4A		4 CYL	GR208-9037-01	5Q-FUELS	PMEL	TOS N60/CFSI	None
762	90L01303	SP	HYD	TRAILER	AF/M32A			GR208-9037-03	5Q-FUELS	MOTOR POOL YARD	TOS N60/CFSI	None
765	90L01304	SP	HYD	TRAILER	AF/M32A			GR208-9037-04	5Q-FUELS	MOTOR POOL YARD	TOS N60/CFSI	None
766	90L01305	SP	HYD	TRAILER	AF/M32A			GR208-9037-007	5Q-FUELS	FUEL FARM	TOS N60/CFSI	None
768	90L01306	SP	HYD	TRAILER	AS/M32A			GR208-8803-001	5Q-FUELS	MOTOR POOL YARD	TOS N60/CFSI	None
799	97X00799	OTH	TENNESSEE	TRAILER	1802X	BOAT		1TPAFCP10V1074283	32-ENVIRONMENTAL HEALTH	IRP OFFICE	URS Safety/Env	None
805	96E00007	MHE	HARLAN	WAREHOUSE TUG	GHTAB40	WHSE TUG	4B3.9C	8733	01-VEHICLE MAINT	BLDG 1400	ASO O&M	Diesel
810	98E00135	MHE	HARLAN	WAREHOUSE TUG	GHTAB40	WHSE TUG	3.9	8860	00-UDI	OUTSIDE BLDG. 1401	ASO O&M	Diesel
820	92E01398	MHE	HARLAN	WAREHOUSE TUG	GHTKJ40	WHSE TUG	2.3	7583	2A-SVERDRUP	PWT	TOS N40/NAS	Unleaded
825	92E01399	MHE	HARLAN	WAREHOUSE TUG	GHTKJ40	WHSE TUG	2.3	7584	2A-SVERDRUP	BLDG 591	TOS N40/NAS	Unleaded
830	92E01405	MHE	HARLAN	WAREHOUSE TUG	GHTKJ40	WHSE TUG	2.3	7585	2A-SVERDRUP	BLDG 876	TOS N40/NAS	Unleaded
851	05L00390	SP	FMC	AIRCRAFT TOWING TRACTOR	MB2	AIRCRAFT TOWING TRACTOR	4.038L	B45D205025	2T-SVERDRUP	J-6	TOS N60/NAS	Diesel
871	11X00871	MHE	LINDE	SIDE LOADER	S50			E1X316B00007	6L - BASE SUPPLY	MODEL SHOP	ASO Base Services	Diesel
901	10X00901	MHE	HYSTER	FORKLIFT	E402S	4K	Electric	F114N02815H	6B-BASE SUPPLY	WHSE 2	ASO Base Services	Electric
903	92X00903	MHE	MITSUBISHI	FORKLIFT	FG-50	2K	4G33	AF25-00066	2B-CALSPAN	BLDG 1077	TOS N40/NAS	Unleaded
904	10X00904	MHE	HYSTER	FORKLIFT	E402S	4K	Electric	F144N02825H	6D-BASE SUPPLY	WHSE 1	ASO Base Services	Electric
905	97E00186	MHE	YALE	FORKLIFT	ERC030A	2K		A814V02285U	2T-SVERDRUP	MODEL SHOP	TOS N40/NAS	Electric
906	14X00906	MHE	CLARK	FORKLIFT	ECX25	5k	Electric	ECX60-2427-9653KF	6E-BASE SUPPLY	HAZMAT	ASO Base Services	Electric
913	06X00913	MHE	YALE	FORKLIFT	GDP040SVX	4K	2.6L	C810V01959D	2T-SVERDRUP	MODEL SHOP	TOS N40/NAS	Diesel
914	95E00202	MHE	HYSTER	FORKLIFT	H55XM	4K	C240	D177G200995	00-UDI	BLDG 1400	ASO O&M	Diesel
915	10X00915	MHE	CLARK	FORKLIFT	C20D	4K	C20D	P2320D4439677KF	6A-BASE SUPPLY	WHSE 1	ASO Base Services	Diesel
916	06X00916	MHE	YALE	FORKLIFT	GDP040SVX	4K	2.6L	C810V01957D	6A-BASE SUPPLY	WHSE 1	ASO Base Services	Diesel
918	13X00918	MHE	CLARK	FORKLIFT	C20D	4k	3.3L	P232013429677KF	2T-SVERDRUP	MODEL SHOP	TOS N40/NAS	Diesel
920	95E00612	MHE	HYSTER	FORKLIFT	H40XM	4K	C240	D177G202895	01-VEHICLE MAINT	BLDG 1401	ASO O&M	Diesel
922	06X00922	MHE	YALE	FORKLIFT	GDP040SVX	4K	2.6L	C810V01987D	2B-CALSPAN	BLDG 541	TOS N40/NAS	Diesel

930	05X00930	MHE	KOMATSU	FORKLIFT	FD30T-14	6K	2.7	589160A	32-ENVIRONMENTAL HEALTH	OIL RECYCLE FACILITY	URS Safety/Env	Diesel
938	13X00938	MHE	CLARK	FORKLIFT	C20D	4K	C240	P232D22649843	2A-ASTF	BLDG 922	TOS H40/NAS	
939	94E00401	MHE	HYSTER	FORKLIFT	H400M	4K	C240	D177G09214R	2A-SVERDRUP	BLDG 579	TOS H40/NAS	Diesel
940	94E00403	MHE	HYSTER	FORKLIFT	H400M	4K	C240	D177G09216R	2B-CALSPAN	BLDG 760	TOS H40/NAS	Diesel
942	10X00942	MHE	HYSTER	FORKLIFT	H40FT	4K	2.6L	L177V04161H	PWT	PWT	TOS H40/NAS	Diesel
943	94E00405	MHE	HYSTER	FORKLIFT	H400M	4K	C240	D177G09231R	1N-SERVICES	BLDG 675	TSD/SV	Diesel
944	94E00406	MHE	HYSTER	FORKLIFT	H400M	4K	C240	D177G09232R	2T-SVERDRUP	BLDG 830	TOS H50/NAS	Diesel
947	10X00947	MHE	CLARK	FORKLIFT	C20D	4K		P232D0449677KF	6A-BASE SUPPLY	WHSE 1	ASO Base Services	Diesel
948	08X00948	MHE	HYSTER	FORKLIFT	E60Z	6K		G108N09444F	6B-BASE SUPPLY	WHSE 1	TOS H40/NAS	Electric
949	97E00163	MHE	TOYOTA	FORKLIFT	6FDU30	6K	2.486L	62-5QDU30-60432	6E-BASE SUPPLY	HAZMAT	ASO Base Services	Diesel
950	11X00950	MHE	HYSTER	FORKLIFT	H40FT	4K	2.659L	L177V07941J	6D-BASE SUPPLY	WHSE 6	ASO Base Services	Diesel
956	15X00956	MHE	CLARK	FORKLIFT	C30	6K	3.3	P232D03009984CN	3E-ROADS & GROUNDS	BLDG 147B	TOS H60/CFSl	Diesel
957	02E00059	MHE	HYSTER	FORKLIFT	H600M	6K	2.6	H177B1823Z	2T-SVERDRUP	MODEL SHOP RIGGER BLDG	TOS H60/NAS	Diesel
964	06X00964	MHE	CLARK	SWING REACH FORKLIFT	ECX32	6K	Electric	ECX360098953	6A-BASE SUPPLY	WHSE 1	ASO Base Services	Electric
965	15X00965	MHE	CLARK	SWING REACH FORKLIFT	ECX30	6K	Electric	FCX36024749653	6A-BASE SUPPLY	WHSE 1	ASO Base Services	Electric
970	10X00970	MHE	JLG	STOCK PICKER	20 MSP			130013783	6D-BASE SUPPLY	WHSE 1	ASO Base Services	Electric
972	97E00032	MHE	YALE	FORKLIFT	GPD0600	6K	HA	E177B14752U	OT-TMO	BLDG 1477	ASO Base Services	Diesel
974	95X00974	MHE	YALE	FORKLIFT	GLP060T	6K		E177B08553S	2B-CALSPAN	BLDG 2124	TOS H40/NAS	Propane
975	01E00092	MHE	HYSTER	FORKLIFT	H600M	6K	2.6	H177G23365X	2T-SVERDRUP	BLDG 876	TOS H40/NAS	Diesel
976	01E00093	MHE	HYSTER	FORKLIFT	H600M	6K	2.6	H177G23409X	6D-BASE SUPPLY	MODEL SHOP	ASO Base Services	Diesel
978	01E00095	MHE	HYSTER	FORKLIFT	H600M	6K	2.6	H177G23500X	6D-BASE SUPPLY	WHSE 1	ASO Base Services	Diesel
979	15X00979	MHE	CLARK	FORKLIFT	C30	6K	3.319L	P232D030399843CN	2B-CALSPAN	BLDG 67B	TOS H40/NAS	Diesel
980	92E00664	MHE	HYSTER	FORKLIFT	H155XL	10K	1004.4	F6G6384N	6E-BASE SUPPLY	WHSE 6	ASO Base Services	Diesel
981	09X00981	MHE	YALE	FORKLIFT	GP155	15K	3.3L	D878V01674G	2A-SVERDRUP	PWT	TOS H40/NAS	Diesel
982	09X00982	MHE	YALE	FORKLIFT	GP155	15K	3.3L	D878V01678G	6L - BASE SUPPLY	WHSE 1	ASO Base Services	Diesel
990	03E00201	MHE	HYSTER	FORKLIFT	H155XL	15K	1004.42	F006G02204A	2T-SVERDRUP	MODEL SHOP RIGGER BLDG	TOS H60/NAS	Diesel
995	03E00200	MHE	HYSTER	FORKLIFT	H155XL	15K	1004.42	F006G02193A	3H-PAVEMENTS MAINTENANCE	BLDG 147B	TOS H60/CFSl	Diesel
997	11X00997	MHE	HYSTER	FORKLIFT	H300HD	30K	6.7L	H019E01569J	2T-SVERDRUP	MODEL SHOP RIGGER BLDG	TOS H60/NAS	Diesel
1004	11X01004	SP	JLG	SCISSOR LIFT	3394RT			2002022948	2T-SVERDRUP	CE	TOS H60/CFSl	Diesel
1006	10X01006	SP	JLG	AERIAL WORK PLATFORM	E300AJP			300142906	2T-SVERDRUP	VKF Plant	TOS H40/NAS	Electric
1018	00X01018	SP	SKYJACK	SCISSOR LIFT	3219			230682	2A-SVERDRUP	BLDG 541	TOS H40/NAS	Electric
1019	00X01019	SP	SKYJACK	SCISSOR LIFT	3220			612543	2T-SVERDRUP	BLDG 86B	TOS H40/NAS	Electric
1030	99X01030	OTH	AGSPRA	TRAILER	N/A			N/A	32-ENVIRONMENTAL HEALTH	IRP OFFICE	URS Safety/Env	None
1031	99X01031	OTH	AGSPRA	TRAILER	NA			NA	32-ENVIRONMENTAL HEALTH	IRP OFFICE	URS Safety/Env	None

1032	99X01032	OTH	AGSPRA	TRAILER	NA			NA	32-ENVIRONMENTAL HEALTH	IRP OFFICE	URS Safety/Env	None
1061	03X01061	OTH	ADV TRL	DECON TRAILER	MDT288			1A9VGP23641247647	3B-FIRE PROTECTION	FIRE DEPT	URS Fire & Emerg	Diesel
1072	00X01072	OTH	LAWHMORE	TRAILER	S12VJ			JM500503	4A-OSI	A&E PARKING LOT	OSI	None
1078	54X01078	OTH	WELLS	TRAILER	F2A			AF546091	3T-POWER CONTROL	BLDG 1525	TOS N60/CFSI	None
1084	12X01084	OTH	FELLING	TRAILER	FT-45			5FTDE1013D1041519	3I-ROADS & GROUNDS	HARDSTAND BLDG 1478	TOS N60/CFSI	None
1095	57X01095	OTH	DAVID BRADLEY	FARM WAGON	700741			5239986	3I-ROADS & GROUNDS		TOS N60/CFSI	None
1125	63X01125	OTH	DOUGLAS	TRAILER	FL-1			109	2A-SVERDRUP	Bldg. 451	TOS N60/NAS	None
1131	96X01131	OTH	UNL	TRAILER	UMT9021			4RSH59V38T1000138	3I-ROADS & GROUNDS	BLDG 1478 HARD STAND	TOS N60/CFSI	None
1133	63X01133	OTH	DOUGLAS	TRAILER	FL-1			101	3T-POWER CONTROL	BLDG 1525	FA62	None
1136	63X01136	OTH	DOUGLAS	TRAILER	FL-1			80	2T-SVERDRUP	T-3 ALLEY	TOS N40/NAS	None
1190	95X01190	OTH	FIRE WAGON	RESPONSE TRAILER	FWHWM316			140DPBB125A327810	32-ENVIRONMENTAL HEALTH	BLDG 1412	URS Safety/Env	None
1204	08D00719	SP	CATERPILLAR	BULL DOZER	963D	LOADER TRACKED 2 POWER		LC900918	3G-CONSTRUCTION/REFUSE	LAND FILL	TOS N60/CFSI	Diesel
1206	09D00807	SP	JOHN DEERE	BULL DOZER	950J	S2 T9		10608	3G-CONSTRUCTION/REFUSE	LAND FILL	TOS N60/CFSI	Diesel
1207	11D00052	SP	JOHN DEERE	BULL DOZER	850J	S2 T7	6090HT 9.0L	1T08501XLA0192981	3I-ROADS & GROUNDS	LAND FILL	TOS N60/CFSI	Diesel
1208	13D00125	SP	JOHN DEERE	BULL DOZER	850K	S2 T7	6068HT080	1T0850KXAE248342	3I-ROADS & GROUNDS	BLDG 1478 HARD STAND	TOS N60/CFSI	Diesel
1209	07D00216	SP	JOHN DEERE	BULL DOZER	850J	S2 T7		133295	Unassigned	VM Compound	Unassigned	Diesel
1210	00D00313	SP	JOHN DEERE	BULL DOZER	650H	S2 T4	90HP	881067	3G-CONSTRUCTION/REFUSE	LAND FILL	TOS N60/CFSI	Diesel
1214	05D00507	SP	NEW HOLLAND	BULL DOZER	DC95	S2T4	567T	N4DC95170	3G-CONSTRUCTION/REFUSE	LAND FILL	TOS N60/CFSI	Diesel
1217	95X01217	SP	CATERPILLAR	BULL DOZER	D3C	S2 T2	3046.0	65L00883	3R-FORESTRY	BLDG 1481	TOS	Diesel
1229	12D00137	SP	NEW HOLLAND	FARM TRACTOR	T5060	4-WHEEL DRIVE	90 HP	2CJH13427	ASO Grounds	BLDG 1478	ASO Grounds	Diesel
1230	01X01230	SP	JOHN DEERE	FARM TRACTOR	790		25HP	LV790G476556	5Q-INSTRUMENT LAB	PWT BLDG 797	TOS N40/NAS	Diesel
1231	15D00195	SP	KUBOTA	FARM TRACTOR	M8650			11100	ASO Grounds	BLDG 1424	ASO Grounds	Diesel
1232	15D00196	SP	KUBOTA	FARM TRACTOR	M8650			11082	ASO Grounds	BLDG 1424	ASO Grounds	Diesel
1233	16D00604	SP	KUBOTA	FARM TRACTOR	M9960	4-WHEEL DRIVE		60548	ASO Grounds	BLDG 1424	ASO Grounds	Diesel
1236	10D00125	SP	JOHN DEERE	FARM TRACTOR	5085M			LV5085M150160	ASO Grounds	BLDG 1424	ASO Grounds	Diesel
1237	97D00099	SP	JOHN DEERE	BACKHOE	510D		T04045	824775	3G-CONSTRUCTION/REFUSE	BLDG 1478 SHED	TOS N60/CFSI	Diesel
1239	99D00132	SP	JOHN DEERE	BACKHOE	410E		4045T	880255	3G-CONSTRUCTION/REFUSE	BLDG 1478 SHED	TOS N60/CFSI	Diesel
1240	11D00207	SP	JOHN DEERE	BACKHOE	310		4045HT	1T0310SIPB0202031	3I-ROADS & GROUNDS	BLDG 1478 SHED	TOS N60/CFSI	Diesel
1241	05X16101	SP	JOHN DEERE	FARM TRACTOR	990		4TNE84	LV0990G590937	3I-ROADS & GROUNDS	BLDG 1478 SHED	TOS N60/CFSI	Diesel
1242	86X01242	SP	CATERPILLAR	BACKHOE	416			5PC00833	3I-ROADS & GROUNDS	LAND FILL	MS34	Diesel
1243	13D00057	SP	VOLVO	BACKHOE	BL70B		CDE3	VCE0870BC2326588	3I-ROADS & GROUNDS	BLDG 1478 SHED	TOS N60/CFSI	Diesel
1244	13D00058	SP	VOLVO	BACKHOE	BL70B		CDE3	VCE0870BA2326581	3I-ROADS & GROUNDS	BLDG 1478 SHED	TOS N60/CFSI	Diesel
1251	09D00857	SP	VOLVO	EXCAVATOR	EW180C			122017	3I-ROADS & GROUNDS	BLDG 1478	TOS N60/CFSI	Diesel
1255	09D00035	SP	VOLVO	GRADER	G930		7.145L	VCE0G930T00042999	3I-ROADS & GROUNDS	BLDG 1478	TOS N60/CFSI	Diesel

1258	17D00316	SP	CATERPILLAR	GRADER				RMV00858	3I-ROADS & GROUNDS	BLDG 1478	TOS N60/CFSI	Diesel
1259	17D00317	SP	CATERPILLAR	GRADER				RMV00859	3I-ROADS & GROUNDS	BLDG 1478	TOS N60/CFSI	Diesel
1260	08X01260	SP	GROVE	CRANE	RT875E	75 Ton	6.7	227013	2T-SVERDRUP	MODEL SHOP RIGGER BLDG	TOS N60/CFSI	Diesel
1261	11D00082	SP	TEREX	CRANE	RT555-1	55 Ton	Q584.5	179RT500CAW160271	2T-SVERDRUP	MODEL SHOP RIGGER BLDG	TOS N60/CFSI	Diesel
1262	17D00178	SP	GROVE	CRANE	RT530E	30 Ton		235750	2T-SVERDRUP	MODEL SHOP RIGGER BLDG	TOS N60/CFSI	Diesel
1265	17D00287	SP	Grove	CRANE	GMK 5200-1	240 Ton		W09200550HWG12014	2T-SVERDRUP	MODEL SHOP RIGGER BLDG	TOS N60/CFSI	Diesel
1266	11D00181	SP	GROVE	CRANE	YB5518	18 Ton	B33	321637	2T-SVERDRUP	MODEL SHOP RIGGER BLDG	TOS N60/CFSI	Diesel
1267	06E00023	SP	GROVE	CRANE	YB4409	8.5 Ton	B3.3	508410002	2T-SVERDRUP	MODEL SHOP RIGGER BLDG	TOS N60/CFSI	Diesel
1268	11D00502	SP	GROVE	CRANE	CD5540F	15 Ton	Q583.3	321669	2T-SVERDRUP	MODEL SHOP RIGGER BLDG	TOS N60/CFSI	Diesel
1270	10E00430	SP	GROVE	CRANE	YB4409	8.5 Ton		321464	2T-SVERDRUP	MODEL SHOP RIGGER BLDG	TOS N60/CFSI	Diesel
1271	03X01271	SP	GROVE	CRANE	YB4410	10 Ton	3.9	320304	2T-SVERDRUP	MODEL SHOP RIGGER BLDG	TOS N60/CFSI	Diesel
1292	09X01292	OTH	BALDOR	LIGHT CART	PL600K		1.0		2B-CALSPAN	BLDG 1478	TOS N40/NAS	Diesel
1321	08X01321	OTH	LINCOLN	WELDER	K1419-5		23HP	U1080301495	2A-SVERDRUP	BLD 868	TOS N40/NAS	Unleaded
1326	11X01326	OTH	MILLER	WELDER	250 AMP		25 HP	MB340182H	2A-SVERDRUP	BLDG 876	TOS N60/NAS	Unleaded
1329	11X01329	OTH	MILLER	WELDER	250 AMP		25 HP	MB340181H	2A-SVERDRUP	BLDG 876	TOS N40/NAS	Unleaded
1332	92X01332	OTH	LINCOLN	WELDER	250 AMP		P218G-	A1201794	3T-POWER CONTROL	BLDG 1525	TOS N60/CFSI	Unleaded
1335	89X01335	OTH	LINCOLN	WELDER	WP225GP				2A-SVERDRUP	BEHIND BLDG 876	FA64	Unleaded
1337	92X01337	OTH	MILLER	WELDER	903039		P218G	KC276536	2A-SVERDRUP	BLDG 1478	TOS N40/NAS	Unleaded
1345	94X01345	OTH	LINCOLN	WELDER	G8000		CH18	9971-U1930902954	2A-SVERDRUP	J5 TEST CELL	TOS N40/NAS	Unleaded
1349	97X01349	OTH	MILLER	WELDER	225NT		CH18S	NA	3L-PLUMBING SHOP	BLDG 1478	TOS N60/CFSI	Unleaded
1350	07X01350	OTH	MILLER	WELDER	TRAILBLAZER			LG099759	2A-SVERDRUP	BLDG 876	TOS N40/NAS	Unleaded
1351	10X01351	OTH	MILLER	WELDER	BOBCAT 225		CH23	MA230109H	3M-ZONE MAINTENANCE	BLDG 1478	TOS N60/CFSI	Unleaded
1352	97X01352	OTH	LINCOLN	WELDER	RANGR 9		P218G	10378-U1970713943	3M-ZONE MAINTENANCE	BLDG 797	TOS N40/NAS	Unleaded
1353	12X01353	OTH	LINCOLN	WELDER	RANGER 250GTX		PS-6H580-3045	4112110528	3L-PLUMBING SHOP	BLDG 1478	TOS N60/CFSI	Unleaded
1356	83X01356	OTH	MILLER	WELDER	44D		TMD27	JD693143	Model Shop	Bldg. 451	TOS N40/NAS	Diesel
1358	00X01358	OTH	LINCOLN	WELDER	2RB		20 HP	U1000410718	2T-SVERDRUP	T-3 ALLEY	TOS N40/NAS	Unleaded
1359	05X01359	OTH	MILLER	WELDER	907042			LC619639	2A-SVERDRUP	BEHIND MACHINE SHOP BLDG 876	TOS N40/NAS	Unleaded
1360	11X01360	OTH	MILLER	WELDER	250		25 HP	MB110392H	2A-SVERDRUP	BLDG 451	TOS N60/NAS	Unleaded
1362	00X01362	OTH	KURTIS	AIR COMPRESSOR	11E2GT3		11 HP	A59120698	32-ENVIRONMENTAL HEALTH	IRP OFFICE	URS Safety/Env	Unleaded
1363	99X01363	OTH	KURTIS	AIR COMPRESSOR	ES20		5.5	A59020142	32-ENVIRONMENTAL HEALTH	IRP OFFICE	URS Safety/Env	Unleaded
1364	06X01364	OTH	SULLAIR	AIR COMPRESSOR	750H		C9	200603250028	3I-ROADS & GROUNDS	STEAM PLANT	TOS N60/CFSI	Diesel
1367	01X01367	OTH	INGERSOLL RAND	AIR COMPRESSOR	650NB		31RL2N	5C2726XXYY220119	5Q-INSTRUMENT LAB	LOANED TO FOREST MCCULLOUGH	TOS N60/CFSI	Diesel
1371	90X01371	OTH	SULLAIR	AIR COMPRESSOR	750OTQ		6076AF	004-105088	3I-ROADS & GROUNDS	BLDG 1478	TOS N60/CFSI	Diesel
1372	94X01372	OTH	AMERICAN	AIR COMPRESSOR	TV908		9 HP	35212	2A-SVERDRUP	BLDG 2124	TOS N40/NAS	Unleaded

1373	08X01373	OTH	SULLAIR	AIR COMPRESSOR	49HPDPQ		49HP	20081190023	3I-ROADS & GROUNDS	STEAM PLANT HARD STAND	TOS N60/CFSI	Diesel
1374	05X01374	OTH	GLOBAL	PUMP			1.6	567510	3I-ROADS & GROUNDS	BLDG 1478 HARD STAND	TOS N60/CFSI	Diesel
1376	05X01376	OTH	GLOBAL	PUMP			4.5	566909	3I-ROADS & GROUNDS	BLDG 1478 HARD STAND	TOS N60/CFSI	Diesel
1377	12X01377	OTH	GODWIN	PUMP	HEIDRA 100		26HP	12030349	3I-ROADS & GROUNDS	BLDG 1478 HARD STAND	TOS N60/CFSI	Diesel
1379	85X01379	OTH	INGERSOL RAND	AIR COMPRESSOR					3I-ROADS & GROUNDS	BLDG 1478 HARD STAND	TOS N60/NAS	Diesel
1384	08X01384	OTH	INGERSOL RAND	AIR COMPRESSOR	P185 WIR		4IR18N	4FYCABAA49U405803	32-ENVIRONMENTAL HEALTH	BLDG 1412	URS Safety/Env	Diesel
1387	00X01387	OTH	LEROI	AIR COMPRESSOR	Q185DIE		4.5	3515X632 8/00	5Q-INSTRUMENT LAB	BRUMALOW CREEK	TOS N60/CFSI	Diesel
1390	89X01390	OTH	INGERSOL RAND	AIR COMPRESSOR	P185-W-			161974U87957	3I-ROADS & GROUNDS	BLDG 1478	TOS N60/CFSI	Diesel
1392	07X01392	OTH	AMT	TRASH PUMP	3932-95		5.5	GCAFT-1524677	32-ENVIRONMENTAL HEALTH	BLDG 1412	URS Safety/Env	Unleaded
1398	97X01398	OTH	CAM	COMPRESSOR	VT61480		5 HP	LS/14/97-20910	32-ENVIRONMENTAL HEALTH	IRP OFFICE	URS Safety/Env	Unleaded
1400	96X01400	OTH	TENCARVA	PUMP	L100		5.5	1112	32-ENVIRONMENTAL HEALTH	IRP OFFICE	URS Safety/Env	Unleaded
1401	01X01401	OTH	TENCARVA	PUMP	L48EE-D		4.7	924	5Q-FUELS	BULK FUELS	TOS N60/CFSI	Diesel
1403	96X01403	OTH	TENCARVA	PUMP	L-100		5.5	1134	32-ENVIRONMENTAL HEALTH	IRP OFFICE	URS Safety/Env	Unleaded
1409	08X01409	OTH	CAMSPRAY	PRESSURE WASHER	2700HX		6.5	1338428	32-ENVIRONMENTAL HEALTH	IRP OFFICE	URS Safety/Env	Unleaded
1419	86X01419	OTH	GORMAN RUPP	PUMP	1402-K3			837004	2T-SVERDRUP	BLDG 1478 GROUNDS	TOS N60/CFSI	Unleaded
1420	80X01420	OTH	DAYTON	Pump	3P613				3T - Power Control		FA62	Unleaded
1431	88X01431	OTH	CATERPILLAR	PUMP				03207086	5Q-FUELS	ETF FOAM HOUSE	TOS N60/CFSI	Diesel
1432	88X01432	OTH	LISTER PETTER	FOAM PUMP				3703410TS3A003	5Q-FUELS	ETF FOAM HOUSE	TOS N60/CFSI	Diesel
1437	07X01437	OTH	SAFETY VAC	SPILL VACUUM	LRP NX 300		401 CC		32-ENVIRONMENTAL HEALTH	IRP OFFICE	URS Safety/Env	Diesel
1439	02X01439	OTH	GORMAN RUPP	PUMP	3A12100			1247050	5Q-INSTRUMENT LAB	BULK FUELS	TOS N60/CFSI	Diesel
1440	87X01440	SP	TENNENT	SWEEPER	275			LD3386	6C-BASE SUPPLY	WHSE 1	ASO Base Services	Diesel
1443	94X01443	OTH	MEGATOR	SKIMMER PUMP	L125E			9770	3I-ROADS & GROUNDS	BLDG 1478	TOS N60/CFSI	Unleaded
1446	86X00451	OTH	CESCO	TOWED SWEEPER	H96C			18977	3H-PAVEMENTS MAINTENANCE		TOS N60/CFSI	None
1450	99X01450	OTH	SIMPSON	PRESSURE WASHER	SB4050CHSS-ES		20HP	9805335	2A-SVERDRUP	BLD 797	TOS N40/NAS	Unleaded
1451	00X01451	OTH	LANDA	PRESSURE WASHER	P653500		16HP	P0799-23556	2A-SVERDRUP	BLDG 2124	TOS N40/NAS	Unleaded
1454	86X01454	OTH	HYDROMATIC	PUMP	5202W			P4795	2T-SVERDRUP	IRP OFFICE	FA62	Unleaded
1460	10D00164	SP	CATERPILLAR	ROAD ROLLER	CB22			CATOCB22722000439	3H-PAVEMENTS MAINTENANCE	BLDG 1478 HARD STAND	TOS N60/CFSI	Diesel
1464	89X01464	OTH	REEVES	TAR KETTLE					3I-STRUCTURAL	BLDG 1478 Hard Stand	TOS N60/CFSI	None
1467	95X01467	OTH	GILSON	MIXER	59306-B			43482179	3I-STRUCTURAL	BLDG 1478 Lumber Shed	TOS N60/CFSI	Unleaded
1473	07X01473	OTH	POWERLINER	PAINT STRIPPER	759-893		5.5	623400075	3K-PAINT SHOP	BLDG 1478	TOS N60/CFSI	Unleaded
1475	05X01475	SP	BOBCAT	LOADER	S130			527313277	3G-CONSTRUCTION/REFUSE	BLDG 1478 SHED	TOS N60/CFSI	Diesel
1476	84X01476	OTH	DITCH WITCH	TRENCHER				116784	3I-ROADS & GROUNDS	BLDG 1478 HARD STAND	TOS N60/CFSI	Unleaded
1477	10X01477	OTH	TORO	UTILITY LOADER	TX525		25 HP	280000429	3I-ROADS & GROUNDS	BLDG 1478 HARD STAND	TOS N60/CFSI	Diesel
1478	88X01478	SP	MELROSE	LOADER	743			36383	3G-CONSTRUCTION/REFUSE	BLDG 1478 SHED	TOS N60/CFSI	Diesel

1480	02D00156	SP	JOHN DEERE	LOADER	444H		4.5	DW444HX583991	3I-ROADS & GROUNDS	BLDG 1478 SHED	TOS N60/CF5I	Diesel
1481	02D00191	SP	JOHN DEERE	LOADER	444H		4.5	DW444HX583993	3I-ROADS & GROUNDS	BLDG 1478 SHED	TOS N60/CF5I	Diesel
1482	09D00446	SP	JCB	LOADER	416HT			JCB4160CH91317898	3I-ROADS & GROUNDS	BLDG 1478 SHED	TOS N60/CF5I	Diesel
1483	09D00447	SP	JCB	LOADER	416HT			JCB4160CH91317899	3I-ROADS & GROUNDS	BLDG 1478 SHED	TOS N60/CF5I	Diesel
1497	02X01497	OTH	JETSTREAM	HYDRO PUMP	3000		3.9	1548	2T-SVERDRUP	BEHIND MODEL SHOP	TOS N40/NAS	Diesel
1602	05X01602	OTH	BUSH HOG	MOWER	3715			1201814	ASO Grounds	LAND FILL	ASO Grounds	None
1604	10X01604	OTH	BUSH HOG	MOWER	3617			12-09999	ASO Grounds	BLDG 1424	ASO Grounds	None
1605	95X01605	OTH	BUSH HOG	MOWER	3615			179363	ASO Grounds	BLDG 1424	ASO Grounds	None
1606	08X01606	OTH	BUSH HOG	MOWER	3715			12-02296	ASO Grounds	BLDG 1424	ASO Grounds	None
1610	13X01610	OTH	JACOBSEN	MOWER	R-311T		V2403-T	69171-2273	ASO Grounds	BLDG 1424	ASO Grounds	Diesel
1611	13X01611	OTH	JACOBSEN	MOWER	R-311T		V2403-T	69171-2285	ASO Grounds	BLDG 1424	ASO Grounds	Diesel
1617	05X01617	OTH	FRONTIER	GROOMING MOWER	GM2109R				3I-ROADS & GROUNDS	STEAM PLANT HARD STAND	TOS N60/CF5I	None
1618	11X01618	OTH	JACOBSEN	MOWER	R311-T		V2403-T	1839	ASO Grounds	BLDG 1424	ASO Grounds	Diesel
1625	17X01625	OTH	Gravely	Zero-Turn	472			70019	ASO Grounds	BLDG 1424	ASO Grounds	Gasoline
1626	17X01626	OTH	Gravely	Zero-Turn	472			70018	ASO Grounds	BLDG 1424	ASO Grounds	Gasoline
1628	00X01628	OTH	JACOBSEN	MOWER	69116		2.2L	69116005540	ASO Grounds	BLDG 1424	ASO Grounds	Diesel
1630	00X01630	OTH	JACOBSEN	MOWER (converted to Snow Blow)	T528D		28HP	6614801706	ASO Grounds	BLDG 1424	ASO Grounds	Diesel
1634	01X01634	OTH	KUT KWICK	MOWER	SSM38			52597	ASO Grounds	BLDG 1424	ASO Grounds	Diesel
1637	09X01637	OTH	BADBOY	MOWER	7200AQ5		1.5L	BB47235CA06092329	ASO Grounds	BLDG 1424	ASO Grounds	Diesel
1638	09X01638	OTH	BADBOY	MOWER	7200AQ5		1.5L	BB47235CA06091583	ASO Grounds	BLDG 1424	ASO Grounds	Diesel
1639	10X01639	OTH	BADBOY	MOWER	7200AQ5		1.5L		ASO Grounds	BLDG 1424	ASO Grounds	Diesel
1640	00X01640	OTH	JACOBSEN	MOWER (converted to Snow Blow)	T528D		28HP	6614801845	ASO Grounds	BLDG 1424	ASO Grounds	Diesel
1642	85X01642	OTH	RYAN	SOD CUTTER					3I-ROADS & GROUNDS	BLDG 1478	TOS N60/CF5I	Unleaded
1643	08X01643	OTH	DIXON	MOWER	ZTR 30		502cc	80247177	3I-ROADS & GROUNDS	MFH	TOS N60/CF5I	Unleaded
1649	03X01649	OTH	SNAPPER	MOWER	281222BE		12 HP	41086783	3I-ROADS & GROUNDS	MFH	TOS N60/CF5I	Unleaded
1650	08X01650	OTH	DR	LEAF VACUUM	LLV20308		9 HP	N/A	MFH	VILLAGE	TOS N60/CF5I	Unleaded
1651	10X01651	OTH	SNAPPER	MOWER	281258VE		12.5 HP	2014432463	3I-ROADS & GROUNDS	MFH	TOS N60/CF5I	Unleaded
1657	05X01657	OTH	TROY BILT	MOWER	11A-546N711				3M-ZONE MAINTENANCE	MFH	TOS N60/CF5I	Unleaded
1658	07X01658	OTH	TROY BILT	MOWER	11A-542Q711		160 CC	10307K20303	3M-ZONE MAINTENANCE	MFH	TOS N60/CF5I	Unleaded
1673	05X01673	OTH	RHINO	SIDE MOWER	1948			3051P03	3I-ROADS & GROUNDS	STEAM PLANT	TOS N60/CF5I	None
1683	84X01683	OTH	RAYCO	STUMP REMOVER	R61635A			163511481	3I-ROADS & GROUNDS	BLDG 1478 HARD STAND	TOS N60/CF5I	Unleaded
1691	12X01691	OTH	TRAC VAC	LEAF VACUUM	288				ASO Grounds	BLDG 1424	ASO Grounds	
1700	96X01700	OTH	SNAPPER	SNOW BLOWER	8265		8 HP	75095085	ASO Grounds	BLDG 1424	ASO Grounds	Unleaded
1750	98X01750	OTH	OIL SKIMMERS	OIL SKIMMER	6V			NA	32-ENVIRONMENTAL HEALTH	IRP OFFICE	URS Safety/Env	Unleaded

1825	98X01825	OTH	JOHNSON	OUTBOARD MOTOR	1307LEC		2130	N/A	3I-ROADS & GROUNDS	BARGE	TOS N60/CFSI	Unleaded
1901	82X01901	OTH	VERTON	HEATER	GEVB			7203	3T-POWER CONTROL	DOG HOUSE	TOS N60/CFSI	Unleaded
1907	07X01907	OTH	TROY BILT	PRESSURE WASHER	20241		5.0	2663438GHAX	3I-ROADS & GROUNDS	MFH	TOS N60/CFSI	Unleaded
1922	08X01922	OTH	NORTHSTAR	PRESSURE WASHER	157309		6.5	1081610	3B-FIRE PROTECTION	BLDG 251	URS Fire & Emerg	Unleaded
1933	63X01933	OTH	TENNENT	SCRAPING MACHINE	RSTLR			600	3I-STRUCTURAL	WOODEN BLDG RS-2 BEHIND PAINT SHOP	TOS N60/CFSI	Unleaded
1934	52X01934	OTH	AMERICAN HOIST	PORTABLE HOIST	25-B			193139	2T-SVERDRUP	BLDG 147B	TOS N40/NAS	Unleaded
1938	02X01938	OTH	MI-T-M	PRESSURE WASHER	CEC5004		20HP	10045564	3K-PAINT SHOP	BLDG 147B	TOS N60/CFSI	Unleaded
1942	65X01942	OTH	REIMANN	HOIST					3G-CONSTRUCTION/REFUSE		TOS N60/CFSI	Unleaded
1945	00X01945	OTH	GRACO	PAINT STRIPPER	232-661		5.5	BA1363	3K-PAINT SHOP	SAND BLAST AREA	TOS N60/CFSI	Unleaded
1947	03X01947	OTH	VANGUARD	PRESSURE WASHER	42298			10096186	2A-SVERDRUP	BLDG 87B or 880	TOS N40/NAS	Unleaded
1955	85X01955	OTH	MALSBARY	STEAM CLEANER	410CDEP			370910	3G-CONSTRUCTION/REFUSE		TOS N60/CFSI	Diesel
1960	86X01960	OTH	JOHN DEERE	ROTOTILLER	T40820			A002160	3G-CONSTRUCTION/REFUSE	MFH	TOS N60/CFSI	Unleaded
1963	05X01963	OTH	AQUA BLAST	PRESSURE WASHER	P-5300		16 HP	13543	3T-POWER CONTROL	POWER CONTROL YARD	TOS N60/CFSI	Unleaded
1964	10X01964	OTH	RIDGID	PRESSURE WASHER	KJ-3000		13HP	VAR044400910	3I-ROADS & GROUNDS	BLDG 147B	TOS N60/CFSI	Unleaded
1967	02X01967	OTH	SNAPPER	TILLER	KCFR500		5.0	1638216	3I-ROADS & GROUNDS	MFH	TOS N60/CFSI	Unleaded
1972	06X01972	OTH	SWISHER	TRIMMER	PST67522		6.8	L206-285026	ASO Grounds	BLDG 1424	ASO Grounds	Unleaded
1975	05X01975	OTH	LANDA	PRESSURE WASHER	MVC4-30324E		11HP	P1005-108311	0I-VEHICLE MAINT	WASH RACK BEHIND BLDG. 1401	ASO O&M	Diesel

APPENDIX M – FSS BUILDING MANAGER INVENTORY

Bldg #	Bldg Name	Square Feet
109	Traffic Check House - Center Main Gate	514
111	Visitor's Center	1,732
251	FP&C Building	41,470
252	Police Storage Building	2,600
253	Industrial Security Office	6,400
258	Arnold Police Storage Bldg	144
261	Fire Dept MAKO Bldg	370
265	Disintegrator Bldg	400
464	Hazardous Waste Accumulation Site	1,462
673	VKF 90 Day Hazardous Waste Accumulation Site	745
768	PWT 90 Day Hazardous Waste Accumulation Site	729
861	ETF 90 Day Hazardous Waste Accumulation Site	729
1084	Gas Cylinder Storage Shed #2	24
1085	Gas Cylinder Storage Shed #1	48
1086	Gas Cylinder Storage Shed #3	30
1352	Traffic Check House - Gate 1	96
1400	Automotive Repair Shop (Motor Pool)	17,568
1401	Heavy Equipment Repair Shop	6,000
1402	Equipment Storage Building	629
1403	Motor Pool Parking Area - Lot No.71	N/A
1412	Motor Pool 90 Day Hazardous Waste Accumulation Site	729
1421	Warehouse VI	33,950
1428	Warehouse VIII	19,800
1456	Hazardous Waste Material Storage Bldg	15,856
1457	Compressed Gas Cylinder Shed	475
1458	Compressed Gas Cylinder Shed	2,112
1459	HazMat Pharmacy	1,755
1460	Hydrogen Peroxide Shed	468
1461	Oil Recycling Facility	2,450
1469	Conservation Storage Shed (CAT)	2,400
1471	MRO Supply Store	10,080
1476	Warehouse I	130,369
1477	Warehouse II	40,804
1481	Old Forestry Bldg (Natural Resource Bldg)	800
1563	NPDES Sampling Station	96
1759	Traffic Check House - Gate No. 2	1,580
2212	Rocket Propellant Storage - Group IV	3,778
3023	Arnold Village guard shack	47