

PERFORMANCE WORK STATEMENT
NIST BOULDER CYBERLOCKS IDIQ
THE NATIONAL INSTITUTE OF STANDARDS AND TECHNOLOGY (NIST)
SECURITY SYSTEMS AND ACCESS CONTROL GROUP (SSACG) EMERGENCY SERVICES OFFICE
(ESO) DIVISION

I – GENERAL INFORMATION

The U. S. Department of Commerce, National Institute of Standards and Technology (NIST) has a campus located in Boulder, CO. The Boulder, CO campus is a secure federal facility established in the 1960s, covering approximately 102 acres. The campus is closed to the public and includes multiple buildings.

NIST has an RS2 Access It! Physical Access Control System that is used to manage an Enterprise level “Cyberlocks” PACS system for the NIST Gaithersburg and Boulder campuses as well as a few remote facility locations supporting approximately 1640 Cyberlocks. This system operates on the NIST network, allowing for ease of system expansion. NIST’s Office of Information Systems Management (OISM) performs the Security Assessment & Authorization (SA&A) internally and the Security Systems Access Control Group performs all necessary Plan of Action & Milestone (POA&M) remediation.

The NIST Emergency Services Office (ESO) manages and maintains all aspects of the Cyberlock system. This is an accredited information technology system certified to operate on site. The database contains Privacy Act information, as well as controls for the protection of high value assets and classified material located on site.

II. OBJECTIVES

The objective of this procurement is to establish a single-award Indefinite Delivery/Indefinite Quantity (IDIQ) contract to support the current and future operational requirements of the Security Systems and Access Controls Group (SSACG) within the Emergency Services Office (ESO) at the National Institute of Standards and Technology (NIST). The contract will have a ceiling value of \$10M for future Task Orders to be awarded against. This IDIQ contract will serve as the contractual vehicle for the issuance of Task Orders supporting the Cyberlock Program at the NIST Boulder campus.

The IDIQ contract shall define the Contractor’s responsibilities related to Contractor capabilities, personnel qualifications, training, staffing, and technical expertise necessary to support the Cyberlock Program. The contract shall also establish negotiated labor categories/rates, equipment pricing, and applicable markups to promote consistency, transparency, and standardization across all Task Orders. This approach is intended to ensure compliance with NIST operational, security, and technical requirements while enabling efficient contract administration, cost control, and timely execution of work.

Task Orders issued under this IDIQ will encompass a broad range of activities required to deploy, operate, maintain, and expand the Cyberlock system across the NIST Boulder campus. These activities may include, but are not limited to, the following:

- Providing, supporting, and maintaining software and hardware systems that utilize the existing NIST Wi-Fi infrastructure to enable Cyberlock functionality
- Conducting site surveys to assess door and location suitability, including evaluation of Wi-Fi signal strength, connectivity, and system compatibility
- Removing existing locksets and associated hardware
- Modifying doors and frames as necessary to accommodate new Cyberlock installations
- Performing cylinder changes related to the implementation of new Cyberlocks
- Providing, configuring, integrating, and modifying software associated with the Cyberlock system
- Installing, commissioning, and adding Cyberlocks to the operational system environment

III. USE OF BRAND NAME ONLY EQUIPMENT

To maintain compatibility with NIST's existing security infrastructure, certain equipment utilized under this contract shall be limited to brand name or approved brand name-equivalent products on an as-needed basis to support the Cyberlock Program. Required equipment may include, but is not limited to, the following manufacturers and product lines:

1. RS2 Access It! (also known as ACRE Security)
2. HID SAFE
3. ASSA ABLOY IN-Series Wi-Fi and wired locksets
4. Cisco C9300-48U-A Network switches
5. Other compatible systems as identified and approved by NIST

Task Orders issued under this IDIQ shall be inclusive of all necessary labor, wiring, external components, devices, monitoring equipment, tools, spare parts, furniture, and integration with the existing fiber-optic backbone across the NIST campus. Use of non-approved equipment or vendors may result in service delays, jeopardize existing software licenses or warranties, introduce interoperability issues, and potentially increase costs or technical risks to the Government.

Due to the manner in which Internet Protocol (IP)-based devices are assigned and recognized by Media Access Control (MAC) addresses, NIST security systems are designed to identify authorized devices based on manufacturer-specific identifiers. Devices that are not recognized by the existing system, require additional or incompatible licensing, or fail to integrate with current platforms, shall not be accepted without prior written review and approval from the Contracting Officer's Representative (COR) and/or Technical Point of Contact (TPOC).

New software licenses and license renewals shall be obtained directly from the original software manufacturer unless explicitly authorized in writing by the CO with technical oversight from the COR or TPOC. All equipment provided under this contract must be fully compatible with, and

interchangeable among, existing NIST systems to support integration with other security and enterprise software platforms currently in use.

IV. SCOPE OF WORK REQUIREMENTS

1. Survey existing NIST facilities for interoperability with existing WIFI IEEE 802.11 networks to permit the successful installation of working Cyberlocks.
2. Survey existing doors to determine requirements to install Cyberlocks.
3. Removal of existing locksets, cylinders, and door hardware necessary to provide new Cyberlocks. Any locking hardware to include cylinders must be returned to NIST ESO Office.
4. Provide the key cylinders and associated housing and any trim or extension rings as necessary.
5. Door modifications such as door wraps, spacers, longer screws, core tail pieces, etc. as necessary to ensure Cyberlock installation, operability, and esthetics.
6. Provide all required software licensing to support the RS2 Access It! software application as well as the associated wireless lockset license for single lock expansion.
7. Scheduling via Microsoft Project or similar scheduling programs.
8. Cyberlock programming on the server to include recommendations for setting up additional servers/ communication servers as needed to support additional infrastructure.
9. Configuration of Cyberlocks throughout the installation process, to communicate with the production server.
10. Software programming for access level/permissions, alarms, access groups, door groups, email alerts, etc. on the server or other computer equipment.
11. Provide software upgrades for the software on the servers. Software and restoration from a file(s) backup.
12. Software, hardware, and end user training.
13. Testing and verification of the Cyberlocks' successful communication and remediation of issues such as but not limited to communication, function, installation, or aesthetics using the testing procedures found on the individual task orders.
14. Computer Aided Drawings (AUTOCAD 2025 or higher) resulting from door survey information showing the floorplan, door locations, and a reference to a door schedule or type. Drawings shall be prepared via US Army Corps A/E/C Standard 6.0 or higher.
15. Provide a Excel spreadsheet of complete lock profile to include (but not limited to): Location, MAC Address, IP Address, installation date, warranty date, battery installation date, and room contact information.

V. CONTRACTOR OVERALL REQUIREMENTS

The Contractor including proposed consultants and subcontractors, shall collectively demonstrate and maintain the following certifications in good standing for the duration of the contract:

- a. RS2 Reseller
- b. ASSA ABLOY Authorized Channel Partner.

- c. Secret level Security Clearance

VI. INSTALLER/VENDOR CERTIFICATION REQUIREMENTS

Qualified personnel responsible for installation, configuration, programming, or troubleshooting of hardware components.

Some or all the following qualifications shall apply to technicians, engineers, and installers, as applicable to the work each role is to perform.

1. RS2 (aka ACRE Security)
2. Access IT! Essentials (minimum)
3. Any individual performing work on the RS2 system (server or workstation) must be factory trained by the manufacturer and provide certification.
4. ASSA ABLOY Certified Integrator (Lock Installation Vendor & System Programming)

VII. HARDWARE REQUIREMENTS

1. All hardware/ equipment must be Trade Agreement Act (TAA) and/or National Defense Authorization Act (NDAA) compliant.
 - Unless CO written approval for a deviation is obtained.
2. Physical Access Control Systems and components
 - Expansion of existing RS2 Access It! Software (Access Control System) for direct integration with wireless locksets.
 - Cisco C9300-48U-A Network switches
 - Lockset/Card Readers
 - Assa Abloy IN120 Wi-Fi Lockset
3. Support Certificate based encryption of EAP-TLS for network authentication.
4. Operate on both 2.4/5 GHz dual band frequency
5. Support of local and remote update processes for firmware, network profiles, general configurations, etc.
 - Assa Abloy IN220 PoE Lockset
6. Support AES 128bit encryption for network authentication.
7. Utilizes IEEE 802.3af PoE-enabled network infrastructure
 - Support of local and remote update processes for firmware, network profiles, general configurations, etc.
 - Card Reader
8. Support the reading of 13.56MHz PIV, PIV-I, CAC & 125KHz Proximity for different credential formats at one time.
 - 13.56 MHz format shall be configured to read the FASC-N data for 14-digit badge ID length of Agency Code + System Code + Credential Number.
 - Key Core Cylinder/Key
 - Schlage Everest Primus XP

VIII. GENERAL REQUIREMENTS

This Indefinite Delivery/Indefinite Quantity (IDIQ) contract may be utilized by the Emergency Services Office at the National Institute of Standards and Technology (NIST), Boulder, Colorado campus, to support the Cyberlock Program within the U.S. Department of Commerce and NIST.

The Contractor shall demonstrate familiarity with Federal Information Processing Standards (FIPS) and understand how FIPS requirements impact work performed under this contract, particularly with respect to the implementation of Homeland Security Presidential Directive 12 (HSPD-12). All applicable work shall comply with FIPS 201-2 processing requirements. In accordance with FIPS 201-2, this standard specifies the architecture and technical requirements for a common identification credential for Federal employees and contractors. The overarching objective is to provide appropriate security assurance across multiple applications by reliably verifying the identity of individuals seeking physical access to federally controlled facilities and logical access to government information systems.

If subcontractors are utilized to perform any portion of the work under this contract, the Prime Contractor shall remain fully responsible for all contract performance. The Government shall have no privity of contract with any subcontractor. The Prime Contractor shall serve as the sole point of contact for the Government and shall maintain one hundred percent (100%) responsibility and accountability for all work performed, including actions or operations carried out by subcontractors.

Contractors performing work under this contract shall be located within the Mountain West/Colorado area. No travel-related costs, including but not limited to airfare, lodging, housing, or per diem, will be authorized or reimbursed under this contract.

Required Training:

Specific manufacturer training must be completed by Key Personnel prior to NIST permitting any key personnel access to the RS2 AccessIt Access Control software. In addition, individuals performing onsite or oversight work in association with this contract shall require a background check, in addition to a determination to be made by authorized NIST personnel providing the training. Key Personnel who do not receive a favorable determination after this training shall not be permitted to access the systems, and a replacement individual shall be requested.

IX. KEY PERSONNEL

Project Manager: The Contractor shall assign a Project Manager (PM), who shall have complete authority to act for the Contractor over the life of the contract, including all task orders, and shall be responsible for all matters relating to the contract and task orders. The PM shall be scheduled to ensure his/her presence during normal business hours of the facility as required to meet the terms of

any given task order and provide adequate on-site supervision of company employees and projects. The PM shall be available to receive requests for information or special instructions from the Contracting Officer's Representative (COR) concerning matters that affect the project.

Security Technician: (Project Lead): The Contractor shall designate a qualified Project Lead for each Task Order, who will serve as the primary point of contact (POC) on site for the duration of the installation phase of the project. The Project Lead shall be fully knowledgeable of and comply with the applicable Statement of Work and all Task Order requirements. This individual shall be responsible for coordinating and overseeing all day-to-day on-site installation activities, serving as the liaison between the Contractor and the Government, and ensuring that work is performed in an efficient, organized, and timely manner. The Project Lead shall also ensure adherence to all applicable safety, security, and site-specific requirements, and shall manage any additional on-site coordination necessary to support successful project execution.

Key Personnel Changes: Key Personnel identified in task order quotations shall not be removed or replaced without prior written approval from the Government. Requests for substitution shall include justification and documentation demonstrating that the proposed replacement meets or exceeds the qualifications of the individual being replaced.

Failure to maintain approved Key Personnel may result in corrective action or termination of the affected task order.

X. IT ACCESS

Should the Contractor be required to have off-site access NIST-owned data or information that has been determined to carry a low, moderate, or high risk, in accordance with Department of Commerce Regulations, NIST will provide the Contractor with a NIST-owned encrypted laptop to access the data. At no time shall the Contractor download, transfer, or access (in any form), data on a non-Government computer, without the prior written approval of the Contracting Officer.

Should the Contractor be required to have on-site access to hard copy NIST-owned data or information that has been determined to carry a low, moderate, or high risk, in accordance with Department of Commerce Regulations, NIST shall provide the Contractor with a reading room on the NIST campus. At no time shall the Contractor remove such data or information from the NIST site without the prior written approval of the Contracting Officer.

- a. System Change Control and Authorization - The Cyberlock system is an accredited information system authorized to operate on the NIST network. The Contractor shall not implement any hardware, software, firmware, configuration, or architectural changes that may affect the system's security posture, Authority to Operate (ATO), or compliance with NIST security requirements without prior written approval from the Contracting Officer or Contracting Officer's Representative.

The Contractor shall support Government-led security impact assessments and provide technical information as requested to evaluate proposed changes. Unauthorized changes that negatively affect system accreditation may result in corrective action at no additional cost to the Government.

XI. SAFETY

The Contractor shall perform all work under this contract in a safe manner and in full compliance with applicable federal, state, and local safety, health, and environmental regulations, as well as NIST-specific safety requirements.

If any cutting, welding, grinding, drilling, or other similar operations are required, the Contractor shall implement appropriate protective measures to safeguard nearby equipment, facilities, personnel, and materials from smoke, sparks, grit, dust, and other byproducts or residue generated by such activities. The Contractor shall notify the Contracting Officer's Representative (COR) no less than three (3) business days in advance of any welding, cutting, or hot work to allow sufficient time for permit review, approval, and issuance. No such work shall begin until the required permit has been approved and is in the Contractor's possession.

The Contractor should be aware that NIST facilities may contain lead-based paint and/or asbestos-containing materials (ACMs). The Contractor shall not disturb, penetrate, cut, drill, grind, or otherwise impact any painted surfaces, building materials, or structural components suspected or known to contain lead or asbestos without prior written authorization from the COR and coordination with the appropriate NIST safety and environmental offices. If suspect materials are encountered during the performance of work, the Contractor shall immediately stop work in the affected area and notify the COR. Under no circumstances shall the Contractor perform abatement, removal, or remediation of lead-based paint or asbestos-containing materials unless specifically authorized and directed by the Government.

Upon completion of work activities, the Contractor shall ensure that all debris, waste materials, dust, and residue are promptly collected and properly disposed of in designated receptacles or through other approved disposal methods in accordance with applicable environmental regulations and NIST site requirements. Work areas shall be left in a clean, safe, and orderly condition at the conclusion of each work effort.

XII. ADDITIONAL GENERAL REQUIREMENTS SPECIFIC TO RADIOACTIVE ENVIRONMENTS

Task Orders may require work to be performed within NIST-controlled areas. Contractor personnel shall not access such areas unless they have been approved for unescorted access or are accompanied by authorized NIST personnel in accordance with site security requirements. The Contractor shall notify the Contracting Officer's Representative (COR) no fewer than two (2) business days in advance of any work requiring escorted access and shall identify the specific locations where escort services will be required. Escort support will be provided by NIST personnel as necessary and subject to availability. Food and beverages are always prohibited within NIST-controlled work areas.

All work performed under this contract shall comply with applicable Occupational Safety and Health Administration (OSHA) standards and regulations.

All materials removed from NIST buildings and intended to leave the site shall be inspected and cleared by the NIST Health Physics Office prior to removal. No materials may be transported off site without documented clearance. In the event contamination is identified, NIST shall be responsible for performing the required decontamination. If an item cannot be adequately decontaminated, NIST

shall be responsible for its disposal; however, NIST shall not be responsible for the repair, replacement, or reimbursement of the affected equipment.

XIII. SYSTEMS and CONTRACT MODIFICATIONS

The Government reserves the right to add or remove systems and/or equipment within the scope of this statement of work, via contract or task order modification.

XIV. MEETING AND REPORTING REQUIREMENTS

A project kickoff meeting shall be conducted at the commencement of the IDIQ contract and, as applicable, at the initiation of each Task Order. The kickoff meeting shall include the NIST Contracting Officer's Representative (COR), representatives from the NIST ESO Security Team, and the Contractor. The purpose of these meetings is to review contract and Task Order requirements, establish lines of communication, confirm schedules, and address coordination and security considerations.

Prior to the start of on-site installation activities for each Task Order, the Contractor may be authorized to conduct a site walkthrough in coordination with NIST personnel to verify site conditions, access requirements, and installation readiness.

For the duration of any active Task Order, the Contractor shall participate in recurring progress meetings, which may be conducted weekly or as otherwise directed by the COR. Meetings may be held virtually or in person at the NIST Boulder campus. These meetings shall be used to review progress, address issues, coordinate activities with other trades, and ensure that security installation schedules are aligned with the overall project and General Contractor schedules.

XV. DELIVERABLE SCHEDULE

Deliverables will be specified at the Task Order level within the individual Task Order SOWs. However, the table below lists the sample minimum deliverables that the contractor shall prepare for on every Task Order issued under this contract.

Example Deliverable Table:

Deliverable	Description	Quantity/Media	Due Date for completed deliverable
1	Contractor Badge Application (NAIS) – This is a requirement for every onsite contract employee except for delivery drivers	Completed forms hard copies submission	Within 14 days of task order award
2	Contractor activity hazard analysis (job specific health and safety plan)	Electronic PDF submission	Within 14 days of Task Order award

XVI. GOVERNMENT FURNISHED PROPERTY, MATERIAL, EQUIPMENT, or INFORMATION (GFP, GFM, GFE OR GFI)

- a. Laptop for programming

- b. Encrypted hard drive for data and file transfers from server/workstation
- c. USB to Mini-USB cable for connecting to locks from the laptop to perform the configuration of manufacturer provided Lock Configuration Tool (LCT)
- d. Information pertaining to the programming of the lock profile such as the username, password, secure certificates, as well as the communication and encryption protocols being used.
- e. Site specific training for performing work within specific areas of NIST Campus.

XVII. CONTRACTOR BADGING REQUIREMENTS

Visitors may be granted access to the NIST campus for up to fourteen (14) days within a rolling three hundred sixty-five (365) day period. Once the fourteen-day limit has been reached, the contractor may be prohibited from returning to the NIST campus until the required Background Investigation has been initiated and/or completed.

All contractor personnel performing work under this contract are required to successfully complete a Background Investigation prior to the issuance of a NIST badge. To obtain a badge, contractors must submit a completed NIST Associate Information System (NAIS) Agreement form. In addition, contractors are required to complete the Electronic Application for Processing (EAPP) to initiate the Background Investigation process. Timely completion and submission of both the NAIS Agreement and the EAPP is critical to maintaining continued campus access.

Contractor personnel may be permitted to enter the campus as visitors for a period of up to fourteen (14) days while the NIST badge request and Background Investigation are being processed. During this time, visitors are subject to all NIST escorting requirements and must be accompanied by authorized NIST personnel in accordance with site security policies. In addition, all visitors and contractors must present a valid form of identification that meets Real ID Act requirements for federal facility access. After this period, campus access will be contingent upon badge issuance, completion of applicable security requirements, and compliance with identification requirements.

Contractors are reminded to ensure the NIST issued badge is physically displayed at all times at or above the waist while on NIST campus and must follow the rules of behavior.

XVIII. VISITOR/CARDHOLDER RULES OF BEHAVIOR

- a. The NIST badge shall be displayed fully to the Police Officer/Security Officer at all access gates and any other time Contractor personnel are challenged while on the NIST campus.
- b. All visitors/guests shall display their badge while on the NIST campus and must always remain with their NIST sponsor/host if being escorted.
- c. If authorized for "security-hours" access, Contractor personnel shall badge in and out of the any buildings or the main gate from 6am to 7pm.
- d. The NIST badge shall only be utilized to access authorized areas.
- e. Contractor personnel shall not attempt to access controlled areas unless properly authorized.
- f. Contractor personnel should NOT piggyback or allow others to piggyback when entering an access-controlled space.

- g. Contractor personnel shall not share assigned badge or PIN number associated with cardholder or badge (for PIV cards) with anyone and shall protect each appropriately. Individuals found in violation of this policy will have their badge will be confiscated, will be escorted off site immediately, and denied access to NIST-administered sites.
- h. Contractor personnel shall secure their NIST badge to prevent loss / theft.
- i. Contractor personnel shall immediately report a lost or stolen NIST badge to ESO, x3530. Once reported Contractor personnel will be required to complete a DN-42 form for submission to ESO.
- j. The NIST badge remains property of the Federal government and shall be returned when departing from NIST (i.e., separation, retirement, transfer, termination). Badges are returnable to the Badge Office located in Building 01 in room 1207.
- k. NIST reserves the right to revoke any badge and/ or access given at any time for any reason without notice.

XIX. CONTRACTOR VEHICLE ENTRY TO CAMPUS (TRUCK INSPECTION)

All contractors entering the NIST campus in a company-owned or leased vehicle displaying company lettering, logos, or other identifying markings are required to enter through the main campus entry gate. The main campus Gate is located off Broadway and serves as the designated point for thorough screening and verification of contractor vehicles prior to campus access. This screening process ensures compliance with NIST security protocols, including verification of vehicle credentials, inspection for prohibited items, and confirmation that the vehicle is authorized to transport personnel, equipment, or materials onto the campus. Contractors must follow all instructions from inspection personnel and may be denied entry if the vehicle does not meet NIST security or safety requirements. Proper use of the Truck Inspection Gate is mandatory for maintaining the safety and security of all NIST personnel, facilities, and operations.

XX. ORDERING PROCEDURES FOR FUTURE TASK ORDERS

This section sets forth procedures and criteria that will be used to award task orders against this indefinite delivery/indefinite quantity (IDIQ) contract.

(a) A request for quotation (RFQ) package will be forwarded to the Contractor. The following documents will be included in the request for quotation package at a minimum:

- 1. The specifications, statement of work, and/or all associated attachments.
- 2. The due date for quotations.
- 3. The anticipated contract type for the intended task order.
- 4. The period of performance for the required services and/or the timeline for delivery of parts and/or equipment.

(b) Written solicitation packages will be sent, via e-mail, to the Contractor's Project Manager. Solicitations will identify a due date & time for quotes. Submission of quotations, via e-mail, shall be acceptable.

When submitting an e-mail response, the Contractor agrees to be bound by the originator of the e-mail the same as if submitted under an original signature.

All submissions must be received on or before the due date and time specified in the RFQ. Information received after the due date and time will be considered late and will not be considered.

Response times may vary for quotations; however, the Government anticipates that a response time of between three and five days from the date the quotation is forwarded via email will be permitted, at a minimum.

(c) Upon receipt of the Request for Quotation Package, the Contractor shall prepare a technical quotation and a price quotation. The technical and price quotations must be submitted to the Government on or before the date and time specified in the RFQ.

Technical Quotation

The Contractor shall submit a technical summary of the work to be performed. The Contractor shall discuss the proposed strategy or strategies that will be utilized to perform the required work and complete the required deliverables.

The Contractor shall submit the name or names of the key personnel that will be performing the required work. Only the individuals that have been designated as key personnel will be authorized to complete the required work. Any changes to key personnel must be submitted in advance and approved by NIST ESO.

The technical summary shall be limited to five pages.

Price Quotation

The request for quotation will indicate whether a firm fixed price or time and material type task order will be awarded. The quotation shall include all costs necessary to complete the required work. This includes, at a minimum:

- (1) ~~☐☐☐~~ Labor Category
- (2) ~~☐☐☐~~ Labor Rate
- (3) ~~☐☐☐~~ Number of hours
- (4) ~~☐☐☐~~ Other direct costs listed by category with unit prices and total amount(s). Travel, subsistence and local transportation shall be supported with a breakdown which includes number of trips anticipated, cost-per-trip-per-person, destination(s) proposed, number of person(s) scheduled for travel, mode of transportation, and mileage allowances if privately-owned vehicles will be used.
- (5) ~~☐☐☐~~ Materials: Cost breakdown of materials or equipment must be supported with the methodology used and vendor quotations supplied as requested by the Government.
- (6) Consultants: If consultants are proposed, state the amount of service estimated to be required and the consultant's quoted daily or hourly rate.

- (7) Subcontracts: If proposed, price information for each subcontractor shall be furnished in the same format and level of detail as prescribed for the prime offeror.
- (8) The Government reserves the right to request copies of subcontractor and/or Consultant agreements entered between the parties, and/or appropriately redacted copies of invoices submitted by the party(ies) for similar services previously provided to the Contractor.
- (d) The quotation shall be reviewed by the Contracting Officer (CO), the Contracting Officer's Representative (COR), and/or other authorized NIST Technical Personnel. If it is determined to be in the best interest of the Government, a Contract Specialist and/or the Contracting Officer will enter discussions with the Contractor.

If discussions are conducted, a revised quotation will be requested. The revised quotation will be re-evaluated by the Government.

The quoted price will be evaluated for reasonableness and to ensure that the price quotation is consistent with the technical quotation.

The Contractor shall submit its best quotation in responding to individual Requests for Quotation, as the Government prefers to award without discussions.

- (e) Every order placed under the IDIQ will be separately evaluated for price reasonableness by the Contracting Officer Representative and/ or the Contracting Officer.

- (f) Upon completion of evaluation, the Contracting Officer may authorize the purchase/ task order.
 - an authorized order will be followed up by communication from the COR notifying you of the authorization to proceed.

- (g) Upon notification/ receipt of an executed task order, the Contractor shall commence work as required by that order.

XXI. ANTICIPATED PERIOD OF PERFORMANCE

The anticipated period of performance shall consist of a one (1) year base period commencing on the date of contract award, followed by up to four (4) one-year option periods (Base plus four option years). The Government may elect to exercise one or more option periods in accordance with applicable Federal Acquisition Regulation (FAR) provisions and at its sole discretion.

XXII. WARRANTY

Each subsequent Task Order shall include a one-year parts and labor warranty from date of project completion unless otherwise explicitly identified and agreed in writing.

XXIII. HOURS OF OPERATION AND FEDERALLY OBSERVED HOLIDAYS

Services are normally not performed on federal holidays unless required. Should NIST require service on a designated federally observed holiday, it would be authorized for the convenience of the

government upon request by the Contracting Officer's Representative (COR) and upon written approval by the Contracting Officer. If the Contractor elects to work on a federal holiday, services shall be rendered to the government with no additional compensation. When Campus closure is enacted because of inclement weather, potentially hazardous conditions, or by other special circumstance, etc. the Contractor shall be dismissed without loss of pay.

Normal Hours of Operation: Monday through Friday, 7:00 AM to 5:00 PM.

Federally Observed Holidays:

New Year's Day -	January 1
Martin Luther King Birthday -	3rd Monday in January
Presidents' Birthday -	3rd Monday in February
Memorial Day -	last Monday in May
Juneteenth	June 19th
Independence Day-	July 4
Labor Day-	1st Monday in September
Columbus Day -	2nd Monday in October
Veterans' Day -	November 11
Thanksgiving Day -	4th Thursday in November
Christmas Day -	December 25

XXIV. INVOICE SUBMISSION INSTRUCTIONS

NIST requires all invoice/voucher submissions sent following the guidance provided by NIST Acquisition Management Division (AMD) placed within this IDIQ or each task order.