

STATEMENT OF WORK (SOW)
RADAR ABSORPTION STRUCTURE KITS AND LOW RADAR CROSS SECTION MAST
ASSEMBLIES

1.0 Background

Naval Undersea Warfare Center Division Newport (NUWCDIVNPT) Code 34 is tasked by PEO C4I PMW 770, the Submarine Communications and Integration program office, as the In-Service Engineering Agent (ISEA) and National Maintenance Center for the OE-562A Submarine High Data Rate Antenna (SubHDR). In support of this role, NUWC requires Radar Absorption Structure (RAS) Kits, a subcomponent of the SubHDR, to replace damaged or degraded units.

NUWCDIVNPT Code 34 is designated as the Acquisition Engineering Agent (AEA) for the Low Radar Cross Section Mast (LRCSM) assembly, per the Participating Acquisition Resource Manager (PARM), Submarine Electromagnetics Systems Program Office (PMS435) and VIRGINIA Class Program Office (PMS450). As the AEA, NUWCDIVNPT Code 34 manages the acquisition facility capable of the fabrication of the LRCSM. To meet Fleet demands, the NUWCDIVNPT Code 34 AEA requires LRCSM Radar Absorption Structure (RAS) units, a subcomponent of the LRCSM, to produce units for modernization and new construction platforms.

1.1 Places of Performance

All work shall be performed at the contractor's facility.

1.2 Authorized Users

NUWC Code 34 is the only anticipated user of this contract.

1.3 Sponsors

- PMW770
- PMW740
- PMS450
- PMS435
- COMSUBPAC
- COMSUBLANT

1.4 Types of Funding

- Operations and Maintenance, Navy (O&MN)
- Other Procurement, Navy (OPN)
- Foreign Military Sales (FMS)
- Defense Working Capital Funds (WCF)
- Shipbuilding and Conversion, Navy (SCN)

2.0 Scope

The contractor shall manufacture and deliver RAS kits in accordance with supplied GFI.

2.1 Program or Systems Supported

- OE-562A Submarine High Data Rate Antenna

3.0 Applicable Documents

The contractor shall perform the tasking required in Section 4.0 in accordance with (IAW) the below Applicable Documents (ADs).

NUMBER	TITLE	REVISION/ DATE	APPLICABLE SOW TASK
3.1	SubHDR Drawings		
3.1.1	FIBER REINFORCED, COMPOSITE MATERIAL BASED, RADAR ABSORBING STRUCTURE, G745256, REV G	G	4.1
3.1.2	RAS OUTLINE, TUBE – HDR INNER MAST, G745257 REV B	B	4.1
3.1.3	RAS OUTLINE, TAIL FAIRING, HDR INNER MAST, G745258		4.1
3.1.4	RAS HARDWARE KIT, PLG771417-2 REV A	A	4.1
3.1.5	PLATE, G770860, REV A	A	4.1
3.1.6	SCREW, MACHINE, 82 DEGREES FLAT HEAD, LOCKING, TITANIUM, G770859-1 REV D	D	4.1
3.1.7	SCREW, MACHINE – HEX SOCKED HEAD, TITANIUM, G770661-8 REV E	E	4.1

4.0 Technical Requirements

4.1 SubHDR RAS Kits Manufacturing, and Testing

In accordance with the Applicable Documents in Section 3.0 the contractor shall manufacture, test, and deliver P/N G745256 RAS kits.

The contractor shall perform testing on each manufactured unit to include hydrostatic testing to ensure no water absorption, focused beam or anechoic chamber testing to ensure satisfactory radar cross section (RCS) performance, and a fit check to ensure proper fit. The contractor shall include a Certificate of Conformance (CoC) with each unit indicating compliance with all documented specifications including a mercury free statement.

Once assembled into final layups, the contractor shall handle, store, and transport the components G745257 RAS OUTLINE, TUBE – HDR INNER MAST and G745258 RAS OUTLINE, TAIL FAIRING, HDR INNER MAST as CONFIDENTIAL in accordance with the Form DD 254. Any test data or report showing the radar absorbing properties of these components shall be handled, stored, and transported as SECRET.

Deliverable: Certificate of Conformance

Deliverable: SubHDR RAS Kit Test Data and Certifications

5.0 Progress Reports

Reserved

6.0 Government Furnished Information

Reserved

7.0 Government Furnished Property

Reserved

8.0 Quality Surveillance and Performance Standards

Reserved

9.0 Information and Communication Technology (ICT) Accessibility Requirements

Reserved

10.0 Security Compliance

10.1 Program Protection

SECURITY: All Contractor personnel shall adhere to the Security provisions of 32 CFR Part 117 – National Industrial Security Program Operating Manual (NISPOM) and the security requirements of the attached DD254. While performing work at a Government Facility, Contractor personnel shall comply with the security regulations of the host facility. Applicable FAR, DFARS, NMCARS clauses, and NAVSEA text shall be adhered to in the performance of this contract. Security incidents shall be promptly reported through the companies Facility Security Officer (FSO), to the Contracting Officer's Representative (COR), Technical Point of Contact (TPOC), and the Cognizant Security Office to NUWCDIVNPT Security.

Controlled Unclassified Information (CUI) including Legacy FOUO and Covered Defense Information (meeting the definition of 48 CFR 252.204–7012(a)) generated and/or provided under this contract shall be marked and safeguarded as specified in DoD Instruction 5200.48, CUI available at:

<https://www.esd.whs.mil/Portals/54/Documents/DD/issuances/dodi/520048p.PDF>. Any product containing Covered Defense Information shall be assigned a distribution statement (distribution statements B through F) in accordance with DoDI 5230.24 (Distribution Statements on Technical Documents); and DoDI 5230.24, Enclosure 3 Procedures, available at <https://www.esd.whs.mil/Portals/54/Documents/DD/issuances/dodi/523024p.pdf>

INFORMATION SECURITY: If the work is performed at the Contractor's facility, the Contractor shall implement and maintain security procedures and controls to prevent unauthorized disclosure of classified information and controlled unclassified information (CUI) and to control distribution of CUI in accordance with National Industrial Security Program Operating Manual (NISPOM) codifying 32 CFR Part 117, NISPOM Rule, and SECNAV M-5510.36B. If the work is performed at the Government's facility, the Contractor shall comply with facility policy.

CUI INCIDENT REPORTING AND RESPONSE: The Contractor shall promptly report any unauthorized, inadvertent, or illegal release or disclosure of CUI to the Contracting Officer's Representative / Technical Point of Contact (TPOC), Procuring Contracting Officer, and the Security Office. Contractor personnel shall coordinate this effort through the relevant industry site FSO.

PUBLIC RELEASE: Any controlled unclassified information pertaining to this contract shall not be released for public dissemination, including posting to any social media sites such as Facebook or Twitter, unless it has been approved for public release by appropriate U.S. Government authority. Proposed public releases shall be submitted for approval prior to release through the appropriate U.S. Government Office.

10.2 Operations Security (OPSEC)

OPSEC is a process that identifies critical information to determine if friendly actions can be observed by adversary intelligence systems, determines if information obtained by adversaries could be interpreted to be useful to them, and then executes selected measures that eliminate or reduce adversary exploitation of friendly critical information.

The Contractor shall develop and implement, and update and maintain an OPSEC program to protect controlled unclassified and classified activities, information, equipment, and material used or developed by the Contractor and any subcontractor during performance of the contract. The Contractor shall be responsible for the subcontractor implementation of the OPSEC requirements. The Contractor developed OPSEC program may include Information Assurance and Communications Security (COMSEC). The OPSEC program shall be in accordance with National Security Presidential Memorandum (NSPM) 28, and at a minimum shall include:

- 1) Assignment of responsibility for OPSEC direction and implementation.

- 2) Issuance of procedures and planning guidance for the use of OPSEC techniques to identify vulnerabilities and apply applicable countermeasures.
- 3) Establishment of OPSEC education and awareness training.
- 4) Provisions for management, annual review, and evaluation of OPSEC programs.
- 5) Flow down of OPSEC requirements to subcontractors when applicable.

While performing aboard Government sites, the contractor shall: comply with all OPSEC instructions and policies; include OPSEC as part of its ongoing security awareness program and take all required Agency training; Be responsive to the Supporting OPSEC Manager on a non-interference basis; and Protect sensitive unclassified information and activities, which could compromise classified information or operations, or degrade the planning and execution of operations performed by the Requiring Organization and contractor in support of the mission.

10.3 Electronic Spillage

Electronic Spillage (ES) is defined as a situation where information of higher classification than a system is authorized to process is introduced into that system, intentionally or otherwise. If a Contractor is determined to be responsible for an ES, all direct and indirect costs incurred by the Government for ES remediation will be charged to the Contractor.