

COMBINED SYNOPSIS/SOLICITATION NOTICE:

Requirement Title: Rental of a steam heat exchanger and associated components

Solicitation Number: N3904026Q2867

Response Deadline: 3/26/2026 @ 1:00 PM EST

POC: Christie Ashcraft

Cell: 207-651-0355

Email: Christie.j.ashcraft.civ@us.navy.mil

GENERAL INFORMATION:

1. This is a combined synopsis/solicitation for commercial products or commercial services prepared in accordance with the format in FAR part 12, as supplemented with additional information included in this notice. This announcement constitutes the only solicitation; proposals are being requested, and a written solicitation will not be issued. Paper copies of this solicitation will not be available. This combined synopsis/solicitation shall be posted on SAM.gov.

2. This solicitation documents and incorporates provisions and clauses in effect through FAC **2025-05** and DFARS Change Notice **20251110**. It is the responsibility of the contractor to be familiar with the applicable clauses and provisions. The clauses may be accessed in full text at these addresses:

<https://www.acquisition.gov/browse/index/far> and http://www.acq.osd.mil/dpap/dars/change_notices.html.

3. This solicitation is being issued as a: **Request for Quote (RFQ)**

4. This acquisition is for: **Total Small Business Set-Aside**

5. North American Industry Classification System Code (NAICS): **532490 Other Commercial and Industrial Machinery**

6. The size standard is: **\$40 Million Dollars**

The Portsmouth Naval Shipyard requests responses from sources capable of providing the following:

This requirement is for a Firm Fixed Price contract for the rental of steam heat exchanger and associated components. Written quotes are required (oral offers will not be accepted). Quotes will be received by email only.

Send to: christie.j.ashcraft.civ@us.navy.mil

REQUIREMENT INFORMATION

Place of Performance: Portsmouth Naval Shipyard, Kittery, Maine

Period of Performance:

CLIN 0001: 4/13/2026 – 10/11/2026 (6 months)

Option 1001- 10/12/2026 – 1/10/2027 (3 months)

CLIN 0002: 4/13/2026 – 10/11/2026 (6 months)

Option 1002- 10/12/2026 – 1/10/2027 (3 months)

REQUEST FOR QUOTATION

N3904026Q3044

CLIN 0003: 4/13/2026 – 10/11/2026 (6 months)

Option 1003- 10/12/2026 – 1/10/2027 (3 months)

METHOD OF PROPOSAL SUBMISSION:

Offers shall be emailed. All responsible sources may submit a quote which shall be considered by the agency.

System for Award Management (SAM): Vendors must be registered in the SAM database to be considered for award. Registration is free and can be completed on-line at <http://www.sam.gov/>.

The Portsmouth Naval Shipyard requests responses from sources capable of providing the following:

Technical Items:

- **Technical submission shall include the Manufacturer Name and Model Number of the specific unit(s) being proposed. The Government will only evaluate those specifically identified unit(s).**
- **Brochures pertaining to the pieces of equipment being quoted, to include, but not limited to pictures of the equipment, and technical specifications of the equipment including model/series unit demonstrating compliance with the SOW and specifications. These should be readily identified by the item's ID number.**
- **Enclosure 1 (Attachment 1) is required to be completed and returned with Quote**

If the above equipment specifications are not submitted with quote, the quote will NOT be considered.

THIS IS NOT AN ORDER

PLEASE PROVIDE DELIVERED PRICES, AVAILABILITY, AND PRICE SOURCE WITH QUOTE

REFERENCE # N394026Q2867

DUE DATE: 3/26/2026 @ 1:00 PM EST

From: Portsmouth Naval Shipyard

Christie.j.ashcraft.civ@us.navy.mil

Contracting, Code 410.2

Kittery, ME 03904

PHONE: 207-651-0355

Your company info:

Name: [REDACTED]

POC: [REDACTED]

(P) [REDACTED]

Email: [REDACTED]

Cage Code: [REDACTED]

BUSINESS SIZE (circle one): **SMALL** **LARGE** **PAYMENT TERMS** [REDACTED] % [REDACTED] **DAYS**

MOBILIZATION TIME: [REDACTED] **ARO**

F.O.B. DESTINATION, Y [REDACTED] **N** [REDACTED]

IF NO, SHIPPING COST [REDACTED].

PRICES DERIVED FROM (CHECK ONE)

___ COMMERCIAL PRICE LIST DATED

___ INTERNAL PRICE LIST DATED

___ OTHER (PLEASE EXPLAIN)

X If checked, to be awarded on an "All or None" basis, and CPARS evaluation procedures apply.

YOUR SIGNATURE _____

DATE _____

****Include technical specification sheet upon proposal****

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>QTY</u>	<u>Unit Price</u>	<u>Total</u>
--------------------	---------------------------	-------------------	--------------------------	---------------------

REQUEST FOR QUOTATION N3904026Q3044

0001	Rental of Heat Exchanger to be in accordance with the Statement of Work	26 Weeks		
0002	Preventative Maintenance in accordance with the Statement of Work.	26 Weeks		
0003	CDRLs (DD 1423) in accordance with the Statement of Work.	6 Sets		
0004	All associated freight in accordance with the Statement of Work	2 Jobs		
0005	Start-up and commissioning in accordance with the Statement of Work.	1 Job		
1001	Option to Extend CLIN 0001 in accordance with the Statement of Work.	13 Weeks		
1002	Option to Extend CLIN 0002 in accordance with the Statement of Work.	13 Weeks		
1003	CDRLs (DD 1423) in accordance with the Statement of Work.	3 Sets		
		TOTAL		

****Include technical specification sheet upon proposal***

- For evaluation purposes, please provide any applicable procedures and technical information. If no information is provided, your quotation may be determined to be unresponsive.
- Please provide published commercial labor rates and breakdown of total prices, if applicable, for Price Justification purposes.
- See Below for Detailed Statement of Work and Applicable Clauses.

Attachments include:

- N3904026Q2867 Attachment 1 SOW Enclosure 1
- N3904026Q2867 Attachment 2 OPSEC Contract Requirements
- N3904026Q2867 Attachment 3 CDRLs (DD 1423)

ALL OFFERS SHALL INCLUDE THIS FORM FILLED OUT IN ITS ENTIRETY (HIGHLIGHTED YELLOW FIELDS ARE REQUIRED).

STATEMENT OF WORK

1. SCOPE

- 1.1. Portsmouth Naval Shipyard (PNSY) is seeking to lease a steam heat exchanger and associated components. The system must include a steam heat exchanger; temperature, pressure and flow monitoring capability; and safety, control and isolation valves. The system must be frame/skid mounted with fork truck pockets as well as lifting pad eyes in a footprint no greater than 8 FT x 8 FT and a maximum weight of 4000 LB.

REQUEST FOR QUOTATION

N3904026Q3044

2. REFERENCES

2.1. ASME VIII Boiler and Pressure Vessel Code

2.2. US Federal standard A-A-59326: Standard for cam action couplings

3. REQUIREMENTS

3.1. Component List

3.1.1. Required components PC-01 thru PC-17 are listed below and illustrated in Section 8.1.

PIECE NO.	QTY.	NAME OF PART	REF. NO.	NSN	PARA NO.
PC-01	1	Heat Exchanger	N/A	N/A	3.2
PC-02	1	Heat Exchanger Low Point Vent Valve	N/A	N/A	3.2.5
PC-03	1	Heat Exchanger High Point Vent Valve	N/A	N/A	3.2.5
PC-04	20	Freshwater Hose	N/A	N/A	3.3.1
PC-05	2	Steam Hose	N/A	N/A	3.3.2
PC-06	2	Steam Isolation Valve	N/A	N/A	3.2.12
PC-07	1	Strainer	N/A	N/A	3.2.14
PC-08	2	Steam Pressure Gauge	N/A	N/A	3.2.15
PC-09	1	Pressure Regulator Valve	N/A	N/A	3.2.13
PC-10	1	Vacuum Relief Valve	N/A	N/A	3.2.11
PC-11	1	Steam Trap	N/A	N/A	3.2.16
PC-12	1	Water Pressure Gauge	N/A	N/A	3.2.6
PC-13	2	Temperature Gauge	N/A	N/A	3.2.7
PC-14	2	Water Isolation Valve	N/A	N/A	3.2.4
PC-15	1	Press & Temp Relief Valve	N/A	N/A	3.2.9
PC-16	1	Flow Meter	N/A	N/A	3.2.8
PC-17	1	Flow Switch	N/A	N/A	3.2.10
PC-18	1	Reducing Tee	N/A	N/A	3.4.1

3.2. Heat Exchanger (Steam)

3.2.1. Operating capacity of 1.7 MMBH heat output at a freshwater flowrate of 100 GPM.

3.2.2. Steam inlet and condensate outlet must be adapted to accept Qty. 2, 1-1/2 IN diameter threaded ground fittings.

3.2.3. Freshwater inlet and outlet must be adapted to 2-1/2 IN diameter cam and groove quick disconnect fittings.

REQUEST FOR QUOTATION

N3904026Q3044

- 3.2.4. Freshwater inlet and outlet must be fitted with 2-1/2 IN diameter isolation valves made of nonferrous metals.
- 3.2.5. Shell and tube heat exchangers must be fitted with low point and high point vent valves made of non-ferrous metal and rated to a minimum of 150 PSI.
- 3.2.6. Fresh water inlet must be fitted with a water pressure gauge graded in minimum 5 PSI increments over a minimum range from 0 PSI to 200 PSI.
- 3.2.7. Must provide inlet and outlet freshwater temperature monitoring. Temperature gauges must provide a minimum resolution of 1 DEG F over a minimum operating range from 40 DEG F to 100 DEG F.
- 3.2.8. Freshwater outlet must be fitted with a flowmeter rated to 150 PSI providing a minimum accuracy of 1% of reading over a minimum range from 50 to 250 GPM and minimum resolution of 1 GPM.
- 3.2.9. Freshwater outlet must be fitted with a safety pressure & temperature relief valve set to relieve at 150 PSI or 210 DEG F, whichever is reached first.
- 3.2.10. Optional: Freshwater outlet flow switch to control steam delivery. May be integral to freshwater outlet flowmeter.
- 3.2.11. Shell-side of shell and tube heat exchanger must be fitted with a vacuum relief valve.
- 3.2.12. Steam supplies must be fitted with isolation valves made of non-ferrous metals and rated to 150 PSI.
- 3.2.13. Steam supply must be fitted with a pressure-regulating valve rated to a minimum 150 PSI regulating to a nominal operating pressure of 90 PSI.
- 3.2.14. Steam supply must be fitted with a strainer rated to a minimum 150 PSI (optional: may be integral to steam supply pressure-regulating valve).
- 3.2.15. Steam supplies must be fitted with a pressure gauge to confirm supply pressure and system set point. Gauges must be rated to a minimum 150 PSI and graded in minimum 5 PSI increments.
- 3.2.16. Condensate drain line must be fitted with a steam trap rated to a minimum 150 PSI.
- 3.2.17. Heat exchanger system must be operated from a single 120 V, 20 AMP, 3 Phase AC power source. Any lower voltage power requirements for controls, metering equipment, etc. must be met using a vendor supplied integral transformer.
- 3.2.18. Performance similar or equal to Bell & Gossett Model #SU 165-4.
- 3.2.19. Braze plate heat exchanger may also be acceptable, if all other applicable requirements are met.

3.3. Accompanying Hoses

- 3.3.1. Freshwater non-collapsing suction/discharge hose, 2-1/2 IN diameter, 500 FT total supplied in lengths not to exceed 25 FT, male x female cam and groove quick-disconnect fittings, minimum 150 PSI, 200 DEG F rated.

REQUEST FOR QUOTATION

N3904026Q3044

- 3.3.2. Steam supply hose, 1-1/2 IN diameter, 50 FT total supplied in lengths not to exceed 25 FT, male stem x female spud ground fittings, minimum 150 PSI rated.

3.4. Fittings

- 3.4.1. Reducing tee, 2-1/2 IN x 2-1/2 IN x 1-1/2 IN made of non-ferrous metal. End connections must be adapted to accept same size cam and groove quick disconnect fittings.

4. NOTES

4.1. Response to Request

- 4.1.1. As part of the response to this request, descriptive literature shall be furnished in sufficient detail to show that the proposed design will meet these specifications. Vendor submittals shall include brochures of the models being submitted, assembly sketches with critical dimensions, sketches (with dimensions) of all tooling being provided, statements of compliance with specification, and performance statements with special instructions. Supporting information shall be organized and packaged by unit. If supporting information includes multiple models the vendor shall clearly state model number of proposed unit and redact all information not applicable to proposed unit.

4.2. Contractor Identification of Itemized and Ancillary Equipment

- 4.2.1. The Contractor shall uniquely tag and permanently mark all its ancillary and itemized equipment / hardware (e.g. manifolds, hose assemblies, pipe fittings, duct adapters, ducting, etc.) so as to differentiate from that owned by either the Shipyard or other Contractors.

4.3. Design and Testing

- 4.3.1. Heat Exchanger design and testing shall be in accordance with Reference 2.1.

5. GOVERNMENT FURNISHED MATERIAL (GFM)

- 5.1. The Government will provide the equipment listed below, while operating the equipment and will make forklifts and operators available to load and unload the equipment from the Contractor's vehicles.

- 5.1.1. Freshwater makeup and drain will be fitted with a 1-1/2 IN isolation ball valve, 150 PSI rated.
- 5.1.2. Freshwater makeup will be protected by a 1-1/2 IN check valve, 150 PSI rated.
- 5.1.3. Freshwater supply and discharge will be fitted with 2-1/2 IN throttling butterfly valves, 150 PSI rated PVC with flanged connections.
- 5.1.4. Freshwater bypass leg and downstream portion of the system will be fitted with 2-1/2 IN isolation ball valves, 150 PSI rated PVC with NPT connections.
- 5.1.5. Freshwater makeup and drain will be connected to the system via freshwater non-collapsing suction/discharge hose, 1-1/2 IN diameter, 100 FT total supplied in

REQUEST FOR QUOTATION

N3904026Q3044

lengths not to exceed 25 FT, male x female cam and groove quick-disconnect fittings, 150 PSI rated.

6. RESPONSIBILITIES

6.1. Government

- 6.1.1. Equipment Technical Evaluation: Temporary Systems and Services Engineering
- 6.1.2. Receipt Inspection: Contracting Officer Representative (COR) & Technical Point of Contact (TPOC).
- 6.1.3. Schedule equipment delivery & returns: COR & TPOC
- 6.1.4. Schedule equipment service, repair, and training: COR & TPOC

6.2. Contractor

- 6.2.1. Use Table E1 of Enclosure 1 to verify conformity with the technical requirements
- 6.2.2. All required State approved safety features (i.e. safety pressure relief valves, low water cutout, over pressure protection) installed with applicable State certification.
- 6.2.3. The contractor shall maintain a stringent maintenance program and be responsible for all preventative maintenance, except for daily check of liquid levels.
- 6.2.4. The Contractor shall provide repair service within twelve (12) hours after notification by the COR. In the event the machine cannot be returned to service within twenty-four (24) hours of notification, the Contractor shall deliver a replacement at no extra charge to the Government.
- 6.2.5. The Contractor shall be responsible for equipment failure not arising out of abuse or negligence by the Government.
- 6.2.6. There shall be no changes unless authorized by the COR.
- 6.2.7. The Contractor shall provide technical support to PNSY project personnel as required.

6.3. Maintenance

- 6.3.1. **Surveillance Checks** – The Government will conduct daily surveillance checks of the equipment, which is limited to a visual inspection verifying no alarm conditions or obvious deficiencies are present (Ex. Abnormal Noises, Vibrations, leaks). Except for daily surveillance checks, the Contractor is responsible for all equipment preventative maintenance, weekly inspections and repairs for the duration of the lease. The Contractor shall coordinate with the COR and TPOC, in writing, to schedule preventative maintenance and weekly inspections.

REQUEST FOR QUOTATION

N3904026Q3044

- 6.3.2. **Preventative Maintenance** - The Contractor shall provide Preventative Maintenance (PM) schedules which are equipment specific. The PM shall meet all requirements determined by the Original Equipment Manufacturer (OEM). The routine PM plan for each piece of equipment shall include a comprehensive list of the components to be serviced as well as identifying the service frequency (e.g., all consumables to be replaced, bearing grease points, belt replacement / tensioning, filter changes, refrigerant charge, oil changes, other lubrication, coolant refills, liquid top-offs, etc.). The Contractor shall prepare and submit a technical service report that identifies what PM was performed, what system, equipment or component was serviced, when the PM was performed and next scheduled PM date. Copies of all reports shall be delivered to the COR and TPOC upon completion of the PM service.
- 6.3.3. **Weekly Inspections** - In addition to providing routine preventative maintenance, the Contractor shall provide a service technician on a weekly basis for the duration of the lease to perform weekly equipment inspections. Weekly equipment inspections shall consist of checking all functional operating parameters of each individual piece of equipment. This shall include but is not limited to: verifying correct equipment set-up, performance and operation, checking for diagnostic or trouble codes, and verifying amperage of all electric heating coils. The Contractor shall prepare and submit a technical field report that identifies what inspections were performed, what system, equipment or component were inspected, when that inspection was performed and next scheduled inspection date. All reports are delivered to the project COR and TPOC upon completion of the inspection service.
- 6.3.4. **Repairs** - The Contractor shall provide a qualified service technician to repair all equipment deficiencies and malfunctions and return the system to an operable condition. The response time for the repair or replacement of deficient equipment shall meet the requirements defined in section 6.2.

6.4. Training

- 6.4.1. The Contractor is responsible for and shall provide training sessions to Shipyard Personnel on the operation and setup of all equipment. The Contractor shall contact the COR to coordinate training with Shipyard Personnel. Training shall be available throughout the duration of the lease to accommodate equipment swap out and seasonal equipment operation.

6.5. Deliverables – The Contractor shall deliver the following information electronically to the COR and TPOC, and in hard copy when the equipment is delivered to the Government:

- 6.5.1. Instructions for Lifting and Handling the equipment with its padeye(s) Certification
- 6.5.2. Technical Instructions (TIs) such as an Operations & Maintenance Manual, Operating Instructions, Controls Manual, and/or Mechanical/Electrical Manual with Schematics; Note, all Technical Instructions shall be located in a waterproof case affixed to each machine.

REQUEST FOR QUOTATION N3904026Q3044

6.5.3. Equipment Data Sheet (EDS)

6.5.4. Points of contact with telephone numbers for requesting emergency repairs 24 hours 7 days a week.

7. DELIVERY/ ACCEPTANCE/ RETURN

- 7.1. **Delivery** - The Contractor shall deliver machinery that is fully-charged / fueled, fully-assembled, ready-to-use, in a first-class-operating condition and functions as intended. The machinery with its support equipment shall be delivered to the site on or prior to the request date. The Contractor shall confirm the date and time of delivery prior to each delivery with the COR and TPOC, if appointed. The Government can provide forklift services for removing machinery from Contractor's transport during work hours. The Contractor shall provide the COR and TPOC with an itemized list of all equipment delivered at the time of delivery.
- 7.2. **Acceptance** - Upon satisfactory completion of inspection and test of the equipment, the authorized Government Representative (Portsmouth Naval Shipyard, Code 420 COR) will sign and forward the acceptance document(s) to Code 410 Contracting Division for completion. Unloading of equipment from Vendor's transport does not signify acceptance.
- 7.3. **Start Up** – The Vendor shall be available to: (i) start and run the equipment to verify its operability; (ii) confirm that a set of operating instructions was previously delivered; and/or (iii) instruct designated Shipyard personnel on how to properly run the equipment to include its operation, control, daily checks, & service contacts. For multiple sets of comparable equipment with essentially similar operation, the orientation given to a specific Project on a particular type and/or capacity of machine can be accomplished just once regardless of delivery.
- 7.4. **Security** - To be allowed onto a government Shipyard, personnel must be US citizens and in possession of appropriate personal identification. Proof of US citizenship may be necessary and can be required for access to the drydock. Allowable documentation of US citizenship is an official government issued Certificate of Birth or Naturalization (w/ raised seal & not a photocopy) or a US passport. Vehicular access requires a non-expired REAL ID compliant personal Driver's License and appropriate vehicle identification or registration. The transport vehicle must have the company's name / logo prominently displayed. To gain access to the drydock environs, personnel must be escorted and possess / wear their own personal safety gear.
- 7.5. **Receipt Inspection Criteria** - Equipment must meet all criteria defined in this Document.
- 7.6. **Return** - The Government will provide a temporary storage location convenient for Contractor pick-up. The Government will notify the Contractor as well as the Contracting Office as to when the rental Item has been released and is available for pick-up. The last day of the rental period shall be the next normal workday after the Contractor has been so notified. The Contractor shall be responsible for shipping. The

REQUEST FOR QUOTATION


N3904026Q3044

Government can provide forklift services during work hours for placing the equipment onto the vendor's transport.

REQUEST FOR QUOTATION N3904026Q3044

8. ATTACHMENTS

8.1. System Schematic illustrating required system components PC-01 thru PC-18 as well as government furnished components.



N3904026Q3044

Enclosure 1

Table E1

SOW Compliance Checklist

SOW	REQUIREMENT	COMPLIANCE WITH SOW. (See Instructions Below)	EXCEPTIONS TO SOW. (See Instructions Below)
Equipment			
Section 3.1	Required Components		
Section 3.2	Heat Exchanger Requirements		
Section 3.3	Hose Requirements		
Section 3.4	Fittings		
Section 4	Notes		
SOW	REQUIREMENT	COMPLIANCE WITH SOW. (See Instructions Below)	EXCEPTIONS TO SOW. (See Instructions Below)
Services			
Section 6 (in its entirety)	Deliverables		
Section 7 (in its entirety)	Delivery Acceptance and Return		
INSTRUCTIONS			
1. COMPLIANCE WITH SOW. (i) Use YES or NO to identify if equipment and services comply with all SOW requirements. (ii) Ensure answers are consistent with any brochures, specification sheets or other descriptive literature provided in your quote.			
2. EXCEPTIONS TO SOW. (i) Identify any exceptions to the SOW. Note, answers are required for any NO in prior column. (ii) Explain reason for exception.			

REQUEST FOR QUOTATION

N3904026Q3044

CLAUSES

Responsibility and Inspection: unless otherwise specified in the order, the supplier is responsible for the performance of all inspection requirements and quality control. The following FAR provisions and clauses are applicable to this procurement:

FAR Clauses:

52.202-1	Definitions
52.203-11	Certification and Disclosure Regarding Payments to Influence Certain Federal Transactions
52.203-12	Limitation on Payments to Influence Certain Federal Transactions
52.204-7	System for Award Management
52.204-9	Personal Identity Verification of Contractor Personnel
52.204-10	Reporting Executive Compensation and First-Tier Subcontract Awards
52.204-13	System for Award Management Maintenance
52.204-19	Incorporation by Reference of Representations and Certifications
52.204-23	Prohibition on Contracting for Hardware, Software, and Services Developed or Provided by Kaspersky Lab and Other Covered Entities
52.204-21	Basic Safeguarding of Covered Contractor Information Systems
52.204-24	Representation Regarding Certain Telecommunications and Video Surveillance Services or Equipment
52.204-25	Prohibition of Contracting for Certain Telecommunications and Video Surveillance Services or Equipment
52.204-26	Covered Telecommunications Equipment or Services—Representation
52.204-27	Prohibition on a ByteDance Covered Application
52.204-90	Offeror Identification
52.204-91	Contractor Identification
52.209-6	Protecting the Government's Interest When Subcontracting with Contractors Debarred, Suspended, or Proposed for Debarment
52.211-14	Notice of Priority Rating for National Defense, Emergency Preparedness, and Energy Program Use
52.211-15	Defense Priority and Allocation Requirements
52.212-1	Instructions to Offerors—Commercial Products and Commercial Services.
52.212-2	Evaluation—Commercial Products and Commercial Services.
52.212-4	Terms and Conditions—Commercial Products and Commercial Services.
52.217-5	Evaluation of Options
52.217-9	Option to Extend the Terms of the Contract
52.224-3	Privacy Training
52.246-2	Inspection of Supplies Fixed-Price
52.246-16	Responsibility for Supplies.
52.247-21	Contractor Liability for Personal Injury and/or Property Damage.
52.247-34	F.O.B. Destination
52.249-1	Termination for Convenience of the Government (Fixed-Price) (Short From)
52.252-1	Solicitation Provisions Incorporated by Reference.
52.252-2	Clauses Incorporated by Reference.
52.252-5	Authorized Deviations in Provisions.
52.252-6	Authorized Deviations in Clauses.

DFARS Clauses:

252.203-7000	Requirements Relating to Compensation of Former DoD Officials
252.203-7002	Requirement to Inform Employees of Whistleblower Rights
252.203-7005	Representation Relating to Compensation of Former DoD Officials
252.204-7003	Control of Government Personnel Work Product
252.204-7004	Antiterrorism Awareness Training for Contractors
252.204-7012	Safeguarding Covered Defense Information and Cyber Incident Reporting

REQUEST FOR QUOTATION

N3904026Q3044

252.204-7015	Notice of Authorized Disclosure of Information for Litigation Support
252.204-7016	Covered Defense Telecommunications Equipment or Services—Representation
252.204-7017	Prohibition on the Acquisition of Covered Defense Telecommunications Equipment or Services—Representation
252.204-7018	Prohibition on the Acquisition of Covered Defense Telecommunications Equipment or Services
252.204-7021	Contractor Compliance with the Cybersecurity Maturity Model Certification Level Requirement
252.204-7024	Notice on the use of the Supplier Performance Risk System
252.204-7025	Notice of Cybersecurity Maturity Model Certification Level Requirements
252.223-7008	Prohibition of Hexavalent Chromium
252.225-7048	Export-Controlled Items
252.232-7010	Levies on Contract Payments
252.247-7023	Transportation of Supplies by Sea-Basic

NAVSEA CLAUSES:

C-202-H001	ADDITIONAL DEFINITIONS--BASIC (NAVSEA) (OCT 2018)
C-204-H001	USE OF NAVY SUPPORT CONTRACTORS FOR OFFICIAL CONTRACT FILES (NAVSEA) (OCT2018)
C-211-H018	APPROVAL BY THE GOVERNMENT (NAVSEA) (JAN 2019)
C-223-H003	EXCLUSION OF MERCURY (NAVSEA) (MAR 2019)
C-223-N002	RESTRICTIONS ON USE OF YELLOW MATERIAL (NAVSEA) (OCT 2018)
C-247-H001	PERMITS AND RESPONSIBILITIES (NAVSEA) (DEC 2018)
C-211-H002	MARKING OF REPORTS (NAVSEA) (OCT 2018)
D-247-H002	PACKAGING OF SUPPLIES--BASIC (NAVSEA) (DEC 2020)
D-247-H004	MARKING AND PACKING LIST(S)--BASIC (NAVSEA) (FEB 2022)
D-247-W001	PROHIBITED PACKING MATERIALS (NAVSEA) (OCT 2018)
F-211-W001	PARTIAL DELIVERIES (NAVSEA) (OCT 2018)
F-242-H001	CONTRACTOR NOTICE REGARDING LATE DELIVERY (NAVSEA) (OCT 2018)
F-232-H002	PAYMENT INSTRUCTIONS (NAVSEA) (FEB 2024)
F-247-N002	INSTRUCTIONS FOR DELIVERIES TO THE PORTSMOUTH NAVAL SHIPYARD (NAVSEA) (MAR 2019)
G-232-H004	GOVERNMENT PURCHASE CARD METHOD OF PAY (NAVSEA) (JUN 2023)
G-232-H005	SUPPLEMENTAL INSTRUCTIONS REGARDING INVOICING (NAVSEA) (JAN 2019)
G-242-H001	GOVERNMENT CONTRACT ADMINISTRATION POINTS-OF-CONTACT AND RESPONSIBILITIES (NAVSEA) (OCT 2023)
G-242-H002	HOURS OF OPERATION AND HOLIDAY SCHEDULE (NAVSEA) (JUL 2021)

52.212-1 Instructions to Offerors-Commercial Items ADDENDUM

I. GENERAL

In addition to FAR 52.212-1, "Instructions to Offerors – Commercial Items" and any other instructions contained elsewhere in this solicitation, the following information is provided:

Objections to any of the terms and conditions of the RFQ will constitute a deficiency which will make the offer unacceptable.

IMPORTANT NOTES:

- (1) Vendors shall respond to all requirements of the solicitation document. Vendors are cautioned not to alter the solicitation.
- (2) Initial quotes and any modifications thereto are to be submitted to the Contracting Office on or before the closing date and time cited elsewhere in this Request for Quote.
- (3) Responses should be submitted via email only
- (4) Please review all specifications carefully.

II. CONTENT OF QUOTE

REQUEST FOR QUOTATION

N3904026Q3044

- RFQ pricing and information pages completed by the vendor.
- Technical Submission to include:
 - Submission of technical information demonstrating compliance with the specifications, including, but not limited to:
 - Technical submission shall include the Manufacturer Name and Model Number of the specific unit(s) being proposed. The Government will only evaluate those specifically identified units (s).
 - Brochures pertaining to the pieces of equipment being quoted, to include, but not limited to pictures of the equipment and technical specifications of the equipment to include model/series of the unit demonstrating compliance with the Statement of Work and specifications.
 - N3904026Q2867 Attachment 1 SOW Enclosure 1
 - The details of any/all exceptions taken to the specification.

The completion and submission of the above items will constitute a quote and will be considered the vendor's unconditional assent to the terms and conditions of this solicitation and any attachments and/or exhibits hereto. An objection to any of the terms and conditions of the solicitation will constitute a deficiency which will make the offer unacceptable. Potential contractors will be screened for contractor responsibility in accordance with FAR Subpart 9.1.

(end of clause)

52.212-2, Evaluation - Commercial Items is applicable to this procurement.

The Government will award a contract resulting from this solicitation to the responsible vendor whose quote conforming to the solicitation will be most advantageous to the Government, price and other factors considered. The contract will be awarded to the vendor with the Lowest Price Technically Acceptable. Quotes will be reevaluated based on the following criteria:

1. Technical Acceptability (Must meet specifications and document capabilities)
 - Must meet specifications and document capabilities.
 - N3904026Q2867 Attachment 1 SOW Enclosure 1
 - Adherence to schedule
2. Price (Lowest Price Technically Acceptable)

Vendors will be required to submit a quote that will be evaluated in accordance with the specifications provided in the solicitation, FAR 52.212-1 Instruction to Offerors. Failure to include pricing for all line items shall be cause for rejection of the quote for all line items.

1. Technical:

Please provide documentation demonstrating your capabilities in fulfilling the SOW.

Technical Evaluation Ratings	
Rating	Description
Acceptable	Submission clearly meets the minimum requirements of the solicitation
Unacceptable	Submission does not clearly meet the minimum requirements of the solicitation

Note: If the technical submittal is determined "Unacceptable", it renders the entire quote technically unacceptable. Technical submissions that do not meet the minimum requirements will be rated as "Unacceptable" and will no longer be considered for further competition or award.

Schedule:

REQUEST FOR QUOTATION

N3904026Q3044

Please confirm availability for the requested period of performance. If your company is unavailable for the requested period, please provide the earliest available start. Please provide your best and fastest schedule.

2. Price:

The Price will be evaluated as Lowest Price Technically Acceptable; however, the Contracting Officer reserves the right to award based on the ability to meet the required schedule.

(end of clause)

(*END OF COMBINED SYNOPSIS/SOLICITATION***)**