

## WebAIM Short Form TASK GROUP INSTRUCTION

08-AUG-2025 0806

20.15.6.0.9333 (July 2025)

ICN: 38BC125106 KeyOp: A01

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                |                    |                      |                      |                        |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|--------------------|----------------------|----------------------|------------------------|
| TGI NO:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | COMPONENT NAME:<br><b>1B GTM INTK C/D SIDE</b> | TYPE:<br><b>AY</b> | PHASE:<br><b>A</b>   | REPEAT:<br><b>0</b>  | CHG/VER:<br><b>0/0</b> |
| SHIP/HULL NO:<br><b>DDG-113</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | SHIP/HULL NAME:<br><b>USS JOHN FINN</b>        | PROJECT:<br>BC1    | SYSTEM:              | PLANT ID:            | CASREP CAT:            |
| CU PHASE TITLE: F/O - PRESERVE STRUCT SURFACE IN CLEAN AND DIRTY SIDE OF NO. 1B GTM INTK TRK                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                |                    |                      |                      |                        |
| PREPARING ACTIVITY:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                | STATUS: APP        |                      | WORKING STATUS:      |                        |
| PREPARED BY:<br>NANBA, RYOUSUKE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                | CODE:<br>231A      | PHONE:<br>3152436141 | DATE:<br>26-JUL-2025 |                        |
| APPROVED BY:<br>NAKAMURA, YUUJI                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                | CODE:<br>231A      | PHONE:<br>3152436041 | DATE:<br>26-JUL-2025 |                        |
| CONCURRED BY:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                | CODE:              | PHONE:               | DATE:                |                        |
| REASON FOR WORK/NEED FOR CHANGE:<br>EM01L029                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                |                    |                      |                      |                        |
| JCN:<br>EM01-L029                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                |                    |                      |                      |                        |
| SPECIAL REQUIREMENTS:<br>TGI Short Form                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                |                    |                      |                      |                        |
| CU PHASE DESCRIPTION:<br>1 SCOPE/PURPOSE:<br><br>1.1 Title: Structural Surface in Clean and Dirty Side of No. 1B GTM Intake Trunk; preserve<br><br>1.2 Location of Work:<br><br>1.2.1 Intake Engine Room No. One (Port) (02-174-0-Q)<br><br>1.2.2 Intake Trunk (A) Engine Room No. One (1-174-1-Q)<br><br>1.2.3 Engine Room No. One (4-174-0-E)<br><br>1.2.3.1 No. 1B Gas Turbine Main (GTM) Inlet Plenum<br><br>1.3 Identification:<br><br>1.3.1 Quantity (1,050 SF in Total), Entire Structural Surface in No. 1B GTM Intake Trunk (Dirty Side) |                                                |                    |                      |                      |                        |
| ZONE MANAGER:<br>YAGINUMA, TAKEHIDE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                | ZONE:              | COMPARTMENT:         | LEVEL:               | FRAME: SIDE:           |
| JOB SUMMARY ID:<br>251A3206                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | TOT MAN HR.:                                   | TOT DUR:           | TOT JML COST:        | PLANNING ACCEPTANCE: |                        |

|                                |     |  |  |           |            |        |       |  |  |  |  |  |  |
|--------------------------------|-----|--|--|-----------|------------|--------|-------|--|--|--|--|--|--|
| WORK CERTIFICATION SIGNATURES: | DLs |  |  |           |            |        |       |  |  |  |  |  |  |
| COMPLETION OF WORK REVIEW:     |     |  |  | BADGE NO: | SHOP/CODE: | PHONE: | DATE: |  |  |  |  |  |  |
| RECORDS REVIEW:                |     |  |  | BADGE NO: | SHOP/CODE: | PHONE: | DATE: |  |  |  |  |  |  |



## WebAIM Short Form TASK GROUP INSTRUCTION

08-AUG-2025 0806

20.15.6.0.9333 (July 2025)

(Continued)

ICN: 38BC125106

KeyOp: A01

|                                                                                              |                                                |                        |                    |                     |                        |
|----------------------------------------------------------------------------------------------|------------------------------------------------|------------------------|--------------------|---------------------|------------------------|
| TGI NO:                                                                                      | COMPONENT NAME:<br><b>1B GTM INTK C/D SIDE</b> | TYPE:<br><b>AY</b>     | PHASE:<br><b>A</b> | REPEAT:<br><b>0</b> | CHG/VER:<br><b>0/0</b> |
| SHIP/HULL NO:<br><b>DDG-113</b>                                                              | SHIP/HULL NAME:<br><b>USS JOHN FINN</b>        | PROJECT:<br><b>BC1</b> | SYSTEM:            | PLANT ID:           | CASREP CAT:            |
| CU PHASE TITLE: F/O - PRESERVE STRUCT SURFACE IN CLEAN AND DIRTY SIDE OF NO. 1B GTM INTK TRK |                                                |                        |                    |                     |                        |

## CU PHASE DESCRIPTION (Cont.)

Remarks: The area excludes louvers.

1.3.2 Quantity (1,200 SF in Total), Entire Structural Surface in No. 1B GTM Intake Trunk (Clean Side)

Remarks: The area is from 02 Level to above silencer.

1.4 Security Classification:

1.5 Initial Condition:

1.5.1 Critical Coated Area: CCNY-DDG113-005-26 for each area listed in 1.3.1 and 1.3.2

1.6 Contractor work start date: 4/20/26

1.7 Contractor work completion date: 6/15/26

## 2 PROCEDURE:

2.1 Accomplish the requirements of Ref. No. 3.

(V)(G) "GAS TURBINE MAINTENANCE PROCEDURE"

2.2 Accomplish the requirements of 009-032 of Ref. No. One, including Table 3, Line(s) 18A for each area listed in 1.3.1, and Table 3, Line(s) 20 for each area listed in 1.3.2.

2.2.1 Power tool clean to bare metal for each area listed in 1.3.2. Accomplish each requirement of Surface Preparation Specification SSPC-SP 11 of Ref. No. 4.

2.3 Notes:

2.3.1 Planner: Code 231A R. Nanba, 243-6141

2.3.2 Work Integration Manager (WIM): Code 333 T. Yaginuma, 080-6522-9560

2.3.3 Removal of the silencer, the BERP, the louver, the moisture separator, and the perforated sheet are not required.

2.3.4 JCN EM01-L029 is related to this TGI.

2.4 Government Furnished Material (GFM): None.

2.5 SRF-JRMC will provide the following service work: (TGI No. 38BC125106S02)

2.5.1 [C740] Crane and crane rigging service.

2.5.2 [X99E] Utility service, electrical.

2.5.3 [X99M] Utility service, including water supply and steam supply.

2.5.4 [C106.1] Safety inspection for SRF-JRMC employees.

## WebAIM Short Form TASK GROUP INSTRUCTION

08-AUG-2025 0806

20.15.6.0.9333 (July 2025)

(Continued)

ICN: 38BC125106

KeyOp: A01

|                                                                                              |                                                |                        |                    |                     |                        |
|----------------------------------------------------------------------------------------------|------------------------------------------------|------------------------|--------------------|---------------------|------------------------|
| TGI NO:                                                                                      | COMPONENT NAME:<br><b>1B GTM INTK C/D SIDE</b> | TYPE:<br><b>AY</b>     | PHASE:<br><b>A</b> | REPEAT:<br><b>0</b> | CHG/VER:<br><b>0/0</b> |
| SHIP/HULL NO:<br><b>DDG-113</b>                                                              | SHIP/HULL NAME:<br><b>USS JOHN FINN</b>        | PROJECT:<br><b>BC1</b> | SYSTEM:            | PLANT ID:           | CASREP CAT:            |
| CU PHASE TITLE: F/O - PRESERVE STRUCT SURFACE IN CLEAN AND DIRTY SIDE OF NO. 1B GTM INTK TRK |                                                |                        |                    |                     |                        |

## CU PHASE DESCRIPTION (Cont.)

2.5.5 [C106.2] Gas free inspection for SRF-JRMC employees.

2.5.6 [C133] QA inspection for (G) symbol(s), and review coating appreciation data.

2.5.7 [C285] Inspection for (G) symbol(s).

|             |                            |                        |     |            |            |           |      |    |      |
|-------------|----------------------------|------------------------|-----|------------|------------|-----------|------|----|------|
| Ref.<br>No. | Document/Drawing<br>Number | DOCUMENT/DRAWING TITLE | REV | CHG<br>NO. | CPY<br>REQ | PARAGRAPH | SECT | PG | CHPT |
|-------------|----------------------------|------------------------|-----|------------|------------|-----------|------|----|------|

## WebAIM Short Form TASK GROUP INSTRUCTION

08-AUG-2025 0806

20.15.6.0.9333 (July 2025)

(Continued)

ICN: 38BC125106

KeyOp: A01

|                                                                                              |                                                |                        |                    |                     |                        |
|----------------------------------------------------------------------------------------------|------------------------------------------------|------------------------|--------------------|---------------------|------------------------|
| TGI NO:                                                                                      | COMPONENT NAME:<br><b>1B GTM INTK C/D SIDE</b> | TYPE:<br><b>AY</b>     | PHASE:<br><b>A</b> | REPEAT:<br><b>0</b> | CHG/VER:<br><b>0/0</b> |
| SHIP/HULL NO:<br><b>DDG-113</b>                                                              | SHIP/HULL NAME:<br><b>USS JOHN FINN</b>        | PROJECT:<br><b>BC1</b> | SYSTEM:            | PLANT ID:           | CASREP CAT:            |
| CU PHASE TITLE: F/O - PRESERVE STRUCT SURFACE IN CLEAN AND DIRTY SIDE OF NO. 1B GTM INTK TRK |                                                |                        |                    |                     |                        |

| Ref. No. | Document/Drawing Number     | DOCUMENT/DRAWING TITLE                                                           | REV | CHG NO. | CPY REQ | PARAGRAPH | SECT | PG  | CHPT |
|----------|-----------------------------|----------------------------------------------------------------------------------|-----|---------|---------|-----------|------|-----|------|
| 1        | NSI FY-26                   | NAVSEA Standard Items                                                            | -   | 1       | N       |           |      |     |      |
| 2        | LI FY-26                    | Local Standard Items                                                             | -   | ORG     | N       |           |      |     |      |
| 3        | MP LM19-BC125106-EM01L029   | 1B GTM INTAKE FOD PROTECTION FOR PRESERVE THE INTAKE TRUNK 02 LEVEL (02-174-0-Q) | -   |         | Y       |           |      | ALL |      |
| 4        | TM SYSTEMS & SPECIFICATIONS | SSPC Painting Manual Volume 2                                                    | -   |         | N       |           |      |     |      |

| TASK NAME / TASK DESCRIPTION                                                                                                                                                                                      | SHOP/ TSD | TS | SF WC | CREW # | MHRS | RWRK |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|----|-------|--------|------|------|
| 2.1 OMCH                                                                                                                                                                                                          | 22/KE     | PC |       |        |      |      |
| 2.2 PNTR , RGRS , QA                                                                                                                                                                                              | 22/KE     | PC |       |        |      |      |
| CFM for Preservation Work: for all paint and thinner, grit, confined space watch cost, marine chemist cost, compressor with dryer and duel cost, heater, and MISC such as consumable parts and covering material. | 22/MQ     | CS |       |        |      |      |
| Process Funding Document                                                                                                                                                                                          | 10/CT     | OM |       |        |      |      |

| MATERIAL REFERENCES |                         |                        |     |
|---------------------|-------------------------|------------------------|-----|
| REF NO.             | DOCUMENT/DRAWING NUMBER | DOCUMENT/DRAWING TITLE | REV |
|                     |                         |                        |     |

|                 |             |
|-----------------|-------------|
| ICN: 38BC125106 | KEY OP: A01 |
|-----------------|-------------|

| MATERIAL LIST |        |         |       |             |              |                   |     |    |         |         |                |                |
|---------------|--------|---------|-------|-------------|--------------|-------------------|-----|----|---------|---------|----------------|----------------|
| ITEM NO.      | PC NO. | REF NO. | M / C | DESCRIPTION | STOCK NUMBER | GENERIC MATL TYPE | LVL | QA | HAZ MAT | DOC NO. | QTY REQD/ UNIT | QTY USED/ UNIT |
|               |        |         |       |             |              |                   |     |    |         |         |                |                |