

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				1. CONTRACT ID CODE		PAGE OF PAGES	
2. AMENDMENT/MODIFICATION NUMBER		3. EFFECTIVE DATE		4. REQUISITION/PURCHASE REQUISITION NUMBER		5. PROJECT NUMBER (If applicable)	
6. ISSUED BY		CODE		7. ADMINISTERED BY (If other than Item 6)		CODE	
8. NAME AND ADDRESS OF CONTRACTOR (Number, street, county, State and ZIP Code)				(X)		9A. AMENDMENT OF SOLICITATION NUMBER	
				☐		9B. DATED (SEE ITEM 11)	
				☐		10A. MODIFICATION OF CONTRACT/ORDER NUMBER	
						10B. DATED (SEE ITEM 13)	
CODE		FACILITY CODE					

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

☐ The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers ☐ is extended. ☐ is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods:

(a) By completing items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or electronic communication which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by letter or electronic communication, provided each letter or electronic communication makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNTING AND APPROPRIATION DATA (If required)

13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NUMBER AS DESCRIBED IN ITEM 14.

CHECK ONE	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NUMBER IN ITEM 10A.
☐	
☐	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation data, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
☐	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:
☐	D. OTHER (Specify type of modification and authority)

E. IMPORTANT: Contractor ☐ is not ☐ is required to sign this document and return _____ copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER (Type or print)		16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)	
15B. CONTRACTOR/OFFEROR		16B. UNITED STATES OF AMERICA	
15C. DATE SIGNED		16C. DATE SIGNED	
(Signature of person authorized to sign)		(Signature of Contracting Officer)	

Previous edition unusable

SF 30 BLOCK 14 CONTINUATION PAGE

SUMMARY OF CHANGES

List of Contract Documents, Exhibits, or Attachments

The following attachments were added:

PPI_responses_AMD_0001

SOW_NTV_Lease_HOA_AMD_0001

1. Regarding "50,000 kilometers or less odometer reading" - does this relate to the maximum mileage at (1) the time of delivery to the Government or (2) at any point during the period of rental service?
 - a. At any point during the period of rental service. Please see revised SOW.
2. Market research within Djibouti and regional sourcing hubs (UAE) indicates that commercially available 15-passenger diesel vans are predominantly manufactured with manual transmissions and do not align with the specified dimensional ranges (wheelbase 130–150 inches and overall length 232–244 inches). These configurations represent standard commercially supported platforms in the region. Please confirm whether vehicles that meet the functional intent (15-passenger capacity, diesel, LHD) but differ in transmission type and/or dimensional characteristics are acceptable.
 - a. Vehicles must meet the functional intent.
3. Commercially available buses in the Djibouti market (e.g., Toyota Coaster, Mitsubishi Rosa or equivalent) are manufactured with manual transmissions, 30 seater and standard fuel tank capacities significantly below 60 gallons. These configurations represent the prevailing commercial standard and are widely supported for operations and maintenance in the region. Please confirm whether such commercially available configurations are acceptable when meeting the Government's functional passenger transport requirements.
 - a. Commercially available configurations are acceptable.

SOLICITATION N33191-26-R-0018
NON-TACTICAL VEHICLE LEASE AND MAINTENANCE FOR HORN OF AFRICA

1.0 INTRODUCTION

The Combined Joint Task Force-Horn of Africa has a requirement to lease non-tactical vehicles to transport personnel, equipment, and cargo throughout Djibouti. The place of performance is Camp Lemonnier in Djibouti.

2.0 BACKGROUND

Non tactical vehicles are a means of efficient transportation at locations within Djibouti. Combined Joint Task Force – Horn of Africa does not maintain a Transportation Motor Pool (TMP) at CLDJ. As a result, units are responsible for providing their own means of transportation which otherwise would be covered by the Base Operating Support – Integrator that occurs within the other Combatant Commands.

3.0 SCOPE

The contractor shall provide all equipment, tools, materials, and associated labor necessary to provide vehicle leases. The contractor shall perform services required in this Performance Work Statement (PWS) in accordance with the terms and conditions under the associated contract. The Contractor shall lease vehicles to the United States government. The primary purpose of the vehicles is to provide transportation of personnel and equipment. The government will not take title of the vehicles. The Contractor shall deliver the vehicle to a location agreed to by the government and Contractor. The Contractor shall pick up the vehicle at a location agreed to by the government and Contractor.

3.1 PERIOD OF PERFORMANCE

3.1.1 The Contractor shall lease the following vehicle types and quantities to the U.S. Government with a period of performance beginning 30 days after award of the contract. Estimated NTV mix and quantities are below:

- Thirty three (33) large sport utility vehicles, non-armored and with the minimum specifications outlined in section 4.3 of this Performance Work Statement.
- Twenty-three (23) Pickup trucks extended cab (4WD), non-armored and with the minimum specifications outlined in section 4.3 of this Performance Work Statement.
- Sixteen (16) Heavy Duty Pickup Trucks crew cab (4WD), non-armored and with the minimum specifications outlined in section 4.3 of this Performance Work Statement.
- Thirteen (13) 15 passenger van (2WD), non-armored and with the minimum specifications outlined in section 4.3 of this Performance Work Statement.
- Sixteen (16) Heavy Duty sport utility vehicle (4WD) non-armored and with the minimum specifications outlined in section 4.3 of this Performance Work Statement.
- Two (2) Flat Bed Trucks, (4WD) non-armored and with the minimum specifications outlined in section 4.3 of this Performance Work Statement.
- Five (5) 25 passenger buses, non-armored and with the minimum specifications outlined in section 4.3 of this Performance Work Statement.

4.0 REQUIREMENTS

4.1 REGISTRATION, INSURANCE AND TAGS

4.1.1 All vehicles leased under this contract shall be registered to operate in Djibouti. The Contractor shall complete all documents to acquire and pay for the tags/number plates/registration. All vehicles will be insured and comply with minimum Djiboutian insurance requirements, covering the vehicle and any third party damage.

4.1.2 The Contractor shall provide collision and theft insurance for all vehicles issued to the government and provide documentation with the vehicle. This insurance shall cover collision damages and deductibles at no cost to the government. During the rental period, the vehicle remains the property of the Contractor. The Contractor shall assume all risks and costs associated with the failure to obtain any required licenses or permits and comply with any applicable Djiboutian laws, decrees, regulations, or standards.

4.2 CONDITION OF VEHICLES

4.2.1 Initial Delivery Standards At the time of delivery, all leased vehicles shall be no more than five (5) years old from the manufacturer's build date and must have an odometer reading of 80,000 kilometers or less. The Contractor is responsible for monitoring vehicle mileage throughout the period of performance. Any vehicle that exceeds a total of 80,000 kilometers during the life of the contract shall be replaced by the Contractor at no additional cost to the Government. Replacement vehicles must be of a similar class and utility to the vehicle being retired. Furthermore, every replacement vehicle provided under this requirement must have an odometer reading of fewer than 80,000 kilometers at the time the exchange occurs to ensure continued reliability and safety of the fleet.

4.2.2 Vehicles furnished under this contract shall be in good quality and in safe operating condition, and shall comply with applicable Djiboutian laws. Both the exterior and the interior of the vehicle shall be free of excessive soil, rust, and damage and without excessive wear and tear. All automatic door locks, windows, seats, etc. shall be operative. All vehicle systems shall be operative, kept in line with manufacturer's recommended maintenance program, and free of trash and debris. If the vehicle does not meet the vehicle manufacturer's standards and does not meet the criteria listed herein, the government may reject the vehicle promptly after receipt. If the Contracting Officer determines that any vehicle furnished is not in compliance with this contract, the Contracting Officer will promptly inform the Contractor in writing. If the Contractor fails to replace the vehicle or correct the defects as required by the Contracting Officer, the government may, by contract or otherwise, correct the defect or arrange for the lease of a similar vehicle and shall charge or set off against the Contractor any excess costs; or Terminate the contract in accordance with Federal Acquisition Regulation (FAR) Clause 52.212-4(m) Termination for Cause.

4.3 VEHICLE FEATURES

4.3.1 Heating and Air Conditioning: Vehicles shall have fully functioning heating and air conditioning systems and comply with the vehicle manufacturer's standards.

4.3.2 Tires: Tires shall be new or in exceptional condition. The tire type shall be in accordance with the vehicle's manufacturer specifications/recommendations. A full size spare tire shall be in all the vehicles and be in exceptional condition. If a spare tire is used, an appropriate replacement tire shall be issued to the vehicle within 24 hours.

4.3.3 Safety: Each vehicle shall meet all host nation safety requirements and have, at a minimum, the manufacturer's safety standard features. The vehicle shall also have driver and passenger airbags, when available from the manufacturer.

4.3.4 Special Equipment or Markings: The government may install special equipment (e.g., radio, pintle-hook, etc.) required by the using activity in accordance with Djiboutian Transportation Regulations. The government will use portable equipment or non- fixed radios when feasible. The government may place non-permanent markings or decals, identifying the using activity, on any motor vehicle leased under this contract. Installation and removal of special equipment and/or markings/decals will be at the government's expense.

4.3.5 General Items: The Contractor shall provide for all vehicles: windshield screens, floor mats, a lug wrench and jack, a road safety kit (including reflectors, road flares, etc.), and fire extinguisher in accordance with local safety laws. All general items shall meet the manufacturer's standards.

4.3.6 Minimum Specifications: The Contractor shall provide vehicles that meet the following minimum specifications: air-conditioned; moderately tinted windows on front and rear driver and passenger windows; diesel fuel type 2 compatible diesel fueled engines.

4.4 DELIVERY

4.4.1 Delivery Condition: Vehicles shall be clean and serviceable at the time of delivery. A joint inspection with the Contractor and Unit POC will occur at the time of delivery.

4.4.2: Delivery Point: All transportation charges borne by the contractor to U.S Naval Expeditionary Base, Djibouti, Camp Lemonnier, Djibouti City. Address location will be provided once awarded.

4.4.3: Delivery Date: The vehicle shall be delivered at the delivery point specified above within thirty (30) calendar days upon contract award.

4.4.3 Return Condition: At the end of the rental period, the Contractor shall pick up vehicles not later than five (5) working days after contract completion date. The government will return vehicles to a location and time agreed to by the government and Contractor. The Contractor shall inspect the vehicle and notify the Contracting Officer Representative and Contracting Officer of any damages other than normal wear and tear.

5.0 MAINTENANCE

The Contractor shall perform both scheduled and unscheduled maintenance on all vehicles leased under this contract. The Contractor shall provide all parts, labor, and expertise necessary to complete required maintenance tasks. Parts include those items that must be replaced due to fair wear and tear, for example: windshield wipers, tires, brakes, headlamps, filters, fluids, et cetera. Fair wear and tear is defined as damages that occur during normal use or due to the aging of the vehicle that can be based on the age and mileage of the vehicle; examples of fair wear and tear are minor dents, scratches, fading seats, tire wear, brake wear, and other incidental damages except flat tire. The Contractor shall submit a written statement describing allowable wear and tear descriptions within 15 days of contract award. The Contractor shall submit a written maintenance schedule at time of vehicle delivery.

5.1.1 Maintenance Performance Location: The Contractor shall ensure all unscheduled maintenance is accomplished for vehicles leased under this contract at facilities designated by the Contractor, regardless of whether the maintenance items are covered by the manufacturer's warranty.

5.1.2 Maintenance Notifications: The government will follow all instructions by the Contractor in the event of a notification of safety, emissions, or other inspection or recall campaign.

6.0 VEHICLE REPLACEMENT

6.1.1 Permanent Replacements: The Contractor shall replace any vehicles that exceed 80,000 kilometers on the odometer reading and/or is older than five years from the manufacturer's build date. Replacements shall be provided for all vehicles. The Contractor shall provide a replacement vehicle of equal size, and style for any vehicle leased that are out of commission or that requires maintenance or repairs. The replacement vehicle shall be provided at no additional cost to the government. No vehicles shall be replaced without approval of the Contracting Officer. Vehicle replacement shall be mutually agreed upon by the Contractor and the government. Vehicle replacement shall be within 30 calendar days from notification by the Contracting Officer. The Contractor shall provide replacement vehicles for any vehicle that has suffered an accident and/or mechanical breakdown resulting in the vehicle operability being rendered beyond economical repair (e.g, repair cost >60% of fair market value).

6.1.2 Temporary Replacements: Temporary vehicles may be substituted during the 30 calendar day replacement period. Temporary vehicles shall meet and/or exceed the vehicle specifications of the vehicle(s) being temporarily replaced. Any vehicle shall be temporarily replaced by the Contractor if a vehicle must undergo any maintenance and/or repair exceeding 24 hours. A temporary vehicle replacement period shall not exceed 30 calendar days. Temporary vehicles shall not be more than five years old and/or have less than 80,000 kilometers on the odometer. Temporary replacements shall be made within 24 hours of notification by the government. Vehicle replacement shall be concurrent with the vehicle being replaced. Delivery of repaired vehicle, and subsequent return of a replacement vehicle, shall occur within 24 hours of notification of Contracting Officer. The temporary replacement vehicle shall be provided at no additional cost to the government.

7.0 VEHICLE TOW/ RECOVERY SERVICE/ROADSIDE ASSISTANCE

The Contractor shall provide emergency roadside assistance for disabled leased vehicles located outside the boundary of government Installations (within 80 KM from delivery location). The Contractor shall respond to emergency roadside assistance calls within one hour. If the vehicle cannot be repaired on site, the Contractor shall deliver a replacement vehicle to the stranded driver. Vehicle repair/replacement shall be in accordance with the conditions established above. The Contractor shall provide a single English speaking Point of Contact (POC) for vehicle tow, recovery, service and/or roadside assistance at the time of delivery. The government shall not incur any costs for towing, recovery or roadside assistance for disabled vehicles due to mechanical failure.

8.0 FINES, TRAFFIC INFRACTIONS, PENALTIES

All local motor vehicle infractions resulting in fines, additional charges, or other penalties during the lease period shall be the sole responsibility of the individual driving the vehicle at the time of infraction. The Contractor shall provide instructions on how to pay the fines, traffic infractions, and penalties.

9.0 SECURITY REQUIREMENTS

Vehicles shall be civilian style, plated (registration and license) and must blend with the local environment. Upon delivery, no markings or decals, outside of the manufacturer's original markings or decals, are allowed on vehicles.

10.0 DAMAGE AND ACCIDENT

In the event of a motor vehicle accident, the government representative will notify the Contractor and Contracting Officer of the incident. In the event of a motor vehicle accident resulting in the cost of repair

exceeding the cost of replacing the damaged vehicle, the government may compensate the Contractor the value of the damaged vehicle at a fair market purchase price less the depreciated value during the lapsed contract period. Aside from contract claims, the government is responsible for loss, damage, injury, or death only as specified by the Foreign Claims Act (10 U.S.C. 2734- 2736) and associated regulations. In case of accident or damage, cost of the liability will be determined by mutual agreement with both parties.

11.0 POINTS OF CONTACT

11.1.1 Contracting Officer Representative Interface: The Contractor shall provide points of contact to interface with the Contracting Officer Representative (COR) on issues concerning leased vehicles.

Names, business address, and phone numbers shall be provided for contacting the Contractor's points of contact during and after normal business hours. Normal business hours are 0730 - 1630 hours Monday - Friday. The contractor shall also include a phone number for 24 hour roadside assistance.

VEHICLE SPECIFICATIONS

All vehicles provided under this lease shall be U.S.-made or from a qualifying country as defined by DFARS 225.003

LARGE SUV (4WD)

Minimum requirements:

- Left hand drive
- Automatic Transmission
- Selectable Four-Wheel-Drive
- The vehicle shall be of the enclosed integral cab and body type, mounted on chassis frame, equipped for transporting personnel and cargo.
- The vehicle shall have five doors total (four for the cab, one rear door), each with a window.
- Cloth Seats
- Gross vehicle weight rating (lb): 6,000 - 8,500
- Fuel type: Diesel dedicated
- Traction control
- vehicle stability control
- Windshield wipers: Intermittent
- Front and rear air conditioning
- Front and rear window defogger
- Tilt steering
- Suspension suitable for off road driving
- Ground clearance (mm): 230
- Floor covering: Vinyl
- Power antilock brakes, front and rear
- Seating capacity (min): 7
- Functional locks on every door
- Seat type: The driver's and front passenger seat shall be bucket seat configuration type.
- All lights (interior and exterior) functional
- No reflective or distinctive markings
- Body Color: gray, silver, tan, or white
- Rear bumper
- No tracking devices installed or embedded

- All terrain tires
- Spare tire (spare tires exposed to sun light shall be provided with a cover)
- Vehicle jack
- Safety Airbags for driver and passenger
- Spare key
- Meet Djibouti emission standards
- Meet minimal manufacturer, US, and/or Djibouti safety standards
- Vehicles shall have parts that are readily available for maintenance in the warranty area
- Technical Publications (In English): One (1) set of operator manual per vehicle.
- Technical Publications (In English): Two (2) sets of Technical (shop repair) manuals and Part catalog

HEAVY DUTY PICKUP TRUCK WITH CREW CAB (4WD)

Minimum requirements:

- Left hand drive
- Automatic Transmission
- Selectable Four-Wheel-Drive
- The vehicle shall be of the enclosed integral cab and body type, mounted on chassis frame, equipped for transporting personnel and cargo.
- The vehicle shall have four doors total, each with a window and the bed shall be equipped with a lift style tailgate.
- Cloth Seats
- Gross vehicle weight rating (lb): 6,000 - 8,500
- Fuel type: Diesel dedicated
- Traction control
- Vehicle stability control
- Windshield wipers: Intermittent
- Front and rear air conditioning
- Power steering
- Tilt steering
- Suspension suitable for off road driving
- Ground clearance (mm): 230
- Floor covering: Vinyl
- Power antilock brakes, front and rear
- Seating capacity: 5 -7
- 3 point seat belts
- Seat type: The driver's and front passenger seat shall be bucket seat configuration type.
- Pickup bed interior length (min) (mm): 1,524
- Rear bumper
- No reflective or distinctive markings
- Flush style, double walled construction metal bed and tailgate with stays
- Body Color: gray, silver, tan, or white
- No tracking devices installed or embedded
- All terrain tires
- Spare tire (spare tires exposed to sun light shall be provided with a cover)
- Spare key
- Safety Airbags for driver and passenger

- Vehicle jack
- Meet minimal manufacturer, US, and/or Djibouti safety standards
- Meet Djibouti emissions standards
- Vehicles shall have parts that are readily available for maintenance in the warranty area
- Technical Publications (In English): One (1) set of operator manual per vehicle.
- Technical Publications (In English): Two (2) sets of Technical (shop repair) manuals and Part catalog

PICKUP TRUCK WITH EXTENDED CAB (4WD)

Minimum requirements:

- Left hand drive
- Automatic Transmission
- Selectable Four-Wheel-Drive
- The vehicle shall be of the enclosed integral cab and body type, mounted on chassis frame, equipped for transporting personnel and cargo.
- The vehicle shall have four doors total, each with a window and the bed shall be equipped with a lift style tailgate.
- Cloth Seats
- Gross vehicle weight rating (lb): 6,000 - 8,500
- Fuel type: Diesel dedicated
- Traction control
- Vehicle stability control
- Windshield wipers: Intermittent
- Front and rear air conditioning
- Power steering
- Tilt steering
- Suspension suitable for off road driving
- Ground clearance (mm): 230
- Floor covering: Vinyl
- Power antilock brakes, front and rear
- Seating capacity: 5 -7
- 3 point seat belts
- Seat type: The driver's and front passenger seat shall be bucket seat configuration type.
- Pickup bed interior length (min) (mm): 1,524
- Rear bumper
- No reflective or distinctive markings
- Flush style, double walled construction metal bed and tailgate with stays
- Body Color: gray, silver, tan, or white
- No tracking devices installed or embedded
- All terrain tires
- Spare tire (spare tires exposed to sun light shall be provided with a cover)
- Spare key
- Safety Airbags for driver and passenger
- Vehicle jack
- Meet minimal manufacturer, US, and/or Djibouti safety standards
- Meet Djibouti emissions standards
- Vehicles shall have parts that are readily available for maintenance in the warranty area

- Technical Publications (In English): One (1) set of operator manual per vehicle.
- Technical Publications (In English): Two (2) sets of Technical (shop repair) manuals and Part catalog

VAN 15 PASSENGER

Minimum requirements:

- Left hand drive
- No reflective or distinctive markings
- No tracking devices installed or embedded
- Gross vehicle weight rating (LBS): 8,501-13,000
- Automatic transmission
- Fuel type Diesel
- Windows all-round
- Rear door type cargo doors with glass windows
- Windshield wipers: Intermittent
- Power windows & door locks front only
- Air conditioning/heating front and rear
- First row seats: 2 - 3
- Seating capacity: 8 - 15
- Power steering
- Tilt steering
- Power antilock brakes, front and rear
- Suspension suitable for off-road driving (if available)
- Front supplemental restraint system driver & front passenger(s)
- 3 point seat belts for each seat
- Rear bumper
- Ground clearance (mm): 185
- Body Color: gray, silver, tan, or white
- All terrain tires
- Tire pressure monitoring system
- Spare tire assembly full size
- Spare key
- Meet Djibouti Emission Standards
- Meet minimal manufacturer, U.S. and/or Djibouti safety standards
- Parts and Service Manual: Operation, maintenance, and parts manual for the body and equipment.
If available Electronic chassis parts list and shop manuals

HEAVY DUTY SUV (4WD)

Minimum requirements:

- Heavy Duty SUV 4x4 solid front/rear axle body on frame 5 Passenger
- Automatic Transmission
- Selectable Four-Wheel-Drive
- The vehicle shall be of the enclosed integral cab and body type, mounted on chassis frame, equipped for transporting personnel and cargo.
- The vehicle shall have five doors total (four for the cab, one rear door), each with a window.
- Cloth Seats

- Gross vehicle weight rating (lb): 6,000 - 8,500
- Fuel type: Diesel dedicated
- Traction control
- Vehicle stability control
- Windshield wipers: Intermittent
- Front and rear air conditioning
- Front and rear window defogger
- Power steering
- Tilt steering
- Suspension suitable for off road driving
- Ground clearance (mm): 230
- Floor covering: Vinyl
- Power antilock brakes, front and rear
- Seating capacity (min): 7
- 3 point seat belts
- Functional locks on every door
- Seat type: The driver's and front passenger seat shall be bucket seat configuration type.
- All lights (interior and exterior) functional
- No reflective or distinctive markings
- Body Color: gray, silver, tan, or white
- Rear bumper
- No tracking devices installed or embedded
- All terrain tires
- Spare tire (spare tires exposed to sun light shall be provided with a cover)
- Vehicle jack
- Safety Airbags for driver and passenger
- Spare key
- Meet Djibouti emission standards
- Meet minimal manufacturer, US, and/or Djibouti safety standards
- Vehicles shall have parts that are readily available for maintenance in the warranty area
- Technical Publications (In English): One (1) set of operator manual per vehicle.
- Technical Publications (In English): Two (2) sets of Technical (shop repair) manuals and Part catalog

25 PASSENGER BUS

- Passenger Compartment Interior Height - 76 Inches
- Seating, Hip-To-Knee Measurement - 27 Inches
- Engine Type -Diesel
- 25 Adult Passengers
- Power Antilock Brakes, Front And Rear
- Body Paint Color - White/Gray/Tan
- Back-Up Alarm
- Cruise Control
- Door-Passenger Entrance
- Door Locks
- Engine Automatic Shutdown

- Safety Kit, Fire Extinguisher & Etc.
- Fuel Type - Diesel
- Interior Rearview Mirror
- Power Steering
- Automatic Transmission
- Tires - All Season
- Tilt Steering
- No Reflective Or Distinctive Markings
- No Tracking Devices Installed Or Embedded
- Meet Djibouti Emission Standards
- Meet Minimal Manufacturer, U.S. and/or Djibouti Safety Standards
- Parts and Service Manual: operation, maintenance, and parts manual for the body and equipment.
if available electronic chassis parts list and shop manuals

Flat Bed Truck

Minimum Requirements

- Wipers-Windshield-Intermittent
- Manufacture's Vinyl Seat Cover - Driver And Passenger Seats
- Air Brake - Air Storage Tanks
- Compressor - Air Brakes - Minimum 13.2 Cfm
- Power Antilock Brakes, Front And Rear
- Air Conditioning
- Engine Air Cleaner Service Indicator
- Traction Control
- Front Axle - Front Axle Rating Min 10,000 LBS
- Rear Axle - 15,000 - 18,000 Lb Gawr, Single Speed
- Brakes-Air
- Back-Up Alarm
- Differential Lock Out, Driver Controlled
- Daytime Running Lights
- Driver Seat, Suspension Type - Air Suspension, Adj Height, Seat Tracks, Inboard Arm Rest
- Engine Alarm System - Low Oil Psi, Low Coolant & High Coolant Temp Shut Down
- Engine Type - Diesel
- Bio Diesel (B20) Compatible Engine
- Safety Kit, Fire Extinguisher & Etc.
- Front Tow Hooks - Hooks, Loops, Eyes, Mounted On The Frame
- Fuel Type - Diesel
- Gross Combined Weight Rating - Minimum 33,000 LBS. Rating
- Gross Vehicle Weight Rating: Minimum 25,000 - Maximum 26,000 LBS
- Stake/Flatbed Body Bulkhead - Minimum 42-Inch Height Bulkhead With Window
- Stake Body Exterior Width - Minimum 95-Inches
- Stake Body Floor - Min 1-5/16 Wood, Shiplap Or Tongue-And-Groove
- Stake/Flatbed Body - Body Length - 20 - Feet

- Removable Stake Racks - 40 Inches Tall, Color – Black Racks Lock Together By Spring-Loaded Latching Mechanism
- Seating Capacity Min. Driver And One Passenger, Bucket Seats
- Rear Bumper Steel, including Underride Protection
- Automatic Transmission
- Tires On/Off Highway Open Lug Design Drive, All Position Steer
- Transfer Case 2 - Speed Mechanical 4x4 System
- Tilt Steering
- No Reflective Or Distinctive Markings
- No Tracking Devices Installed Or Embedded
- Meet Djibouti Emission Standards
- Meet Minimal Manufacturer, U.S. and/or Djibouti Safety Standards
- Parts And Service Manual: operation, maintenance, and parts manual for the body and equipment. if available electronic chassis parts list and shop manuals.