

**Performance Work Statement (PWS)
for COMUSFLTFORCOM Berthing and Messing Program Operational Support**

1. BACKGROUND:

The Commander, U.S. Fleet Forces (COMUSFLTFORCOM) Berthing and Messing Program maintains and operates Duty Crew Berthing Barges that are used by the Fleet when ships become uninhabitable during CNO scheduled overhaul and repair periods. The barges perform a vital function in that they provide office, berthing and messing facilities in close proximity to the ships. Many of the barges are between 40 and 60 years old and require regular preventive maintenance to support present day fleet requirements. The COMUSFLTFORCOM Berthing and Messing Program mission is to maintain the Quality of Life (QOL) Standards for the Berthing and Messing of crews on ships or submarines undergoing Chief of Naval Operations (CNO) scheduled maintenance.

2. OBJECTIVE:

Provide COMUSFLTFORCOM with operational Organizational Level (O-level) support for assigned program Duty Crew Berthing Barges and other Service Craft (Non-Self Propelled). With no permanent ships force assigned, Organizational maintenance (O-Level) must be conducted by the Contractor. O-Level maintenance is the day-to-day work performed on installed equipment in support of Barge operations. The purpose of O-level maintenance is to maintain all installed equipment in a full-mission capable status while improving the local maintenance process. Maintenance at this level includes inspections, servicing, handling, and periodic preventive maintenance of equipment with associated checks and tests as provided by the installed preventive 3M maintenance system.

3. SCOPE:

Contractor shall provide O-Level support only, to include service call work, system/equipment familiarization, and port husbandry requirements, customer delivery and receipt for the following list of COMUSFLTFORCOM Berthing and Messing Program Duty Crew Berthing Barges and other Service Craft (Non-Self Propelled). *Hull numbers listed are subject to move between areas listed below.*

HULL #	TYPE OF SERVICE CRAFT	BASE/PORT LOCATION	COUNT
YR 87	Berthing and Messing Barge	Kittery, ME	1
YRBM 13	Berthing and Messing Barge	Kittery, ME	1
YRBM 14	Berthing and Messing Barge	Kittery, ME	1
	SUBTOTAL NUMBER OF CRAFT	Kittery, ME	3
YRBM (L) 35	Berthing and Messing Barge	Groton, CT	1
YR-29	Berthing and Messing Barge	Groton, CT	1
	SUBTOTAL NUMBER OF CRAFT	Groton, CT	2

HULL #	TYPE OF SERVICE CRAFT	BASE/PORT LOCATION	COUNT
APL 71	Berthing and Messing Barge	Hampton Roads, Va	1
APL-72	Berthing and Messing Barge	Hampton Roads, Va	1
APL-74	Berthing and Messing Barge	Hampton Roads, Va	1
APL 61	Berthing and Messing Barge	Hampton Roads, Va	1
APL 70	Berthing and Messing Barge	Hampton Roads, Va	1
APL 68	Berthing and Messing Barge	Hampton Roads, Va	1
APL 66	Berthing and Messing Barge	Hampton Roads, Va	1
APL 29	Berthing and Messing Barge	Hampton Roads, Va	1
APL 42	Berthing and Messing Barge	Hampton Roads, Va	1
YRBM (L) 23	Berthing and Messing Barge	Hampton Roads, Va	1
YRBM (L) 24 (FY28)	Berthing and Messing Barge	Hampton Roads, Va	1
YRBM (L) 27	Berthing and Messing Barge	Hampton Roads, Va	1

YRBM (L) 28	Berthing and Messing Barge	Hampton Roads, Va	1
YRBM (L) 33	Berthing and Messing Barge	Hampton Roads, Va	1
YRBM (L) 34	Berthing and Messing Barge	Hampton Roads, Va	1
YRBM (L) 36	Berthing and Messing Barge	Hampton Roads, Va	1
YRBM (L) 40	Berthing and Messing Barge	Hampton Roads, Va	1
YRBM (L) 41	Berthing and Messing Barge	Hampton Roads, Va	1
YRBM (L) 42	Berthing and Messing Barge	Hampton Roads, Va	1
YRBM (L) 43	Berthing and Messing Barge	Hampton Roads, Va	1
YRBM (L) 45	Berthing and Messing Barge	Hampton Roads, Va	1
YRBM (L) 46	Berthing and Messing Barge	Hampton Roads, Va	1
YRBM 60	Berthing and Messing Barge	Hampton Roads, Va	1
YRBM 62	Berthing and Messing Barge	Hampton Roads, Va	1
YRBM 64 (FY27)	Berthing and Messing Barge	Hampton Roads, Va	1
YRBM 66 (FY29)	Berthing and Messing Barge	Hampton Roads, Va	1
YRBM 8	Berthing and Messing Barge	Hampton Roads, Va	1
YRBM 9	Berthing and Messing Barge	Hampton Roads, Va	1
YRBM 15	Berthing and Messing Barge	Hampton Roads, Va	1
	SUBTOTAL NUMBER OF CRAFT	Hampton Roads, Va	29
	TOTAL NUMBER OF CRAFT		34

4. TASKS

All tasks, skillsets, labor category requirements and deliverables within this PWS as part of their normal duties. Contracted employees have the potential of coming in contact with emails, documents, communications or participating in meetings that may be business sensitive, and or contain PII, NOFORN, UNNPI, NNPI, Restricted Data or Classified information up to and including SECRET. Therefore, all contracted employees within this PWS must possess and maintain a SECRET Clearance.

4.1 Program Management Support

The Contractor shall perform the total work effort associated with maintenance and operations of all Berthing Barges required herein, to assure adequate and timely completion of these services. Efforts will include:

4.2 Provide Service Calls

Service calls which are defined as maintenance, minor repair, and other miscellaneous work requirements which are called into a work reception center by barge occupants or generated by the Contracting Officer Representative (COR) and Alternate Contracting Officer Representatives (ACOR). Generally speaking, service calls are brief in scope; require no more than eight total working hours per worker to accomplish; and do not usually require detailed job planning. Multiple maintenance, minor repair requirements received for the same trade on the same barge at the same time will be combined into one service call. For example, "commode handle sticks" and "sink faucets leak" on the same barge would be one service call, as would "broken door closer" and "floor tile broken."

4.2.1 Receive, classify, and document Service Call Requests for service call receipt records. The Government's work reception centers shall be manned by suitable Contractor personnel. Service calls may occur outside of regular working hours. A description of the problem or requested work, date and time received, location, and other appropriate information will be logged and transmitted to the Contractor in a format mutually agreed upon following contract award. If the call is classified as emergency or urgent, the Contracting Officer Representative (COR), or Alternate Contracting Officer Representative (ACOR) shall notify the Contractor that a call has been received, and the Contractor shall dispatch workers to the site where the work is to be performed. If the COR or ACOR disagrees with Contractor's classification of service call, he/she may confer with the Contracting Officer to reclassify the work as a routine, emergency, or urgent call. Once reclassified, the Contractor shall proceed with the job following the procedures of the new work classification. Service Call Classification definitions to be used are:

4.2.1.1 The contractor shall provide adequate procedures for receiving and responding to routine, emergency, urgent, and routine service calls during and after regular working hours, provide a single local or toll free telephone number for receipt of all service calls or the service calls, and provide an individual fully familiar with the Contractor's work control procedures and the terms and conditions of this contract to answer and respond to all telephone calls and voice messages.

4.2.1.2 Emergency Calls. Service calls will be classified as emergency at the discretion of the Contracting Officer Representative (COR) or Alternate Contracting Officer Representative (or ACOR). Generally, emergency calls will consist of correcting failures that constitute an immediate danger to personnel, threaten to damage property, or threaten to disrupt activity operational or training missions. Examples include outages in utility (including phones), ventilation, security, fire, or other systems; clogged drains; broken water or steam pipes; gas leaks; inoperable pumps; leaks in systems or components which must be watertight; electrical defects which may cause fire or shock; unlocking of locks or safes; etc. Historically, no more than 5% of the service calls issued to the Contractor have been classified as emergency. The Contractor shall price in emergency calls into their proposal. Emergency calls may require response outside of regular working hours.

4.2.1.3 Urgent Calls. Service calls will be classified as urgent at the discretion of the Contracting Officer Representative (COR) or Alternate Contracting Officer Representative (or ACOR). Generally, urgent calls will consist of providing services or correcting failures which do not immediately threaten personnel, property, or activity missions; but which will soon inconvenience or affect the health and well-being of personnel, lead to property damage, or lead to disruptions in operational and training missions. Calls will also be classified as urgent when the service or failure has upper level management (i.e., the Commander, Pacific Fleet, Commanding Officer and Executive Officer) attention. Historically, no more than 5% of service calls issued to the Contractor have been classified as urgent. The Contractor shall price in urgent calls into their proposal. Urgent calls may require a response outside of regular working hours.

4.2.1.4 Routine Calls. Service calls will be classified as routine when the work does not qualify as an emergency or urgent call as determined by the Contracting Officer Representative (COR) or Alternate Contracting Officer Representative (or ACOR). Examples of routine calls include (but are not limited to): inoperative electrical switches or outlets, dripping faucets, broken floor tile, repairs to mechanical, galley, food service, or laundry equipment, broken trimmings, broken non-electrical or unplumbed fixtures, countertop, cabinet, and locker repairs, interior door repairs in non-critical areas, suspended ceilings, replacement of light bulbs, and key making, etc.

4.2.2 The Contractor shall respond, arrive, and initiate repairs for service calls per the definitions:

4.2.2.1 Emergency Calls. The Contractor shall be on the job site and working within three hours after receipt of an emergency call. Emergency calls will be considered received by the Contractor at the time and date the telephone call is placed by the government work reception center or other authorized Government representative. The Contractor shall work continuously without interruption and arrest the emergency condition before departing the job site (e.g., shut off water, close gas valve, temporarily patch, etc.). If further labor and material (follow up work) are required to complete the repair, the COR or ACOR will reclassify the call as either urgent or routine, as appropriate, and the corresponding completion time will then apply. Such follow up work will be considered part of the original service call.

4.2.2.2 Urgent Calls. The Contractor shall be on the job site and working within eight hours after receipt of an urgent call. Urgent calls will be considered received by the Contractor at the time and date the telephone call is placed by the government work reception center or other Authorized Government Representative. The Contractor shall execute urgent call work during regular working hours, unless the COR or ACOR requires Contractor personnel to work after hours. In such cases, after hours' work will be followed up upon completion by the COR or ACOR the following business day. After the Contractor responds to an urgent call and believes that the work required is beyond the scope of an urgent service call, as defined above, the COR or ACOR must be contacted within one hour for adjudication to determine if reclassification of the work is appropriate.

4.2.2.3 Routine Calls. All routine calls will be completed within two working days of receipt. Routine calls will be considered as received by the Contractor at the time and date an Authorized Government Representative makes a work authorization form available for pick-up or electronically transmits the work authorization information to the Contractor. Work will be accomplished during regular working hours. If the Contractor responds to service calls and believes that the work required is beyond the scope of emergent or urgent service call, as defined above, the Contractor must contact the COR or ACOR within one hour of discovering the facts leading to this belief.

4.3 Provide General Interior Work

Interior work shall be performed in areas such as (but not limited to) berthing compartments, messing areas, heads, laundry rooms, wardrooms, recreation rooms, lounges and storerooms. Prior to the installation of any item therein, the surface will be prepared in accordance with the manufacturer's instructions and the Steel Structures Painting Council (SSPC) Surface Preparation Standards. The Contractor shall adhere to the most recent versions of SSPC-SP-1, Solvent Cleaning, and SSPC-SP-2, Hand Tool Cleaning.

4.3.1 The Contractor shall repair, replace (if needed), and restore original condition for damaged or deteriorated flooring and subflooring. Original condition is defined as a structurally sound, uniform, and aesthetic surface which is free of cracks, breaks, chips, tears, gouges, stains, and buckling. Flooring replacement shall include removal and disposal of old tiles; subfloor surface preparation; and installation and finishing of flooring. Guidelines for flooring types are as follows:

4.3.1.1 Resilient Tiles: Damaged or deteriorated tiles shall be replaced with tiles of the same material, style, size, and color, provided by the Government. Damaged tiles or tiles to be replaced shall be removed without affecting adjacent tiles. If tile is replaced adjacent to a bulkhead, any existing vinyl baseboard/coving shall also be replaced. Installation shall be in accordance with manufacturer's instructions and the surface preparation standards as listed above.

4.3.1.2 Carpet: Carpeting shall be patched or repaired as required to match existing carpeting.

4.3.1.3 Ceramic Tile. Ceramic tile floors that are broken, missing, cracked or discolored shall be repaired as required with tiles of the same material, style, size, and color. Floor tiles shall be grouted, as required, to provide a waterproof seal. In those cases, where replacement tiles of an exact match cannot be found, the Contractor may be required to remove and replace non-defective tiles to create a pattern and minimize the visual effect of the mismatch.

4.3.2 The Contractor shall replace (if needed) and repair to original condition for damaged and deteriorated bulkheads, overheads and related trim. Trim items and fixtures shall be removed as necessary to provide access to the damaged area. Upon completion of the repair work, fixtures and trim items shall be reinstalled, repainted, or refinished to restore them to their original condition. When removing bulkhead or overhead sheathing or coverings, the Contractor shall inspect the supporting structural system and notify the Contracting Officer Representative (COR) or Alternate Contracting Officer Representative (ACOR) immediately of any need for additional repairs before proceeding. Additional repairs shall be approved by the COR or ACOR prior to commencement of work. Guidelines for bulkheads, overheads and related trim are as follows:

4.3.2.1 Vinyl Bulkhead Covering: Bulkhead covering, which has been ripped, scarred, stained, or otherwise damaged, shall be repaired or replaced as necessary to original condition. Bulkhead covering shall be repaired if the damaged area can be patched and not noticeable. Bulkhead covering which is extensively damaged, or for which a matching bulkhead covering is not available, shall be repaired by replacing the bulkhead covering on the entire bulkhead. If matching bulkhead covering is not available, the Contractor shall find a comparable substitute. The Contracting Officer will approve all replacement bulkhead coverings which do not match the existing bulkhead covering. Replacement bulkhead covering shall be hung according to the manufacturer's recommendations.

4.3.2.2 Suspended Ceilings/Overhead: Broken, stained, and missing ceiling/overhead tiles shall be replaced with tiles of the same material, style, size, and color. Damaged and broken suspended grid system shall be repaired or replaced as necessary to provide a suspended overhead system as designed. Tasks for

suspended ceiling replacement shall include the removal, disposal, and installation of any and all suspended overhead components. Overhead components may include t-shaped main runners, crosspieces, wall angles, ceiling panels, louvered ventilation system registers, and sandwich or egg crate panels that cover registers. The Contractor shall provide and use stainless steel blind-type pop rivets secure or connect components to ceiling and walls. The Contractor shall ensure proper fit so no ceiling component bows or ripples and no panels hang out or drop out of the grid work.

4.3.3 The Contractor shall replace (if needed), maintain, and repair original operational doors for all contract covered barges. Guidelines for doors are as follows: a) Replaced Doors: The replaced doors shall be the same type and have the same finish as the original doors. All replacement doors shall be installed with the hardware from the damaged door unless the hardware is not repairable. Small holes in door faces shall be filled and finished to match the surrounding door surface. b) Repaired Doors: Door repairs shall match color, texture and hardware of existing door.

4.3.4 The Contractor shall secure, repair, maintain, replace, and refinish original operational ladders and handrails for loose treads, risers, stingers, handrails, brackets, and other components. The contractor shall repair or replace to match original components. Damaged finish shall be repaired. Trim items susceptible to damage during the repair activity shall be removed and reinstalled upon completion of the repair activity. Handrails and ladder rungs or treads shall be fabricated, connected, welded, brazed, and fired into craft structure. Welds shall be ground smooth and fasteners, if applicable, shall be smoothly seated to prevent personnel safety hazards. Flanged or coupled joints shall not be used.

4.3.5 The Contractor shall repair and replace (if needed) to an operating condition for sagging and non-functional traverse or curtain rods as follows: Loose brackets shall be secured. Broken cords shall be replaced. Broken or missing drapery slides shall be replaced. Rods shall be level and parallel with the overhead. Additional support brackets shall be installed to support sagging rods. Curtains shall be hung. If beyond economical repair, as determined by the Contracting Officer Representative (COR) or Alternate Contracting Officer Representative (ACOR), rods shall be replaced.

4.3.6 The Contractor shall repair and alter to an original fabric (fabrics may include but are not limited to vinyl, leatherette, and canvas) condition for cushions, seats, exterior awnings, furniture, and other fabric articles per the following: The Contractor shall take measurements and make patterns and layouts. The Contractor shall mark, cut, fit, and sew parts together, using hand- or power tools and equipment and knowledge of fabrics and construction methods. Workmanship shall be of good quality and to industry standards using top sticking on all seems, tucked corners and seams, non-ferrous fasteners and, where applicable, heavy duty zippers. When necessary, new gliders shall be installed, fire retardant marine plywood shall be used and all previously installed staples will be removed and replaced.

4.3.7 The Contractor shall repair damaged metal furniture and fixtures (such as bunks) to include a) File scrapes, or sand parts to remove dirt, paint, or rust b) Melt solder into holes and cracks c) Grind solder until smooth and flush with surrounding metal d) Bend or hammer dented or twisted parts to original shape e) Tighten or replace loose screws, nuts and bolts and/or f) Replace missing or broken parts (e.g., hinges, door and drawer handles, latches, and furniture arms and legs).

4.3.8 The Contractor shall repair and replace (if needed) to original condition for cabinets, lockers, shelving, countertops (including stainless steel), and tabletops as follows. Cabinets, lockers, shelving, countertops and tabletops shall be repaired; free of warped, chipped, burned, cut, or otherwise marred areas. Replacement of laminated countertops/tabletops shall conform to the requirements of American National Standards Institute publication A161.1. When painting or finishing of repaired or replaced cabinets or lockers is required, all cabinets and lockers in the compartment shall be painted or finished, if required, to match original cabinets or lockers.

4.3.9 The Contractor shall repair and replace (if needed) to original condition for interior accessories as follows. a) Damaged, inoperative, or missing interior accessories including, but not limited to, paper holders, soap trays, dispensers, towel bars, shower curtain rods, medicine cabinets, mirrors, smoke detectors, and door stops. b) Loose accessories shall be secured by tightening or replacing pop rivets. Deviations shall be approved prior to installation. Installation shall be accomplished using nonferrous fasteners or stainless steel blind pop rivets.

Fixtures shall not be installed utilizing pressure tape, expansion friction or welding. Damaged or missing items shall be replaced with items matching the original. Replacement hardware shall conform to the Building Hardware Manufacturer's Association Product Standard (BHMA.) Hardware items requiring lubrication shall be lubricated and restored to original condition.

4.4 Provide General Exterior Work

Exterior work shall be performed in areas such as (but not limited to) seams, metal flashing, exterior trim, downspouts and drain pipes, exterior accessories, ladders and stairs, doors, hatches, covers and windows

4.4.1 The Contractor shall repair and replace (if needed) to a watertight condition for seams between ports, windows, door frames, and exterior bulkheads. Old joints shall be scraped and cleaned with a solvent recommended by the caulking manufacturer. The caulking shall be applied according to the manufacturer's directions.

4.4.2 The Contractor shall repair and replace to match existing for exterior trim. Exterior trim includes all exterior moldings, metal flashings, and millwork. Surfaces to receive trim shall be thoroughly cleaned of sealant and paint build-up prior to installation of trim. Damaged or deteriorated underlayment shall be replaced with material of the same type, thickness, and quality. Screens and vents shall be intact and free of corrosion and missing pieces.

4.4.3 The Contractor shall repair, replace (if needed), and clean to original condition for downspouts and drain pipes. Loose hangers and fasteners shall be tightened. Missing guards, hangers, fasteners and splash blocks shall be replaced. Splash blocks shall be properly positioned to receive the impact of drainage water.

4.4.4 The Contractor shall repair and replace (if needed) to original condition for exterior accessories. Exterior accessories include (but not limited to) exhaust fan, vent, stack, or chimney caps. Accessories must be repaired with material of the same type, or replaced, as required, with similar.

4.4.5 The Contractor shall repair and replace (if needed) to original condition for ladders and stairs. Ladders and stairs include (but not limited to) stair treads, risers, nosings, stringers, brackets, balustrades, handrails, and other components. Ladders and stairs must be replaced with material used of the same type or replaced with same the same or similar item.

4.4.6 The Contractor shall repair and replace (if needed) to original condition for doors, hatches, covers, windows, and associated hardware per the guidelines below.

4.4.6.1 Doors, Hatches, Covers and Windows: Caulking, glazing, and weather-stripping shall be fully intact to maintain a fully watertight seal. Replacement glass shall be of the same size, type, and quality as the existing glass.

4.4.6.2 For Doors: Damaged, deteriorated, warped, and sagged doors shall be repaired to original condition or replaced with doors the same type and size. Exterior doors shall be removed and replaced the same workday. All replaced doors shall be installed with hardware from existing doors of similar or like material of what is being replaced. Cracked and broken glass indoors shall be replaced with the same quality, type, and size.

4.4.6.3 For Hardware: Damaged, inoperable, or missing hardware such as hinges, locks, striker plates, latches, keepers, window operating mechanisms, door closures, springs, etc. shall be repaired to original condition, or replaced as required. Replacement hardware shall match existing hardware in type, size, quality and finish and meet the Building Hardware Manufacturer's Association (BHMA) Product Standards. Hardware shall be installed in accordance with the manufacturer's recommendations.

4.5 Provide General Electrical Work

The Contractor shall inspect, maintain, repair, and replace (if needed) in order to operate as originally intended and designed for all electrical equipment. Electrical equipment includes, service connections, distribution panels, connections, grounds, outlets, switches, wiring, branch circuits, ground fault circuits, lighting fixtures, photo cells, and power cords. Cracked, broken, or missing receptacle and switch faceplates shall be replaced with new plates

of the same or original color and size. All workmanship and materials shall conform to the National Fire Protection Association (NFPA) 70 National Electrical Code.

4.5.1 The Contractor shall install, troubleshoot, program, maintain, modify, repair, and replace (if needed) to original condition for voice and non-voice communication systems. Voice and non-voice communication systems includes (but not limited) to switching equipment, consoles, relay racks, miscellaneous radio, intercom and public address systems; alarm systems; and telephone key systems; computer data circuits, etc. Contractor shall run cables or wire to telephone sets, terminal connectors, lugs, pins, or screws, associated with key telephone equipment and terminating equipment for non-voice circuits. Damaged or deteriorated telephone or other telecommunication wiring shall be repaired to original condition or replaced from the pier side connection point to the craft including telephone jacks. Cracked, missing, or inoperative plug-in or screw connected telephone jacks shall be replaced.

4.5.2 The Contractor shall repair and replace (if needed) to original condition for all lighting fixtures. Lighting fixtures include (but not limited to) florescent light fixture tube bulbs, starters, ballasts, and translucent diffuser panels on fluorescent light fixtures. Install similar or like material.

4.5.3 Provide and replace batteries, perform testing unit after completion of repairs to ensure proper operation.

4.6 Provide Security, Flooding, and Fire Protection Alarm System Repairs

Security, Flooding and Fire Alarm systems include various electrical systems including (but not limited to) intrusion panel alarm systems, watertight door position indicator systems, video surveillance systems (including cameras, multiplexers and monitors) and interior communication system (general announcing systems).

4.6.1 The Contractor shall inspect, test, repair, and replace (if needed) to original operational condition for Craft's central security, flooding and fire alarm systems. Repairs may be limited to the resetting and reprogramming of power supply, alarms and indication panel and logic system. Repairs shall include, but will not be limited to, the cleaning, adjusting, lubricating, repairing or replacing of defective components of the control and indication portions of the systems. Replacement parts may include, but will not be limited to, wiring, detectors, sensors, circuits, fuses, and relays. All work must be IAW OEM and National Fire Prevention Association standards for the system being repaired. An example, of a standard that will commonly be used aboard crafts is NFPA 25, Inspection, Testing and Maintenance of Water-Based Fire Protection Systems.

4.7 Provide Internal Communication (IC) System Services

Internal communication (IC) systems to include but not limited to telephone, communications, IMC, CATV, fire/flooding system and barge security system. The Contractor shall maintain, repair, and replace (if needed) to operate as originally intended and designed for all internal communication systems.

4.7.1 Service includes repair or replace speakers, microphones, GEMS sensors, remote heat detectors, wiring, perform wiring fieldwork on power supply and amplifier system, reprogram power supply, alarm, indication panel, and logic system. Electrical and minor mechanical repairs may also include (but not limited to) testing of circuits for continuity and grounds, fusing, indicator lights, visual inspection, set- points and controls.

4.7.2 Telephone services to include but not limited to: programming, telephone system maintenance, new installations and training for onboard crews utilizing the Berthing and Messing Barges. New installations shall include removal and disposal of old telephone systems, installation, configuration, and maintenance of new systems.

4.8 Provide Maintenance and Repair of Firefighting Equipment

The Contractor shall inspect, test, repair, replace (if needed), recharge, and certify and record to operate as originally intended and designed for all firefighting equipment per the guidelines below.

4.8.1 Inspect, test, repair, replace, recharge, certify and record IAW National Fire Protection Association (NFPA) guidelines and regulations.

4.8.2 Fire hoses shall be inspected, tested, and certified (stenciled) utilizing the current year's version of NFPA 1962, Standard for the Care, Use, Service and Testing of Fire Hose, Including Couplings and Nozzles.

4.8.3 Fire extinguishers shall be inspected, tested, recharged and certified (labeled) utilizing the current year's version of NFPA 10, Standard for Portable Fire Extinguishers.

4.8.4 Repair Standard: Provide an electronic report to the Alternate Contracting Officer Representative (ACOR), Contracting Officer Representative (ACOR), and Contracting Officer within two working days following the inspection and test, indicating the following:

- Problems, component failures, or area of unsatisfactory operation;
- Recommended corrective action and, if applicable, the NFPA Standard to be used during repairs;
- A list of required material including manufacturer's name, part numbers, and quantities;
- Proposed number of labor hours; and
- Total firm fixed price required to accomplish the repairs.

4.9 Provide Lock and Latch Installation Services

Lock work shall include, but not be limited to the repair of key locksets; the fabrication and replication of keys; opening of key locksets; and the installation, maintenance, repair, replacement, removal, opening, and resetting of mechanical and electronic combination or cipher locks. The Contractor shall maintain, repair, replace (if needed), and reset to operate as originally intended and designed for mechanical and electronic combination and cipher locks per the guidelines below.

4.9.1 Lock work shall include, but not be limited to the repair of key locksets; the fabrication and replication of keys; opening of key locksets; and the installation, maintenance, repair, replacement, removal, opening, and resetting of mechanical and electronic combination or cipher locks. Activities also include unlocking of doors, safes, and vaults (with or without combination or key) to gain access when authorized; and the improvement, alteration, and adaptation of locking devices and systems.

4.9.2. Combinations, mechanical and cipher locks shall be set to combination or sequence designated by the government and doors shall be locked in the open position. Key code maintenance shall conform to a "system master" provided by the Contracting Officer Representative (COR) or Alternate Contracting Officer Representative (or ACOR).

4.9.3 Door lock replacement and repairs shall be accomplished using commercially available material and according to acceptable practices and standards of the commercial security industry.

4.9.4 For fabrication and replication of keys: Identical keys of the same material and fit shall be provided by the contractor.

4.10 Provide Plumbing and Pipefitting Services

Plumbing and pipefitting work shall include maintenance and repair of the piping and plumbing systems, components, and fixtures of each barge. The Contractor shall assemble, install, and repair original operable condition for pipes, fittings, fixtures of steam, heating, and drainage systems. The contractor may be required to conduct minor weld holding fixtures or hanger to steel structural members. Water and steam lines are defined from pier side connection to, and including, any valve, tap or plumbing fixture. Steam, water and gas lines are defined from and including the cut-off valve at the pressure regulator and pier side connector to, and including, the appliance, heater, water, or water heater connection. Work must be conducted IAW OEM specifications and shall meet the workmanship and material requirements of the American National Standards Institute A40.8-55 and National Plumbing Code.

4.10.1 The Contractor shall repair and replace (if needed) to original and operable condition for plumbing fixtures. Plumbing fixtures are defined as but not be limited to all sinks, tubs, toilets, urinals, basins, faucets, heads, lavatories, showers, drain lines. All fixtures and components thereof that cannot be repaired to original condition shall be replaced.

4.10.2 The Contractor shall repair and replace (if needed) to original and operable condition for water heaters per the guidelines below.

4.10.2.1 Water heaters and components that cannot be repaired to original condition shall be replaced IAW OEM specifications and shall meet the workmanship and material requirements of the American National Standards Institute A40.8-55 and National Plumbing Code.

4.10.2.2 Water heaters shall be firmly secured to support structures, and free of movement and vibration.

4.10.2.3 Water heater insulation jackets shall be installed on all replacement water heaters and on existing units when excessively worn, damaged, or missing.

4.10.3 The Contractor shall repair and replace (if needed) to original and operable condition for drinking fountains. Work should be conducted IAW OEM specifications and shall meet the workmanship and material requirements of the American National Standards Institute A40.8-55 and National Plumbing Code. Fountains shall be firmly secured to support structures, and free of movement and vibration.

4.10.4 The Contractor shall repair and replace (if needed) to original and operable condition for pipes and piping system. Pipe repairs and replacement shall include (but not limited to) cutting, bending, threading, brazing, assembling, coupling and fastening pipe and pipe hangers. All work should be conducted IAW OEM specifications and shall meet the workmanship and material requirements of the American National Standards Institute A40.8-55 and National Plumbing Code. The Contractor shall test piping to ensure proper pressures and that the pipe and system maintain flow.

4.11 Provide machine, welding and metal working services

Provide maintenance, repair to original condition, or replacement of metal components of barges and their installed equipment and facilities, and shall construct and install metal components in support of other repair activities as required by this section.

4.11.1 The Contractor shall maintain, repair, fabricate, and replace (if needed) to original and operable condition for metal working requirements. Metal working requirements will include (but not limited to) heating and bending to form metal shapes, drilling, torch cutting, hammer forging, grinding, welding, sawing and fitting of metal parts.

4.11.2 The Contractor shall maintain and repair original and operable condition for barges, structures, and appurtenances per the guidelines below.

4.11.2.1 Welding shall be performed on, but not limited to, light, heavy gauge and hardened metals using flat, vertical, horizontal, and overhead positions. Processes include, but not limited to, preheating, brazing, bead welding, tack welding, flame cutting, pressure welding and heat-treating.

4.11.2.2 The Contractor shall provide an adequate fire watch and the required fire extinguishing equipment. Is there not a local shipyard standard for this work?

4.11.2.3 Welding, burning and open flame/open-flame work will be permitted, but must be approved by the COR or ACOR. The Contractor shall inform the COR and ACOR prior to any work of this nature being performed.

4.11.3 The Contractor shall perform supporting repairs for machinist tasks. Machinist tasks include but not limited to drilling, tapping, boring, reaming, and grinding a variety of materials such as steel, stainless steel, aluminum, copper, and brass. The Contractor shall install equipment requiring critical alignment of items such as pumps and blowers.

4.12 Provide Painting Services

Painting will include both the interior and exterior of all types of surfaces on the barges. Interior and exterior painting performed under this contract shall be in conjunction with service work, recurring work, and other services required.

4.12.1 The Contractor shall protect and restore to original condition for furnishings, equipment, floor coverings, and other surfaces. Items such as hardware, hardware accessories, machined surfaces, blinds, curtains, plates, light fixtures, and similar items in contact with painted surfaces shall be removed, masked, or otherwise protected prior to surface preparation. All removed items shall be repositioned and furnishings and other property returned to their original position. Painted items such as windows, doors, and cabinets shall operate smoothly without binding. The Contractor shall be responsible for the cost of repairing any damage caused to Government or personal property.

4.12.2 The Contractor shall clean free of irregularities for surfaces to be painted per the guidelines below. Free of Irregularities is defined as: all scratches, nicks, cracks, gouges, spalls, alligatoring, and irregularities due to partial peeling of previous paint shall be repaired, sanded, spackled, caulked, or otherwise treated to render such defects practically imperceptible. Clean is defined as: Remove all dirt, dust, rust, scale, splinters, mildew, chalked paint, loose particles, disintegrated coatings, grease, oil, and other deleterious substances.

4.12.2.1 Sanding, wire brushing, washing, and chemical treatments shall be used, as necessary, to properly prepare the surface for painting.

4.12.2.2 Caulking and other compounds shall be allowed to cure for the times stated in the manufacturer's literature prior to painting.

4.12.2.3 Existing enamel and other glossy surfaces shall be sanded. Any surfaces bared by surface preparation and exposed metals shall be primed.

4.12.3 The Contractor shall apply smooth finish for paint. Paint shall be carefully applied with clean brushes, rollers, or approved airless sprayers. Smooth finished surfaces are defined as: free from runs, drops, ridges, waves, laps, brush marks, variations in color, or other defects. Two coats shall be applied to all new surfaces, or surfaces bared by surface preparation and as required to completely cover stains and marks. Each coat shall be dry and of sufficient thickness to completely cover the preceding coat or surface.

4.13 Provide Heating, Ventilation, Air Conditioning and Refrigeration Equipment (HVAC and R) Services

This work includes the preventive maintenance of all components, devices, equipment and associated systems, including but not limited to refrigerants, compressors, blowers, motors, drive assemblies, fans, service valves, dampers, condensers, cooling coils, piping, pumps, purge units, control systems and wiring, duct work, burner assemblies, combustion chambers, thermostats and temperature controls, registers, condensate and drip pans and drains, grills, evaporators, air filters, heat/air conditioning units, and all other items of equipment essential to the proper operation of HVAC and R equipment and systems.

4.14 Provide Galley and Food Service Equipment Services

Food service type equipment is defined as but not limited: stoves, ovens, grills, ranges, exhaust fans and hoods, deep fat fryers, toasters, coffee urns, microwave ovens, food serving, and salad bars, beverage coolers, choppers, slicers, and dishwashers, beverage and ice dispensers, refrigerators and freezers.

4.14.1 The Contractor shall maintain, replace parts, and repair to original and operable condition for food service equipment. Contractor shall inspect and accomplish minor repairs for food service equipment IAW OEM Maintenance Manuals to include routine preventative maintenance, cleaning and charging, cooler and fan cleaning and servicing, and control and indication calibration and settings.

4.15 Provide Laundry Equipment Services

Laundry equipment may include, but are not limited to, replacement of belts, water pump, mixer valves and solenoids, control switches and timers, drive motors, reduction gears, agitator, drums, water inlet hose, wastewater discharge hose, ducts, flashing and other associated hardware.

4.15.1 The Contractor shall repair and replace (if needed) to original and operable condition for laundry equipment.

4.15.1.2 During all maintenance and repair work IAW OEM Maintenance Manuals, the Contractor shall also, but are not limited to, clean screens, filters, traps hoses, and ducts by removing lint and other substance buildup to assure free-flow of air and water.

4.15.1.3 When directed, the Contractor shall remove existing and install government furnished household style washers and dryers IAW OEM Installation Instructions, including double stacked washer dryer combination units; and modify power resources so they fit, conform, and are compatible with new laundry equipment's power requirements.

4.16 Provide preventative maintenance and corrective repairs for Local Area Network Equipment. Preventative maintenance and corrective repairs shall be provided for the following:

4.16.1 The Contractor shall maintain the cabling and networking equipment as specified below.
****Configuration of the networking equipment is the responsibility of the ship.****

4.16.1.2 Install, maintain, repair or replace the pier connection and associated cabling as required.

4.16.1.3 Install the networking equipment (mount switches and routers in racks) as required. Connect all equipment to power supplies and distribution panels. Provide the required cabling.

4.16.1.4 Remove, store and prepare for turn-in, all equipment being replaced or refreshed.

4.16.1.5 Repair or replace all distribution panels, network cabling and bulkhead jacks that have been identified as failing or damaged.

4.16.1.6 Identify any equipment (switches, routers, power supplies, etc.) that require replacement to the government for procurement.

4.17 Conduct tank and void opening and closures for inspection purposes.

The contractor shall open and install safeties to keep personal safe during opening of tanks and voids as required. They also shall remove, safeties close tanks and torque tops

4.18 Conduct Tag-out and Hot Work

The Contractor shall maintain the B&M Barge Program's tag-out program for systems and equipment needing to be taken offline to conduct repairs and maintenance. The tag-out program and hot work shall comply with the requirements in OSHA 1910.46, 1915.14, and 1915.503 subpart P NAVSEA Standard Items 009-70, 009-07, and 009-24.

4.19 Departures from Specifications (DFS).

The Contractor shall submit a DFS via the eDFS website when the parameters of the Joint Fleet Maintenance Manual COMUSFLT/COMUSFLT/COMCOMINST 4790.3 (JFMM) Volume V Quality Maintenance Chapter eight (8) are met. eDFS web address will be supplied by the government and will require access be granted via eDFS.

4.20 Port Husbandry

4.20.1 The Contractor shall properly secure/moor barges to pier side or ashore connectors, utilizing mooring cables, lines and other hardware, as required. Contractor shall connect, phase, energize, waterproof, and complete utility services hook-ups to assure proper seal, fit, and support from the barge to pier. Contractor de-installation effort shall include the proper disconnection, securing and stowage of the barge and pier side or ashore equipment, connectors, mooring cables, lines, and other applicable hardware. This is to include setup, operation and securing of accommodations ladders.

4.20.2 The Contractor will deliver to and receive barges from assigned customers. This entails documentation of turnover walk through inspections to determine and verify Barge material condition upon delivery or receipt.

4.20.3 The Contractor shall prepare secure barges for towing, assist in the installation of temporary flooding alarm system, and rig tow lights. Following securing and rigging, the Contractor shall participate in the pre-tow inspection and turnover. Tow preparations may also include filling of ballast tanks with clean fresh water as directed by the COR, ACOR Alternate Contracting Officer Representative (ACOR) or Designated Regional TA.

4.20.4 In the event that the barge is to be established for the tenet command the contractor shall conduct startup operations of the barge even if the establishment will be conducted after normal working hours. The after normal hours work will be compensated via formal means.

4.21 System/Equipment familiarization

Once the barge is delivered to the customer the contractor will conduct barge system/equipment familiarization training for the customer to ensure the purpose functions and operation of installed systems and equipment are understood by the customer. Particular attention is to be placed on Fire Fighting, damage control, safety systems and equipment.

4.22 Cleaning and Sanitizing (Including waxing and buffing of tile decks, if applicable)

4.22.1 Provide support/materials to deep clean and sanitize the entire craft at the periodicity defined by the COR (average semi-annually). Entire craft defined as all interior surfaces of each compartment including decks (waxing and buffing of tile decks, if applicable), ventilation, piping, bulkheads, bathrooms, laundry facilities, galley, galley equipment, mess area, mess area equipment, desks, chairs, bunks, lockers, tables, mirrors and windows. Fumigation/extermination of entire craft and winterizing entire craft. Prices to include cost of labor, equipment and material.

4.22.1.1 Deep clean and sanitize the entire Craft (YR Class)

4.22.1.2 Deep clean and sanitize the entire Craft (YRBM Class) – except YRBM 57 Class

4.22.1.3 Deep clean and sanitize the entire Craft (YRBM (L) Class)

4.22.1.4 Deep clean and sanitize the entire Craft (APL Class)- except APL-61, APL-66,

APL-67 Class

4.22.1.5 Deep clean and sanitize the entire Craft (APL-61)

4.22.1.6 Deep clean and sanitize the entire Craft (APL-66, APL-67 Class)

4.22.1.7 Deep clean and sanitize the entire Craft (YRBM 57 Class)

4.22.2 Clean the interior surfaces of each compartment including decks, ventilation, piping, bulkheads, overheads, bathrooms, laundry facilities, and galley to include equipment and messing area, desks, chairs, bunks, lockers, and tables in accordance with the following:

4.22.2.1 Prior to the start of cleaning, run ventilation system to preclude introduction of debris into cleaned areas.

4.22.2.2 Remove and dispose of water, trash, grease, and debris from the barge.

4.22.2.3 Clean the bulkheads, overheads, outside of piping, and ventilation free of dirt, grease, loose paint and foreign matter, using clean fresh water, detergent, and disinfectant.

4.22.2.4 Clean decks with detergent and hot water.

4.22.2.5 Strip decks covered with deck tile of old wax. Apply two coats of slip resistant liquid floor wax and buff.

4.22.2.6 Clean bathroom facilities including sinks, commodes, urinals, showers, and mirrors using hot water and detergent and sanitize.

4.22.2.7 Clean galley and scullery equipment, reefers, dishwasher equipment, and laundry equipment with hot water and detergent and sanitize.

4.22.2.8 Wipe down chairs, tables, bunks, and lockers and remove dust and foreign matter.

4.22.2.9 Clean accessible windows and port holes inside and outside with glass cleaner, remove all paint from glass.

4.22.2.10 Accomplish a joint inspection of the barge with the COR and verify cleanliness. Accomplish as a (V) (G) Checkpoint IAW 009-04.

4.22.3 Fumigate and exterminate in accordance with U.S. Navy Shipboard Pest Control Manual. Vendor must issue a certification letter after completion.

4.22.3.1 Fumigate/Exterminate (YR Class)

4.22.3.2 Fumigate/Exterminate (YRBM Class) – except YRBM 57 Class

4.22.3.3 Fumigate/Exterminate (YRBM (L) Class)

4.22.3.4 Fumigate/Exterminate (APL Class)- except APL-61, APL-66,
APL-67 Class

4.22.3.5 Fumigate/Exterminate (APL-61)

4.22.3.6 Fumigate/Exterminate (APL-66, APL-67 Class)

4.22.3.7 Fumigate/Exterminate (YRBM 57 Class)

4.23 Provide Site Assessments and Engineering and Design Plans

4.23.1 Provide support to conduct site and material assessments as requested by USFFC. Contractor should be able to develop Engineering and Design plans based on the service requested at each site.

5.0 Hours and Location of Work

Accomplishment of the results contained in this PWS requires work in the Hampton Roads (Norfolk, Newport News, Portsmouth) Virginia, Maine (Kittery), Connecticut (New London and Groton) AOR.

Regular Working Hours: The Contractor's regular working hours under the terms of this contract are between 0700 hours to 1530 hours, Monday through Friday except for Federal Holidays. Elective alternate schedules and shifts are not permitted without prior approval from the Government. Work Outside Regular Working Hours: Except as specified, all work will be performed during regular working hours. Overtime work, to include weekends and federal holidays, may be required. Some situations may require short notice, and the Contractor may need to keep workers past normal working hours.

6.0 Travel

6.1 All travel requests are to be reviewed and approved by the Contracting Officer Technical Representative (COTR) and the Contracting Officer Representative (COR). Travel locations will vary based on the function/task being supported. Travel locations include but are not limited to Hampton Roads (Norfolk, Newport News, Portsmouth) Virginia, Maine (Kittery), Connecticut (New London and Groton) AOR.

6.2 Reimbursable Travel Costs.

6.2.1 Except as otherwise provided below under non-reimbursable travel costs, the Contractor will be reimbursed for actual travel costs plus any allowable, allocable, and reasonable G&A and/or overhead cost in accordance with the Contractor's accounting system and practices, FAR 31.205-46 and the Joint Travel Regulations (JTR) in effect at the time of the travel. The travel costs to be reimbursed shall be

those costs for which the Contractor has maintained appropriate documentation, and which have been determined to be allowable, allocable, and reasonable by the Procuring Contracting Officer, Administrative Contracting Officer, or their duly authorized representative. The application of profit and/or any other indirect cost on Travel are not allowable under this contract.

6.2.2 The COR or designated Technical Assistant (TA) shall notify the Contractor in advance when travel is required. Upon notification, the Contractor shall submit a travel request which identifies the estimated travel cost to the COR, via the TA, for approval. Supporting actual cost documentation shall be provided with invoice or the incurred cost will not be approved for reimbursement. Additionally, a trip report (deliverable) shall be submitted in contractor format upon completion of all approved travel.

6.2.3 Non-reimbursable Travel Costs.

- i) Travel at U.S. Military Installations where Government transportation is available.
- ii) Travel performed for personal convenience or daily travel to and from the Contractor's facility will not be reimbursed by the Government.
- iii) Travel costs incurred in the replacement of contractor personnel, for any reason, will not be reimbursed by the Government.
- iv) No travel or subsistence costs will be reimbursed for work performed within a 50-mile radius of the place of performance where services are being provided.
- v) Relocation cost and travel costs incident to relocation of Government facilities are not allowed.
- vi) Relocation cost and travel cost incident to the relocation of contractor/subcontractor employees are not allowed.
- vii) Reimbursement of privately owned vehicle mileage from residence to place of primary work assignment, facility/military command, installation, or pier on the day of departure or return when travel is expected to commence as a result of embarking a vessel or any other Government furnished transportation in the same general location as primary place of work.
- viii) Travel cost incurred due to telework authorized at the convenience of the employee.

7.0 Special Requirements

The contractor shall provide all required safety equipment, including personal protective equipment (PPE), for support contractor personnel to accomplish the tasks required. Required PPE includes, but is not limited to: safety glasses/goggles/face shields, hearing protection (ear plugs and/or ear muffs), gloves, hard hats, safety boots, coveralls, flashlights and fall-protection harnesses, when required by specific area of support and/or contractor's hazard analysis. Support contractor personnel shall not acquire or utilize any government safety equipment, including PPE. The contractor shall train all support contractor personnel on proper usage and hazard protection capabilities associated with each PPE item issued.

7.1 Facility Security Clearance

This section supplements Block 13 of the Government provided DD Form 254, Contract Security Classification Specification. The following security requirements shall apply to this effort.

7.2 Security Clearances

All personnel performing on or supporting a USFF contract/order in any way shall be U.S. citizens. The personnel security requirements for this contract/order cover the individuals supporting the Task Areas delineated in the table below. Contractor personnel must possess the interim or final security clearance eligibility delineated in the table below when performance starts.

7.2.1 Contractor personnel supporting this effort are required to obtain and possess a secret security clearance under this effort. Contractor deliverables will be up to and including Secret only. It is the Contractor's responsibility to obtain and maintain the appropriate security clearances for its personnel prior to the start and during the performance of work in accordance with the requisite DD254. All security requirements shall be coordinated with the COR and command security office personnel.

7.2.2 Contractor supporting this effort is required to possess a Facility Clearance at the Secret level under this effort. It is the Contractor's responsibility to obtain and maintain the appropriate facility security

clearance levels required by the contract and DD254 prior to the start and during the performance of work. All security requirements shall be coordinated with the COR and command security office personnel.

7.2.3 The DD Form 254 will be attached to final PWS. Contractor shall comply with all security instructions and references included in the DD254 throughout the life of this contract and beyond if required. Contractor shall comply with the COMUSFLTFORCOMSTAFFINST 5531.1 series (INDUSTRIAL SECURITY PROGRAM), DoDI 5200.01 Vol 1-3, DoDI 5200.48, SECNAV 5510.30, SECNAV M5510.36 and NIPSOM 32CFR Part 11 Base Access. The Contractor is responsible for and shall obtain CACs for all contractor personnel and vehicle passes for vehicles requiring entry onboard Government installations. The Contractor shall complete and submit the requisite documentation to the COR. Contractors who do not have/require NMCI access are not required to obtain CAC. Contractor shall comply with the COMUSFLTFORCOMSTAFFINST 5531.1 series (INDUSTRIAL SECURITY PROGRAM) at all times during the performance of this effort.

7.2.4 Physical Security. The Contractor shall be responsible for safeguarding all Government property provided for Contractor use. At the close of each work period, Government facilities, equipment, and materials shall be secured. The Contractor shall follow established Government security procedures for the facility for which they are assigned and/or supporting. Contractor shall comply with the COMUSFLTFORCOMSTAFFINST 5530.2 series (PHYSICAL SECURITY PLAN) at all times during the performance of this effort.

7.3 Key Control

7.3.1 The Contractor shall establish and implement methods of making sure all keys and key cards issued to the Contractor by the Government are not lost or misplaced and are not used by unauthorized persons. NOTE: All references to keys include key cards, CAC, and individual security identification badges. No keys issued to the Contractor by the Government shall be duplicated.

The Contractor shall adhere to the methods/procedures included in their proposed/accepted QCP covering key control. Such procedures shall include turn-in of any issued keys by personnel who no longer require access to locked areas.

7.3.2 The Contractor shall immediately report any occurrences of lost or duplicate keys and key cards to the COR and local security official.

7.3.3 In the event keys other than master keys are lost or duplicated the Contractor shall upon direction of the Contracting Officer re-key or replace the affected lock or locks; however, the Government, at its option, may replace the affected lock or locks or perform re-keying. When the replacement of locks or re-keying is performed by the Government the total cost of re-keying or the replacement of the lock or locks shall be deducted from the monthly payment due the Contractor. In the event a master key is lost or duplicated all locks and keys for that system shall be replaced by the Government and the total cost deducted from the monthly payment due the Contractor.

7.3.4 The Contractor shall prohibit the use by any persons other than the Contractor's employees of Government keys and key cards issued to members of that Contractor's team.

7.3.5 The Contractor shall prohibit the opening of locked areas by Contractor employees to permit entrance of persons other than Contractor employees engaged in the performance of assigned work in those areas or those personnel authorized entrance by the Government (usually through the use of facility- or event-specific identification badges).

7.3.6 Lock Combinations. The Contractor shall ensure that all lock combinations are not revealed to unauthorized persons.

7.4 Operations Security

7.4.1 Background, OPSEC is a process used to protect unclassified sensitive Information from exploitation by an adversary. Sensitive unclassified information—which is also referred to as critical information or critical program information (CPI)—is defined as information that is not classified but which needs to be protected from unauthorized disclosure. Examples are information labeled “CUI,” proprietary information, contractor sensitive information, limited distribution information, and personally identifiable information (PII).

7.4.2 The contractor and all subcontractors shall provide OPSEC protection for sensitive unclassified information as identified in the critical information list and CPI list, if applicable. The prime contractor and all subcontractors shall employ the countermeasures listed below in order to protect that information. Additional countermeasures may be employed as necessary. If an OPSEC Plan is provided, the contractor and all subcontractors shall comply with that plan. These OPSEC requirements will be in effect throughout the life of the procurement from award through the conclusion of services at the end of the period of performance (PoP) or other procurement termination. If required, the contractor and all subcontractors shall prepare an OPSEC Plan.

7.4.3 Contractor personnel shall follow OPSEC concepts and principles in the conduct of this requirement to protect critical information, personnel, facilities, equipment, and operations from compromise. The contractor shall consult with the subject matter expert (SME) within 5 working days of receipt of order to determine all special circumstances affecting OPSEC under this requirement. In any case where there is uncertainty or ambiguity regarding OPSEC measures, the contractor shall consult the SME as soon as possible. If the SME is unavailable, the contractor shall consult the contracting officer. The prime contractor and all subcontractors shall provide OPSEC protection for sensitive unclassified information and comply with all OPSEC requirements.

7.4.2 Minimum Protection Requirements for Critical Information. Critical information is exempt from public release under Exemption 2 of the Freedom of Information Act (FOIA). It is designated “For Official Use Only (FOUO)” and is considered controlled unclassified information (CUI). Specific CPI, for reasons of OPSEC will not be identified to offerors prior to award. CPI will be identified to the successful offer or only after receipt of contract award.

7.5 Personally Identifiable Information (PII)

PII shall be protected in accordance with DOD and Navy directives, in such a manner as to prevent unauthorized disclosure. Email containing PII must be encrypted or password protected.

7.6 Controlled Unclassified Information (CUI)

7.6.1 CUI is government created or owned information requiring safeguarding and dissemination controls, consistent with applicable law, regulation and government policy. CUI is not classified information. It is corporate intellectual property unless created for or included in requirements related to a government contract. CUI is a categorical designation that refers to unclassified information that does not meet the standards for National Security Classification under Executive Order(s), but is pertinent to the national interest of the United States or to the important interests of entities outside the Federal Government, and under law or policy requires protection from unauthorized disclosure, special handling safeguards, or prescribed limits on exchange or dissemination.

7.6.2 “For Official Use Only” (FOUO) is no longer a valid marking on emails and documents and therefore, should not be used. Refer to Department of Defense Instruction (DoDI) 5200.48, "Controlled Unclassified Information (CUI)" for guidance on proper CUI markings.

7.6.3 Minimum Requirements for Access to CUI.
Prior to access, contractor personnel requiring access to DON CUI or “user level access to DON or DOD networks and information systems, system security and network defense systems, or to system resources providing visual access and/or ability to input, delete or otherwise manipulate sensitive information without controls to identify and deny sensitive information” who do not have clearance eligibility are required to submit a Questionnaire for Public Trust Positions (Standard Form 85P) through the cognizant Facility Security Officer or contractor entity representative for a suitability determination by DON Central Adjudication Facility.

7.6.4 Minimum Protection Requirements for CUI.

Contract deliverables taking the form of unclassified limited-distribution documents are not authorized for public release and therefore shall not be posted on a publicly accessible Web server, nor electronically transmitted via electronic mail unless appropriately encrypted or password protected.

7.6.5 Countermeasures

Countermeasures are required to negate the susceptibility of critical information to exploitation by an adversary or competitor. The contractor shall protect all critical information listed in a manner appropriate to the nature of the information, including use of the necessary countermeasures as listed below applicable to specific items:

7.6.5.1 Encryption with a password of electronically stored critical information.

7.6.5.2 Encryption or password protection of e-mail containing critical information.

7.6.5.3 Storage of hard copy critical information, optical media, and external hard drives in locked containers when not in use.

7.6.5.4 Transmission of critical information to the minimum set of recipients with a need to know.

7.6.5.5 Proper marking of critical information with warnings to include "CUI" cautioning protection of the critical information.

7.6.5.6 Restricting disclosure of critical information at meetings and conferences (including teleconferences) to the minimum necessary to the performance of this requirement.

7.6.5.7 Immediate and appropriate destruction in a manner precluding reconstruction of all critical information no longer needed under this requirement.

7.6.5.8 Restricting verbal discussion of critical information to venues and circumstances that prevent the monitoring and interception of the discussion by unauthorized personnel.

7.6.5.9 Maintaining current, successful completion of Navy-mandated information assurance (IA) and OPSEC training by all personnel handling critical information.

7.6.5.10 Refraining from the use of unencrypted telephones to transmit critical information.

7.6.5.11 Refraining from the use of foreign postal systems to ship critical information.

7.6.5.12 Promptly retrieving documents containing critical information printed on printers accessible by persons without a need to know the critical information.

7.6.5.13 Use of cover pages or other appropriate means to prevent the viewing of critical information by unauthorized persons.

7.6.5.14 Limiting the inclusion of critical information in contract and budget documents, presentations, press releases, and other publications to that which is essential to the performance of this requirement.

7.6.5.15 Use of protected databases and strong passwords and the protection of user identifications (User IDs).

7.6.5.16 During test and evaluation events (as applicable to this requirement) practice OPSEC methodologies with respect to staging units, personnel, and materials out of the observation of unauthorized persons; desensitization; and the speed of execution of the event.

7.6.6 Compromise

The contractor shall notify the SME, FSO, and security office immediately of all known and suspected compromises of critical information, classified information, or PII. If the SME cannot be reached, the contractor shall notify the contracting officer (or the command duty officer if after normal work hours).

7.7 Additional Safety/Security Information

7.7.1 FSO will provide any necessary access briefings required for contract performance (NATO, Insider Awareness training etc.).

7.7.2 Classified information performance will occur only at locations specified in the DD Form 254.

7.7.3 Additional Contract Language for OPSEC Requirements.

Consideration should be given to include the following Defense Federal Acquisition Regulation (DFAR) clauses for all service support contracts: DFARS 252.227-7020; 252.204.7000; 252.204.7003; 252.204.7008; 252.204.7009; 252.204.7012.

7.7.4 Government Furnished Training

The Government will provide, or provide contractor access to all mandated Information Assurance (IA) and Cyber Awareness training required in support of this contract to allow establishment of Government IT user accounts and access to Government operated networks. All other training requirements required to attain, or maintain skill levels and qualifications of contractor personnel are considered contractor responsibility and will not be reimbursed by the Government.

7.7.5 Personnel who are not cleared in accordance with these requirements will not be granted access to the designated Government facilities and cannot perform work in support of this PWS. Detailed security requirements shall be in accordance with DOD Contract Security Classification Specification (DD Form 254).

7.7.6 The contractor and its personnel shall not divulge any information about files, data, processing activities or functions, user IDs, passwords or other knowledge that may be gained to anyone who is not authorized to have access to such information. Further, such conduct may be cause for criminal prosecution and imposition of severe criminal and civil penalties.

7.7.7 The Contractor and all associated employees shall not disclose sensitive information obtained as a result of working this contract, to include the personal identity of personnel working in support of this mission. This includes names, addresses and other contact information.

7.7.8 The contractor and all associated subcontractor employees shall comply with applicable local area policies and guidance for access security procedures provided by the U.S. Government. In addition to the changes otherwise authorized by the changes clause of this contract, should the force protection condition (FPCON) at any individual facility, installation or location change, the U.S. Government may require changes in contractor security matters or processes.

7.7.9 The contractor will ensure contractor employee comply with established Command OPSEC policy to protect the Government's critical information in accordance with MCO 3070.2A, the Marine Corps Operations Security (OPSEC) Program. This also requires new contractor employees to complete Welcome Aboard training and all contractor employees must complete annual OPSEC awareness training. All contractor employees shall complete DOD information assurance awareness training and OPSEC training before issuance of network access and annually thereafter. All contractor employees working IA/IT functions must comply with DOD and Marine Corps training requirements in DODD 8570.01, DOD 8570.01-M, within 6 months after being employed.

7.7.10 Loss or Suspension of Security Facility Clearance

The Government reserves the right to direct contractor employees to be removed from work, directly or indirectly, whenever there is probable cause to believe that such action is warranted in the interest of national security. This contractor's Facility Clearance or individual's security clearance. The Government also reserves the right to

remove any contractor for the purpose of conducting any investigation of alleged misconduct which may, in the opinion of the Contracting Officer, jeopardize the security of the project.

7.7.11 Public Release Statement.

Any information (classified and unclassified) pertaining to this contract shall not be released for public dissemination except as provided by the Industrial Security Manual or unless it has been approved for public release by appropriate U.S. Government authority. Proposed public release shall be submitted for approval at least 10 working days (or as directed by the hiring activity) prior to release/disclosure. In the case of non-DOD user agency, requests for disclosure shall be submitted to that agency at least 15 working days prior to requested release date.

8.0 MANDATORY CONTRACTOR TRAINING

The Contractor is responsible for its employees (and subcontractors) supporting this contract completing and staying up to date on all training required by USFF and supported activities for individuals working on Government installations. Some examples of required training and their requisite course numbers/references are listed below. The required training is subject to change throughout the life of this contract; however, the Contractor should assume at least a total of eight (8) hours for all required training courses annually per Contractor/Subcontract employee. The Contractor shall provide documentation (copies of training certificates) to the COR confirming that Contractor employees have completed the required training within five (5) days of the specific training due date.

Program	Course	Reference
Cyber Security Awareness	DOD-CAC-2023 (or current version)	SECNAVINST 5239.3C, encl (2) para. 7(b)(1)
Privacy Act & PII	DON-PRIV-2.0 (or current version)	SECNAVINST 5211.5F, encl (3) para. 8
Antiterrorism Level I Awareness	CENSECFOR-AT-010-2.0 (or current version)	DoDI O-2000.16-V1, para 3.27a(1)
Operations Security	NOST-USOPSEC-4.0 or TWMS-717067 (or current versions)	OPNAVINST 3432.1A, para.3
Records Management	DOR-RM-010-1.2 (or current version)	SECNAVINST 5210.8F, encl (4), para. 8j
Counterintelligence Awareness	DOD-CIAR-1.0 (or current version)	SECNAVINST M-5510.30, chapter 4; employee (to include contractor) is defined in Appendix A)
Derivative Classification	TWMS-576351 (or current version)	USD Memo of 6 June 2019 (contractors with access to classified systems or networks)
Security Awareness	TWMS-694868 (or current version)	SECNAVINST M-5510.30, chapter 4 & para. 10-2; employee (to include contractor) is defined in Appendix A.
Active Shooter and Active Shooter TTX	DON-687121-2.0, CSF, LC-NASC-1.0, or TWMS-687121 (or current versions)	USFF Antiterrorism Operations Order 3300-15
Controlled Unclassified Information	TWMS-686564 (or current version)	SECNAVNOTE 5510, Department of Navy Implementation of Controlled Unclassified Information, para. 5

9.0 Services Contract Reporting (SCR) Requirements

“First-tier subcontract” means a subcontract awarded directly by the contractor for the purpose of acquiring services for performance of a prime contract.

It does not include the contractor’s supplier agreements with vendors, such as long-term arrangements for materials, supplies, or services that benefit

multiple contracts and/or the costs of which are normally applied to a contractor’s general and administrative expenses or indirect costs.

The Contractor shall report annually, by October 31, at <https://www.sam.gov>, on the services performed under this contract or order, including any first-tier subcontracts, during the preceding Government fiscal year (October 1 - September 30).

The Contractor shall report the following information for the contract or order:

- (1) The total dollar amount invoiced for services performed during the preceding Government fiscal year under the contract or order.
- (2) The number of Contractor direct labor hours, to include first-tier subcontractor direct labor hours, as applicable, expended on the services performed under the contract or order during the previous Government fiscal year. The Government will review the Contractor's reported information for reasonableness and consistency with available contract information. In the event the Government believes that revisions to the Contractor's reported information are warranted, the Government will notify the Contractor. Upon notification, the Contractor shall revise the reported information or provide the Government with a supporting rationale for the information.

10.0 Deliverables

10.1 Monthly Financial Progress/Status Report (MFSR)

10.1.1 Description and Guidelines: At a minimum the reports shall include the following information:

- 1) Total funds expended during the previous month; cumulative total to date and the remaining ceiling amount
- 2) Total labor funds expended by labor category, functional area and by CLIN
- 3) Current and forecasted funding burn rates
- 4) Total hours by individual, labor category, functional area and by funding activity
- 5) Total hours by labor category and command/functional areas for each training event/exercise (example C2X or names exercise such as Northern Edge) from planning through execution. The purpose of this requirement is to obtain cost and level of effort data for each training event/exercise conducted.
- 6) Travel funds expended during the previous month; cumulative total to date and the remaining ceiling amount
- 7) Travel funds expended by labor category, functional area and by funding activity during the previous month and cumulative total to date
- 8) ODC funds expended during the previous month; cumulative total to date and the remaining ceiling amount in total and by funding activity

10.1.2 Due Date: Submitted to the COR and ACOR no later than the 15th working day of each month.

10.1.3 Medium of Delivery / Format: Electronic; MS Excel

10.1.4 Reference: DID DI-FNCL-80331A, DI-FNCL-80003A

11.0 Contractor Unclassified Access to Federally Controlled Facilities, Sensitive Information, Information Technology (IT) Systems or Protected Health Information

THE FOLLOWING NAVSUP LOCAL TEXT IS HEREBY MADE PART OF THE STATEMENT OF WORK/PERFORMANCE WORK STATEMENT.

Contractor Unclassified Access to Federally Controlled Facilities, Sensitive Information, Information Technology (IT) Systems or Protected Health Information

Executive Order 13467, Reforming Processes Related to Suitability for Government Employee, Fitness for Contractor Employees and Eligibility for Access to Classified National Security Information, Homeland Security Presidential Directive (HSPD)-12, requires government agencies to develop and implement Federal security standards for Federal employees and contractors. The 5 CFR 32 Part 157 in concert with DoD Manual 1000.13, Vol 1, implements the Federal Standards.

APPLICABILITY

This text applies to all DoD sponsored individuals who require CAC eligibility (or login and P/W if acceptable per contract) for: Physical access to DoD facilities or non-DoD facilities on behalf of DoD; Logical access to information systems (whether on site or remotely); or remote access to DoD networks that use only the CAC logon for user authentication, or access to sensitive and protected information. This applies to the Office of the Secretary of Defense, the Military Departments, the Office of the Chairman of the Joint Chiefs of Staff and the Joint Staff, the Combatant Commands, the Office of the Inspector General of the DoD, the Defense Agencies, the DoD Field Activities and all other organizational entities within the DoD (hereinafter referred to collectively as the "DoD Components").

Each contractor employee providing services at a Navy Command under this contract is required to obtain a Department of Defense Common Access Card (DoD CAC). Additionally, depending on the level of computer/network access, the contract employee will require a successful investigation as detailed below.

ACCESS TO FEDERAL FACILITIES

Per HSPD-12 and implementing guidance, all contractor employees working at a federally controlled base, facility or activity under this clause will require a DoD CAC. When access to a base, facility or activity is required contractor employees shall in-process with the Command's Security Manager upon arrival to the Command and shall out-process prior to their departure at the completion of the individual's performance under the contract.

START-UP PERIOD

All contractor resource onboarding documents must be submitted via the prime contractor. The prime contractor shall make all necessary preparations to assume full responsibility for productive performance of the performance start date.

Definition of "productive":

- a. Visit Authorization Request (VAR)
- b. Contractor Information Sheet (CIS)
- c. Completed EQIP (Electronic Investigation)
- d. All contractor resource(s) must have an active JPAS profile.
- e. Common Access Card (CAC)

Note (1): Invoicing by the contractor will begin as of the commencement of the performance period of services and no reimbursement will be paid by the government for efforts expended during the start-up period.

Note (2): Foreign Nationals are not allowed access to the functional/system side of Enterprise Resource Planning (ERP).

ACCESS TO DOD INFORMATION TECHNOLOGY (IT) SYSTEMS

In accordance with (IAW) Secretary of the Navy (SECNAV) M-5510.30, contractor employees who require access to DoN or DoD networks are categorized as IT-I, IT-II, or IT-III. The IT-II level, defined in detail in SECNAV M-5510.30, includes positions which require access to sensitive information. Sensitive information includes information protected under the Privacy Act, to include Protected Health Information (PHI). All contractor employees under this contract who require access to Privacy Act protected information are therefore categorized no lower than IT-II. IT Levels are determined by the requiring activity's Command Information System Security Manager (ISSM)/Information Assurance Manager (IAM).

Contractor employees requiring privileged or IT-I level access, (when specified by the terms of the contract) require a Single Scope Background Investigation (SSBI) or T5 or T5R equivalent investigation , which is a higher level investigation than the National Agency Check with Law and Credit (NACLC)/T3/T3R described below. Due to the privileged system access, an investigation suitable for High Risk national security positions is required. Individuals who have access to system control, monitoring, or administration functions (e.g. system administrator, database administrator) require training and certification to Information Assurance Technical Level 1, and must be trained and certified on the Operating System or Computing Environment they are required to maintain.

Access to sensitive IT systems is contingent upon a favorably adjudicated background investigation. When access to IT systems is required for performance of the contractor employee's duties, such employees shall in-process with the Navy Command's CSM and ISSM/IAM upon arrival to the Navy command and shall out-process prior to their departure at the completion of the individual's performance under the contract. Completion and approval of a System Authorization Access Request Navy (SAAR-N) form is required for all individuals accessing Navy Information Technology resources. The decision to authorize access to a government IT system/network is inherently governmental. The contractor supervisor is not authorized to sign the SAAR-N; therefore, the government employee with knowledge of the system/network access required or the COR shall sign the SAAR-N as the "supervisor".

The SAAR-N shall be forwarded to the Command's Security Manager at least 30 days prior to the individual's start date. Failure to provide the required documentation at least 30 days prior to the individual's start date may result in delaying the individual's start date.

When required to maintain access to required IT systems or networks, the contractor shall ensure that all employees requiring access complete annual Cyber Awareness training, and maintain a current requisite background investigation. The Contractor's Security Representative shall contact the Command Security Manager for guidance when reinvestigations are required.

INTERIM ACCESS

The Command's Security Manager may authorize issuance of a DoD CAC and interim access to a DoN or DoD unclassified computer/network upon a favorable review of the investigative questionnaire and advance favorable fingerprint results. When the results of the investigation are received and a favorable determination is not made, the contractor employee working on the contract under interim access will be denied access to the computer network and this denial will not relieve the contractor of his/her responsibility to perform.

DENIAL OR TERMINATION OF ACCESS

The potential consequences of any requirement under this clause including denial or termination of physical or system access in no way relieves the contractor from the requirement to execute performance under the contract within the timeframes specified in the contract. Contractors shall plan ahead in processing their employees and subcontractor employees. The contractor shall insert this clause in all subcontracts when the subcontractor is permitted to have unclassified access to a federally controlled facility, federally-controlled information system/network and/or to government information, meaning information not authorized for public release.

CONTRACTOR'S SECURITY REPRESENTATIVE

The contractor shall designate an employee to serve as the Contractor's Security Representative. Within three work days after contract award, the contractor shall provide to the requiring activity's Security Manager and the Contracting Officer, in writing, the name, title, address and phone number for the Contractor's Security Representative. The Contractor's Security Representative shall be the primary point of contact on any security matter. The Contractor's Security Representative shall not be replaced or removed without prior notice to the Contracting Officer and Command Security Manager.

BACKGROUND INVESTIGATION REQUIREMENTS AND SECURITY APPROVAL PROCESS FOR CONTRACTORS ASSIGNED TO NATIONAL SECURITY POSITIONS OR PERFORMING SENSITIVE DUTIES

Navy security policy requires that all positions be given a sensitivity value based on level of risk factors to ensure appropriate protective measures are applied. Contractor employees under this contract are recognized as Non-Critical Sensitive [ADP/IT-II] positions when the contract scope of work require physical access to a federally controlled base, facility or activity and/or requiring access to a DoD computer/network, to perform unclassified sensitive duties. This designation is also applied to contractor employees who access Privacy Act and Protected Health Information (PHI), provide support associated with fiduciary duties, or perform duties that have been identified as National Security Positions. At a minimum, each contractor employee must be a US citizen and have a favorably completed NACLC or T3 or T3R equivalent investigation to obtain a favorable determination for assignment to a non-critical sensitive or IT-II position. The investigation consists of a standard NAC and a FBI fingerprint check plus law enforcement checks and credit check. Each contractor employee filling a non-critical sensitive or IT-II position is required to complete:

- SF-86 Questionnaire for National Security Positions (or equivalent OPM investigative product)
- Two FD-258 Applicant Fingerprint Cards (or an electronic fingerprint submission)
- Original Signed Release Statements

Failure to provide the required documentation at least 30 days prior to the individual's start date shall result in delaying the individual's start date. Background investigations shall be reinitiated as required to ensure investigations remain current (not older than 10 years) throughout the contract performance period. The Contractor's Security Representative shall contact the Command Security Manager for guidance when reinvestigations are required.

Regardless of their duties or IT access requirements ALL contractor employees shall in-process with the CSM upon arrival to the command and shall out-process prior to their departure at the completion of the individual's performance under the contract. Employees requiring IT access shall also check-in and check-out with the

Navy Command's ISSM/IAM. Completion and approval of a System Authorization Access Request Navy (SAAR-N) form is required for all individuals accessing Navy Information Technology resources. The SAAR-N shall be forwarded to the Navy Command's Security Manager at least 30 days prior to the individual's start date. Failure to provide the required documentation at least 30 days prior to the individual's start date shall result in delaying the individual's start date.

The contractor shall ensure that each contract employee requiring access to IT systems or networks complete annual Cyber Awareness training, and maintain a current requisite background investigation. Contractor employees shall accurately complete the required investigative forms prior to submission to the Command Security Manager. The Command's Security Manager will review the submitted documentation for completeness prior to submitting it to the Office of Personnel Management (OPM); Potential suitability or security issues identified may render the contractor employee ineligible for the assignment. An unfavorable determination is final (subject to SF-86 appeal procedures) and such a determination does not relieve the contractor from meeting any contractual obligation under the contract. The Command's Security Manager will forward the required forms to OPM for processing. Once the investigation is complete, the results will be forwarded by OPM to the DoD Central Adjudication Facility (CAF) for a determination.

If the contractor employee already possesses a current favorably adjudicated investigation, the contractor shall submit a Visit Authorization Request (VAR) via the Joint Personnel Adjudication System (JPAS) or a hard copy VAR directly from the contractor's Security Representative. Although the contractor will take JPAS "Owning" role over the contractor employee, the Navy command will take JPAS "Servicing" role over the contractor employee during the hiring process and for the duration of assignment under that contract. The contractor shall include the IT Position Category per SECNAV M-5510.30 for each employee designated on a VAR. The VAR requires annual renewal for the duration of the employee's performance under the contract.

BACKGROUND INVESTIGATION REQUIREMENTS AND SECURITY APPROVAL PROCESS FOR CONTRACTORS ASSIGNED TO OR PERFORMING NON-SENSITIVE DUTIES

Contractor employee whose work is unclassified and non-sensitive (e.g., performing certain duties such as lawn maintenance, vendor services, etc. ...) and who require physical access to publicly accessible areas to perform those duties shall meet the following minimum requirements:

- *Must be either a US citizen or a US permanent resident with a minimum of 3 years of legal residency in the United States (as required by The Deputy Secretary of Defense DTM 08-006 or its subsequent DoD instruction) and*
- *Must have a favorably completed National Agency Check with Written Inquiries (NACI) or TI investigation equivalent including a FBI fingerprint check prior to installation access.*

To be considered for a favorable trustworthiness determination, the Contractor's Security Representative must submit for all employees each of the following:

- *SF-85 Questionnaire for Non-Sensitive Positions*
- *Two FD-258 Applicant Fingerprint Cards (or an electronic fingerprint submission)*
- *Original Signed Release Statements*

The contractor shall ensure each individual employee has a current favorably completed National Agency Check with Written Inquiries (NACI) or TI equivalent investigation, or ensure successful FBI fingerprint results have been gained and investigation has been processed with OPM

Failure to provide the required documentation at least 30 days prior to the individual's start date may result in delaying the individual's start date.

** Consult with your CSM and ISSM/IAM for local policy when IT-III (non-sensitive) access is required for non-US citizens outside the United States.*

12.0 Applicable Directives

The Contractor shall comply with all documents listed below as mandatory and referenced under paragraph 3.0, Performance Requirements.

- 12.1** Occupational Safety and Health Administration (OSHA) Regulations, 29 CFR 1910
- 12.2** OSHA for Shipyard Employment (OSHA) Regulations, 29 CFR 1915
- 12.3** National Fire Protection Association (NFPA) Standards for current year
- 12.4** NFPA 51B, Standard for Fire Prevention
- 12.5** NFPA 306, Standard for Control of Gas Hazards on Vessels
- 12.6** NFPA 312, Standard for Fire Protection of Vessels
- 12.7** National Emission Standards for Hazardous Air Pollutants (NESHAP) for Shipbuilding and Ship Repair (40 CFR 63)
- 12.8** Uniform National Discharge Standards for Vessels of the Armed Forces (40 CFR 1700)
- 12.9** EPA Solid Waste Regulations and Standards (40 CFR Subchapter I)
- 12.10** EPA Toxic Substance Control Act (40 CFR Subchapter R)
- 12.11** No-Discharge Zone (40 CFR 1700)
- 12.12** OPNAVINST 5090.1 Environmental Readiness Program.

- 12.13** Original Equipment Manufacturer (OEM) Service Manuals
- 12.14** NSTM 3000 Naval ship Technical Manuals.
- 12.15** OPNAVINST 5100.19E Navy Safety and Occupational Health.
- 12.16** NAVSEAINST 5100.19D
- 12.17** Berthing and Messing Barge Maintenance Plan (B&MBMP) Vol. 1
- 12.18** OPNAVINST 4790.4B Maintenance and Material (3M) Manuals.
- 12.19** Joint Fleet Maintenance Manual (JFMM)
- 12.20** COMUSFLTFORCOM INST 4720.1B latest REV