



19 March 2025
W912QR-60440629

OLMSTED, IL
LD 53 ACCESS ROAD
112574, FY2025

SHEET INDEX	
Sheet Number	Sheet Title
GI001	COVER SHEET
GI002	SITE AREA & VICINITY
GI003	OVERALL PHOTOGRAPHY LOCATION PLAN
GI004	PHOTOGRAPHY LOCATION PLAN
GI005	PHOTOGRAPHY LOCATION PLAN
GI006	SITE PHOTOGRAPHY
GI007	SITE PHOTOGRAPHY
GI008	SITE PHOTOGRAPHY
VF101	OVERALL SITE SURVEY
VF102	SITE SURVEY
VF103	SITE SURVEY
VF104	SITE SURVEY
VF105	SITE SURVEY
VF106	SITE SURVEY
VF107	SITE SURVEY
VF401	CONTROL POINT DESCRIPTIONS
CD101	OVERALL DEMOLITION
CD102	DEMOLITION PLAN
CD103	DEMOLITION PLAN
CD104	DEMOLITION PLAN
CD105	DEMOLITION PLAN
CD106	DEMOLITION PLAN
CD107	DEMOLITION PLAN
CS101	OVERALL SITE PLAN
CS102	SITE PLAN
CS103	SITE PLAN
CS104	SITE PLAN
CS105	SITE PLAN
CS106	SITE PLAN
CS107	SITE PLAN
CS201	CULVERT PROFILE
CS202	ROAD PROFILE
CS501	CIVIL DETAILS
CS502	CIVIL DETAILS
S-101	STA 31+15 CULVERT - ASSEMBLY ISOMETRIC VIEW
S-102	STA 31+15 CULVERT - WINGWALL ISOMETRIC VIEW
S-103	STA 31+15 CULVERT - PLAN VIEW
S-104	STA 3+75 CULVERT - ASSEMBLY ISOMETRIC VIEW
S-105	STA 3+75 CULVERT - WINGWALL ISOMETRIC VIEW
S-106	STA 3+75 CULVERT - PLAN VIEW
S-301	STA 31+15 CULVERT DETAILING
S-302	CULVERT-WINGWALL ASSEMBLY SECTIONS
S-303	WINGWALL REINFORCEMENT DETAILS

SOLICITATION NO.:
CONTRACT NO.:
ISSUE DATE: MARCH 2026

SIGNATURES AFFIXED BELOW INDICATE
OFFICIAL RECOMMENDATION AND
APPROVAL OF ALL DRAWINGS IN THIS SET.

APPROVAL RECOMMENDED: *

NATHAN FISCHER, PE
TECHNICAL LEAD

 Digitally signed by
Nathan Fischer
DN: cn=Nathan Fischer, o=US Army Corps of Engineers, ou=US Army Corps of Engineers, email=Nathan.Fischer@usace.army.mil, c=US

FISCHER.NATHAN.ROBERT.1001760326

2020.03.04 10:19:35-0500

*APPROVAL RECOMMENDED SIGNATURE
INDICATES DESIGN AND QUALITY CONTROL
REVIEWS ARE COMPLETE, INCLUDING ITR/ATR
CERTIFICATION.

APPROVED: **

IAN F. MITCHELL, PE
CHIEF, ENGINEERING DIVISION

** THIS PROJECT WAS DESIGNED BY THE U.S.
ARMY CORPS OF ENGINEERS, LOUISVILLE
DISTRICT.
INDIVIDUALS WHOSE SIGNATURES AND
REGISTRATION DESIGNATIONS APPEAR ON
THESE DOCUMENTS ARE OPERATING WITHIN
THE SCOPE OF THEIR EMPLOYMENT.
SIGNATURES ARE REQUIRED BY
ER 1110-1-8152.

SIGNATURES BELOW INCLUDE DESIGNERS AND CHECKERS ON ALL SHEETS INCLUDED IN THE FOLLOWING DRAWING SET.
CIVIL
DESIGNER: DE'CARIS LOGAN
Digitally signed by LOGAN DECARIS L1631849150 DN: cn=LOGAN DECARIS, o=1601849150, ou=SEA, ou=CORP, ou=O-IND, ou=US, email=logan.decaris@usda.gov Date: 2026.02.26 07:55:47 -0500
CHECKER: ROB HARRIS
HARRIS ROBERT T.A.1392045305
Digitally signed by HARRIS ROBERT A 1392045305 Date: 2026.03.02 07:29:39 -05 -0500
STRUCTURAL
DESIGNER: NICHOLAS O'NAN
O'NAN NICHOLAS TYLER 1602623938
Digitally signed by NICHOLAS TYLER 1602623938 DN: cn=NICHOLAS TYLER, o=1602623938, ou=SEA, ou=CORP, ou=O-IND, ou=US, email=nicholas.tyler@usda.gov Date: 2026.02.27 07:51:40 -0500
CHECKER: JEREMY HARRIS
HARRIS JEREMY D ANIEL.1556042698
Digitally signed by HARRIS JEREMY DANIEL 1556042698 Date: 2026.03.04 08:35:15 -0600
GEOTECHNICAL
DESIGNER: FRANCISCO PINERA GERARD
PINERA GERARD FRANCISCO JOSE 1602580004
Digitally signed by PINERA GERARD FRANCISCO JOSE 1602580004 Date: 2026.02.27 09:46:26 -0500
CHECKER: ERIC SPRINGSTON
SPRINGSTON ERIC M MATTHEW 1401439826
Digitally signed by SPRINGSTON ERIC MATTHEW Date: 2026.02.27 09:44:45 -0500


[illegible]

U.S. ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT 600 DR. MARTIN LUTHER KING JR. PLACE LOUISVILLE, KY.	DESIGNED BY: D. LOGAN CHECKED BY: R. HARRIS	ISSUE DATE: MARCH 2026 SOLICITATION NO.: D. LOGAN CONTRACT NO.:
SUBMITTED BY: D. LOGAN DATE: 3/2/2026		ANSI FULL BLEED D (22.00 X 34.00 INCHES)

LD 59 ACCESS ROAD
OLMSTED, ILL.
112574, FY2025

COVER SHEET

SHEET ID
GI001

[illegible]

U.S. ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT 600 DR. MARTIN LUTHER KING, JR. PLACE LOUISVILLE, KY. 40202	DESIGNED BY:	ISSUE DATE:
	D.LOGAN	MARCH 2026
	DRAWN BY:	SOLICITATION NO.:
	D.LOGAN	
	CHECKED BY:	CONTRACT NO.:
	R.HARRIS	
	SUBMITTED BY:	
	N. FISCHER	
	SIZE:	
	D.	

LD 53 ACCESS ROAD
OLMSTED, IL
112574, FY2025

SITE PHOTOGRAPHY

SHEET ID

GI006



H2 SITE PHOTO (013)



H8 SITE PHOTO (014)
SCALE: NTS



H14 SITE PHOTO (015)

SCALE: NTS




A2 SITE PHOTO (016)
SCALE: NTS



A8 SITE PHOTO (017)
SCALE: NTS



A14 SITE PHOTO (018)
SCALE: NTS

[illegible]

U.S. ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT 600 DR. MARTIN LUTHER KING JR. PLACE LOUISVILLE, KY 40202	DESIGNED BY: D.LOGAN	ISSUE DATE: MARCH 2026
	DRAWN BY: D.LOGAN	SOLICITATION NO.:
	CHECKED BY: R.HARRIS	CONTRACT NO.:
	SUBMITTED BY: N.FISCHER	
	PROJECT NO.:	
	ANSI/D	

LD 53 ACCESS ROAD
OLMSTED, IL
112574, FY2025

SHEET ID


G1008



A1 OVERALL SITE SURVEY
SCALE:1:200

GENERAL SHEET NOTES

1. HORIZONTAL DATUM NAD83 KENTUCKY STATE PLANES, SOUTH ZONE, U.S. SURVEY FEET.
2. VERTICAL DATUM IS NAVD1988.
3. SITE SURVEY COMPLETED IN FEB 2025.
4. AN APPROXIMATE UTILITY LAYOUT IS BEING PROVIDED. THE CONTRACTOR IS RESPONSIBLE FOR FIELD VERIFYING ALL EXISTING UTILITIES. THE CONTRACTING OFFICER SHOULD BE NOTIFIED OF ANY CONFLICTS OR DISCREPANCIES PRIOR TO INSTALLATION. THE CONTRACTOR MUST REPLACE OR REPAIR ANY UTILITIES THAT ARE DAMAGED DURING CONSTRUCTION.
5. CONTRACTOR MUST VERIFY CONTROL PRIOR TO ANY EXCAVATION.
6. CONSTRUCTION MUST BE LAID OUT USING CONTROL PROVIDED TO COINCIDE WITH ORIGINAL SURVEY AND DESIGN.
7. NOT ALL CONCRETE JOINTS ARE SHOWN




DATE	DESCRIPTION	MARK

DESIGNED BY: D LOGAN	ISSUE DATE: MARCH 2025
DRAWN BY: D LOGAN	SOLICITATION NO.:
CHECKED BY: R HARRIS	CONTRACT NO.:
SUBMITTED BY: N FISCHER	
SIZE: ANSI FULL BLEED D (22.00 X 34.00 INCHES)	

U.S. ARMY CORPS OF ENGINEERS
LOUISVILLE DISTRICT
600 DR. MARTIN LUTHER KING JR. PLACE
LOUISVILLE KY. 40202

LEGEND

-  CONTROL POINT LOCATION
-  CONTRACTOR WORK LIMITS
-  EXISTING WATER LINE
-  EXISTING GAS LINE
-  EXISTING SANITARY LINE
-  EXISTING OVERHEAD ELECTRIC LINE
-  EXISTING STORM LINE
-  EXISTING CONTOURS
-  EXISTING FENCE
-  EXISTING TREELINE
-  EXISTING DITCHLINE
-  EXISTING CULVERT


LD 53 ACCESS ROAD
OLMSTED, IL
112574, FY2025

OVERALL SITE SURVEY

SHEET ID
VF101



1. HORIZONTAL DATUM NAD83 KENTUCKY STATE PLANES, SOUTH ZONE, U.S. SURVEY FEET.
2. VERTICAL DATUM IS NAVD1988.
3. SITE SURVEY COMPLETED IN FEB 2025.
4. AN APPROXIMATE UTILITY LAYOUT IS BEING PROVIDED. THE CONTRACTOR IS RESPONSIBLE FOR FIELD VERIFYING ALL EXISTING UTILITIES. THE CONTRACTING OFFICER SHOULD BE NOTIFIED OF ANY CONFLICTS OR DISCREPANCIES PRIOR TO INSTALLATION. THE CONTRACTOR MUST REPLACE OR REPAIR ANY UTILITIES THAT ARE DAMAGED DURING CONSTRUCTION.
5. CONTRACTOR MUST VERIFY CONTROL PRIOR TO ANY EXCAVATION.
6. CONSTRUCTION MUST BE LAID OUT USING CONTROL PROVIDED TO COINCIDE WITH ORIGINAL SURVEY AND DESIGN.
7. NOT ALL CONCRETE JOINTS ARE SHOWN




**US Army Corps
of Engineers®**

[illegible]

U.S. ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT 600 DR. MARTIN LUTHER KING JR. PLACE LOUISVILLE KY, 40202	DESIGNED BY: D. LOGAN	ISSUE DATE: MARCH 2026
	CHECKED BY: R. HARRIS	SOLICITATION NO.:
	SUBMITTED BY: D. FISCHER	CONTRACT NO.:
SIZE: ANSI FULL BLEED D (22.00 X 34.00 INCHES)		

LEGEND



LD 53 ACCESS ROAD
OLMSTED, IL
112574, FY2025

SITE SURVEY

SHEET ID

VF107

SCALE:NTS


PROJECT: LOCK AND DAM 53 ACCESS ROAD
LOCATION: OLMSTED, PULASKI COUNTY, ILLINOIS
REQUESTED BY: DECARIS LOGAN
PARTY CHIEF: JOHN NAPORA
SURVEY CONCLUDED: 28 FEB 2025
SCALE: 1 INCH = 20 FEET
CONTOUR INTERVAL: 1 FOOT
HORIZONTAL DATUM: NAD1983(2011) SPC ZONE 1602 (KENTUCKY SOUTH) - US FEET
VERTICAL DATUM: NAVD 88
SOURCE OF UTILITIES: VISIBLE EVIDENCE
FILENAME: L&D 53 - FY25 - DAM 53 ACCESS ROAD.DGN
FIELD BOOK NUMBER: BOOK 14779, PAGE 56

TBM 2 - RAILROAD SPIKE LOCATED ON THE NORTH SIDE OF A UTILITY POLE. SAID POLE IS LOCATED APPROXIMATELY 400' EAST OF CONTROL POINT DAR3 APPROXIMATELY 24' WEST OF THE SOUTHWEST CORNER OF A HEADWALL SLATED FOR RECONSTRUCTION, AND APPROXIMATELY 6' SOUTH OF THE SOUTHERN EDGE OF DAM 53 ROAD PAVEMENT.


**US Army Corps
of Engineers®**

SHEET ID
VF401

CERTIFIED FINAL W912QR-60440629 Plans-0000



RTIFIED FINAL W912QR-60440629_Plans-0000



GENERAL SHEET NOTES

1. CONTRACTOR TO COORDINATE DEMOLITION ACTIVITIES WITH CONTRACTING OFFICER'S REPRESENTATIVE (COR).
2. CONTRACTOR TO VERIFY ALL EXISTING UTILITIES PRIOR TO ANY CONSTRUCTION ACTIVITY.
3. AVERAGE WIDTH OF ROAD IS 20'.
4. REFERENCE SITE PLANS FOR EXTENTS OF ROAD DEMOLITION.
5. COORDINATE ROAD SHUTDOWNS WITH LOCAL COUNTY AGENCIES.
6. RESIDENT ACCESS MUST BE MAINTAINED AT ALL TIMES. CONTRACTOR MUST NOTIFY RESIDENTS AT LEAST 14 DAYS IN ADVANCE OF CONSTRUCTION ACTIVITIES.

SHEET KEYNOTES

1. CONTRACTOR TO REMOVE EXISTING CULVERT AND HEADWALLS.
2. CONTRACTOR TO REMOVE EXISTING WINGWALLS AND HEADWALLS.
3. CONTRACTOR TO TAKE DOWN EX FENCE ,TEMPORARILY SECURE NEW FENCE BOUNDARY, AND RESTORE FENCE TO EXISTING EXTENTS.

LEGEND

- REMOVE EXISTING PAVEMENT
- PROPOSED CONTRACTOR WORK LIMITS
- REMOVE LINEAR FEATURE
- REMOVE EXISTING PAVEMENT FULL DEPTH




MARK	DESCRIPTION	DATE

DESIGNED BY: D. LOGAN	ISSUE DATE: MARCH 2026
DRAWN BY: J. HARRIS	SOLICITATION NO.:
CHECKED BY: R. HARRIS	CONTRACT NO.:
SUBMITTED BY: N. FISCHER	
SIZE: ANSI FULL BLEED D (22.00 X 34.00 INCHES)	

U.S. ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT 600 DR. MARTIN LUTHER KING JR. PLACE LOUISVILLE KY, 40202	DEMOLITION PLAN
---	-----------------

SHEET ID
CD103



GENERAL SHEET NOTES

1. CONTRACTOR TO COORDINATE DEMOLITION ACTIVITIES WITH CONTRACTING OFFICER'S REPRESENTATIVE (COR).
2. CONTRACTOR TO VERIFY ALL EXISTING UTILITIES PRIOR TO ANY CONSTRUCTION ACTIVITY.
3. AVERAGE WIDTH OF ROAD IS 20'.
4. REFERENCE SITE PLANS FOR EXTENTS OF ROAD DEMOLITION.
5. COORDINATE ROAD SHUTDOWNS WITH LOCAL COUNTY AGENCIES.
6. RESIDENT ACCESS MUST BE MAINTAINED AT ALL TIMES. CONTRACTOR MUST NOTIFY RESIDENTS AT LEAST 14 DAYS IN ADVANCE OF CONSTRUCTION ACTIVITIES.

SHEET KEYNOTES

1. CONTRACTOR TO REMOVE EXISTING CULVERT AND HEADWALLS.
2. CONTRACTOR TO REMOVE EXISTING WINGWALLS AND HEADWALLS.
3. CONTRACTOR TO TAKE DOWN EX FENCE, TEMPORARILY SECURE NEW FENCE BOUNDARY, AND RESTORE FENCE TO EXISTING EXTENTS.

LEGEND

- REMOVE EXISTING PAVEMENT
- PROPOSED CONTRACTOR WORK LIMITS
- REMOVE LINEAR FEATURE
- REMOVE EXISTING PAVEMENT FULL DEPTH




MARK	DESCRIPTION	DATE

DESIGNED BY: D. LOGAN	ISSUE DATE: MARCH 2026
DRAWN BY: J. HARRIS	SOLICITATION NO.:
CHECKED BY: R. HARRIS	CONTRACT NO.:
SUBMITTED BY: N. FISCHER	
SIZE: ANSI FULL BLEED D (22.00 X 34.00 INCHES)	


U.S. ARMY CORPS OF ENGINEERS
LOUISVILLE DISTRICT
600 DR. MARTIN LUTHER KING JR. PLACE
LOUISVILLE KY, 40202

LD 53 ACCESS ROAD OLMSTED, IL 112574, FY2025	DEMOLITION PLAN
--	-----------------


SHEET ID
CD104



RTIFIED FINAL W912QR-60440629_Plans-0000
O:\EDPUBLIC\CAD\CIVIL\12574 - FY25 LD 53 ACCESS ROAD\PLAN SETS\02_DRAWINGS\01LISTED NEW BASE.DWG
AEC B&W/STB
1:58:32 PM 3/17/2026



RTIFIED FINAL W912QR-60440629_Plans-0000 O:\EDPUBLIC\CA\ICIVIL\12574 - FY25 LD 53 ACCESS ROAD\PLAN SETS\02_DRAWINGS\LISTED NEW BASE.DWG
AEC B&W.STB
1:38:41 PM 3/17/2026




GENERAL SHEET NOTES	
---------------------	--

1. ALL DIMENSIONS ARE PROVIDED IN U.S. SURVEY FEET, UNLESS INDICATED OTHERWISE.
2. DIMENSIONS ARE TO THE EDGE OF PAVEMENT.
3. CONTRACTOR TO COORDINATE CONSTRUCTION ACTIVITIES WITH THE CONTRACTING OFFICER'S REPRESENTATIVE (COR).
4. CONTRACTOR IS LIMITED TO THE CWL'S WITHIN THE BEGINNING AND END OF THE PROJECT.
5. CONTRACTOR NEEDS TO MAINTAIN ACCESS TO THE PRIVATE DRIVEWAYS ALONG THE ROAD.
6. CONTRACTOR WORK LIMITS SHOWN ON VF SHEETS.
7. COORDINATE ROAD SHUTDOWNS WITH LOCAL COUNTY AGENCIES.
8. RESIDENT ACCESS MUST BE MAINTAINED AT ALL TIMES. CONTRACTOR MUST NOTIFY RESIDENTS AT LEAST 14 DAYS IN ADVANCE OF CONSTRUCTION ACTIVITIES.

LEGEND

- | | |
|---|--|
|  | <p>PROPOSED ASPHALT PAVEMENT PATCH, SEE
DETAIL A6, SHEET CS501</p> |
|  | <p>PROPOSED ASPHALT FULL DEPTH
REPLACEMENT, SEE DETAIL A1, SHEET CS501</p> |
|  | <p>CONTRACTOR WORK LIMITS</p> |


[illegible]

U.S. ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT 600 DR. MARTIN LUTHER KING JR. PLACE LOUISVILLE KY. 40202	DESIGNED BY:		ISSUE DATE:
	D.LOGAN		MARCH 2026
	DRAWN BY:		SOLICITATION NO.:
	D.LOGAN		
	CHECKED BY:		CONTRACT NO.:
	R.HARRIS		
SUBMITTED BY:			
N. FISCHER			
SIZE:		ANSI FULL BLEED (22.00 X 34.00 INCHES)	

LD 53 ACCESS ROAD
OLMSTED, IL
112574, FY2025

OVERALL SITE PLAN

SHEET ID
CS101



GENERAL SHEET NOTES

- 1. ALL DIMENSIONS ARE PROVIDED IN U.S. SURVEY FEET, UNLESS INDICATED OTHERWISE.
- 2. DIMENSIONS ARE TO THE EDGE OF PAVEMENT.
- 3. CONTRACTOR TO COORDINATE CONSTRUCTION ACTIVITIES WITH THE CONTRACTING OFFICER'S REPRESENTATIVE (COR).
- 4. CONTRACTOR IS LIMITED TO THE CWL'S WITHIN THE BEGINNING AND END OF THE PROJECT.
- 5. CONTRACTOR NEEDS TO MAINTAIN ACCESS TO THE PRIVATE DRIVEWAYS ALONG THE ROAD.
- 6. CONTRACTOR WORK LIMITS SHOWN ON VF SHEETS.
- 7. COORDINATE ROAD SHUTDOWNS WITH LOCAL COUNTY AGENCIES.
- 8. RESIDENT ACCESS MUST BE MAINTAINED AT ALL TIMES. CONTRACTOR MUST NOTIFY RESIDENTS AT LEAST 14 DAYS IN ADVANCE OF CONSTRUCTION ACTIVITIES.

SHEET KEYNOTES

- 1. CULVERT REMOVE AND REPLACE. SEE DETAIL A1, SHEET CS502 AND DETAIL A1, SHEET S-301.
- 2. EDGE KEY. SEE DETAIL A14, SHEET CS501
- 3. RESTORE AREA TO EXISTING CONDITIONS.
- 4. NEW HEADWALLS AND WINGWALLS.
- 5. OUTLET RIPRAP PROTECTION SEE DETAIL D1, SHEET CS501

LEGEND

- PROPOSED ASPHALT PAVEMENT PATCH, SEE DETAIL A6, SHEET CS501
- PROPOSED ASPHALT FULL DEPTH REPLACEMENT, SEE DETAIL A1, SHEET CS501
- CONTRACTOR WORK LIMITS
- SILT FENCE SEE DETAIL H10, SHEET CS501



DATE	DESCRIPTION	MARK

DESIGNED BY: D. LOGAN	ISSUE DATE: MARCH 2026
DRAWN BY: R. HARRIS	SOLICITATION NO.:
CHECKED BY: N. FISCHER	CONTRACT NO.:
SUBMITTED BY:	
SIZE: ANSI FULL BLEED D (22.00 X 34.00 INCHES)	


U.S. ARMY CORPS OF ENGINEERS
LOUISVILLE DISTRICT
600 DR. MARTIN LUTHER KING JR. PLACE
LOUISVILLE KY, 40202

LD 53 ACCESS ROAD
OLMSTED, IL
112574, FY2025


SITE PLAN STA 17+25 - 25+50

SHEET ID

CS104



RTIFIED FINAL W912QR-60440629_Plans-0000



GENERAL SHEET NOTES

1. ALL DIMENSIONS ARE PROVIDED IN U.S. SURVEY FEET, UNLESS INDICATED OTHERWISE.
2. DIMENSIONS ARE TO THE EDGE OF PAVEMENT.
3. CONTRACTOR TO COORDINATE CONSTRUCTION ACTIVITIES WITH THE CONTRACTING OFFICER'S REPRESENTATIVE (COR).
4. CONTRACTOR IS LIMITED TO THE CWL'S WITHIN THE BEGINNING AND END OF THE PROJECT.
5. CONTRACTOR NEEDS TO MAINTAIN ACCESS TO THE PRIVATE DRIVEWAYS ALONG THE ROAD.
6. CONTRACTOR WORK LIMITS SHOWN ON VF SHEETS.
7. COORDINATE ROAD SHUTDOWNS WITH LOCAL COUNTY AGENCIES.
8. RESIDENT ACCESS MUST BE MAINTAINED AT ALL TIMES. CONTRACTOR MUST NOTIFY RESIDENTS AT LEAST 14 DAYS IN ADVANCE OF CONSTRUCTION ACTIVITIES.

SHEET KEYNOTES

1. CULVERT REMOVE AND REPLACE. SEE DETAIL A1, SHEET CS502 AND DETAIL A1, SHEET S-301.
2. EDGE KEY. SEE DETAIL A14, SHEET CS501
3. RESTORE AREA TO EXISTING CONDITIONS.
4. NEW HEADWALLS AND WINGWALLS.
5. OUTLET RIPRAP PROTECTION SEE DETAIL D1, SHEET CS501

LEGEND

- PROPOSED ASPHALT PAVEMENT PATCH, SEE DETAIL A6, SHEET CS501
- PROPOSED ASPHALT FULL DEPTH REPLACEMENT, SEE DETAIL A1, SHEET CS501
- CONTRACTOR WORK LIMITS
- SILT FENCE SEE DETAIL H10, SHEET CS501





MARK	DESCRIPTION	DATE

DESIGNED BY: D. LOGAN	ISSUE DATE: MARCH 2026
DRAWN BY: J. HARRIS	SOLICITATION NO.:
CHECKED BY: R. HARRIS	CONTRACT NO.:
SUBMITTED BY: N. FISCHER	
SIZE: ANSI FULL BLEED D (22.00 X 34.00 INCHES)	

U.S. ARMY CORPS OF ENGINEERS
LOUISVILLE DISTRICT
600 DR. MARTIN LUTHER KING JR. PLACE
LOUISVILLE KY, 40202

LD 53 ACCESS ROAD OLMSTED, IL 112574, FY2025	SITE PLAN
--	-----------

SHEET ID
CS107



1.5" ASPHALT SURFACE PAVEMENT

2" ASPHALT BASE PAVEMENT

8" AGGREGATE BASE COURSE

8" COMPACTED SUBGRADE

TACK COAT

NOTE:

1. ASPHALT SURFACE PER SPECIFICATION 32 12 16.16.
2. ASPHALT BASE PER SPECIFICATION 32 11 26.19.
3. AGGREGATE BASE COURSE PER SPECIFICATION 32 11 23.

TACK COAT

NOTE:

1. ASPHALT SURFACE PER SPECIFICATION 32 12 16.16.
2. ASPHALT BASE PER SPECIFICATION 32 11 26.19.
3. AGGREGATE BASE COURSE PER SPECIFICATION 32 11 23
4. THIS OPTION IS ONLY AVAILABLE IF THERE IS A MINIMUM OF 8 INCHES OF EXISTING AGGREGATE THAT HAS NOT BEEN SILTED IN AND COMPACTED / PASSES A PROOF ROLL AS SPECIFIED.

[illegible]


U.S. ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT 600 DR. MARTIN LUTHER KING JR. PLACE LOUISVILLE, KY.	DESIGNED BY:	ISSUE DATE:
	D.LOGAN	MARCH 2008
	DRAWN BY:	SOLICITATION NO.:
	D.LOGAN	
	CHECKED BY:	CONTRACT NO.:
	R.HARRIS	
	SUBMITTED BY:	
	SIZE:	

LD 53 ACCESS ROAD
OLMSTED, IL
112574, FY2025

SHEET ID
CS501


DETAIL OF PRECAST CONCRETE BOX CULVERT SECTION

WITH LESS THAN 2 FEET OF COVER
ASTM DESIGNATION C-850
AASHTO DESIGNATION M-273
DESIGN LOADING: HS-20-44




PLAN

LOCATION OF LIFTING HOLES MAY BE VARIED
AS NEEDED TO CLEAR REINFORCEMENT.



ELEVATION




DETAIL A
(TYP INLET END)

DETAIL B
(TYP. OUTLET END)

NOTE: INLET AND OUTLET ENDS SHALL BE COMPATIBLE

* THE D DIMENSION SHALL CONFORM TO THE MANUFACTURE'S STANDARDS.



CROSS SECTION

GENERAL NOTES

SHOP PLANS FOR THE REINFORCEMENT MUST BE SUBMITTED. MINIMUM CONCRETE STRENGTH MUST BE 5000 PSI AFTER 28 DAYS.

THE JOINTS BETWEEN PRECAST BOX SECTIONS MUST BE SEALED WITH RUBBER GASKETS ACCORDING TO ASTM C 1677, OR BE SEALED AND ALL VOIDS FILLED WITH A MASTIC JOINT SEALER.

THE TERMS AS1, AS2, AND AS3 DENOTE THE
REQUIRED STEEL AREAS FOR
REINFORCEMENT AS SPECIFIED IN ASTM 850.

DRAINAGE OPENINGS MUST BE PROVIDED. DRAIN HOLES MUST BE CONSTRUCTED IN ABUTMENT WALLS, WINGWALLS, RETAINING WALLS, AND CULVERT SIDEWALLS. THE LOCATIONS OF DRAINS ON ALL CONCRETE SUPERSTRUCTURES MUST BE ADJUSTED SO AS TO PREVENT THE DISCHARGE OF DRAINAGE WATER AGAINST ANY PORTION OF THE STRUCTURE, OR DIRECTLY ONTO ANY RAILROAD, HIGHWAY OR UNPROTECTED EMBANKMENT BENEATH THE STRUCTURE. LOCATION AND SPACING OF THE OPENINGS MUST BE SHOWN ON THE SHOP DRAWINGS.

DIMENSIONS

SPAN X RISE	T (INCHES)	A (FT-IN)	B (FT-IN)	C (INCHES)	SPAN X RISE	T (INCHES)	A (FT-IN)	B (FT-IN)	C (INCHES)
2' X2'	4	2-8	2-8	4	9' X5'	9	10-6	6-6	9
3' X2'	4	3-8	2-8	4	9' X6'	9	10-6	7-6	9
3' X3'	4	3-8	3-8	4	9' X7'	9	10-6	8-6	9
4' X2'	5	4-10	2-10	5	9' X8'	9	10-6	9-6	9
4' X3'	5	4-10	3-10	5	9' X9'	9	10-6	10-6	9
4' X4'	5	4-10	4-10	5					
5' X2'	6	6-0	3-0	6	10' X4'	10	11-8	5-8	10
5' X3'	6	6-0	4-0	6	10' X5'	10	11-8	6-8	10
5' X4'	6	6-0	5-0	6	10' X6'	10	11-8	7-8	10
5' X5'	6	6-0	6-0	6	10' X7'	10	11-8	8-8	10
6' X2'	7	7-2	3-2	7	10' X8'	10	11-8	9-8	10
6' X3'	7	7-2	4-2	7	10' X9'	10	11-8	10-8	10
6' X4'	7	7-2	5-2	7	10' X10'	10	11-8	11-8	10
6' X5'	7	7-2	6-2	7					
6' X6'	7	7-2	7-2	7	11' X4'	11	12-10	5-10	11
					11' X6''	11	12-10	7-10	11
					11' X8'	11	12-10	9-10	11
7' X4'	8	8-4	5-4	8	11' X10'	11	12-10	11-10	11
7' X5'	8	8-4	6-4	8	11' X11'	11	12-10	12-10	11
7' X6'	8	8-4	7-4	8					
7' X7'	8	8-4	8-4	8					
					12' X4'	12	14-0	6-0	12
8' X4'	8	9-4	5-4	8	12' X6'	12	14-0	8-0	12
8' X5'	8	9-4	6-4	8	12' X8'	12	14-0	10-0	12
8' X6'	8	9-4	7-4	8	12' X10'	12	14-0	12-0	12
8' X7'	8	9-4	8-4	8	12' X12'	12	14-0	14-0	12
8' X8'	8	9-4	9-4	8					

DESIGNED BY:	ISSUE DATE:
--------------	-------------

D. LOGAN	MARCH 2026
DRAWN BY:	SOLICITATION NO.

D.LOGAN	CONTRACT NO.:
CHECKED BY:	

R.HARRIS	
SUBMITTED BY:	

SIZE:		
-------	--	--

U.S. ARMY CORPS OF ENGINEERS
LOUISVILLE DISTRICT
1000 DR. MARTIN LUTHER KING JR. PLACE
LOUISVILLE, KY.

53 ACCESS ROAD
OLMSTED, IL
112574 FY2025

CIVIL DETAILS


SHEET ID

CS502

A1

PRECAST BOX CULVERT

SCALE: NTS



A3 ASSEMBLY ISOMETRIC VIEW (STA 31+15)
SCALE: NTS



MARK	DESCRIPTION	DATE

DESIGNED BY: N. OWAN	ISSUE DATE: MARCH 2026
DRAWN BY: N. OWAN	SOLICITATION NO.:
CHECKED BY: J. HARRIS	CONTRACT NO.:
SUBMITTED BY: N. FISCHER	
SIZE: ANSI D	


US ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT 600 DR. MARTIN LUTHER KING JR. PLACE LOUISVILLE, KY 40202	
---	--

LD 53 ACCESS ROAD
OLMSTED, IL
112574, FY2025

STA 31+15 CULVERT - ASSEMBLY ISOMETRIC
VIEW

SHEET ID

S-101



A3 WINGWALL ISOMETRIC VIEW (STA 31+15)
SCALE: NTS



MARK	DESCRIPTION	DATE

DESIGNED BY: N. OWAN	ISSUE DATE: MARCH 2026
DRAWN BY: N. OWAN	SOLICITATION NO.:
CHECKED BY: J. HARRIS	CONTRACT NO.:
SUBMITTED BY: N. FISCHER	
SIZE: ANSI D	


US ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT 600 DR. MARTIN LUTHER KING JR. PLACE LOUISVILLE, KY 40202	
---	--

LD 53 ACCESS ROAD
OLMSTED, IL
112574, FY2025

STA 31+15 CULVERT - WINGWALL ISOMETRIC VIEW

SHEET ID

S-102



A3 PLAN VIEW (STA 31+15)
SCALE 3/8" = 1'-0"



US Army Corps
of Engineers®


MARK	DESCRIPTION	DATE

DESIGNED BY: N. OWAN	ISSUE DATE: MARCH 2026
DRAWN BY: N. OWAN	SOLICITATION NO.:
CHECKED BY: J. HARRIS	CONTRACT NO.:
SUBMITTED BY: N. FISCHER	
SIZE: ANSI D	

US ARMY CORPS OF ENGINEERS
LOUISVILLE DISTRICT
600 DR. MARTIN LUTHER KING JR. PLACE
LOUISVILLE, KY 40202

LD 53 ACCESS ROAD
OLMSTED, IL
112574, FY2025
STA 31+15 CULVERT - PLAN VIEW

SHEET ID
S-103



A3 ASSEMBLY ISOMETRIC VIEW (STA 3+75)
SCALE



MARK	DESCRIPTION	DATE

DESIGNED BY: N. OWAN	ISSUE DATE: MARCH 2026
DRAWN BY: N. OWAN	SOLICITATION NO.:
CHECKED BY: J. HARRIS	CONTRACT NO.:
SUBMITTED BY: N. FISCHER	
SIZE: ANSI D	


US ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT 600 DR. MARTIN LUTHER KING JR. PLACE LOUISVILLE, KY 40202	
---	--

LD 53 ACCESS ROAD
OLMSTED, IL
112574, FY2025

STA 3+75 CULVERT - ASSEMBLY ISOMETRIC VIEW

SHEET ID

S-104



A3

WINGWALL ISOMETRIC VIEW (STA 3+75)

SCALE



US Army Corps
of Engineers®

MARK	DESCRIPTION	DATE

DESIGNED BY: N. OWAN	ISSUE DATE: MARCH 2026
DRAWN BY: N. OWAN	SOLICITATION NO.:
CHECKED BY: J. HARRIS	CONTRACT NO.:
SUBMITTED BY: N. FISCHER	
SIZE: ANSI D	


US ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT 600 DR. MARTIN LUTHER KING JR. PLACE LOUISVILLE, KY 40202	
---	--

LD 53 ACCESS ROAD
OLMSTED, IL
112574, FY2025


STA 3+75 CULVERT - WINGWALL ISOMETRIC VIEW

SHEET ID

S-105



B3 PLAN VIEW (STA 3+75)
SCALE 3/8" = 1'-0"



MARK	DESCRIPTION	DATE



US ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT 600 DR. MARTIN LUTHER KING JR. PLACE LOUISVILLE, KY 40202	DESIGNED BY: N. OWAN	ISSUE DATE: MARCH 2026
	DRAWN BY: N. OWAN	SOLICITATION NO.:
	CHECKED BY: J. HARRIS	CONTRACT NO.:
	SUBMITTED BY: N. FISCHER	
SIZE: ANSI D		

LD 53 ACCESS ROAD
OLMSTED, IL
112574, FY2025

STA 3+75 CULVERT - PLAN VIEW

SHEET ID

S-106



US Army Corps
of Engineers®

MARK	DESCRIPTION	DATE

DESIGNED BY: N. OWAN	ISSUE DATE: MARCH 2026
DRAWN BY: N. OWAN	SOLICITATION NO.:
CHECKED BY: J. HARRIS	CONTRACT NO.:
SUBMITTED BY: N. FISCHER	
SIZE: ANSI D	

US ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT 600 DR. MARTIN LUTHER KING JR. PLACE LOUISVILLE, KY 40202	
---	--

LD 53 ACCESS ROAD OLMSTED, IL 112574, FY2025	WINGWALL REINFORCEMENT DETAILS
--	--------------------------------

SHEET ID
S-303