



UNITED STATES DEPARTMENT OF COMMERCE
National Institute of Standards and Technology
Acquisition Management Division
325 Broadway, MS 164
Boulder, CO 80305-3328

TABLE OF CONTENTS		
#	DESCRIPTION	PAGE #
1	Sources Sought Notice	2
2	DRAFT Statement of Work (SOW)	3 - 10



UNITED STATES DEPARTMENT OF COMMERCE
National Institute of Standards and Technology
Acquisition Management Division
325 Broadway, MS 164
Boulder, CO 80305-3328

THIS SOURCES SOUGHT IS NOT A NOTICE OF SOLICITATION ISSUANCE. This is a special notice that includes a REQUEST FOR INFORMATION (RFI) issued solely for information and planning purposes; it does not constitute a Request for Quote (RFQ) or Proposal (RFP) or promise to issue a solicitation in the future. This notice does not commit the Government contractually for any services or supplies whatsoever. Responders are advised that the United States Government will not pay for any information or administrative costs incurred in the response to this RFI. Not responding to this RFI does not preclude participation in a future solicitation if one is issued. If a solicitation is released, it may be posted to the System Award Management (SAM) website, but it is not guaranteed, and it is the responsibility of the potential offerors to monitor the Government website for potential solicitation and additional information pertaining to this requirement.

The proposed project consists of the following: The contractor will provide preventative maintenance and repair services for site wide gates and barriers on NIST, Boulder, Campus. This project is to perform preventative/corrective maintenance on four traffic gates, three rolling gates, and two pop-up barriers at the Boulder campus and one rolling gate at the Fort Collins site for a one-year period, and for four optional one-year periods to comply with current standards on the National Institute of Standards and Technology (NIST) site. This requirement is assigned a NAICS code of 561621 – Security Systems Services (except Locksmiths) with the Small Business Administration (SBA) size standard of \$25.0 million for the National Institute of Standards and Technology (NIST), Boulder, Colorado.

Submit Interest and Capability (to include cut sheets, drawings, previous installation examples, etc.) shall be limited to 20 pages (Times New Roman, 12-point font, 8-1/2 x 11. Cut sheets and drawings are acceptable as 11 x 17) and submitted via e-mail to the contract specialist listed in this notice.

All correspondence sent via e-mail shall contain a subject line that reads "Source Sought: Gates and Barriers PMs and Repair". If this subject line is not included, the e-mail may not get through e-mail filters. Filters are designed to delete emails without a subject or with a suspicious subject or attachment. Attachments with files ending in .zip or .exe are not allowable and will be deleted. Ensure only .pdf, .doc, .docx, .xls, or .xlsx documents are attached to your e-mail. All other attachments may be deleted.

All responses must reach the point of contact no later than **4:00 PM Mountain on April 22, 2026**, and must include the following information: company name; UEI, address; phone number, fax number, e-mail address, and business size status for the applicable NAICS. Responses shall not include classified data. Proprietary information, if any, shall be kept to a minimum and **MUST BE CLEARLY MARKED**. To aid the Government, **SEGREGATE** proprietary information. Please be advised that all submissions become Government property and will not be returned.

Questions regarding this notice shall be submitted via e-mail to the point of contact listed in this notice. Questions shall be sent to the point of contact via e-mail **ONLY**. Verbal or FAX questions are not acceptable, and will not be answered



UNITED STATES DEPARTMENT OF COMMERCE
National Institute of Standards and Technology
Acquisition Management Division
325 Broadway, MS 164
Boulder, CO 80305-3328

DRAFT STATEMENT OF WORK
Preventative Maintenance on Gates and Barriers

NATIONAL INSTITUTE OF STANDARDS & TECHNOLOGY
United States Department of Commerce

325 Broadway
Boulder, CO 80305
March 3, 2026

I. BACKGROUND INFORMATION

The Department of Commerce campus is located at 325 Broadway in Boulder, Colorado and is a research & development facility. It consists of the agencies of NIST, NOAA and NTIA. The Office of Facilities and Property Management, OFPM, of the National Institute of Standards and Technology (NIST) is responsible for the maintaining and renovation of spaces consisting of laboratories, office space and facilities maintenance areas, except the David Skaggs Research Center. The requirements as presented in this document, along with any attachments, are intended to describe the minimum Government requirements. It is the intent of this Scope of Work to provide the requirements for the NIST Preventative Maintenance on Gate and Barriers. This project is to perform preventative maintenance on NIST owned security gates and barriers.

II. PURPOSE

Perform preventative/corrective maintenance on four traffic gates, three rolling gates, and two pop-up barriers at the Boulder campus and one rolling gate at the Fort Collins site for a one-year period to comply with current standards on the National Institute of Standards and Technology (NIST) site.

The Contractor shall coordinate with the Government Contracting Officer's Representative (COR) all activities required throughout the duration of this task order. The Contractor shall communicate with the COR and the CO on all matters pertaining to the task order.

Two additional options are included for emergency response requirements for pop-up barriers becoming inoperable. These two options are for a 24-hour and 48-hour response time in the event the pop-up barrier becomes inoperable. The work is to be performed in accordance with this Statement of Work (SOW).

II. SPECIAL REQUIREMENTS

- 2.1.1 Pre-proposal site visit required.
- 2.1.2 Coordination of daily vehicle traffic lane shutdowns for the maintenance work with the COR.
- 2.1.3 Post-award meeting required
- 2.1.4 Provide repairs as separate line item in proposal

The description, model, and location of the rolling gates and pop-up barriers are as follows:



UNITED STATES DEPARTMENT OF COMMERCE
National Institute of Standards and Technology
Acquisition Management Division
325 Broadway, MS 164
Boulder, CO 80305-3328

Equipment List			
Item #	Description	Model	Location
1	Traffic Gate	Automatic Systems BL 229	NIST Boulder Front Gate
2	Traffic Gate	Automatic Systems BL 229	NIST Boulder Front Gate
3	Traffic Gate	Automatic Systems BL 229	NIST Boulder Front Gate
4	Traffic Gate	Automatic Systems BL 229	NIST Boulder Front Gate
5	Pop-up Barrier	Delta DSC 501	NIST Boulder Front Gate
6	Pop-up Barrier	Delta DSC 501	NIST Boulder Front Gate
7	Rolling Gate	LiftMaster SL 585	NIST FT Collins Radio Station
8	Rolling Gate	LiftMaster CSL24VDC	NIST Boulder Building 1 Wing 2
9	Rolling Gate	LiftMaster CSL24U	NIST Boulder B21 Yard
10	Rolling Gate	LiftMaster CSL24U	NIST Boulder B21 Yard

The work will consist of the following:

1. Perform monthly preventative maintenance (PM) on gates
2. Perform yearly preventative maintenance (PM) on gates
3. Perform monthly preventative maintenance (PM) on pop-up barriers
4. Perform quarterly preventative maintenance (PM) on pop-up barriers
5. Perform yearly preventative maintenance (PM) on pop-up barriers
6. Perform quarterly preventative maintenance (PM) on rolling gate
7. Perform bi-annual preventative maintenance (PM) on rolling gate
8. Perform yearly preventative maintenance (PM) on rolling gate
9. Repair item or repair by replacement of items

PLACE OF PERFORMANCE

The project is to be performed on the NIST Boulder campus and FT Collins Radio Station.

REGULAR BUSINESS HOURS

See Attachment 1 - NIST Boulder General Contractor Requirements – Rev C, included in the contract for information on rules and requirements of performing work on the National Institute of Standards and Technology (NIST) sites in Boulder and Ft. Collins, Colorado.

PERIOD OF PERFORMANCE

The Project shall take one year to complete.

III. SPECIFIC REQUIREMENTS

The contractor is responsible for the following:

1. Performing the work as described in this PWS.
2. Performing a site walk to fully understand the work required and the local conditions
3. Preparing and following a site-specific safety plan to be reviewed and accepted by NIST Safety Staff.



UNITED STATES DEPARTMENT OF COMMERCE
National Institute of Standards and Technology
Acquisition Management Division
325 Broadway, MS 164
Boulder, CO 80305-3328

4. Performing a daily Job Hazard Analysis (JHA) for maintenance activities.
5. Coordinating all work with the Contracting Officer's Representative (COR)

Task 1 – Summary of the Work

1.3.1. General

1.3.1.1. Preventative maintenance and management shall include, but is not limited to the following:

1.3.1.2. Provide all labor, furnish and install materials, equipment and supplies to accomplish the preventative maintenance in accordance with the Performance Work Statement.

1.3.1.3. Delivery Schedule: This project must be completed 365 calendar days after NTP. With initial proposal and prior to commencement of work, the contractor must provide a proposed PM schedule to the COR for acceptance. Final schedule shall be agreed upon after NTP at post-award meeting.

1.3.1.4. Provide maintenance management and field supervision throughout the project duration.

1.3.1.5. Contractor must be familiar with the work required and local conditions affecting the work.

1.3.1.6. Ensure that the safety of the project is a top priority. Submit a site-specific safety plan with project proposal prior to commencement of work to the COR for acceptance.

1.3.1.7. Ensure due diligence and timely delivery of the project.

1.3.1.8. Correct errors and deficiencies in the series provided.

1.3.1.9. Cooperate with NIST Police and Security regarding site security. Contractor is responsible for ensuring its personnel meet all site access requirements. Provide a list of all anticipated employees at least two weeks in advance of their arrival. All employees must fill out specified background check forms for review by NIST Security before security badges will be issued. These forms will be typed.

1.3.1.10. Maintain a record set of all inspections, or other authorizations necessary for the work to proceed.

1.3.1.11. If "Hot Work" will be performed the contractor must pull a hot work permit through the COR twenty-four (24) hours in advance of beginning associated work.

1.3.1.12. Notify the COR of the work progress.

1.3.1.13. The contractor is responsible for correcting any damage caused to the NIST Boulder side and field sites as a result of their maintenance work and returning the site to previous conditions at no cost to the Government.



UNITED STATES DEPARTMENT OF COMMERCE
National Institute of Standards and Technology
Acquisition Management Division
325 Broadway, MS 164
Boulder, CO 80305-3328

1.3.1.14. The contractor shall perform clean-up of work areas after preventative maintenance is completed.

1.3.1.15. Contractor is responsible for scheduling work.

1.3.1.16. See COR for any conflicts associated with this Performance Work Statement, drawing and any appendixes.

1.3.2. Specification Section

1.3.2.1. Perform monthly preventative maintenance (PM) on traffic gates includes the following:

1.3.2.1.1. The Contractor shall coordinate the final scheduled date of the monthly preventive maintenance (PM) and required personnel access with the Contracting Officer's Representative (COR).

1.3.2.1.2. The Contractor shall coordinate and implement all necessary traffic control measures during the performance of preventive maintenance.

1.3.2.1.3. The Contractor shall perform preventive maintenance in accordance with the NIST Job Plan, applicable manufacturer specifications, and manufacturer maintenance manuals for Monthly Traffic Gate preventive maintenance requirements.

1.3.2.1.4. The Contractor shall provide the results of the preventive maintenance to the COR upon completion.

1.3.2.2. Perform yearly preventative maintenance (PM) on traffic gates includes the following:

1.3.2.2.1. The Contractor shall coordinate the final scheduled date of the annual preventive maintenance (PM) and required personnel access with the Contracting Officer's Representative (COR).

1.3.2.2.2. The Contractor shall coordinate and implement all necessary traffic control measures during the performance of preventive maintenance.

1.3.2.2.3. The Contractor shall perform preventive maintenance in accordance with the NIST Job Plan, applicable manufacturer specifications, and manufacturer maintenance manuals for the Annual Traffic Gate Preventive Maintenance requirements.

1.3.2.2.4. The Contractor shall provide the results of the preventive maintenance to the COR upon completion.

1.3.2.3. Perform monthly preventative maintenance (PM) on pop-up barriers includes the following:

1.3.2.3.1. The Contractor shall coordinate the final scheduled date of the monthly preventive maintenance (PM) and required personnel access with the Contracting Officer's Representative (COR).



UNITED STATES DEPARTMENT OF COMMERCE
National Institute of Standards and Technology
Acquisition Management Division
325 Broadway, MS 164
Boulder, CO 80305-3328

1.3.2.3.2. The Contractor shall coordinate and implement all necessary traffic control measures during the performance of preventive maintenance.

1.3.2.3.3. The Contractor shall perform preventive maintenance in accordance with the NIST Job Plan, applicable manufacturer specifications, and manufacturer maintenance manuals for Monthly Pop-Up Barrier preventive maintenance requirements.

1.3.2.3.4. The Contractor shall provide the results of the preventive maintenance to the COR upon completion.

1.3.2.4. Perform quarterly preventative maintenance (PM) on pop-up barriers includes the following:

1.3.2.4.1. The Contractor shall coordinate the final scheduled date of the quarterly preventive maintenance (PM) and required personnel access with the Contracting Officer's Representative (COR).

1.3.2.4.2. The Contractor shall coordinate and implement all necessary traffic control measures during the performance of preventive maintenance.

1.3.2.4.3. The Contractor shall perform quarterly preventive maintenance for Pop-Up Barrier systems in accordance with the NIST Job Plan, applicable manufacturer specifications, and manufacturer maintenance manuals.

1.3.2.4.4. The Contractor shall provide the results of the preventive maintenance to the COR upon completion.

1.3.2.5. Perform yearly preventative maintenance (PM) on pop-up barriers includes the following:

1.3.2.5.1. The Contractor shall coordinate the final scheduled date of the annual preventive maintenance (PM) and required personnel access with the Contracting Officer's Representative (COR).

1.3.2.5.2. The Contractor shall coordinate and implement all necessary traffic control measures during the performance of preventive maintenance.

1.3.2.5.3. The Contractor shall perform annual preventive maintenance for Pop-Up Barrier systems in accordance the NIST Job Plan, applicable manufacturer specifications, and manufacturer maintenance manuals.

1.3.2.5.4. The Contractor shall provide the results of the preventive maintenance to the COR upon completion.

1.3.2.6. Perform quarterly preventative maintenance (PM) on rolling gates.

1.3.2.6.1. The Contractor shall coordinate the final scheduled date of the monthly preventive maintenance (PM) and required personnel access with the Contracting Officer's Representative (COR).



UNITED STATES DEPARTMENT OF COMMERCE
National Institute of Standards and Technology
Acquisition Management Division
325 Broadway, MS 164
Boulder, CO 80305-3328

1.3.2.6.2. The Contractor shall perform preventive maintenance for LiftMaster Gate Operator and Barrier systems in accordance with the NIST Job Plan, applicable manufacturer specifications, and manufacturer maintenance manuals

1.3.2.6.3. The Contractor shall provide the results of the preventive maintenance to the COR upon completion.

1.3.2.7. Perform bi-annual preventative maintenance (PM) on rolling gates.

1.3.2.7.1. The Contractor shall coordinate the final scheduled date of the quarterly preventive maintenance (PM) and required personnel access with the Contracting Officer's Representative (COR).

1.3.2.7.2. The Contractor shall perform quarterly preventive maintenance for LiftMaster Gate Operator and Barrier systems in accordance with the manufacturer's specifications and maintenance manual.

1.3.2.7.3. The Contractor shall provide the results of the preventive maintenance to the COR upon completion.

1.3.2.8. Perform yearly preventative maintenance (PM) on rolling gates.

1.3.2.8.1. The Contractor shall coordinate the final scheduled date of the annual preventive maintenance (PM) and required personnel access with the Contracting Officer's Representative (COR).

1.3.2.8.2. The Contractor shall perform annual preventive maintenance for LiftMaster Gate Operator and Barrier systems in accordance with the manufacturer's specifications and maintenance manual.

1.3.2.8.3. The Contractor shall provide the results of the preventive maintenance to the COR upon completion.

1.3.2.9. Repair or repair by replacement includes the following:

1.3.2.9.1. The Contractor shall perform repair work on gates or pop-up barriers, which may include replacement of minor parts not to exceed \$100.00 per occurrence.

1.3.2.9.2. The Contractor shall perform repairs requiring the replacement of major components of the gates or barriers as necessary to restore full operational capability.

1.3.2.9.3. The Contractor shall provide a four (4) hour response time to repair service requests to initiate diagnosis and/or corrective action, twenty-four (24) hours per day, three hundred sixty-five (365) days per year.

1.3.2.9.4. The total value of repair services performed under this section shall have a not-to-exceed (NTE) amount for the one (1) year period of performance and shall not be exceeded without a formal contract modification.

1.3.2.9.5. The Contractor shall coordinate and implement all necessary traffic control measures during the performance of repair activities.



UNITED STATES DEPARTMENT OF COMMERCE
National Institute of Standards and Technology
Acquisition Management Division
325 Broadway, MS 164
Boulder, CO 80305-3328

1.4. OPTIONS

1.4.1. **Option 1** – Contractor shall respond to the NIST Boulder campus within 24 hours in the event the pop-up barrier located at the main entrance becomes inoperable.

1.4.2. **Option 2** – Contractor shall respond to the NIST Boulder campus within 48 hours in the event the pop-up barrier located at the main entrance becomes inoperable.

INSEPECTIONS & ACCEPTANCE

In addition to the inspection and acceptance terms articulated in the specific FAR clause that allows the Government reserves the right to perform such performance tests and evaluations as defined below to verify specified system performance. Such tests and evaluations, if performed, shall be conducted within the environment that the system is to be operated. The Contractor has the right to be present during the tests and evaluations, if performed, at the Contractor's expense.

IV. REQUIREMENTS FOR CONTRACTOR PERSONNEL

SAFETY: The Contractor employee must be responsible for knowing and complying with Attachment 1 - NIST Boulder General Contractor Requirements – Rev C, included in the contract for information on rules and requirements of performing work on the National Institute of Standards and Technology (NIST) sites in Boulder and Ft. Collins, Colorado.

SECURITY: See Attachment 1 - NIST Boulder General Contractor Requirements – Rev C, included in the contract for information on rules and requirements of performing work on the National Institute of Standards and Technology (NIST) sites in Boulder and Ft. Collins, Colorado.

IDENTIFICATION BADGES: The Contractor employee must be responsible for knowing and complying with Attachment 1 - NIST Boulder General Contractor Requirements – Rev C, included in the contract for information on rules and requirements of performing work on the National Institute of Standards and Technology (NIST) sites in Boulder and Ft. Collins, Colorado.

REFERENCE STANDARDS

The Contractor shall, without addition expense to the Government, be responsible for obtaining any necessary licenses and permits, and for complying with any Federal, State, and municipal laws, codes, and regulations applicable to the performance of the work. The Contractor shall also be responsible for all damages to persons or property that occur as a result of the Contractor's fault or negligence. The Contractor shall also be responsible for all materials delivered and work performed until completion and acceptance of the entire work, except for any completed unit of work which may have been accepted under the contract.



UNITED STATES DEPARTMENT OF COMMERCE
National Institute of Standards and Technology
Acquisition Management Division
325 Broadway, MS 164
Boulder, CO 80305-3328

V. SCHEDULE OF DELIVERABLES

Deliverable Number	Description	Format	Due Date	Quantity
1	Final Schedule	Microsoft Project	14 Days After Project Award	1
2	Site-Specific Safety Plan	PDF	14 Days After Project Award	1
3	JHA	PDF	Before Maintenance Begins	1
4	Preventative Maintenance Records	PDF	14 Days After Work Is Completed	1

STANDARDS OF ACCEPTANCE: See Attachment 1 - NIST Boulder General Contractor Requirements – Rev C, included in the contract for information on rules and requirements of performing work on the National Institute of Standards and Technology (NIST) sites in Boulder and Ft. Collins, Colorado.

VI. ATTACHMENTS:

1. NIST Boulder General Contractor Requirements - Rev C
2. Site Specific Safety Plan Checklist
3. NIST Release of Claims
4. Monthly Gates and Pop-Up Barrier NIST Job Plan
5. Quarterly Gates and Pop-Up Barrier NIST Job Plan
6. Annual Gates and Pop-Up Barrier NIST Job Plan
7. JHA
8. Owner's Manuals