

STATEMENT OF WORK (SOW)

STREAMCONNECT SOFTWARE UPGRADE

1. Contract or Task Order Title: StreamConnect Software Upgrade to VERSION 4.8-- Karl Storz

2. Background: The Alexander T. Augusta Military Medical Center (ATAMMC) uses StreamConnect requires an upgrade to version 4.8 to bring the server software up to compliance with cyber security posture. This upgrade will resolve multiple critical and high vulnerabilities related to .NET framework and Apache. Failure to complete this upgrade will result in leaving the server vulnerable to exploits. StreamConnect refers to a hospital-based live streaming solution for medical imaging-streaming device for use by medical practitioners (source: co-pilot search: Q: What is Streamconnect...). For example, CVE-2024-29059 remediation of a CVSS v3.1 score is considered to be high. According to Bing.com, the CVSS Scale ranges from 0 to 10, quantifying the severity of software vulnerabilities based on standardized metrics. Failure to complete an upgrade to this software brings about a CVSS rating of 7.5, and over time can cause information processing failure to systems promoting inaccuracies and inappreciable results. Medicines and their components are mandated to accuracy for purposes of patient safety, care continuity, informed decisions about clinical diagnosis, regulatory compliances, financial accuracy, and last but not least, systematic integrity where the course of medical and clinical action has no room for failure between terms of disease and remedy that works. Successful courses of action can be applicable to other cases fortifying patient results of optimism.

“Cyber Security Posture” refers to the current status of policies, objectives, strategies, goals; the essential upgrade and future longevities to defend against cyber threats in its multitude of forms in an effort to safeguard sensitive data. Sensitive data includes but is not limited to personally identifiable information such as social security numbers and home addresses.

The **.NET Framework** is a software development framework developed by Microsoft that provides a run-time environment and a set of libraries and tools for building and running applications on Windows operating systems. It supports a variety of programming languages, such as C#, F#, and Visual Basic, and is used to create a wide range of applications, including desktop, web, mobile, and gaming applications (source: www.bing.com/Q: What is .net framework?). Apache is a free-open-source web server software that empowers users to upload their perspective websites to the Internet. It is one of the oldest web server software in the IT industry, and therefore maintenance is emphasized.

Web server software is a program that processes requests from clients (typically web browsers) and delivers web content such as HTML pages, images, videos, or other resources over the internet. It operates using the **Hypertext Transfer Protocol (HTTP)**, which is the foundation of data

communication on the World Wide Web (source: www.bing.com/Q: what is Web Server Software...”).

3. Objectives: The contractor shall provide all personnel, equipment, supplies, facilities, transportation, tools, materials, supervision, on a non-personal services basis necessary to perform the software upgrade of Stream Connect to version 4.8 and ensure complete system functionality post upgrade as defined in this Statement of Work (SOW), except for those items specified as government furnished property and services. The contractor shall meet or exceed the industry standards herein for technological upgrades purposed for the endoscope tool and associated components.

4. Scope: ATAMMC requires an upgrade to the StreamConnect software to version 4.8, to bring the server software up to compliance with cybersecurity posture. This upgrade will resolve multiple critical and high vulnerabilities related to .NET framework and Apache and should have no negative effects on associated technologies and components that were in operational compliance and performance attainment prior to software upgrade task(s).

ATAMMC uses StreamConnect as surgical-imaging and video monitoring software in local operating rooms. This allows surgical staff to capture high-definition photos and videos during procedures and securely store them in a patient’s electronic health record (EHR). The clinical media captured can be indexed, archived, and retrieved easily for quality assurance, billing, support, training, and legal documentation.

Vendor will perform the software upgrade and ensure complete system functionality post upgrade. Vendor will:

- Perform system backup for redundancy.
- Perform the version upgrade from StreamConnect 4.7 to StreamConnect 4.8
- Ensure functionality with all IP cameras and system components are working the same as prior to the upgrade.

5. Specific Tasks: N/A

6. Performance Standards: Performance standards for an endoscope tool are as follows:

- ✓ Image Quality: Standards for image resolution, clarity, and color reproduction.
- ✓ Light Source and Illumination: Guidelines for light intensity, uniformity, and safety of light sources used in endoscopes.
- ✓ Mechanical Properties: Requirements for the flexibility, durability, and strength of endoscopic instruments.

The resulting upgrade(s) shall not deteriorate or impede upon the following:

- ✓ Materials: Standards for materials to ensure they are safe and biocompatible with human tissues.
- ✓ Sterilization: Guidelines for sterilization processes to prevent infections.
- ✓ Optical Testing: Methods to assess image quality, field of view, and depth of field.

- ✓ Mechanical Testing: Procedures for testing physical durability and mechanical performance hereof.
- ✓ Electrical Safety: Ensures the electrical components of endoscopes meet safety standards to prevent hazards.
- ✓ Marking and Labeling: Requirements for clear and accurate labeling of endoscopic devices, including manufacturer information, model identification, and safety warnings. Upgrade(s) shall be consistent and promote uniformity in ID significance.
- ✓ [Documentation: Standards for technical documentation, including user manuals, maintenance instructions, and technical specifications.](#)

These standards ensure that endoscopes meet high-quality performance and safety criteria, providing reliable and safe tools for medical procedures.

7. Place of Performance: The work shall be performed at (minimum):

A.T. Augusta Military Medical Center (ATAMMC)
 IM/IT Department, OL.430
 9300 DeWitt Loop
 Fort Belvoir, VA 22193

Other sites may be added upon the approval of the parties and specifically added by a modification to the contract by the DHA Contracting Officer. No added sites are approved without the DHA Contractor Officer's consent.

7.1.1 Recognized Federal holidays Monday – Friday 7:00 AM—4:00 PM EST, except Federal Holidays.

New Year's Day	Labor Day
Martin Luther King Jr.'s Birthday	Columbus Day
President's Day	Veteran's Day
Memorial Day	Thanksgiving Day
Juneteenth Day	Christmas Day
Independence Day	

7.1.2 Hours of operation: The contractor is responsible for conducting business Monday through Friday except Federal holidays or when the Government facility is closed due to local or national emergencies, administrative closings, or similar Government directed facility closings. The contractor must at all times maintain an adequate workforce for the uninterrupted performance of all tasks defined within this SOW when the Government facility is not closed for the above reasons.

Alternate Place of Performance - Contingency Only. Contractor employees may be required to work at home, another approved activity within the local travel area or at the contractor's facility in cases of unforeseen conditions or contingencies (e.g., pandemic conditions, exercises, etc.). Any equipment such as laptops or phones provided to Contractor personnel shall be returned at

the termination of the engagement or at another time mutually agreeable to both parties. Contracting Officer Representative (COR) approval is required. Contractor shall prepare all deliverables and other contract documentation utilizing contractor resources. To the extent possible, the contractor shall use best efforts to provide the same level of support as stated in the SOW/PWS. In the event the services are impacted, reduced, compromised, etc., the Contracting Officer or the contractor may request an equitable adjustment.

8. Period of Performance: The Period of Performance shall be one (1) twelve (12) month base year, to be determined at time of award.

Period of Performance	
Base	TBD

As directed by the COR, the contractor shall continue performance in emergencies or mission essential conditions. Additionally, the contractor may be required to account for the whereabouts of their personnel should this information be requested by the COR.

9. Delivery Schedule: N/A

10. Security & Contractor Key Personnel:

The Pentagon Force Protection Agency (PFPA) is a federal law enforcement agency within the United States Department of Defense (DoD) responsible for protecting and safeguarding the occupants, visitors, and infrastructure of the Pentagon and other DoD-occupied facilities within the National Capital Region.

Contractors are required to report to (PFPA) any derogatory information that may justify an unfavorable administrative action in a personnel security or building access determination. Derogatory information includes, but is not limited to, criminal conduct, illegal drug involvement, or psychological conditions that impair judgment, reliabilities or trustworthiness's by federal stakeholders. Latent derogatory information resulting from careful investigation and analysis must be provided to the COR and Contracting Officer as promptly as possible, but in no event later than three (3) business days after the contractor becomes aware of the information.

PFPA reserves the right and prerogative to deny and/or restrict facility and information access of any Contractor employee determined by PFPA at any time during performance to be unsuitable for access and/or present a risk of compromising sensitive Government information to which they would have access under this contract.

A determination by PFPA that a person is not suitable to perform work under this contract is not a denial, suspension or revocation of a previously granted security clearance by another agency, nor shall it be interpreted as a direction or recommendation to the Contractor regarding the suitability of an affected individual for employment outside the scope of PFPA.

Key Personnel (KP) are those contractor employees the government considers imperative to the successful installation and operation of upgraded components to the endoscope apparatus. Contractor KP shall include contractor project manager(s), software engineers; and overall, endoscopy technicians. These professionals are required to be able to identify themselves at all times while within the federal government's jurisdiction such as federal hospitals, parking lots, parking garages, Military Treatment Facilities, and any other federal annexes to these specifications. Contractor personnel must be able to identify themselves using a valid driver's license and/or either a federally issued government I.D. credential or contractor issued I.D. badge upon request to federal authorities such as federal police on patrol and in guard stations (if applicable).

11. Government-Furnished Equipment (GFE)/Government-Furnished Information (GFI): Not applicable (N/A). Upgrades via Software as a Service (SaaS) may be accomplished with DHA COR approval within the scope of this contract if they are considered enhancing at no additional cost to the federal government. Any SaaS activities that are useful but outside the scope of this contract may be added if approved by the DHA Contracting Officer (CO) assigned. CO approval of additional service methods shall be in writing and in the form of a modification to this contract only as an equitable adjustment (if necessary).

12. Other Pertinent Information or Special Considerations: N/A

a. Identification of Possible Follow-on Work:

b. Identification of Potential Conflicts of Interest (COI):

According to CoPilot, a conflict of interest occurs when a person's private interests could improperly influence, or appear to influence, their professional duties or business decisions. The federal government expects all employees, contractor or otherwise, to be COI-free. Examples of Conflicts include but aren't limited to:

1. Financial Interests: accepting money from a potential vendor competing for a federal government contract where you are employed.
2. Non-financial interests: personal relationships, friendships, or rivalries that could bias decision-making.
3. Secondary employment: Jobs or roles outside the primary position that may affect performance or create opportunities for personal gain.
4. Use of confidential information: Leveraging privileged knowledge for personal benefit. Confidential information shall be protected by contractor whether it is written down or not; confidential information is communicated orally and/or in written form. If contractor is unsure about conversations, third party receipt of information or data, it should be treated as if it is "confidential information" unless otherwise stated by federal government representatives (employees) that information is not privileged.

c. Identification of Non-Disclosure Requirements. The contractor shall make a conscious effort to protect its relationship to the Defense Health Agency (DHA) by asking for or committing

privileged information when receiving or disseminating it, by asking about information's confidentiality; or, at least when orally communicating it asking the federal representative to sign a non-disclosure agreement (NDA). An (NDA) is a legally binding contract establishing confidentiality between parties to protect sensitive information from being disclosed to others. NDAs expire or can be in affect for at least three (3) years or more depending on subject matter and delicate quality.

d. Packaging, Packing and Shipping Instructions.

e. Inspection and Acceptance Criteria.

13. Section 508 Accessibility Standards. Section 508 of the Rehabilitation Act mandates that federal agencies ensure their information and communication technology (ICT) is accessible for individuals with disabilities, promoting equal access and usability is essential and in accordance with the law (source: www.bing.com/CoPilot Search: "508 Accessibility Standards"). The following Section 508 Accessibility Standard(s) (Technical Standards and Functional Performance Criteria) are applicable (if box is checked) to this acquisition.

Technical Standards

- ☐ 1194.21 - Software Applications and Operating Systems
- ☐ 1194.22 - Web Based Intranet and Internet Information and Applications
- ☐ 1194.23 - Telecommunications Products
- ☐ 1194.24 - Video and Multimedia Products
- ☐ 1194.25 - Self-Contained, Closed Products
- ☐ 1194.26 - Desktop and Portable Computers
- ☐ 1194.41 - Information, Documentation and Support

The Technical Standards above facilitate the assurance that the maximum technical standards are provided to the Offerors. Functional Performance Criteria is the minimally acceptable standards to ensure Section 508 compliance. This block is checked to ensure that the minimally acceptable electronic and information technology (E&IT) products are proposed.

Functional Performance Criteria

- ☐ 1194.31 - Functional Performance Criteria