



## DEPARTMENT OF THE NAVY

COMMANDER FLEET ACTIVITIES  
SASEBO, JAPAN  
PSC 476 BOX 1  
FPO AP 96322-0001

COMFLEACTSASEBOINST 11262.1L  
00

6 March 2020

### COMFLEACT SASEBO INSTRUCTION 11262.1L

From: Commander, Fleet Activities Sasebo

Subj: MANAGEMENT OF WEIGHT HANDLING EQUIPMENT PROGRAM

Ref: (a) NAVFAC P-307  
(b) NAVSEA OP-5 Volume 1  
(c) SECNAVINST 11260.2B  
(d) NAVCRANECENINST 11450.IC  
(e) NAVFACFEINST 11260.1  
(f) EM 385-1-1  
(g) OPNAVINST 5100.23G  
(h) ASME B30 Safety Standard Cranes and Related Equipment  
(i) NAVSHIPFACINST 11450.1  
(j) Navy Crane Center Policy Memorandum, Energy Control Program (Lockout/Tagout) for Inspection of Weight Handling Equipment  
(k) Japanese Industry Standards (JIS), JIS B8833-3, JIS B8833-2, JIS B8815, JIS B8816, JIS B8817, JIS B8818, JIS B2801 and JIS B2803  
(l) Weight Handling Equipment Original Equipment Manufacturer Manuals  
(m) COMFLEACTSASEBOINST 5500.1F

Encl: (1) Certificate of Compliance (P-1)  
(2) Contractor Crane or Rigging Operation Checklist (P-2)  
(3) Crane and Rigging Accident Report/Instructions  
(4) Contractor Crane or Multi-Purpose Machine Requirements  
(5) Contractor Crane Pass  
(6) Contractor Crane Base Entry Flow Chart  
(7) Near Miss and Unplanned Occurrence Report/Instructions  
(8) Category 2 & 3 Non-cab Operated Crane Operator's Pre-Use/Monthly Checklist  
(9) Category 1, 4 and Cab Operated Category 2 & 3 Crane Operator's Daily Checklist

1. Purpose. Establish responsibilities, requirements and procedures for the management of Weight Handling Equipment (WHE) at Commander, Fleet Activities (COMFLEACT) Sasebo, its departments and tenant commands and to ensure safety and reliability requirements are met.

a. To publish responsibilities for the management of the Weight Handling (WH) program. This instruction is not intended to be used as a reference for principles or practices of rigging or crane operations, but rather to assign roles and responsibilities of personnel as required per reference (a).

b. To establish a contract crane oversight process for contractors operating WH on COMFLEACT Sasebo and its related outlying areas. This includes:

(1) Establishing means of communication to ensure Contracting Officers provide COMFLEACT Sasebo advance notification of contracted WH entering U.S. Navy property.

(2) Establishing acceptable conditions for entry to ensure each crane, crane operator and associated rigging is safe for operation and in compliance with existing regulations and policies.

2. Cancellation. CFASINST 11262.1K. This is a complete revision and must be read in its entirety.

3. Applicability. This instruction is applicable to any entity operating or contracting the operation of WH within the confines of COMFLEACT Sasebo and its outlying areas with the exception of Naval Facilities Engineering Command Far East (NAVFACFE) Public Works Department (PWD) Sasebo. All criteria, with regards to NAVFACFE and Ship Repair Facility (SRF) Sasebo's WH programs, are covered by references (e) and (i) respectively. These requirements apply to category (CAT) 1, 2, 3 (cab and non-cab operated) and 4 cranes.

#### 4. Policy

a. Each respective department or tenant command on board COMFLEACT Sasebo will ensure all employees associated with the WH program and applicable contracts, understand and comply with the requirements per references (a) through (l) and enclosures (1) through (9) of this instruction in its entirety.

b. COMFLEACT Sasebo WHE will be managed by this instruction and references (a) thru (m).

c. NAVFAC PWD Sasebo Public Works Officer (PWO) is the designated representative of COMFLEACT Sasebo to implement the processes of enclosures (4), (5) and (6) for the safe use of non-Navy owned and operated WH within the confines of COMFLEACT Sasebo and its outlying areas.

d. All Contracting Officers involved in awarding and/or monitoring contracts in which a contractor may be required to bring a crane, any Multi-Purpose Machine (MPM), Material Handling Equipment (MHE), or construction equipment that will be used in a crane-like application to lift suspended loads on Navy property to perform work, will be in compliance with reference (f) requirements, all applicable Occupational Safety and Health Administration (OSHA) and American Society of Mechanical Engineers/American National Standards Institute (ASME/ANSI) standards, as well as OSHA 29 CFR 1919.70 for Wire Rope, OSHA 29 CFR 1918 for Long Shoring Operations, or applicable and/or equivalent Government of Japan (GOJ) standards and enclosure (4).

#### 5. Definitions



a. Weight Handling Equipment:

(1) CAT 1 Cranes. Includes cranes designated as portal, gantry (gas, diesel), hammerhead, locomotive, aircraft crash, derrick, floating, tower and container. It also includes mobile cranes such as truck, cruiser, crawler, warehouse/industrial cranes and cranes used for dragline, pile driving, clamshell, magnet and bucket work.

(2) CAT 2 Cranes. Includes cranes with a rated capacity of 20,000 pounds or greater designated as an overhead traveling (bridge), gantry, cantilever gantry, jib, pillar, pillar-jib, monorail, affixed hoist and wall. Chain falls and hoists not permanently affixed to a structure are excluded.

(3) CAT 3 Cranes. Includes cranes with a rated capacity under 20,000 pounds designated as overhead traveling (bridge), gantry, semi-gantry, cantilever gantry, jib, pillar, pillar-jib, monorail, affixed hoist and wall. Chain falls and hoists not permanently affixed to a structure are excluded.

(4) CAT 4 Cranes. Includes commercial truck mounted cranes, articulating boom cranes, pedestal mounted commercial boom assemblies (fixed length, telescoping and articulating types) attached to stake trucks, trailer, flatbeds, or railcars, or stationary mounted to piers with Original Equipment Manufacturer (OEM) rated capacities of 2,000 pounds or greater.

b. MPM. Equipment that are sometimes used as cranes to lift loads suspended by rigging gear. This equipment is sometimes referred to as construction equipment (rough terrain forklifts, telescopic handlers, bucket loaders, excavators, etc.) or material handling equipment (forklifts).

c. Load Bearing Components. These components of WHE that support the load and upon failure, could cause dropping, uncontrolled shifting or movement of the load.

d. Load Controlling Components. These components of WHE that position, restrain, or control movement of the load. A malfunction of these parts can cause dropping, uncontrolled shifting, or movement of the load.

e. Operational Safety Devices. Devices that affect the safe load lifting and handling capability of the equipment such as interlocks, limit switches, load/load moment and overload indicators with shutdown capability, emergency stop switches, radius indicating devices and locking devices.

f. Crane Rigging Gear and Miscellaneous Equipment. This is equipment that is used in weight handling operations. Rigging gear includes slings, chains, wire rope, metal mesh, synthetic rope, synthetic webbing and synthetic wound slings, links, shackles, eyebolts, swivel hoist rings, turnbuckles, portable load indicators such as dynamometers, load cells, crane scales, chain falls and hoists. Crane structures such as jib cranes, bridge cranes, monorails and davits that are not permanently mounted hoists are considered rigging gear. Crane rigging gear can include other devices such as spreader beams, plate clamps, magnets, vacuum lifters, container

6 Mar 2020

spreaders, personnel platforms, portable A-frames, portable gantries, portable floor cranes. Cranes and hoists that are procured, with, integral to and used solely in support of larger attachments integral to a piece of equipment such as threaded holes, welded lift lugs and original OEM (provided rigging gear is used for limited lifts such as offload, initial storage, reloading and shipment of that OEM product) are not considered rigging gear.

g. Crane Accident. A crane accident occurs when any of the elements in the operating envelope fails to perform correctly during operation, including operation during maintenance or testing resulting in: personnel injury or death, material or equipment damage, dropped load, derailment, two-blocking, overload, or collision (including unplanned contact between the load, crane and/or other objects).

h. Rigging Gear Accidents. A rigging gear accident occurs when any of the elements in the operating envelope fails to perform correctly during weight handling operations resulting in: personnel injury or death, material or equipment damage, dropped load, two-blocking or overload.

i. Near Misses and Other Unplanned Occurrences. Near misses and other unplanned occurrences with lessons to be learned that do not fall under the crane and rigging gear accident definitions. A near miss is a situation where an accident was avoided by mere chance or where intervention prevented an ongoing sequence of events that would have resulted in an accident.

j. Cargo Transfer. Per reference (a) the loading, unloading, moving or handling of cargo into, in, on, or out of any vessel. Cargo transfer operations performed with the use of shore-based cranes and derricks are governed by OSHA 29 CFR 1917. Mobile cranes placed aboard vessels for cargo transfer will continue to be governed by OSHA 29 CFR 1918. Other lifting, such as repair parts, spare parts, etc., associated with shipbuilding, ship repair or ship breaking, is not cargo transfer.

k. Lockout/Tagout. References (a) and (j) covers the use of the Lockout/Tagout procedures. Local instructions may be promulgated and followed but must not conflict with reference (g).

## 6. Responsibilities

a. General. All COMFLEACT Sasebo departments and tenant commands within the COMFLEACT Sasebo area of responsibility that utilize WH will adhere to the requirements of this instruction to include references (a), (d), (e), (g), (h) and (l).

b. Operators of Any Crane. Be responsible for crane and rigging operations they are participating in or observing, using WH and rigging gear within their work centers. Operators will ensure safe crane and rigging practices are being used per reference (a) and will immediately correct any identified deficiencies.

(1) Notify supervisor when any individual is temporarily physically or mentally unfit for duty and should be relieved.



(2) Only operate cranes for which they are assigned, trained and/or licensed for. Licensed operators will attend the mandatory two-year Navy Crane Center (NCC) refresher training. CAT 3 crane operators will re-take the CAT 3 crane safety course every three years per reference (a).

(3) Know the limitation and capabilities of their assigned crane. Familiarize themselves with the crane and its proper use and care.

(4) In addition to the above, the operator will comply with the safety rules described in reference (a).

c. Work Center Supervisors that Utilize CAT 1 through CAT 4 Cranes

(1) Assign crane teams, including operators, riggers-in-charge, crane walkers and riggers as required ensuring all lifts are accomplished safely.

(2) Ensure pre-job briefings are conducted to discuss the details of the lift to include as a minimum the weight of the item to be lifted and individual specific responsibilities, the travel path and any obstructions.

(3) Ensure each qualified operator performs a pre-operational inspection of the crane utilizing enclosures (8) and (9) of this instruction. This is in addition to any required checks by the OEM per reference (1).

(4) Immediately removing cranes from service and notify NAVFAC PWD Sasebo Transportation Maintenance, Inspection, Testing Certification (MITC) department at 252-2256 or 252-2746 when damage or malfunctions occur and/or identified to load bearing, load controlling or safety devices.

(5) Only use rigging gear that can be verified that it is in a rigging program, i.e., it has a unique identification number either stamped on the gear or on a tag attached to the gear. All rigging gear must be visually inspected for damage prior to use.

(6) Develop, maintain and continuously improve shop and trade processes.

(7) Ensure personnel assigned to perform crane or rigging tasks are properly trained and qualified per reference (a).

(8) Ensure critical lift plan written instructions are distributed to members of the crane team, including contracted crane operators, in advance of the lift to ensure all personnel are properly prepared per reference (a).

(9) Ensure that Operator Daily Checklists are properly performed and documented in the format of enclosure (9) and forwarded to NAVFAC PWD Sasebo Transportation MITC at Building 203. This applies to all active CAT 1, 2 and 4 cranes.

(10) Ensure that an Operator's Pre-Use/Monthly Check List (OMCL) per reference (a) are performed and documented in the format of enclosure (8). For the daily pre-use inspection of all non-cab operated CAT 3 cranes; a laminated OMCL form must be posted near the crane and grease pencil will be used to fill out the form. A supervisor must sign the form prior to operation. Once the operation has been completed for that day, the laminated form will be erased. On the first work day of every month this form needs to be filled out in pen and signed by the supervisor and original, signed, hard copy forwarded to NAVFAC PWD Sasebo Transportation MITC.

(11) Identify and appoint a shop rigging gear custodian to work with the NAVFAC PWD Sasebo Transportation Rigging Inspector to ensure all rigging gear is tested and inspected per reference (a). If any damage is identified, ensure the custodian reports the damage to NAVFAC PWD Sasebo Transportation Rigging Inspector at 252-2204.

(12) Ensure cranes utilized by the individual department or tenant commands identified with defects or malfunctions are documented on the pre-use checklist and this information is relayed to NAVFAC PWD Sasebo Transportation MITC for action at 252-2256 or 252-2746 before continuing to operate the crane.

(13) Ensure the performance and documentation of operation surveillances are conducted and filed for the period of one year.

d. Weight Handling Equipment Program Representative. Responsible for all aspects of the individual commands WH program and is responsible for the safe operation of WH at the activity.

(1) Functions as the primary contact point between the individual command and NAVFAC PWD Sasebo Transportation, on all matters pertaining to the WH program.

(2) Provide oversight for the individual command's WH program.

(3) Responsible for ensuring crane inspection, repair, testing and certification for cranes and rigging gear utilized by the individual command are current by periodically inspecting certification tags on the crane or rigging gear. If the crane or rigging gear is out of certification or the tag is missing, contact NAVFAC PWD Sasebo Transportation MITC at 252-2256 or 252-2746.

(4) Ensure that all personnel utilizing any crane or rigging gear has been trained and qualified per the requirements of reference (a).

(5) Monitoring rigging gear inventory and rigging operations. Ensuring that deficiencies are identified and reported to NAVFAC PWD Sasebo Transportation Rigging Inspector at 252-2204.

(6) Provide procedures including sketches where required for critical lifts per reference (a). If the requirement for the lift is beyond the Weight Handling Equipment Program



Representative's capability, he/she will contact NAVFAC PWD Sasebo Transportation MITC for assistance to ensure the plan and procedure is safe and sound.

e. Rigging Gear Custodian. Responsible for the upkeep of rigging gear maintained in their individual command/department per reference (a) and any applicable individual command/department directives. Other duties include:

(1) Ensure all new rigging gear has appropriate certification paperwork prior to putting a new piece of rigging gear into service, perform an initial load test, an initial visual inspection, label each item to clearly show the certification status, rated load and Identification number.

(2) Establish and maintain procedures to perform periodic visual inspections or testing on applicable rigging gear at the proper intervals. Maintain complete and accurate records of these inspections or tests. Be familiar with inspection, rejection and use criteria of each piece of rigging gear per reference (a).

(3) Ensure that all work center supervisors maintain an accurate inventory of all rigging gear.

(4) Maintain tickler file for their commands/departments rigging gear inventory, inspection and load test results.

(5) Provide rigging gear in a centralized location for re-certification as required.

f. Contracting Officer. Each Contracting Officer/Government Credit Card holders involved in awarding and/or monitoring contracts which WHE is used on Navy property to perform work will:

(1) Ensure compliance with this instruction and reference (a) and enclosure (4).

(2) Ensure that contracts which may involve crane work contain all applicable provisions/requirements as identified in NAVFAC P-307.

(3) All Contracting Officers involved in awarding and/or monitoring contracts in which a contractor may be required to bring a crane, MPM, MHE or construction equipment that will be used in a crane-like application to lift suspended loads on COMFLEACT Sasebo property, will invoke applicable reference (a) and (i) requirements, reference (k) and all applicable Law of the Japanese Government.

(4) Notify NAVFAC PWD Sasebo Transportation Contractor Crane Oversight Manager and the COMFLEACT Sasebo Security Department in advance when a contractor crane or MPM is scheduled to enter Navy property. Accordingly, the Contracting Officer will be the primary point of contact for reporting concerns regarding contractor crane or MPM operation believed to be in violation of safety and/or contractual requirements. The Contracting Officer will be notified when a contractor crane or MPM requests COMFLEACT Sasebo property access outside of normal working hours.

(5) Ensure that personnel conducting contractor crane surveillance complete the Contractor Crane Awareness (NCC-CCA-02) training.

(6) Enclosure (2) will be used to document oversight of contractor crane operations by personnel.

(7) Copies of all completed surveillance forms will be retained for a minimum of two years from the date of surveillance. Copies will be provided to NAVFAC PWD Sasebo Transportation upon request.

g. NAVFAC PWD Sasebo Transportation Contractor Crane Oversight Manager

(1) NAVFAC PWD Sasebo Transportation Contractor Crane Oversight Manager, in coordination with Contracting Officer(s) or their designated representatives, upon entry of the crane or MPM to COMFLEACT Sasebo Area of Responsibility (AOR) or prior to the crane/machine used, will perform the following:

(a) Verify contractor-operated cranes are GOJ certified. The GOJ certification will be applicable to all cranes working on Navy property to include cranes placed aboard barges, other vessels and floater cranes. **NOTE:** Only equipment or vehicles designed to perform the intended work are to be used by contractor personnel. Verify the contractor is aware of the applicable wire rope breaking strength.

(1) Verify that MPMs, MHE and construction equipment used to lift loads suspended by rigging equipment, have the required proof or authorization from the machine OEM that the machine is capable of making lifts of suspended loads.

(2) Verify that contractor-owned, leased and/or rented rigging gear used on COMFLEACT Sasebo by contractor personnel is inspected, as specified by the manufacturer, or by a qualified contractor representative and meets the GOJ requirements.

(3) Verify that contractor personnel operating contractor-owned, leased, and/or rented cranes or MPM on COMFLEACT Sasebo property are fully qualified and trained to perform their assigned work prior to starting work.

(a) Qualification of crane personnel will be by a source that qualifies crane operators, such as an independent testing and qualifying company, a union, a government agency, or a qualified consultant. Qualified consultants can be from an in-house resource; however, in-house consultants must provide objective evidence that he/she has the credentials of a qualified consultant to the satisfaction of the Crane Certifying Officer.

(b) For mobile cranes and commercial truck cranes with OEM rated capacities of 2,000 lbs. or greater, the crane operator will be designated as qualified by a source that qualifies crane operators (i.e., a union, a government agency, or an organization that tests and qualifies crane operators). Proof of current qualification will be provided. Refer to enclosure (6)



for Contractor Crane Base Entry Flow Chart.

(2) Observe, in coordination with the Contracting Officer or his/her designated representative, the contractor's initial inspection of each crane, MPM to be used as a crane and rigging gear prior to the contractor starting work on board COMFLEACT Sasebo property.

(a) To the extent supportable with available resources and commensurate with risk, observation of contractor inspection(s) will be conducted upon delivery of the crane, MPM and rigging gear to COMFLEACT Sasebo property by the contractor. This observation may include the Contracting Officer or his/her designated representative, or a designated NAVFAC PWD Sasebo Transportation representative.

(3) **CAUTION:** Contracting Officer(s), Regional Crane personnel, or respective representatives WILL NOT inspect the crane(s), alternate equipment, or rigging gear for acceptance. It will be the sole responsibility of the contractor to assure the Contracting Officer or government representative that the crane/equipment and associated rigging gear are in good working order and safe for use. Disagreement as to the satisfactory condition of the crane/equipment and/or rigging gear will be resolved between the Contracting Officer and the contractor via appropriate contractual means; however, if safety requirements are being violated, these personnel are authorized to stop the unsafe act and contact the Contracting Officer for resolution.

(4) In coordination with Contracting Officers or their designated representatives, will spot check crane operations and MPM and associated rigging equipment used to lift suspended loads in crane like applications and report unsafe practices to the respective Contracting Officer. This process along with the checklist is provided as enclosures (1) and (2) and will include the following:

(a) Monitor contractor operations. Findings will be formally issued to the respective Contracting Officer and/or agency that will be responsible to notify the contractor to correct the problem and immediately suspend operations as deemed appropriate. A formal response in writing to the surveillance report will be required.

(b) Observe how the contractor has set up the crane or MPM at the work site to verify the crane/MPM is safe for operation and cribbing is installed if required.

(5) **CAUTION:** NAVFAC PWD Sasebo Transportation Contractor Crane Oversight Manager will not replace nor hinder standing Contracting Officer's responsibility and/or authority. Also, will not stop work unless there is an imminent danger operation in progress.

h. NAVFAC PWD Sasebo Transportation MITC Department. Responsible for maintenance, inspection, annual condition inspection, load test, certification of CAT 1 through CAT 4 cranes, and also for maintenance, certification, inspection and disposal of rigging gear used in all crane and rigging applications, per references (a) through (d) and (j).



6 Mar 2020

i. NAVFAC PWD Sasebo PWO. PWO is the designated representative for COMFLEACT Sasebo to implement the processes for the safe use of non-Navy owned and operated WH within the confines of COMFLEACT Sasebo AOR.

(1) NAVFAC PWD Sasebo Transportation is designated to perform maintenance, inspection, testing and certification (MITC) on all WHE under COMFLEACT Sasebo AOR with the exception of: SRF Sasebo's portal crane and rigging gear; and Naval Munitions Command (NMC) Detachment Sasebo's OP5 rigging gear.

(2) NAVFAC PWD Sasebo Transportation will adhere to the requirements of references (a), (c), (e), (f), (g) and (l). SRF will adhere to references (a), (c), (h), (i) and (l). NMC will adhere to the requirements of (b) for their rigging gear and crane operations. All navy ships will adhere to their local command instructions and the NAVSEA publication for crane and rigging operations. Copies of all WH accidents reports, which occur within the confines of COMFLEACT Sasebo property and its outlying areas, will be provided to NAVFAC PWO and COMFLEACT Sasebo Safety.

(3) Coordinate engineering support for the COMFLEACT Sasebo WH Program as needed and seek reach-back support from NAVFACFE and NCC as appropriate. Engineering support will be determined through consensus of the Certifying Official, the Test Director and Engineering. This support will be on a case by case basis. Types of support may include: determination of the capacity of crane and hoist supports, i.e., rails, posts, pad eyes, etc., providing plans and structural analysis for alterations or modifications to load bearing and load controlling components on WH and corrosion analysis.

j. COMFLEACT Sasebo Security Department

(1) Security personnel will direct all primary and subcontractors attempting to enter Navy property with a crane or MPM to be used for lifting operations to the COMFLEACT Sasebo Truck Inspection Zone.

(2) The Security gate guard will complete the security log per Security Departments SOP's and Post Orders and notify the NAVFAC PWD Sasebo Transportation Contractor Crane Oversight Manager at 252-2740. After hours emergency notification will be referred to Security Dispatch for NAVFAC PWD Transportation recall list.

(a) Every crane or MPM entering the base is required to have a certificate of compliance, enclosure (1) and contractor crane pass, enclosure (5), posted in the operator's cab (or in the case of non-cab operated machinery, in the contractor's on-site office for rigging operations).

(b) **NOTE:** These steps are in addition to the normal base access entry procedures reference (m) for contractors with trucks entering COMFLEACT Sasebo and its outlying areas.

(3) Security personnel assigned to gate guard duty outside of normal working hours, will stop each outside entity-operated crane or MPM at the gate. The security guard will gather the



above required information and annotate in the security log book. Contractor cranes and MPM will not be allowed entry access to the base outside of normal working hours unless complete and thorough prior arrangements have been made.

(4) In the case of commercial trucks that transport materials and incorporate a crane as a part of the vehicle (CAT 4 cranes), entry will be allowed to the base with a certificate of compliance, enclosure (1), that states the following conditions:

(a) Cargo will be transferred by some means other than the attached crane.

(b) A CAT 4 crane pass, enclosure (5), will be present in the window or cab. The pass must be filled out in its entirety and signed by the NAVFAC PWD Sasebo Transportation Contractor Crane Oversight Manager prior to letting the crane enter the base.

(5) To ensure positive security from the water-side of Navy property, it is imperative that actual arrivals of commercial and Government floating cranes match scheduled arrivals. If the crane is not scheduled, its arrival is not considered legitimate for security reasons. All scheduled floating cranes must be reported to the Port Operations Department in advance of the scheduled arrival.

k. COMFLEACT Sasebo Port Operations Department. Notify NAVFAC PWD Sasebo Transportation Contractor Crane Oversight Manager at 252-2740 a minimum of three working days in advance of all scheduled arrivals of floating cranes at Navy property, docks and piers, and associated Government controlled waterfront locations or sites.

## 7. WH Accidents, Near Misses, and Unplanned Occurrences

a. WH Accidents. Required procedures applicable to all WH accidents within COMFLEACT Sasebo and its associated properties. These requirements pertain to all tenant commands onboard COMFLEACT Sasebo and contractor owned/operated cranes. This does not pertain to ship mounted cranes that fall under NAVSEA.

(1) Crane accident investigation and reporting will be done in accordance with reference (a) and this instruction. The activity responsible for the crane operation at the time of an accident will be responsible for filling out the accident report and submitting it to NCC. When COMFLEACT Sasebo is the activity, the department responsible for the crane operation at the time of an accident will complete the accident report and submit it to NAVFAC PWD Sasebo Transportation. NAVFAC PWD Sasebo Transportation will submit all reports for COMFLEACT Sasebo departments. Copies of all reports will be provided to NAVFAC PWO and COMFLEACT Sasebo Safety.

(2) NAVFAC PWO will conduct an accident review board for all crane accidents on board COMFLEACT Sasebo property to determine root cause and corrective actions to prevent the same type of accidents from recurring. SRF crane accident review boards will be conducted by SRF with results forwarded to NAVFAC PWO and COMFLEACT Sasebo Safety.

(3) Upon having an WH accident or having seen evidence of damage (suspected accident), the crane team, riggers, equipment users, etc., will stop all operations and notify immediate supervisor(s). If there is impending danger to the equipment or personnel, place the crane and/or load in a safe position prior to notifying supervision.

(4) The accident scene will remain secured and undisturbed so as to facilitate the official investigation.

(5) The supervisor will review the situation and take any further emergency action; including stopping production work or other operations that could aggravate the situation.

(6) The supervisor will notify:

(a) Applicable chain of command/Contracting Officer.

(b) COMFLEACT Sasebo Public Works Officer.

(c) COMFLEACT Sasebo Safety Officer .

b. WH Near Misses and Other Unplanned Occurrences. Near misses and other unplanned occurrences with lessons to be learned that do not fall under the crane and rigging gear accident definitions will be reported as follows:

(1) Report these occurrences using enclosure (7) of this instruction.

(2) Within 30 days of the occurrence the WH Near Miss report must be sent to NCC with lessons learned and plan of action to prevent the same thing from occurring again.

(3) Copies of all WH Near Miss Reports will be sent to NAVFAC PWO and COMFLEACT Sasebo Safety Office within 30 days of occurrence.

c. Reporting Responsibilities

(1) The responsible party will notify NAVFAC PWO of any WH accident. Additionally, the responsible party will notify NCC of an accident involving a fatality, in-patient hospitalization, overturned crane, collapsed boom, or any other major damage to the crane or adjacent property within 8 hours of the accident. For all other accidents, notify NCC as soon as practical but no later than three working days after the accident.

(2) For cranes operated by COMFLEACT Sasebo departments, NAVFAC PWO will be the responsible party to submit the crane accident report to NCC.

(3) For cranes operated by tenant commands the individual command will be the responsible party to submit the crane accident report to NCC. Copies of all correspondence will be sent to NAVFAC PWO and COMFLEACT Sasebo Safety.



(4) In the event of an accident involving a contractor crane, the Contracting Officer is the responsible party for submitting the crane accident report to NCC for accidents involving a contractor under their cognizance. The Contracting Officer will notify NCC of an accident involving a fatality, in-patient hospitalization, overturned crane, collapsed boom, or any other major damage to the crane or adjacent property within 8 hours of the accident. For all other accidents, notify NCC as soon as practical but no later than three working days after the accident. Copies of all correspondence will be sent to NAVFAC PWO and COMFLEACT Sasebo Safety.

(a) Contracting Officers will require the contractor to provide the Contracting Officer within 30 days of any accident, the Crane and Rigging Gear Accident Report using enclosure (3) of this instruction. Reports will include a summary of circumstances, an explanation of causes(s), photographs (if available), and corrective actions taken. These notifications and reporting requirements are in addition to those promulgated by OPNAVINST 5100.23.

(b) NAVFAC PWD Sasebo Transportation can provide the Contracting Officer assistance in investigative actions, ensuring that the report is in accordance with current requirements and that the accident reports submitted by contractors contain the appropriate level of detail to identify the root cause. The Contracting Officer will sign all crane and rigging accident and near miss reports to indicate that they are satisfied with the contractor's investigation and corrective actions are sufficient. **CAUTION:** NAVFAC PWD Sasebo Transportation assistance in investigative action(s) will be as a subject matter expert. The responsibility for the report is between the contractor and the Contracting Officer.

d. WH Accident Report Tracking

(1) For COMFLEACT Sasebo departments, NAVFAC PWD Sasebo Transportation will track corrective actions identified in the crane accident reports and will establish a corrective action tracking system to ensure all actions to prevent recurrence are carried through to completion.

(2) All other tenant commands are encouraged to do the same.

8. Records Management. Records created as a result of this instruction, regardless of media and format, must be managed per Secretary of the Navy Manual 5210.1 of January 2012.

9. Review and Effective Date. Per OPNAVINST 5215.17A, 00 will review this instruction annually on the anniversary of its effective date to ensure applicability, currency, and consistency with Federal, Department of Defense, Secretary of the Navy, and Navy policy and statutory authority using OPNAV 5215/40 Review of Instruction. This instruction will automatically expire five years after effective date unless reissued or canceled prior to the five-year anniversary date, or an extension has been granted.

  
B. L. STALLINGS



# AND RIGGING GEAR REQUIREMENTS

## CERTIFICATE OF COMPLIANCE

This certificate shall be signed by an official of the company that provides cranes (or multi-purpose machines, MHE, or construction equipment used to lift loads suspended by rigging gear) or rigging gear for any application under this contract. Post a completed certificate on each crane or alternate machine (or in the contractor's on-site office for rigging operations) brought onto Navy property.

本証明書は本契約の下、あらゆる目的のためにクレーン（又は玉掛け用具で荷物を吊上げる事に使用される多目的機器・フォークリフト・建設機器）を用意する会社の役員の署名を必要とする。記入済み証書を海軍施設内に持ち込む各クレーン又はクレーンに代わる機器（当該機器が関与しない玉掛けのみの作業については業者の現場事務所内）に掲示すること。

|                                                                                                                                                                                                                                            |  |                                                                                    |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------------------------------------------------------------------------|
| CONTRACTING OFFICER'S POINT OF CONTACT 契約担当官の連絡先<br>(Government Representative) (アメリカ政府代表者) :                                                                                                                                              |  | PHONE 電話番号 :                                                                       |
| PRIME CONTRACTOR/PHONE 主契約業者/電話番号 :                                                                                                                                                                                                        |  | CONTRACT NUMBER 契約番号 :                                                             |
| LOCATION (To include building / pier number or specific information to identify work location.<br>In case a contract involves multiple work locations, list all of them)<br>作業現場 (建物/岸壁番号、もしくは作業現場を特定できる具体的な情報を記入。複数の場所で作業を行う場合は全ての現場名を記入) |  | CRANE/RIGGING OPERATION PERIOD<br>クレーン/玉掛け作業期間                                     |
| CRANE OR ALTERNATE MACHINE SUPPLIER/PHONE(if different from prime contractor)<br>クレーン又はクレーンに代わる機器の供給業者/電話番号                                                                                                                                |  | START DATE 開始日      END DATE 終了日                                                   |
| CRANE OR ALTERNATE MACHINE MANUFACTURER/TYPE/CAPACITY クレーン又はクレーンに代わる機器の製造者/形式/容量 :                                                                                                                                                         |  | CRANE OR ALTERNATE MACHINE NUMBER (i.e., ID number)クレーン又はクレーンに代わる機器の番号 (例 識別番号等) : |
| CRANE OR ALTERNATE MACHINE OPERATOR'S NAME(S) クレーン又はクレーンに代わる機器の運転士名 (複数可) / 免許証番号 :                                                                                                                                                        |  |                                                                                    |

I certify that 私は下記を証明します。

1. The above noted crane or alternate machine and all rigging gear conform to applicable OSHA regulations (host nation regulations for naval activities in foreign countries) and applicable ASME B30 or other standards. The following OSHA regulations and ASME or other standards apply:

1.上記のクレーン又はクレーンに代わる機器および付属の玉掛け用具は該当するOSHA（アメリカ労働省労働安全保健局）の規則（アメリカ国外に駐留する海軍基地においては現地の法令および規則）および該当するASME B30規格に準拠している。

次のOSHA規則およびASME規格を適用する :

2. The operators noted above have been trained and are qualified for the operation of the above noted crane(s) or alternate machine(s).

2.上記の運転士は本記載のクレーン又はクレーンに代わる機器を運転する訓練を受け運転資格を所持している。

3. All safety devices and operator aids are enabled and functioning properly and the operators noted above have been trained not to bypass safety devices and operator aids during lifting operations.

3.上記の運転士はクレーン作業中に安全装置を解除しないよう教育を受けている。

4. The operators, riggers and company officials are aware of the actions required in the event of an accident as specified in the contract.

4.上記の運転士・玉掛け作業員・会社役員は当該契約中に規定する事故発生時の処置を承知している。

5. Signal persons used in construction work are qualified in accordance with 29 CFR 1926.1428.

建設作業に従事する玉掛け合図者は29 CFR 1926.1428.に準拠した資格要件を満たしていること。

6. Riggers are qualified in accordance with NAVFAC P-307, paragraph 11.1.k.

玉掛け作業人員はNAVFAC P-307（パラグラフ11.1.k）に準拠した資格要件を満たしていること。

7. All personnel working on the job site have been trained to not stand under a load or in the fall zone of a suspended load unless specifically allowed by USACE EM 385-1-1.

作業現場の全人員は吊り荷の下、もしくは吊り荷の落下が予想されるエリアに入らないよう訓練を受けている（USACE EM 385-1-1で明確に許可されている場合を除く）。

COMPANY OFFICIAL SIGNATURE 会社役員の署名 :

DATE 日付 :

COMPANY OFFICIAL NAME/TITLE 会社役員の氏名/役職名 :

CERTIFICATE OF COMPLIANCE EXPIRATION DATE:  
コンプライアンス証書失効日付 :

### POST ON CRANE (OR ALTERNATE MACHINE) (IN CAB OR VEHICLE)

クレーン（又はクレーンに代わる機器）に掲示（運転室または車両）

(or in the contractor's on-site office for rigging operations)

(当該機器が関与しない玉掛けのみの作業については業者の現場事務所内に掲示)



|    |                                                                                                                                                                                                                                                                                                        |  |  |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| 1  | Is the Certificate of Compliance, P-1, in the operator's cab (or in the contractor's on-site office for rigging operations) with the current operator's name listed?<br>運転室内（玉掛け作業については業者の現場事務所内）に現在操作している運転士の名前が記載されたコンプライアンス証書（P-1）があるか？                                                             |  |  |
| 2  | Is the crane/machine transited to and from the job site correctly? Are the OEM instructions for travel being followed?<br>クレーン/機器は作業現場へ（から）正しく搬送されているか？製造メーカーの走行手順が順守されているか？                                                                                                                           |  |  |
| 3  | Does the operator know the weight of the load to be lifted?<br>運転士は吊り上げる荷物の重量を知っているか？                                                                                                                                                                                                                  |  |  |
| 4  | Is the load to be lifted within the crane/machine manufacturer's rated capacity in its present configuration?<br>荷物の重量は現在のクレーン/機器のセッティングにおいて製造メーカーの定める定格容量以内にあるか？                                                                                                                                      |  |  |
| 5  | Are outriggers/stabilizers required and, if so, are they properly extended and down?<br>アウトリガー又はスタビライザーは必要か？もしそうであれば適切に張り出され設置されているか？                                                                                                                                                                  |  |  |
| 6  | If outrigger/stabilizers are used, and the wheels are not off the ground is this the correct setup in accordance with the OEM?<br>アウトリガーが使用され、クレーンのタイヤが地面から離れていない場合、これは製造メーカーの手順に準拠した正しいセットアップか？                                                                                                       |  |  |
| 7  | Is the crane/machine level and on firm ground, or if the ground is not firm are adequate supporting materials provided?<br>クレーン/機器は水平で堅固な地面にあるか？もし地面が堅固でないならば、クレーン/機器に適切な敷板が使用されているか？                                                                                                                  |  |  |
| 8  | If supporting materials are provided, is the entire surface of the outrigger/stabilizer pad supported and is the supporting material of sufficient strength to safely support the loaded outrigger/stabilizer pad?<br>敷板が使用されている場合、アウトリガーパッドの全面が敷板によって支持されているか？十分な強度を持つ敷板が荷物が掛かったアウトリガーパッドを安全に支持しているか？ |  |  |
| 9  | If outriggers/stabilizers are not used, is the crane/machine rated for on-rubber lifts by the OEM's load chart?<br>アウトリガーが使用されない場合、クレーン/機器は製造メーカーの荷重表でタイヤ接地状態による吊り上げが定められているか？                                                                                                                         |  |  |
| 10 | Is the swing radius of the crane counterweight clear of people and obstructions and are accessible areas within the swing area barricaded to prevent injury or damage?<br>クレーンのカウンターウェイト旋回範囲内に人や障害物がないか？旋回範囲内の立ち入り可能な区域はケガや損傷を防止するためにバリケードでふさがれているか？                                                   |  |  |
| 11 | Has the hook been centered over the load in such a manner to minimize swing?<br>フックは荷振れを最小限にするために荷物の中心の真上に置かれているか？                                                                                                                                                                                     |  |  |
| 12 | Is the load well secured and balanced in the sling or lifting device after it is lifted a few inches for verification?<br>荷物が数インチ以上吊り上げられた後、スリングや吊具で十分に締められてバランスが取られているか確認されているか？                                                                                                                      |  |  |
| 13 | Is the lift and rotation path clear of obstructions?<br>吊り上げ及び旋回経路に障害物がないか？                                                                                                                                                                                                                            |  |  |
| 14 | If rotation of the load being lifted is hazardous, is a tag or restraint line being used?<br>吊り上げられている荷物の回転が危険な場合、タグライン（介錯ロープ）、引き綱が使用されているか？                                                                                                                                                           |  |  |
| 15 | Are personnel prevented from standing or passing under a suspended load?<br>人員が吊荷の下に立つことや通行するのを防止されているか？                                                                                                                                                                                               |  |  |
| 16 | Is the operator paying full attention to the signal person?<br>運転士は合図者に対して十分な注意を払っているか？                                                                                                                                                                                                                |  |  |
| 17 | Are proper signals being used? Is the operator responding properly to the signals? Are radios used for blind lifts?<br>適切な合図が使われているか？運転士は適切に合図に反応しているか？運転士から荷物が見えない吊上げ（ブラインドリフト）には無線機が使用されているか？                                                                                                        |  |  |
| 18 | Are empty hooks lashed or otherwise secured during travel to prevent swinging?<br>走行時の振れを防止する為に空のフックは紐等で固定されるか、もしくは別の方法で固定されているか？                                                                                                                                                                      |  |  |
| 19 | Does the operator remain at the controls while the load is suspended?<br>荷物が吊られている間、運転士は操作場所（操縦席）に留まっているか？                                                                                                                                                                                             |  |  |
| 20 | Does the operator ensure that side loading is prohibited?<br>運転士は荷物の横引きが禁止されていることを徹底しているか？                                                                                                                                                                                                             |  |  |
| 21 | Are personnel prevented from riding on a load?<br>荷の上に人員が乗ることが防止されているか？                                                                                                                                                                                                                                |  |  |
| 22 | Are start and stop motions in a smooth fluid motion (no sudden acceleration or deceleration)?<br>クレーン操作において始動と停止の動きはスムーズであるか？（急加速又は急減速は禁止）                                                                                                                                                             |  |  |
| 23 | Is the lift a critical lift?<br>実施する吊り上げ作業は危険度が高い作業か？                                                                                                                                                                                                                                                  |  |  |
| 24 | If so, is a lift plan provided and understood and check-off sheets initialed and signed off?<br>もしそうならば、吊り作業計画が作成、理解され、チェックシートにイニシャル、署名が記載されているか？                                                                                                                                                      |  |  |
| 25 | If overhead power lines are in the vicinity, is a critical lift plan provided addressing the requirements of 29 CFR 1926.1407-1411?<br>架空送電線が作業場所付近にある場合、29 CFR 1926.1407-1411の要件を満たしたクリティカルリフトプランが作成されているか？                                                                                           |  |  |

FIGURE P-2 (1 of 2)



# CONTRACTOR CRANE OR RIGGING OPERATION CHECKLIST

## 契約業者クレーン及び玉掛け作業チェックリスト

|                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                          | YES<br>はい                   | NO<br>いいえ | N/A<br>該当なし |
|----------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-----------|-------------|
| 26                                                                                                                                           | If pick and carry operations are allowed and performed, are OEM directions followed? (e.g. rotation lock engaged, boom centered over front or rear, etc.)?<br>もしクレーン/機器の走行吊り作業が許可されていて実行される場合、製造メーカーの手順が順守されているか？<br>(例えば旋回ブレーキロックが掛けられる、ブームが前方もしくは後方の中心に来る様に合わせる、等)                                                                                                     |                             |           |             |
| 27                                                                                                                                           | When the crane / machine is left unattended, is it in a safe condition?<br>クレーン/機器は運転士が離れている時、安全な状態にあるか？                                                                                                                                                                                                                                                                 |                             |           |             |
| 28                                                                                                                                           | Is rigging gear undamaged and acceptable for the application?<br>玉掛け用具は損傷なく使用用途に適しているか？                                                                                                                                                                                                                                                                                  |                             |           |             |
| 29                                                                                                                                           | Does rigging gear meet applicable ASME or host country standards( e.g. ASME B30.9 for slings, B30.10 for hooks, B30.26 for hardware such as shackles, safety hoist rings, eyebolts, etc, B30.20 for below the hook lifting devices, etc.)?<br>玉掛け用具は適用可能なASME、又は現地の法令及び規則を満たしているか？ (例えばASME B30.9 スリング、B30.10 フック、B30.26 シャックル、安全吊上リング、アイボルト等の様な金属製品、B30.20 フック下の吊上装置、等) |                             |           |             |
| 30                                                                                                                                           | Was the rigging gear inspected prior to use?<br>玉掛け用具は使用前に検査されたか？                                                                                                                                                                                                                                                                                                        |                             |           |             |
| 31                                                                                                                                           | Is sling protection used to protect slings (especially synthetic slings) and equipment from damage due to abrasion and sharp corners and edges?<br>スリング (特に繊維スリング) や器具を鋭い角や端部の損傷から保護するために当て物用具が使用されているか？                                                                                                                                                                 |                             |           |             |
| 32                                                                                                                                           | Is the rigging gear used in accordance with its working load limit? Is the working load limit marked on the rigging gear?<br>玉掛け用具はその作業制限荷重に従って使用されているか？その制限荷重は明白に表示されているか？                                                                                                                                                                                              |                             |           |             |
| 33                                                                                                                                           | Are positive latching devices (or "mousing") used on crane and rigging hooks?<br>クレーンと玉掛け用具のフックに確実な掛け金装置が使用されているか？                                                                                                                                                                                                                                                       |                             |           |             |
| 34                                                                                                                                           | If a mobile crane is used on a barge, are all rules of 29 CFR 1926.1437(construction) being followed?<br>移動式クレーンがバージ上で使用されるならば、29 CFR 1926.1437 (建設) の全てのルールが順守されているか？                                                                                                                                                                                                   |                             |           |             |
| 35                                                                                                                                           | If a mobile crane is used on a barge are the outriggers/stabilizers blocked or are the crawlers traveling in a defined space as allowed by 29 CFR 1926.1437 (construction)?<br>移動式クレーンがバージ上で使用されるならば、アウトリガー/スタビライザーが固定されているか？クローラークレーンであれば29 CFR 1926.1437 (建設) で許可された定められたスペースを移動しているか？                                                                                 |                             |           |             |
| 36                                                                                                                                           | For floating cranes, are rules of 29 CFR 1915 (ship repair) or 29 CFR 1926.1437 (construction) being followed?<br>海上クレーンでは、29 CFR 1915 (艦船修理) もしくは29 CFR 1926.1437 (建設) のルールが順守されているか？                                                                                                                                                                                   |                             |           |             |
| 37                                                                                                                                           | If a multi-purpose machine, forklift, or construction equipment is being used, is there proof from the OEM (or qualified PE) that the machine is approved for suspended load lifting and is there a load chart?<br>多目的機器、フォークリフト、建設機械が使用されるならば、製造元 (もしくは有資格エンジニア) から当該機器が吊り荷作業に使用されることを許可する証明があるか？また定格総荷重表はあるか？                                                          |                             |           |             |
| 38                                                                                                                                           | If a personnel lift is being performed with a crane or base mounted hoist, are all requirements of NAVFAC P-307, paragraph 11.1.g(5) for a crane or 11.1.m for a base mounted hoist being followed?<br>クレーンまたは基盤設置型ホイストで人員の吊り上げを行う場合、NAVFAC P-307、パラグラフ11.1.g(5) (クレーン) または、11.1.m (基盤設置型ホイスト) は順守されているか？                                                                |                             |           |             |
| Contractor :<br>契約業者名 :                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                          | Subcontractor :<br>下請け業者名 : |           |             |
| Location (To include building / pier number or specific information to identify work location) :<br>作業現場 (建物/岸壁番号、もしくは作業現場を特定できる具体的な情報を記入) : |                                                                                                                                                                                                                                                                                                                                                                          |                             |           | Date :      |
| Notes :<br>注記 :                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                          |                             |           |             |
| Signature of Government Representative :<br>合衆国政府代表者の署名 :                                                                                    |                                                                                                                                                                                                                                                                                                                                                                          |                             |           |             |

FIGURE P-2 (2 of 2)



| <b>CRANE AND RIGGING ACCIDENT REPORT</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 |                                                                                            |                                                                                           |                                   |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|-----------------------------------|
| Accident Category: <input type="checkbox"/> Crane Accident <input type="checkbox"/> Rigging Accident                                                                                                                                                                                                                                                                                                                                                                                              |                 |                                                                                            |                                                                                           |                                   |
| Reporting Activity:                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                 |                                                                                            | Copy To: Navy Crane Center<br>Bldg. 491 NNSY<br>Portsmouth, VA 23709<br>Fax: 757-967-3808 |                                   |
| UIC:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                 |                                                                                            |                                                                                           |                                   |
| Activity Responsible for the Accident:                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                 | Report No:                                                                                 |                                                                                           |                                   |
| UIC:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                 | Accident Location:                                                                         | Accident Date:                                                                            | Time:                             |
| BOS Contractor: <input type="checkbox"/> Yes <input type="checkbox"/> No If Yes, Contract No:                                                                                                                                                                                                                                                                                                                                                                                                     |                 | Contractor Equip. <input type="checkbox"/> Yes <input type="checkbox"/> No                 |                                                                                           |                                   |
| Crane No:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Crane Type:     | Category:                                                                                  | Crane OEM:                                                                                |                                   |
| Crane Capacity:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Hoist Capacity: | Weight of Load on hook:                                                                    | Weather:                                                                                  |                                   |
| Complex Lift or Complex Non-Crane Rigging Operation? <input type="checkbox"/> Yes <input type="checkbox"/> No                                                                                                                                                                                                                                                                                                                                                                                     |                 |                                                                                            |                                                                                           |                                   |
| Lost Work Days? <input type="checkbox"/> Yes <input type="checkbox"/> No                                                                                                                                                                                                                                                                                                                                                                                                                          |                 | Fatality or Permanent Disability? <input type="checkbox"/> Yes <input type="checkbox"/> No |                                                                                           | Material/ Property Cost Estimate: |
| Accident Type (check all that apply):                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                 |                                                                                            |                                                                                           |                                   |
| <input type="checkbox"/> Personal Injury <input type="checkbox"/> Overload <input type="checkbox"/> Two Blocked <input type="checkbox"/> Power Line Contact<br><input type="checkbox"/> Dropped Load <input type="checkbox"/> Derail <input type="checkbox"/> Crane Collision <input type="checkbox"/> Damaged Crane<br><input type="checkbox"/> Damaged Rigging Gear <input type="checkbox"/> Damaged Load <input type="checkbox"/> Load Collision <input type="checkbox"/> Other: Specify _____ |                 |                                                                                            |                                                                                           |                                   |
| Cause of Accident (check all that apply):                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                 |                                                                                            |                                                                                           |                                   |
| <input type="checkbox"/> Improper Operation <input type="checkbox"/> Equipment Failure <input type="checkbox"/> Inadequate Visibility<br><input type="checkbox"/> Improper Rigging <input type="checkbox"/> Switch Alignment <input type="checkbox"/> Inadequate Communication<br><input type="checkbox"/> Track Condition <input type="checkbox"/> Procedural Failure <input type="checkbox"/> Other: Specify _____                                                                              |                 |                                                                                            |                                                                                           |                                   |
| Responsibility (check all that apply):                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                 |                                                                                            |                                                                                           |                                   |
| <input type="checkbox"/> Crane Walker <input type="checkbox"/> Rigger <input type="checkbox"/> Operator <input type="checkbox"/> Signal Person<br><input type="checkbox"/> Maintenance <input type="checkbox"/> Management/Supervision <input type="checkbox"/> Other: Specify _____                                                                                                                                                                                                              |                 |                                                                                            |                                                                                           |                                   |
| Crane Function:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                 |                                                                                            |                                                                                           |                                   |
| <input type="checkbox"/> Travel <input type="checkbox"/> Hoist <input type="checkbox"/> Rotate <input type="checkbox"/> Luffing <input type="checkbox"/> Telescoping <input type="checkbox"/> Other <input type="checkbox"/> N/A                                                                                                                                                                                                                                                                  |                 |                                                                                            |                                                                                           |                                   |
| Is this accident indicative of a recurring problem? <input type="checkbox"/> Yes <input type="checkbox"/> No                                                                                                                                                                                                                                                                                                                                                                                      |                 |                                                                                            |                                                                                           |                                   |
| If yes, list Accident Report Nos.: _____                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 |                                                                                            |                                                                                           |                                   |
| ATTACH COMPLETE AND CONCISE SITUATION DESCRIPTION AND CORRECTIVE/PREVENTIVE ACTIONS TAKEN AS ENCLOSURE (1). Include root cause and contributing factors. Assess damages and define responsibility. For equipment malfunction or failure, include specific description of the component and the resulting effect or problem caused by the malfunction or failure. List immediate and long term corrective/preventive actions assigned and respective codes.                                        |                 |                                                                                            |                                                                                           |                                   |
| INCLUDE: Printed Name, Code and Date.                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                 |                                                                                            |                                                                                           |                                   |
| Preparer:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Phone:          | E-mail:                                                                                    | Code:                                                                                     | Date:                             |
| Concurrence                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                 | Code:                                                                                      | Date:                                                                                     |                                   |
| Concurrence WHE Program Manager (if Applicable)                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                 | Code:                                                                                      | Date:                                                                                     |                                   |
| Certifying Official (Crane Accident Only):                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                 |                                                                                            |                                                                                           |                                   |

## CRANE AND RIGGING ACCIDENT REPORT INSTRUCTIONS

This form is designed for e-mail transmission, and with enclosures shall be the official document. Electronic submission will be accepted but the names of the preparer, concurring personnel, and certifying official (for crane accidents only) shall be filled in. The e-mail address is m\_nfsh\_ncc\_accident@navy.mil.

1. Accident Category: Indicate either crane accident or rigging accident.
2. Reporting Activity/UIC: The activity and unit identification code responsible for reporting the accident.
3. Activity Responsible for the Accident/UIC: Self-explanatory.
4. Report No.: The activity assigned accident number (e.g., Activity UIC-FY-CA-01).
5. Accident Location: The detailed location where the accident took place (e.g., building 213, dry dock 5).
6. Accident Date: The date the accident occurred.
7. Time: The time (24 hour clock) the accident occurred (e.g., 1300).
8. Is the responsible party a BOS Contractor? Check yes or no. If yes, enter contract number.
9. Was the crane/equipment owned by a contractor? Check yes or no.
10. Crane No.: The activity assigned crane number (e.g., PC-5), if applicable.
11. Crane Type: The type of crane involved in the accident (e.g., mobile, bridge), if applicable.
12. Category: Identify category of crane (i.e., 1, 2, 3, or 4), if applicable.
13. Crane OEM: The original equipment manufacturer of the crane (e.g., Samsung, Grove, P&H), if applicable.
14. Crane Capacity: The certified capacity of the crane (e.g., 120,000 pounds), if applicable.
15. Hoist Capacity: The capacity of the hoist involved in the accident at the max radius of the operation, if applicable.
16. Weight of Load on Hook: The weight of the load on the hook, if applicable.
17. Weather: The weather conditions at time of accident (e.g., wind, rain, cold).
18. Complex lift: Was the crane or rigging gear being used in a complex lift? Check yes or no.
19. Lost Work Days? Check yes or no.
20. Fatality or Permanent Disability: Check yes or no.
21. Material/Property Cost Estimate: Estimate total cost of damage resulting from the accident.
22. Accident Type: Check all that apply.
23. Cause of Accident: Check all that apply.
24. Responsibility: Check all that apply.
25. Crane Function: Check all functions in operation at time of accident. Check N/A if a rigging gear accident.
26. Is this a recurring problem? Check yes or no. If yes, list Accident Report numbers.
27. Preparer: Printed name must be provided.
28. Concurrences: Printed name must be provided.
29. Certifying Official (Crane Accidents Only): Printed name must be provided.

### Enclosure (1)

Brief Description: No more than one paragraph summarizing the resultant incident.

Root Cause and Detailed Description: Provide the relevant background in a descriptive timeline of preconditions leading up to the event, as well as a detailed description of the event.

Corrective Actions: List all short term and long term corrective actions that are taken to prevent recurrence of the incident. Short Term Corrective Actions are those actions taken that will allow return to work in short time frame. Long Term actions are more 'programmatic' in nature and typically include: process revision, changes in training, 'mistake proofing', etc.

**NOTE: This report may be generated utilizing activity approved software provided all information required above is included.**



## CONTRACTOR CRANE OR MULTI-PURPOSE MACHINE (MPM) REQUIREMENTS

The following outlines the basic expectations for the operation of non-Navy owned and operated Weight Handling Equipment (WHE). This information should be used in developing contract specifications and for pre-performance and pre-construction negotiations to ensure contractors understand WHE requirements. It is the Contracting Officer's responsibility to ensure their contractors understand CFAS expectations, reference (a) requirements, and the requirements that bind to the contract specifications.

1. Notification Requirement. Each contractor shall notify the respective Contracting Officer no less than three working days in advance of their intent of bringing a contractor operated crane or MPM onto Navy property for routine lifts and no less than fifteen working days in advance of the intent of bringing a contractor operated crane or MPM onto Navy property for critical lifts. Failure to do so may result in the contractor being denied crane/MPM access onboard CFAS until concerns are addressed to the satisfaction of the Contracting Officer and the NAVFAC PWD Sasebo Public Works Officer (PWO).
2. Initial Inspection Requirements. Each contractor shall perform the following actions prior to conducting crane or MPM operations.
  - a. Crane Inspection. Perform Pre-Operational Inspection of the crane or alternate machine prior to starting work on CFAS property. Inspection shall meet all applicable contractual and GOJ requirements prior to starting work.
  - b. Wire Rope Inspection. Prior to starting work on Navy property, perform a Wire Rope Inspection to ensure that the wire rope is in accordance with the manufacturer and GOJ requirements.
  - c. Rigging Gear Inspection. Perform a Rigging Gear Inspection to ensure the rigging gear is in accordance with manufacturer and GOJ requirements prior to starting work.
3. Contract Provisions. Contracting Officers shall ensure contracts which may involve crane work contain all applicable provisions/requirements as identified in reference (a), Section 11, are included in all contracts and applicable parts of this instruction.
  - a. Ensure applicable contractual requirements include the 29 CFR 1918.1, effective 21 January 1998; cargo transfer performed with the use of shore-based cranes and derricks is governed by 29 CFR 1917. Mobile cranes placed aboard vessels for cargo transfer will continue to be governed by 29 CFR 1918. The following is Navy policy for implementation of the

certification requirements of these standards. These requirements will be enforced for all contracts performing cargo transfer operations, as stipulated in OSHA 29 CFR 1918.

**NOTE:** Certification documentation must clearly exhibit objective evidence that the crane has satisfactorily passed a load test, which demonstrates the crane's ability to safely move expected loads while working on Navy property.

- b. Ensure "Loading Limitations" of piers and waterfront areas involved in a contract are specified in the contract. Where contractors are subject to using cranes or multi-purpose equipment on piers and waterfront areas, incorporate the following caution in each contract: **"CAUTION STATEMENT: Loading Limitations. Piers and waterfront areas on Navy property have load restrictions. Notify the Contracting Officer prior to moving a crane or alternate machine on a pier, dry-dock, or other waterfront area."**

- (1) When it is known that a contractor will be required to work within load limitation areas, the Contracting Officer shall:

- (a) Incorporate cribbing requirements into the contract bid package(s) by criteria: i.e., a table or matrix of information which addresses the allowable wheel and float loads respective to the support structure to be traversed in route to the work site as well as the actual set-up location(s) for the make, model, and configuration in which the crane(s) or alternate machine are to be used. **NOTE:** This action is necessary to avoid potential damage to service tunnels such as those used for steam piping, electrical conduit, storm drains, etc.

- (b) Assist the contractor in obtaining initial set-up information and provide the contractor with said information prior to the contractor moving the crane or alternate machine to the work site.

4. Documentation Requirements. Each contractor shall provide the following documentation to the Contracting Officer per the terms and conditions of the contract before entry onto CFAS and its outlying areas. These requirements are solely intended to provide for the protection of Government property and personnel, and are not intended to, and do not, in any manner whatsoever, relieve the contractor of his/her responsibilities including, without limitation, his/her responsibility for the protection of equipment



and personnel. Additionally, the contractor shall comply with applicable GOJ standards.

- a. Crane Documentation. Provide objective evidence that the crane has been GOJ certified within the past year and will remain GOJ certified while working on CFAS property. Each hook (main, auxiliary, and/or whip, as applicable) to be used shall be certified and reeved in the same configuration in which the crane was certified, while working on CFAS property.
- b. Crane Operator Qualification Documentation. Before the work begins, provide objective evidence that contractor personnel, operating contractor-owned, leased, and/or rented cranes on Navy property are fully qualified to perform the assigned work.
  - (1) Contractor crane operators shall be designated as qualified by a source which qualifies crane operators (e.g., an independent testing and qualifying company, a union, a governmental agency, or a qualified consultant). A qualified consultant can be from an in-house resource. However, the in-house consultant must provide objective evidence that they have the credentials as a qualified consultant.
  - (2) For mobile and commercial truck mounted cranes with Original Equipment Manufacturer (OEM) rated capacities of greater than 2,000 lbs., the crane operator shall be designated as qualified by a source that qualifies crane operators (i.e., a union, a government agency or an organization that tests and qualifies crane operators). Proof of current qualifications shall be provided.
- c. Multi-Purpose Machine (MPM) Documentation. For MPM used to lift loads suspended by rigging equipment, require proof of authorization from the machine OEM that the machine is capable of making lifts of loads suspended by rigging equipment.
- d. Certification of Compliance. Each contractor operating cranes or MPM on Navy property shall be required to generate and post a newly completed Certification of Compliance, P-1, enclosure (1), in a conspicuous area or in the cab of the crane/vehicle to which it pertains. For open cab equipment or rigging operations the P-1 can remain in the contractor's on-site office. But the P-1 must be presented if asked by any government contract oversight personnel.

5. Critical Lift Plans.

a. Require a critical lift plan at least 15 days in advance for each of the following lifts, reference (a):

- (1) Lifts over 75 percent of the capacity of the crane, hoist, or other machine (lifts over 50 percent of the capacity of a barge-mounted mobile crane's hoists) at any radius of lift
- (2) Lifts involving more than one crane, hoist, or other machine
- (3) Lifts of personnel (lifts of personnel suspended by rigging equipment from multi-purpose machines, MHE, or construction equipment shall not be permitted)
- (4) Lifts made in the vicinity of overhead power lines
- (5) Erection of cranes
- (6) Lifts of submerged or partially submerged objects
- (7) Lifts involving binding conditions
- (8) Lifts of hazardous materials
- (9) Lifts involving non-routine rigging or operation, sensitive equipment, or unusual safety risks.

b. The plan shall include the following as a minimum:

- (1) The size and weight of the load to be lifted, including crane (or other machine) equipment and rigging equipment that add to the weight. The OEM's maximum load capacities for the entire range of the lift shall also be provided.
- (2) The lift geometry, including the crane (or other machine) position, boom length and angle, height of lift, and radius for the entire range of the lift. Applies to both single and multiple-crane/machine lifts.
- (3) A rigging plan, showing the lift points, rigging equipment, and rigging procedures.
- (4) The environmental conditions under which lift operations are to be stopped.



- (5) For lifts of personnel, the plan shall demonstrate compliance with the requirements of 29 CFR 1926.1431. For Navy activities in foreign countries follow host nation requirements as applicable in lieu of the CFR.
  - (6) For barge mounted mobile cranes, barge stability calculations identifying crane placement/footprint; barge list and trim based on anticipated loading; and load charts based on calculated list and trim specific to the barge the crane is mounted on. The amount of list and trim shall be within the crane OEM's requirements.
6. Contract Crane Oversight. Contracting Officers shall ensure all contract requirements related to crane and rigging work are enforced, (including work performed by sub-contractors).
- a. Provide oversight of contractor crane, MPM and rigging operations in accordance with reference (a).
    - (1) Where critical lift plans and site conditions exist, the Contracting Officer shall involve NAVFAC PWD Sasebo Transportation in performing oversight inspections; however, the initiation of oversight activities and record keeping responsibilities shall remain with the Contracting Officer.
    - (2) Ensure that adequate oversight is provided during contractor crane and rigging operations including contractor crane and rigging gear accident investigations and corrective actions. When the contracting office is not in the local area, the Contracting Officer shall designate a local representative to ensure compliance with the above noted oversight requirements.
    - (3) The degree of oversight will be based on the risk involved to government personnel and property.
    - (4) The Contractor Crane Operations Checklist, P-2, found in enclosure (2) of this instruction will be used to document oversight of contractor crane operations by qualified contractor crane oversight personnel. Copies of oversight checklists shall be kept on file by the Contracting Officer for a period of one year.
    - (5) Copies of all completed P-2, enclosure (2), surveillance forms will be sent to NAVFAC PWD Sasebo Transportation upon request.

- (6) Ensure that personnel conducting contractor crane surveillances complete Navy Crane Center (NCC) Contractor Crane Awareness training. **NOTE:** This training is available on Navy eLearning (NeL).
- (7) Establish/designate a point of contact (POC) who will be responsible for ensuring contractor crane surveillance/oversight is performed and documented as required. The POC will be either a Contracting Officer or a designated Contracting Officer representative designated in writing by the Contracting Officer.

- b. Ensure that CFAS Security Department entry requirements are included in all contracts.

7. Crane Accidents. In case of a WHE accident:

- a. Immediate action is to stop the operation if there are injuries call 911 or 0956500911 from a cell phone and render first-aid. Secure the scene of the accident and do not move the crane or MPM unless it will cause further damage or injuries.
- b. As soon as possible but no later than four hours after the accident the contractor must notify the Contracting Officer.
- c. The Contracting Officer must notify NAVFAC PWO and CFAS Safety of all known or suspected WHE related accidents as soon as possible but no later than eight hours after the accident occurred. The accident scene will be secured and evidence protected until a cause is determined and corrective actions are in place to the satisfaction of the Contracting Officer and CFAS Safety.
- d. Comply with the requirements of the WHE Accident Investigation, Reporting and Corrective Actions section of CFASINST 11262.1L and reference (a).



**PASS NUMBER : FYXX-XXXX**

***CONTRACTOR CRANE PASS***

**PASS EFFECTIVE DATE**

パスの有効開始日

**PASS EXPIRATION DATE**

パス有効期限日

**VEHICLE LICENSE PLATE NUMBER**

車両番号

Contract Number : \_\_\_\_\_

Location : \_\_\_\_\_

Inspected By : \_\_\_\_\_

**Point of Contact:**

Automotive Equipment Inspector,  
NAVFAC FE PWD SASEBO TRANSPORTATION  
DSN:

Commercial:XXXXXXXX / FAX:(0956)50-XXXX


CELL: XXXXXXXXXX

e-mail:XXXXXXXXXXXXX.ja@fe.navy.mil



**PWD SASEBO TRANSPORTATION**

# CONTRACTOR CRANE BASE ENTRY FLOW CHART





FOR OFFICIAL USE ONLY (when filled in)

| NEAR MISS AND UNPLANNED OCCURRENCE REPORT                                                                              |                 |                                               |                                                                                           |       |  |
|------------------------------------------------------------------------------------------------------------------------|-----------------|-----------------------------------------------|-------------------------------------------------------------------------------------------|-------|--|
| Near Miss Category:                                                                                                    |                 | <input type="checkbox"/> Crane Near Miss      | <input type="checkbox"/> Rigging Near Miss                                                |       |  |
|                                                                                                                        |                 | <input type="checkbox"/> Unplanned Occurrence |                                                                                           |       |  |
| Reporting Activity:<br><br>UIC:                                                                                        |                 |                                               | Copy To: Navy Crane Center<br>Bldg. 491 NNSY<br>Portsmouth, VA 23709<br>Fax: 757-967-3808 |       |  |
| Activity Responsible for the Near Miss:<br><br>UIC:                                                                    |                 |                                               | Report No:<br>Location:      Near Miss Date:      Time:                                   |       |  |
| BOS Contractor: <input type="checkbox"/> Yes <input type="checkbox"/> No      If Yes, Contract No:                     |                 |                                               | Contractor Equip.<br><input type="checkbox"/> Yes <input type="checkbox"/> No             |       |  |
| Crane No:                                                                                                              | Crane Type:     | Category:                                     | Crane OEM:                                                                                |       |  |
| Crane Capacity:                                                                                                        | Hoist Capacity: | Weight of Load on hook:                       | Weather:                                                                                  |       |  |
| Complex Lift or Complex Non-Crane Rigging Operation?                                                                   |                 |                                               | <input type="checkbox"/> Yes <input type="checkbox"/> No                                  |       |  |
| Is this near miss indicative of a recurring problem?                                                                   |                 |                                               | <input type="checkbox"/> Yes <input type="checkbox"/> No                                  |       |  |
| In the space below, include a description of the event, root cause and corrective actions taken to prevent recurrence: |                 |                                               |                                                                                           |       |  |
| Brief description:                                                                                                     |                 |                                               |                                                                                           |       |  |
| Root cause:                                                                                                            |                 |                                               |                                                                                           |       |  |
| Corrective Actions:                                                                                                    |                 |                                               |                                                                                           |       |  |
| INCLUDE: Printed Name, Code and Date unless otherwise specified.                                                       |                 |                                               |                                                                                           |       |  |
| Preparer:                                                                                                              | Phone:          | E-mail:                                       | Code:                                                                                     | Date: |  |

FOR OFFICIAL USE ONLY (when filled in)  
Figure 12-2 (1 of 2)

12-8

Enclosure (7)

## CRANE AND RIGGING NEAR MISS INSTRUCTIONS

This form is designed for e-mail transmission and with enclosures and signatures shall be the official document. Electronic submission will be accepted without signatures but the names of the preparer, concurring personnel, and certifying official (for crane accidents only) shall be filled in. The e-mail address is m\_nfsh\_ncc\_accident@navy.mil.

1. Near Miss Category: Indicate crane near miss, rigging near miss, or unplanned occurrence.
2. Reporting Activity/UIC: The activity and unit identification code responsible for reporting the near miss.
3. Activity Responsible for the Near Miss/UIC: Self-explanatory.
4. Report No.: The activity assigned near miss number (e.g., Activity UIC-FY-CA-01).
5. Location: The detailed location where the near miss took place (e.g., building 213, dry dock 5).
6. Near Miss Date: The date the near miss occurred.
7. Time: The time (24 hour clock) the near miss occurred (e.g., 1300).
8. Is the responsible party a BOS Contractor? Check yes or no. If yes enter contract number.
9. Is the crane/equipment owned by a contractor? Check yes or no.
10. Crane No.: The activity assigned crane number (e.g., PC-5), if applicable.
11. Crane Type: The type of crane involved in the near miss (e.g., mobile, bridge), if applicable.
12. Category: Identify category of crane (i.e., 1, 2, 3, or 4), if applicable.
13. Crane OEM: The original equipment manufacturer of the crane (e.g., Samsung, Grove, P&H), if applicable.
14. Crane Capacity: The certified capacity of the crane (e.g., 120,000 pounds), if applicable.
15. Hoist Capacity: The capacity of the hoist involved in the near miss at the max radius of the operation, if applicable.
16. Weight of Load on Hook: If applicable, the weight of the load on the hook.
17. Weather: The weather conditions at time of accident (e.g., wind, rain, cold).
18. Complex lift: Was the crane or rigging gear being used in a complex lift?
19. Is this a recurring problem? Check yes or no. Identify any other similar near misses or accidents.
20. Brief Description: No more than one paragraph summarizing the resultant incident.
21. Root Cause and Detailed Description: Provide the relevant background in a descriptive timeline of preconditions leading up to the event, as well as a detailed description of the event.
22. Corrective Actions: List all short term and long term corrective actions that were/will be taken to prevent recurrence of the incident. Short term corrective actions are those actions taken that will allow return to work in short time frame. Long term actions are more 'programmatic' in nature and typically include: process revision, changes in training, 'mistake proofing', etc.

**NOTE:** This report may be generated utilizing activity approved software provided all information required above is included.

Figure 12-2 (2 of 2)



カテゴリ-2&3運転室無しクレーン始業前／月例点検表

| Crane No.<br>クレーン番号                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Type<br>形式                                              | Capacity<br>容量                | Location<br>場所                                                                      | Certification Expiration Date<br>使用許可認証有効期限 | Date<br>日付                        |                               |   |                               |                             |                                                          |                                 |    |  |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|-------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------|-----------------------------------|-------------------------------|---|-------------------------------|-----------------------------|----------------------------------------------------------|---------------------------------|----|--|--|
| Operator's Name (Print) 運転士名 (プリント)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                         |                               | Legend 凡例<br>S = Satisfactory 良<br>U = Unsatisfactory 不良<br>NA = Not Applicable 適用外 |                                             |                                   |                               |   |                               |                             |                                                          |                                 |    |  |  |
| 1 WALK AROUND CHECK<br>見回り点検                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                         | S                             | U                                                                                   | NA                                          | 2 MACHINERY AREA CHECK<br>機械周囲の点検 | S                             | U | NA                            | 3 OPERATIONAL CHECK<br>操作点検 | S                                                        | U                               | NA |  |  |
| a                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Safety Guards and Plates<br>安全ガードとプレート                  |                               |                                                                                     |                                             | a                                 | House Keeping<br>清掃状態         |   |                               | a                           | Area Safety<br>周囲の安全性                                    | *                               |    |  |  |
| b                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | General Hardware<br>外観                                  |                               |                                                                                     |                                             | b                                 | Leaks<br>漏れ                   |   |                               | b                           | Unusual Noises<br>異常音                                    |                                 |    |  |  |
| c                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Wire Rope<br>ワイヤロープ                                     | *                             |                                                                                     |                                             | c                                 | Lubrication<br>潤滑             |   |                               | c                           | Control Action<br>制御動作                                   | *                               |    |  |  |
| d                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Reeving<br>ワイヤロープの巻きかけ状態                                | *                             |                                                                                     |                                             |                                   |                               |   |                               | d                           | Wire Rope or Chain<br>ワイヤロープ / チェーン                      | *                               |    |  |  |
| e                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Block<br>ブロック                                           | *                             |                                                                                     |                                             |                                   |                               |   |                               | e                           | Brakes<br>ブレーキ                                           | *                               |    |  |  |
| f                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Hook<br>フック                                             | *                             |                                                                                     |                                             |                                   |                               |   |                               | f                           | Limit Switch<br>リミットスイッチ                                 | *                               |    |  |  |
| g                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Sheaves<br>シーブ                                          | *                             |                                                                                     |                                             |                                   |                               |   |                               | g                           | Emergency Stop<br>緊急停止装置                                 | *                               |    |  |  |
| h                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Rail / Bumpers Stop<br>レール / バンパー止め                     |                               |                                                                                     |                                             |                                   |                               |   |                               | h                           | General Safety Devices<br>一般安全装置                         |                                 |    |  |  |
| i                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Leaks<br>漏れ                                             |                               |                                                                                     |                                             |                                   |                               |   |                               | i                           | Pendant Controller / Push Button<br>ペンダントコントローラー / 押しボタン | *                               |    |  |  |
| j                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Load Chain on Chain Hoist<br>チェーンホイストのロードチェーン           | *                             |                                                                                     |                                             |                                   |                               |   |                               |                             |                                                          |                                 |    |  |  |
| k                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Area Safety<br>周囲の安全性                                   | *                             |                                                                                     |                                             |                                   |                               |   |                               |                             |                                                          |                                 |    |  |  |
| l                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Danger/Caution Tags<br>危険/警告札                           | *                             |                                                                                     |                                             |                                   |                               |   |                               |                             |                                                          |                                 |    |  |  |
| m                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Certification Tag<br>認証札                                | *                             |                                                                                     |                                             |                                   |                               |   |                               |                             |                                                          |                                 |    |  |  |
| n                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Warning / Power Indicator Lights (Lamps)<br>警告灯 / 電源表示灯 | *                             |                                                                                     |                                             |                                   |                               |   |                               |                             |                                                          |                                 |    |  |  |
| INSTRUCTIONS (記入方法) – Check all applicable items indicated, each shift. Suspend all operations immediately when observing an unsatisfactory condition of any item indicated with an asterisk (*) unless the condition has been reviewed and continued operation has been authorized by the activity engineering organization. In addition, suspend operation when any unsafe condition is observed and immediately notify supervisor. For any unsatisfactory item, identify the specific component and describe the deficiency in the "REMARKS" block.<br>作業毎に上記に該当する項目について点検を行うこと。星印 (*) のついた項目に不具合を見つけた場合には、ただちにクレーンの使用を中止すること。所属部隊の技術部門が不具合状態を点検して使用継続が認められない限り、クレーンを使用してはならない。また、不安全状態を発見した場合にはクレーンの使用を中止して、ただちに監督者に報告すること。不良が見つかった個所の部品名を具体的に示し、不具合の状態を備考欄に記入すること。 |                                                         |                               |                                                                                     |                                             |                                   |                               |   |                               |                             |                                                          | Supervisor's Signature<br>監督者署名 |    |  |  |
| First Operator's Signature<br>最初の運転士署名                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                         | Operator's Signature<br>運転士署名 |                                                                                     | Operator's Signature<br>運転士署名               |                                   | Operator's Signature<br>運転士署名 |   | Operator's Signature<br>運転士署名 |                             | Date 日付<br>Operator's Signature<br>運転士署名                 |                                 |    |  |  |
| Date 日付                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                         | Date 日付                       |                                                                                     | Date 日付                                     |                                   | Date 日付                       |   | Date 日付                       |                             | Date 日付                                                  |                                 |    |  |  |
| Remarks 備考                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                         |                               |                                                                                     |                                             |                                   |                               |   |                               |                             |                                                          |                                 |    |  |  |

# CATEGORY 1, 4 AND CAB OPERATED CATEGORY 2 & 3 CRANE OPERATOR'S DAILY CHECK LIST

カテゴリー1、4と運転室付きカテゴリー 2 & 3クレーン日常点検表

| Crane No.<br>クレーン番号                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Type/Capacity 形式/容量 | Location<br>場所                                        | Certification Expiration Date<br>使用許可認証有効期限 | Shift<br>勤務形態                                                                 |        |                                                 | Hour Meter<br>アワーメーター           |                                                       | HRS Operated<br>運転時間 | Date<br>日付 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|-------------------------------------------------------|---------------------------------------------|-------------------------------------------------------------------------------|--------|-------------------------------------------------|---------------------------------|-------------------------------------------------------|----------------------|------------|
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                     |                                                       |                                             | 1                                                                             | 2      | 3                                               | Start                           | Stop                                                  |                      |            |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                     |                                                       |                                             |                                                                               |        |                                                 |                                 |                                                       |                      |            |
| Operator's Name (Print) 運転士名 (プリント)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                     |                                                       |                                             | Legend 凡例<br>S = Satisfactory 良 U = Unsatisfactory 不良 NA = Not Applicable 適用外 |        |                                                 |                                 |                                                       |                      |            |
| 1 WALK AROUND CHECK<br>見回り点検                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | S U NA              | 2 MACHINERY HOUSE CHECK<br>機械室点検                      | S U NA                                      | 3 OPERATOR CAB CHECK<br>運転室点検                                                 | S U NA | 4 PRE LIFT OPERATIONAL TEST<br>操作点検             | S U NA                          |                                                       |                      |            |
| a Safety Guards and Plates<br>安全ガードとプレート                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                     | a House Keeping<br>清掃状態                               |                                             | a Gauges<br>計器類                                                               |        | a Area Safety<br>周囲の安全性                         | *                               |                                                       |                      |            |
| b Carrier Frame and Rotate Base<br>キャリアフレーム・旋回ベース                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | *                   | b Diesel Engine<br>ディーゼルエンジンと発電機                      | *                                           | b Indicator and Warning Lights/Bells<br>指示灯・警告灯・警鐘                            |        | b Outriggers and Stabilizers<br>アウトリガー・安定装置     | *                               |                                                       |                      |            |
| c General Hardware<br>締め付け具 (ボルト・ナット等)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                     | c Leaks<br>漏れ                                         |                                             | c Visibility<br>視界                                                            | *      | c Unusual Noises<br>異常音                         |                                 |                                                       |                      |            |
| d Wire Rope<br>ワイヤロープ                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | *                   | d Lubrication<br>潤滑                                   |                                             | d Load Rating Charts<br>定格荷重表                                                 | *      | d Operation<br>操作                               | *                               |                                                       |                      |            |
| e Reeving<br>ワイヤロープの巻きかけ状態                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | *                   | e Battery<br>バッテリー                                    |                                             | e List/Trim Indicator (Floating Cranes)<br>リスト/トリム計 (浮きクレーン)                  | *      | e Control Action<br>制御動作                        | *                               |                                                       |                      |            |
| f Block<br>ブロック                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | *                   | f Lights<br>照明                                        |                                             | f Boom Angle/Radius Indicator<br>ブーム角度/半径計                                    | *      | f Brakes<br>ブレーキ                                | *                               |                                                       |                      |            |
| g Hook<br>フック                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | *                   | g Glass<br>ガラス                                        |                                             | g Fire Extinguishers<br>消火器                                                   |        | g Boom Angle/Radius Indicator<br>ブーム角度/半径計      | *                               |                                                       |                      |            |
| h Sheaves<br>シーブ                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | *                   | h Clutch and Brakes<br>クラッチとブレーキ                      | *                                           | h Level Indicator (Mobile Cranes)<br>水準器 (移動式クレーン)                            | *      | h Limit Switch<br>リミットスイッチ                      | *                               |                                                       |                      |            |
| i Boom and Jib<br>ブームとジブ                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | *                   | i Electric Motors<br>電動機                              | *                                           | i Danger/ Caution Tags<br>危険/警告札                                              | *      | i Emergency Stop<br>緊急停止装置                      | *                               |                                                       |                      |            |
| j Gantry, Pendants and Boom Stops<br>ガントリー・ペンダント・ブームストップ                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | *                   | j Compressor<br>補助エンジンとコンプレッサー                        |                                             |                                                                               |        | j Other Operational Safety Devices<br>運転安全操作装置類 | *                               |                                                       |                      |            |
| k Walkways, Ladders and Handrails<br>通路・はしご・手すり                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                     | k Danger/ Caution Tags<br>危険/警告札                      | *                                           |                                                                               |        | k General Safety Devices<br>一般安全装置              |                                 |                                                       |                      |            |
| l Wind locks and Boom Stops<br>旋回ロック・ブームストップ                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                     | l Fire Extinguishers<br>消火器                           |                                             |                                                                               |        | l Fleeting Sheaves<br>フリーディングシーブ (動滑車)          |                                 |                                                       |                      |            |
| m Tires/Wheel /Tracks<br>タイヤ・ホイール・走行台車                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                     | m Hoist Drum Pawl/ratchet Locks<br>ホイストドラムの爪/ラチェットロック | *                                           |                                                                               |        | m Wind speed within the limit<br>運転規制値内を超える風速か  |                                 |                                                       |                      |            |
| n Leaks<br>漏れ                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                     |                                                       |                                             |                                                                               |        |                                                 |                                 |                                                       |                      |            |
| o Outriggers/Stabilizers and Locking<br>Devices<br>アウトリガー・安定装置・固定装置                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | *                   |                                                       |                                             |                                                                               |        |                                                 |                                 |                                                       |                      |            |
| p Area Safety<br>周囲の安全性                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | *                   |                                                       |                                             |                                                                               |        |                                                 |                                 |                                                       |                      |            |
| q Hook Stowing Bracket & Link<br>フック格納ブラケット&リンク                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | *                   |                                                       |                                             |                                                                               |        |                                                 |                                 |                                                       |                      |            |
| INSTRUCTIONS (記入方法) – Check all applicable items indicated, each shift. Suspend all operations immediately when observing an unsatisfactory condition of any item indicated with an asterisk (*) unless the condition has been reviewed and continued operation has been authorized by the activity engineering organization. In addition, suspend operation when any unsafe condition is observed and immediately notify supervisor. For any unsatisfactory item, identify the specific component and describe the deficiency in the "REMARKS" block.<br>始業毎に上記に該当する項目について点検を行うこと。星印(*)のついた項目に不具合を見つけた場合には、ただちにクレーンの使用を中止すること。所属部隊の技術部門が不具合状態を点検して使用継続が認められない限り、クレーンを使用してはならない。また、不安全状態を発見した場合にはクレーンの使用を中止して、ただちに監督者に報告すること。不良が見つかった個所の部品名を具体的に示し、不具合の状態を備考欄に記入すること。 |                     |                                                       |                                             |                                                                               |        |                                                 | Supervisor's Signature<br>監督者署名 |                                                       |                      |            |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                     |                                                       |                                             |                                                                               |        |                                                 | Date 日付                         |                                                       |                      |            |
| First Operator's Signature<br>最初の運転士署名                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                     | Operator's Signature<br>運転士署名                         |                                             | Operator's Signature<br>運転士署名                                                 |        | Operator's Signature<br>運転士署名                   |                                 | Wind Velocity (m/s) /Time monitored<br>風速 (m/s) ・ 計測時 |                      |            |
| Date 日付                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                     | Date 日付                                               |                                             | Date 日付                                                                       |        | Date 日付                                         |                                 |                                                       |                      |            |
| Remarks 備考                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                     |                                                       |                                             |                                                                               |        |                                                 |                                 |                                                       |                      |            |