

Performance Work Statement (PWS)

Real Property Maintenance and Services Contract

Annex A Overarching Base Operations PWS

Fort Benning, Georgia and Alabama

10 January 2025

Table of Contents

1.0 INTRODUCTION	1
1.1 Background	1
1.2 Objectives	1
1.3 Climatic Conditions.....	1
1.4 Facility Access.....	2
1.5 Traffic Flow.....	2
1.6 Drainage.....	2
1.7 Restoration of Landscape Damage	2
1.8 Dust Suppression	2
1.9 Utility Location	2
1.10 Excavation Permits.....	2
2.0 REQUIREMENTS.....	3
2.1.1 Non-Personal Services.....	3
2.1.2 General Information.....	3
2.1.3 Place of Performance and Hours of Operation	4
2.1.4 Federal Holidays	4
2.1.5 Travel/Temporary Duty	5
2.1.6 Emergency Services.....	5
2.1.7 Contract Administration and Management.....	6
2.1.8 COR/ACOR Functions	7
2.1.9 Quality Control (QC).....	7
2.1.10 Subcontract Management.	7
2.1.11 Contractor Employees.....	7
2.1.12 Business Relations.	9
2.2 Work Management	9
2.2.1 Coordination.....	10
2.2.2 Army Maintenance Application (ArMA)	10
2.2.3 Demand Maintenance Orders (DMOs).	11
2.2.4. Preventive Maintenance Orders (PMOs)	12
2.2.5. O&M Manual Digital Library	13

2.2.6.	Operations Work Orders (OWOs)	13
2.2.7.	Project Work Orders (PWOs).....	13
2.2.8.	Warranty Program	16
2.3	As-Built and Geospatial Information System (GIS).....	17
2.4	Historic Property or Archaeological Site.....	17
2.4.1	Repair and Replacement.....	17
2.4.2	Damages.....	17
2.5	Special Requirements	17
2.5.1	Security	17
2.5.2	Security Training.....	19
2.5.3	Safety.....	19
2.5.4	Training, Physical Requirements, or other Expertise Required	20
2.5.5	Environmental Requirements	20
2.5.6	Contingency Plans.....	21
2.5.7	Special Events.....	22
3.0	PERFORMANCE REQUIREMENTS AND STANDARDS	22
3.1	Quality Assurance (QA).....	22
3.1.1	Quality Control Plan (QCP).	22
3.2	Quality Control Files	23
3.3	Customer Feedback Program.....	23
4.0	PERFORMANCE REQUIREMENTS SUMMARY (PRS) MATRIX.....	24
5.0	COMMON LEVELS OF SERVICE (CLS).....	25
6.0	DELIVERABLES.....	26
7.0	RELATED DOCUMENTS.....	26
7.10.2	Playground Equipment.....	51
7.10.3	Annual Daycare Center Inspections	51
7.10.4	Installation Status Report Inspections	51
7.10.5	Unoccupied Facilities Management.....	51
7.10.6	Energy Savings and Facility Audits	52
7.10.7	Inventory Management.....	52
7.10.8	Mechanical Room Inspections	53
7.10.9	Utility Monitoring Control and System	53

8.0 ENVIRONMENTAL AND COMPLIANCE	55
8.1 Mold.....	55
8.2 Asbestos.....	55
8.3 Lead.....	56
8.3.1 Water Testing	56
8.4 Refrigerant Management.....	56
8.4.1 Leak Checks.....	56
8.4.2 Recordkeeping	56
8.4.3 Disposition.....	57
8.4.4 Refrigerant Recovery from Non-Real Property.....	57
8.5 First Division Landfill	57
8.5.1 Methane Collection System and Meter Reading	57
8.5.2 Landfill Cap	57
8.5.3 Reporting.....	57
8.5.4 Unscheduled Services	57
8.5.5 Disposal.....	57
8.6 Municipal Separate Storm Sewer System (MS4) Waste Disposal Report.....	58
8.7 Landfills in Camp Merrill	58

1.0 Introduction. This is a non-personal services contract to provide Real Property Maintenance and Services for the U.S. Army Garrison Fort Benning/Camp Merrill, Georgia and Alabama. The Government will not exercise any supervision or control over the contract service providers. The Contractor shall perform to the standards specified in this Performance Work Statement (PWS). Contract service providers shall be accountable solely to the Contractor who, in turn is responsible to the Government. The Contractor shall provide all personnel, equipment, supplies, facilities, transportation, tools, materials, supervision, and other items and non-personal services necessary as defined in this PWS. The Contractor is responsible for providing all parts required for Preventive Maintenance Orders (PMOs) and all repair parts required for Demand Maintenance Orders (DMOs).

1.1 Background. Fort Benning is a United States Army post straddling the Alabama/Georgia border next to Columbus, Georgia. Fort Benning supports more than 120,000 active-duty Military, family members, reserve component soldiers, retirees and civilian employees daily. It is a power projection platform and possesses the capability to deploy combat-ready forces by air, rail, and highway. Fort Benning is the home of the United States Army Maneuver Center of Excellence, the United States Army Armor School, United States Army Infantry School, the Western Hemisphere Institute for Security Cooperation, elements of the 75th Ranger Regiment, the 1st Security Force Assistance Brigade, and other tenant units. Fort Benning is in Russell County Alabama and Chattahoochee and Muscogee Counties in Georgia and Camp Merrill located near Dahlonega is in Lumpkin County. Fort Benning encompasses about 183,600 acres and has about 3981 buildings, and 2800 additional structures as well as 1235 other Real Property assets (like pads, fences, sidewalks, parking, etc.) and Camp Merrill 282 acres used to conduct Mountain Phase of the Ranger School.

1.2 Objectives. The Contractor shall ensure all work accomplished in the performance of this PWS meets all applicable Federal, State, and local laws, regulations, and directives to include, but not limited to, the publications in Section 7, Related Documents. The Contractor shall perform the tasks within this PWS including maintenance and repair activities necessary to keep a typical inventory of facilities in good working order over their expected service lives. It includes regularly scheduled adjustments and inspections, preventive maintenance tasks, and emergency response and service calls for minor repairs. It also includes costs of major repairs or replacement of facility components that are expected to occur periodically throughout the expected service life.

The intent is to establish work requirements that are performance-based and results oriented. The Contractor shall determine the best and most cost-effective ways to fulfill Facilities Engineering Management Services, Vertical Facilities Maintenance, Horizontal Facilities Maintenance, Cemetery Operations, and Heating and Cooling services and their component needs, emphasizing innovation and commercial best practices.

1.3 Climatic Conditions. The average annual rainfall is forty-seven (47) inches; with the wettest months being Feb, July, and March. Months with the lowest humidity in Fort Benning are April, May and October, with an average relative humidity of 69%. The average annual snowfall is less than an inch, with snowfall expected during the period 1

January through March. The first killing frost may be expected about November, and the last killing frost generally occurs in March. The warmest month (with the highest average high temperature) is July (33.3°C). The month with the lowest average high temperature is January (13.1°C). The month with the highest average low temperature is July (22.7°C). The coldest month (with the lowest average low temperature) is January (3.9°C). The windiest month (with the highest average wind speed) is January (12.2km/h). The calmest months (with the lowest average wind speed) are July and August (7.8km/h). It is a little cooler and dryer at Camp Merrill which is near Dahlongega in North Georgia. Additional information can be found at <https://www.milbases.com/georgia/fort-benning-army-base/weather>.

1.4 Facility Access. The Contractor shall ensure access to all fire detection and suppression systems in case of emergencies or for other Fire Department purposes. The Contractor shall inform the Fire Department point-of-contact (POC), prior to outages that will impact the function of the system, special problems or circumstances, which require Fire Department inspection. The Fire Department will reset alarm systems to operational status only during a real-world emergency setting.

1.5 Traffic Flow. The Contractor shall maintain the free flow of traffic during surfaced area maintenance. The Contractor shall notify the Contracting Officer (KO), in writing, a minimum of fourteen (14) calendar days in advance of any scheduled closure of streets. Emergency road closures shall be coordinated with the Contracting Officer Representative (COR) or Alternate Contracting Officer Representative (ACOR).

1.6 Drainage. Maintenance work performed under this contract shall not impede drainage.

1.7 Restoration of Landscape Damage. Trees or other landscape features damaged by the Contractor's operations shall be restored at no additional cost to the Government. The COR/ACOR will decide the method of restoration for trees or whether damaged trees will be removed.

1.8 Dust Suppression. The Contractor shall perform dust suppression when necessary, during maintenance and repair activities.

1.9 Utility Location. The Contractor shall perform utility cuts in pavements as required. The Contractor shall call or submit an online dig request to GA811 and give the locators seventy-two (72) hours to locate their utilities and respond back to GA811. The Contractor shall locate and stake out government owned underground utility pipes/cables prior to digging operations required by any contract on Fort Benning property. The Contractor shall be responsible for having the proper equipment to locate all underground utilities. Mechanical digging shall not be permitted within ten (10) feet of identified underground utilities.

1.10 Excavation Permits. Contractor shall submit for concurrence a FB 144R, Record of Environmental Consideration.

2.0 Requirements.

2.1 Description of Services. See Section 5.0 for the specific CLS or Functional Area (FA).

2.1.1 Non-Personal Services. The personnel rendering the services are not subject; either by the contract's terms or by the manner of its administration, to the supervision and control usually prevailing in relationships between the Government and its employees. Non-personal service contracts are authorized by the Government in accordance with (IAW) Federal Acquisition Regulation (FAR) Subpart 37.104, under general contracting authority, and do not require specific statutory authorization.

2.1.2 General Information.

2.1.2.1 Transition (Phase In/Phase Out). The Contractor shall prepare and submit a transition plan within ten (10) business days after contract award. The transition plan will have a sixty (60) business day transition period that will be implemented by the Contractor and shall state Contractor key personnel on board, to include IT/Network accounts and access with the appropriate Government organizations. The Contractor shall provide sufficient experienced personnel during the phase-in and phase-out period to ensure that the services are maintained at the required level of proficiency. During the phase-in, the Contractor shall observe all operations pertinent to the requirements of the PWS, to include office functions, procedures, and operations, repair/maintenance operations, and any other operations as deemed necessary by the Contractor that will enable Contractor personnel to become both knowledgeable in, and familiar with, their assigned areas of responsibility. The Contractor shall commence all operations required by this PWS as of the first day of the contract period. Therefore, on the initial day of performance, the Contractor shall provide a work force which is fully qualified and capable of performing all work required under this contract.

2.1.2.2 Transition (Phase-Out). Sixty (60) calendar days prior to contract expiration will constitute the phase-out period. The Contractor shall develop and implement a plan to affect a smooth and orderly transfer of performance responsibility to a potential successor. The initial phase-out plan shall be submitted to the COR for approval no later than six (6) months after the start of the base contract year. The plan shall contain details that include but are not limited to; timelines for events, key personnel involved and interface with the Government and follow-on Contractor. The plan shall fully describe how the Contractor shall approach the following issues: Employee notification; Retention of key personnel; Turn-over of work-in-progress, inventories and transfer of Government furnished property; Removal of Contractor property; Data and information transfer; deletion of password access to Government systems, installation clearance actions and controlled access cards (CAC) and any other actions required to ensure continuity of operations. The plan shall also include a joint inventory among the incumbent, the Government, and the successor contractor; reconciliation of all property accounts and requisitions, turn-in of excess property and cleanup of Contractor work areas.

2.1.3 Place of Performance and Hours of Operation.

2.1.3.1 Place of Performance. The work to be performed under this contract will be performed at Fort Benning located in Alabama and Georgia as well as Camp Merrill located near Dahlonaga Georgia. A list of facilities is provided in Technical Exhibit (TE) A0001- Real Property Assets at Fort Benning.

2.1.3.2 Restricted Areas. Compliance by the Contractor shall be mandatory for security access requirements to restricted areas that include, but are not limited to, the communication center, ammunition storage area, computer centers, 75th Ranger Regiment, and research and development areas. Work in restricted areas shall be cleared by the Contractor with the Government's Security Officer for that area. A list of restricted areas is provided in TE A0002- Restricted Areas.

2.1.3.3 Hours of Operation. The Government's regular (normal) hours are from 0700 – 1600 hours, excluding Federal holidays or when the Government facility is closed due to local or national emergencies, administrative closings, or similar Government directed facility closings. The Contractor shall maintain an adequate workforce for the uninterrupted performance of all tasks defined within this PWS when the Government facility is not closed for the above reasons. A DPW Work Reception desk will be operated by a third-party Contractor during normal business hours. Any service calls received outside of standard working hours shall be documented by the Base Operations Contractor and provided to the third-party Contractor operating the DPW Work Reception Desk during the next business day. The Base Operations Contractor will be required to respond to all emergency service calls.

2.1.4 Federal Holidays. The Contractor's performance shall not be required on the Federal public holidays listed below unless there is a requirement to respond to a priority 1 emergency DMO. Holidays occurring on weekends will be observed as directed by the Federal calendar (5 U.S.C. 6103).

New Year's Day	1st day of January
Martin Luther King Jr.'s Birthday	3rd Monday of January
Presidents Day	3rd Monday of February
Memorial Day	Last Monday of May
Juneteenth	19th day of June
Independence Day	4th day of July
Labor Day	1st Monday of September
Columbus Day	2nd Monday of October
Veterans Day	11th day of November
Thanksgiving Day	4th Thursday of November
Christmas Day	25th day of December

NOTE: When a holiday falls on a Sunday, the following Monday will be observed as a holiday, and, when a holiday falls on a Saturday, the preceding Friday is observed as a holiday by U.S. Government agencies. Federal holidays also include any Presidential or Congressionally designed days off other than the holidays listed above.

2.1.4.1 Response Outside of Normal Hours of Operation. The Contractor shall provide personnel support within two hours of notification outside the normal hours of operation as required, including holidays, to support the Directorate of Public Works (DPW) mission. Prior to performance of services outside the locally established hours of operation, or proposed changes to existing planned shifted schedules, the Contractor shall request and obtain, in writing, approval from the KO unless the facilities are identified in TE A0003- MEVA Facility Listing. The Project Manager shall be available after normal hours to serve as the central point of contact for Contractor operations. The Contractor shall not be reimbursed for any overtime work.

2.1.4.2 Installation Closures. When an unforeseen installation closure occurs on a regularly scheduled day of work, the Contractor shall:

- a. Reschedule the work to be performed the following day unless the following day is a Saturday, Sunday, a legal public holiday, and when routine work is not scheduled for that day; or
- b. Reschedule the work on any day mutually satisfactory.

2.1.4.3 Inclement Weather Delay. If the Contractor determines unsafe weather conditions for continued operations, then the Contractor shall notify the KO if inclement weather suspends operations within two (2) hours. The Contractor shall resume operations with KO/COR approval.

2.1.4.4 Curtailment of Operations. When operations are curtailed due to manmade or natural conditions on a working day, it may be necessary for the Government to interrupt that day's work under this contract. The Contractor shall reschedule the work on any day acceptable to the Government. If the KO agrees, the Contractor may continue the work as scheduled. The KO will provide verbal announcements of immediate curtailment of operations to the Contractor.

2.1.5 Travel/Temporary Duty. **Reserved**

2.1.6 Emergency Services.

2.1.6.1 Emergency Medical Treatment. The Contractor or their employees shall immediately notify their supervisor of any accident requiring emergency medical treatment. The Contractor shall notify the KO or COR/ACOR immediately, not later than (NLT) two (2) hours of the incident. The Contractor shall be responsible for the emergency medical treatment services for Contractor personnel. However, the Government will provide, on an emergency basis, medical services for injuries incurred while an employee is performing under the contract. The Contractor shall reimburse the Government for

emergency medical services provided, upon receipt of invoice from the medical facility. Reimbursement shall be made to the United States (US) Government.

2.1.6.2 Accident Reporting. The Contractor or its employees shall immediately notify their supervisor of any accident requiring emergency medical treatment. The Contractor shall notify the KO or COR/ACOR immediately, not later than (NLT) two (2) hours of the incident. The Contractor shall comply with Occupational Safety and Health Administration (OSHA) for record keeping and reporting of all accidents resulting in death, injury, occupational disease, or adverse environmental impact. A completed typed original plus one (1) copy of ENG FORM 3394 United States Army Corps of Engineers Accident Investigation Report shall be delivered to the KO within five (5) calendar days of occurrence, whenever an accident involving personal injury or government owned property occurs.

2.1.7 Contract Administration and Management.

2.1.7.1 Post Award Conference/Performance Evaluation Meetings. The Contractor shall attend the post award conference convened by the contracting activity or contract administration office IAW FAR Subpart 42.5. The KO and COR/ACOR will meet quarterly with the Contractor to review the Contractor's performance. Written minutes of meetings will be recorded by the Government and signed by both the Project Manager and the COR. The written minutes will be distributed within five (5) workdays after the meeting. If the Contractor does not concur with any portion of the minutes, recorded by the Government, the non-concurrence shall be provided in writing to the KO within two (2) business days following receipt of the minutes.

2.1.7.2 Notwithstanding the Contractor's responsibility for total management during the performance of this contract, the administration of the contract requires maximum coordination and cooperation between the Government and the Contractor.

2.1.7.3 The following provides the roles and their respective authority during the performance of the contract:

2.1.7.3.1 Contracting Officer (KO). The KO is the only person authorized to direct changes in any of the requirements under this contract, and, notwithstanding any provisions contained elsewhere in this contract, said authority remains solely with the KO. In the event the Contractor makes any change at the direction of any person other than the KO, the change shall be considered to have been made without authority and solely at the risk of the Contractor. All contract administration will be affected by the KO. Communications pertaining to contractual administrative matters shall be addressed to the KO. No changes in or deviation from the terms and conditions shall be affected, without a written modification to the contract, executed by the KO authorizing such changes. The KO will approve all submittals and plans required in this PWS.

2.1.7.3.2 Contracting Officer's Representative (COR). The KO will appoint a COR during the performance of this contract. Additional Government personnel may be

assigned to assist in contract oversight IAW AR 70-13, *Management and Oversight of Service Acquisitions*. Other surveillance personnel may be designated as COR or Alternate Contracting Officer's Representative (ACOR), and shall be trained and appointed IAW DoDI 5000.72, *DoD Standard for Contracting Officer's Representative (COR) Certification* and DFARS 201.602-2. The ACOR will serve as on-site representatives of the COR in performance of actual contract surveillance, if they meet all COR training, experience requirements, and are appointed by the KO as an ACOR. The COR/ACOR will aid in identification and resolution of problems, conflicts in priority, subtask requirement definitions, and other operations type problems. The COR/ACOR will perform IAW the responsibilities and duties identified in the appointment letter.

2.1.7.3.2.1 COR Authority. A letter of designation will be issued to the COR/ACOR by the KO. A copy of the letter will be sent to the Contractor. The letter of designation states the responsibilities and limitations of the COR/ACOR, especially regarding changes in cost, price estimates, or changes in delivery dates. The COR/ACOR is not authorized to change any of the terms and conditions with regard to cost, quantity, or schedule of the resulting order.

2.1.7.3.3. The Contractor shall not in any way represent the United States (U.S.) Government, or that it has the authority to contract or procure supplies for the account of the United States of America (USA).

2.1.8 COR/ACOR Functions. The COR/ACOR monitors all technical aspects of the contract and assists in contract administration. The COR/ACOR is authorized to perform the following functions: assure the Contractor performs the technical requirements of the contract; perform inspections necessary in connection with contract performance; maintain written and oral communications with the Contractor concerning technical aspects of the contract; issue written interpretations of technical requirements; monitor, document, and report Contractor's performance and notify both the KO and Contractor of any deficiencies; coordinate availability of Government-Furnished Property, and coordinate site entry of Contractor personnel.

2.1.9 Quality Control (QC). Quality Control is the responsibility of the Contractor. The Contractor shall provide a Quality Control Plan (QCP) five (5) business days before contract start. The Contractor shall provide and maintain a QCP that is acceptable to the KO. Changes to the Contractor's QCP shall be submitted to the KO for review and approval within five (5) business days prior to implementation.

2.1.10 Subcontract Management. **Reserved**

2.1.11 Contractor Employees.

2.1.11.1 Key Personnel.

2.1.11.1.1 Project Manager. The Contractor shall provide a Project Manager (PM) who is responsible for the performance of the work. The Project Manager shall have full

authority to act for the Contractor on all contract matters relating to daily operation of the contract. The PM shall have a baccalaureate degree from an accredited College or University and five (5) years of experience in base support management or a contract similar in scope and breadth to this solicitation. The name of the Project Manager shall be provided by the Contractor to the KO. The Project Manager shall be on-site and available between 0700 - 1600 hours, Monday through Friday except Federal holidays or when the Government facility is closed for administrative reasons. The Project Manager shall have and maintain a (Tier 3, Secret Clearance) at time of the contract start date and for the life of the contract. The Project Manager and any individuals designated as key personnel shall be able to understand, speak, read, and write the English language.

2.1.11.1.2 GFEBS PM Coordinator Lead. The GFEBS PM Coordinator Lead shall have demonstrated experience in successfully utilizing GFEBS on a Military installation. The name of the GFEBS PM Coordinator Lead shall be provided by the Contractor to the COR/ACOR. The GFEBS PM Coordinator Lead shall be available between 0700 - 1600 hours, Monday through Friday, except Federal holidays or when the Government facility is closed for administrative reasons. The GFEBS PM Coordinator Lead shall have the following roles in GFEBS:

- A76 DPW Contractor PM Master Data Maintainer
- A76 DPW Contractor Preventative Maintenance Controller
- A76 DPW Contractor GR Processor
- A76 DPW Contractor Physical Inventory Maintainer
- A76 DPW Contractor PM Material Requirement Planning Maintainer
- A76 DPW Contractor PM Order Approver
- A76 DPW Contractor PM Order Maintainer
- A76 DPW Contractor PM Reporter

2.1.11.1.3 GFEBS Certification. The Contractor's shall possess a working knowledge of GFEBS and shall complete GFEBS training modules provided by the Government within thirty (30) business days of being employed. The Contractor shall provide certificates of completion for all roles required to perform the requirements of the position. The Contractor shall be responsible for GFEBS data entry and reporting. The GFEBS PM Coordinator Lead shall have, at a minimum three (3) years of GFEBS experience, specifically dealing with Property, Plant, and Equipment (PPE), business intelligence, and projects. The Contractor shall utilize TE A0004- General Funds Enterprise Business System (GFEBS), Quick Reference Guide for Plant Maintenance for all applicable GFEBS activities.

2.1.11.1.4 Certain administrative personnel will require a Common Access Card (CAC) to access Government systems. CAC permits installation access to all contract employees. These persons shall have at a minimum, a favorable Tier 1, Investigation Clearance, and meet requirements in TE A0037 Common Access Card and Network Access Forms.

2.1.11.1.5 U.S. Residency. All Contractor employees shall be legal U.S. residents. The Contractor shall immediately remove any employee that is not a legal U.S. resident. The Contractor personnel shall be able to communicate clearly in the English language.

2.1.11.1.6 Qualification Standards. The Contractor shall inspect, repair, and maintain systems and components associated with facilities listed in real property records as required throughout this contract utilizing properly trained, skilled, and qualified employees or subcontractor personnel. The Contractor shall provide objective evidence of key personnel qualifications and years of experience to the KO for review and acceptance.

2.1.11.1.7 Contractor Identification. The Contractor shall ensure all personnel be identified as a Contractor to distinguish themselves (e.g., badge, company logo, or uniform) from Government employees. The Contractor shall ensure all correspondence and reports produced are marked as Contractor products or that Contractor participation is disclosed.

2.1.11.1.8 Standards of Conduct. Contractor personnel's conduct shall not reflect discredit upon the Government. The Contractor shall ensure all personnel present a professional appearance while working on the Government installation. The Contractor's employees shall observe and comply with all local policies and procedures concerning fire, safety, environmental protection, sanitation, security, and possession of firearms or other lethal or illegal weapons or substance. The Contractor shall ensure all Contractor employees, providing services under this contract, conduct themselves and perform services in a professional, safe, and responsible manner. The Contractor shall remove, from the job site, any employee for reasons of misconduct or security. The Contractor shall ensure employee conduct complies with 41 USC 423, *Procurement Integrity*. The Contractor shall also ensure that no Contractor employees conduct political related activities or events on the installation. The removal of such a person shall not relieve the Contractor of the requirement to provide personnel to perform adequate and timely service

2.1.11.1.9 Contractor Hiring Restrictions. The Contractor shall not hire or sub-contract with off duty or former Government employees whose employment would result in a conflict with AR 600-50, *Standards of Conduct*.

2.1.12 Business Relations. The Contractor shall successfully integrate and coordinate all activity needed to execute the requirement of this PWS. The Contractor shall manage the timeliness, completeness, and quality of problem identification to a degree acceptable to the Government. The Contractor shall provide to the COR/ACOR corrective action plans, timely identification of issues, and effective management of subcontractors within two (2) days or at a mutually agreed upon date. The Contractor shall ensure customer satisfaction and professional and ethical behavior of all Contractor personnel.

2.2 Work Management. Applicable only for CLS 411 and 420.

2.2.1 Coordination. The Contractor shall schedule and coordinate with the COR/ACOR to minimize disruptions to the facility mission. All correspondence shall be submitted within the established suspense dates. All extensions, releases, or other relief of suspense requirements shall be obtained from the originating office by the Contractor.

2.2.1.1 Work Coordination. The Contractor shall prearrange and coordinate with the requestor for access to facilities. The Contractor shall report to the COR/ACOR instances where access could not be obtained to facilities because the requestor failed to be available at the prearranged time. The Contractor shall contact the COR/ACOR for resolution. When reporting such instances, the Contractor shall provide the COR/ACOR with a copy of the work document and pertinent facts related to the incident. If work requires scheduled or unscheduled interruption, disconnect or cut-off of any utility to or within the facility, or that a facility be vacated, the Contractor shall take action (five (5) business days in advance if interruption is scheduled) to (a) notify customers/facility users and the COR, (b) avoid damage to customer equipment, and (c) minimize disruption of the activity's operation.

2.2.1.2 Work Clearance. For work involving digging operations, the Contractor shall obtain an approved/concurred FB 144R, Record of Environmental Consideration, before work commences.

2.2.2 Army Maintenance Application (ArMA): GFEBS is the web-based asset and accounting system that is used as the key component for work that is performed on the Garrison. The Government will use GFEBS as a production scheduling and contract monitoring system for determining the status of work, maintenance, and repair expenditures against individual facilities, as well as minor construction and alteration (new work) project expenditures. The Government will establish and provide the Contractor with work center(s), activity types, and activity rates upon contract award. GFEBS is the official system of record for all Real Property Maintenance Activity (RPMA).

2.2.2.1 Army Maintenance Application (ArMA): ArMA is the application for web-based service maintenance requests transmitted by use of computer or mobile devices. Additionally, ArMA provides a tool to receive status updates on requests or orders. Both customers and Service Order Desk professionals enter cases into ArMA. Requests received through ArMA will follow the same classification and priority of services needed as in Attachment Annex B, Facilities Maintenance Instructions.

2.2.2.1.1 Contingency Plan: The Contractor shall include in the Contingency plan the continuing Service Order Desk operations to cover the ArMA system. The Plan shall include coordination with the DPW Contractors during the events, the entry of ArMA requests backlog and work-related documentation once the system is available.

2.2.2.1.2 Transition (Phase-in) Plan: The Contractor shall include in the Transition (Phase-in) Plan in the transition of the operations to include the ArMA website.

2.2.2.1.3 ArMA and GFEBS: DMOs and OWOs assigned to any unaccompanied housing related facilities shall be primarily processed in the ArMA followed by GFEBS processing IAW TE A0004, or as required by the Government. The Government is forecasting that all CATCODEs will be added to ArMA. The Contractor shall monitor ArMA in real-time, create requests IAW TE A0005- Barrack Reporting Template create publications affecting the barracks when provided, process requests, respond and communicate with customers, and close orders. In the event when ArMA and GFEBS do not interface; the Contractor shall manually update both systems when required. The Contractor shall ensure ArMA and GFEBS information are identical for all applicable fields. The Contractor shall process unassigned requests immediately upon receipt.

Notifications created by the ArMA website in GFEBS, the Contractor shall be updated and processed in GFEBS IAW TE A0004.

2.2.2.1.4 Duplicate Orders. The Contractor shall monitor for duplicate orders. If more than one (1) service order is submitted for work, similar in nature, associated to the same building and room number (if applicable), the orders shall be treated as a single order and documented as one (1) in ArMA. The Contractor shall reconcile duplicate orders with the customers in the ArMA website and cancel duplicate orders in ArMA.

NOTE: Government systems and database of records are subject to updates, modifications, end of service life preparation and migration to new systems will occur at the discretion of the Army. Recommend expanding GFEBS references to and/or Government directed systems.

2.2.3 Demand Maintenance Orders (DMOs).

2.2.3.1. DPW Work Reception Desk. The Contractor shall receive notification of work from the DPW work reception desk. The Contractor is authorized to execute DMOs that do not exceed thirty-two (32) work hours in labor. DMOs exceeding the Contractor's authorized limit shall be executed IAW Annex B, Facilities Maintenance Instruction. The work control team shall have at least one (1) years of experience entering maintenance orders into GFEBS, charging time and materials on the orders, and running/analyzing maintenance orders reports.

2.2.3.2. DMO Call Receipt and Entry. The DPW work reception desk assigns all DMO priorities and enters the DMO into GFEBS. All DMOs shall be executed by the Contractor within the following timelines:

- Priority 1 (Emergency): The Contractor shall send an email per the emergency Standard Operating Procedure (SOP) for Major Unplanned Outages or Emergencies (TE A0006- Service Order Priority Classification) within thirty (30) minutes of receipt for DMOs received outside of normal duty hours. DMOs are classified as Emergency (Priority 1) when immediate action is required to eliminate life

threatening or serious injury hazards to personnel. These DMOs are responded to as soon as possible and no later than one (1) hour after the request. Emergency/Critical DMOs are completed within twenty-four (24) hours of request unless the urgency of the work has been reduced to a Priority 2 or 3. The Contractor shall make every attempt to complete the priority 1 DMO repair within twenty-four (24) hours.

- Priority 2 (Urgent): These DMOs shall be completed by the Contractor within seven (7) calendar days from receipt, unless reduced to a Priority 3.
- Priority 3 (Routine): These DMOs shall be completed by the Contractor within thirty (30) calendar days of receipt.

2.2.3.3. Completed Work. The Contractor, certifying the work was satisfactorily performed, shall identify within GFEBS (using GFEBS T-CODE IW38) the total labor hours the technician worked and the fully burdened rate based on shop (e.g. - carpentry, electrical, plumbing, etc.), and the total **expanded** materials, **quantities and description with associated** parts costs. Within seven (7) days of DMO completion, the contractor shall TECO the DMO to close out the order.

2.2.3.4. Materials. The Contractor shall be responsible for all materials required for DMO repair work. For clarity, the price for DMOs reflected in the Pricing Matrix and applicable contract CLINs shall be inclusive of all DMO related repair costs.

2.2.4. Preventive Maintenance Orders (PMOs). The Contractor will create a preventative maintenance program within GFEBS. The PMO program shall be completed and fully operational in GFEBS no later than ninety (90) days after contract start date. Once the PM plan is complete, the Contractor shall execute all PMOs for the facilities and equipment as identified in GFEBS. The Contractor technicians shall execute scheduled PM work within five (5) days for monthly PM's, fourteen (14) days for quarterly PMs, and thirty (30) days for semi-annual and annual PM's. Within seven (7) days of PMO execution, the contractor shall TECO the PMO in GFEBS. The Contractor shall update within GFEBS the PM Plan for any real property and/or equipment to which the Government will take title, or which shall be installed on Government property.

2.2.4.1. Until the PMO program is complete in GFEBS, the Contractor shall execute PMOs IAW historical PM data provided in TE A0007- Workload Data. The contractor shall create a PM scheduler. The Contractor shall continually update the list as required with the COR. The PM scheduler shall be MS Excel based and include work center, maintenance plan, equipment number, equipment description, building number, frequency, task list, date called/scheduled, and any additional notes pertinent to the PM (e.g.- date added, new building, etc.). Additionally, by close of business each week, the Contractor shall provide the COR in MS Excel, a project PM planning schedule of work to be accomplished in the following week.

2.2.4.2. Approved PM Schedule. The Contractor shall strictly adhere to the scheduled PM dates to facilitate verification of work by the COR/ACOR in GFEBS. If the Contractor

finds it necessary to reschedule a PM, a written request shall be made to the COR/ACOR detailing the reasons for the proposed change at least five (5) working days prior to the originally scheduled PM date. No scheduled PM dates shall be changed without the prior written approval of the COR/ACOR.

2.2.4.3. PMO Stickers/Log. Upon completion of the PM inspection, the Contractor shall attach a sticker to the equipment item (or in the immediate vicinity thereof) indicating the equipment Maintenance Control Designation (MCD) number, the date of maintenance, and the initials and identification number of the Contractor employee who performed the work. PM will not be considered performed unless the sticker is current and affixed, and an L&E Utilization Preventive Maintenance line entry is made to document the PM action. The PM sticker information which includes the MCD number, date of maintenance and warranty information will be added into GFEBS-by-GFEBS T- code "IE01." In instances where a PMO sticker is not practicable, then the Contractor may elect to maintain a current PMO log in lieu of a sticker.

2.2.5. O&M Manual Digital Library. The Contractor shall create and maintain a current electronic repository of all O&M Manuals from the manufacturer or supplier for all facilities and equipment delineated in the Contractor's PMO program. The Contractor shall also create and maintain a technical document library for equipment and real property documents such as O&M manuals, Test and Balance or commissioning reports, training videos, etc. The Technical Reference Libraries shall be updated as required to ensure that all information therein is correct. The Technical Reference Libraries shall be considered Government property. These documents shall be managed in such a way to allow access to the documents by Government and Contractor personnel, including service providers other than the Contractor. The Warranty Manager and the Technical Document Manager may be the same person. The repository shall be organized by shop/work center.

2.2.6. Operations Work Orders (OWOs). The Contractor shall respond to and complete individual tasks related to OWOs. An OWO is recurring maintenance, cyclical in nature, outside of GFEBS scheduled PM, requested demand maintenance, or projects. Support for recurring OWOs is referenced in each applicable CLS. If a new OWO is required in addition to those identified, then a DA Form 4283, Facilities Engineering Work Requests, will be issued and shall serve as the authorization document for the initiation and execution of the OWO. In addition to performing OWOs, the Contractor shall perform duties including but not limited to maintaining and updating the TE's referenced in the TE Index as needed. The Contractor shall provide TE updates and TE Index updates electronically to the COR/ACOR as needed throughout the life of the Contract.

2.2.7. Project Work Orders (PWOs).

2.2.7.1. DA Form 4283, Facilities Engineering Work Requests, shall serve as the authorization document for the initiation and execution of PWOs. The DA Form 4283 shall be submitted to the (PROVIDE APPLICABLE POC) for processing and approval. For DMO generated PWOs, a DA Form 4283 is not required. These PWOs are included in

the fixed price CLIN for maintenance services. TE A0007 provides historical data on the number of PWOs generated from DMOs. The PWO should cover the following parameters:

- a. Actual labor hours, materials, and costs for items other than pre-expended bin materials expended.
- b. COR signature indicating work has been performed and date. If representative is not available, the Contractor shall so note on the DMO document.
- c. Maintenance Control Designator (MCD) number of equipment item and/or facility worked on under the DMO.
- d. As-built information for any utility infrastructure changes made during the course of the work, or operation and maintenance manuals for any installed equipment (as applicable).
- e. Site sketch indicating area where work was performed and schematic of activities (as applicable).
- f. Digital photos before and after work performance (as applicable).

2.2.7.2. Cost Estimates for DMO Generated PWOs. The Government will provide the Contractor with the DA Form 4283 that delineates the scope of the project. New Work is defined in Attachment 400 (Facilities Maintenance Instruction) and results in the creation or addition to an existing facility or of a building component or system which did not exist prior to the work, irrespective of whether the work is funded from a construction or an operation and maintenance (O&M) account. New Work that exceeds \$150,000 shall be accomplished through a separate contractual vehicle.

The OWO/PWO will be negotiated as follows:

- a. The Contractor shall provide the preliminary desktop (scoping), design as required and cost estimate based on the DA Form 4283 to the COR within five (5) working days of receipt.
- b. When requested in writing by the COR, the Contractor will provide detailed scoping, design, and cost estimates within ten (10) working days of receipt of the request.
- c. Negotiate the terms and conditions of the OWO/PWO, to include a scheduled completion date.
- d. KO will issue a notice to proceed memorandum to the Contractor to perform the OWO/PWO effort agreed upon.
- e. The Contractor shall bill for all approved OWOs/PWOs consistent with the direction provided at FAR 52.232-5, Payments under Fixed-Price Construction Contracts.

2.2.7.3. Preparation of Detailed Estimates. The Contractor shall prepare detailed estimate of the labor, equipment and materials required to complete PWO work using industry accepted estimating procedures and data from R.S. Means, Building Construction Cost Data, or other appropriate estimating sources approved by the COR. Estimates shall be prepared electronically, using WinEst Estimating System. All estimates, supporting information, documentation, and calculations shall be submitted to the COR.

2.2.7.4. Subcontract Work. PWOs subcontracted IAW with the Contractor's purchasing system where three (3) independent offers are obtained, and the low offer is accepted will not require a detailed cost estimate. Work, which the Contractor proposes to subcontract, shall be identified in the estimate. Information, documentation, and calculation required for subcontract work is the same as that required for work to be performed by the Contractor's work force.

2.2.7.5. Specialty Subcontracting Work. For specialized services where R.S. Means or other estimating standards are not applicable, the Contractor shall prepare a proposal that shall include a minimum of three (3) subcontractor quotes. Quotes shall include all labor, material and equipment necessary for subcontractor to complete the work to be performed on the work request. If the work is of such a type that only one (1) subcontractor can be found to perform the work, then a proposal, including breakout of costs, shall be provided sufficient for the KO to determine that the price is reasonable. If only one (1) subcontractor is solicited the contractor shall provide information to the KO sufficient to justify the sole source procurement.

2.2.7.6. Execution of PWO Work. The contractor shall provide proposals for all PWO Work addressing the scope, performance schedule and proposed price. The proposal shall provide supporting data presented including labor, and other direct costs such as equipment, material, and subcontract estimates. The COR will evaluate the Contractor's estimate to determine if: (1) the scope has been clearly and accurately identified, (2) the task hours have been properly estimated with supporting data presented, and (3) equipment, material, and subcontract estimates are reasonable and properly documented and provide recommendations to the KO. After the estimate has been reviewed, the KO will determine whether to approve or negotiate elements of the PWO. Upon KO acceptance or negotiation of the proposed PWO, the KO will execute a delivery order.

2.2.7.7. Wage Rates for PWOs. Specific work shall be subject to wage rates under current Construction Wage Rates of the contract.

2.2.7.8. PWO Bi-weekly Meetings. The Contractor shall attend a biweekly meeting with DPW personnel to provide schedule updates for all current PWOs. Schedules shall include as a minimum for each work order: (a) Change Order Number (if applicable), (b) Facility Designation, (c) Priority, (d) Initials of Quality Assurance Specialist assigned to the work order, (e) Total person hours as issued by ACO, (f) Level of work (II or III, as applicable), (g) Description of Scope of Work, (h) Date Contractor received request for proposal, (i) Date Contractor submitted proposal to Government, (j) Date work order received by Contractor, (k) Date work order will start and required completion date, (l) Percentage complete, and (m) Pertinent comments (i.e., phase of work currently in process, delivery date for materials, reason for stoppage or delay (if applicable), etc.). The Contractor will take meeting minutes during the meeting and will send to the COR and BOLD PM Coordinator within two (2) business days.

2.2.7.9. PWO Records. The Contractor shall maintain a record of all PWOs executed within GFEBS.

2.2.7.10. PWO Reporting Requirements. The Contractor shall provide a monthly status report on PWO's no later than the fifth (5th) day of every month to the COR. The report will be in the format IAW TE A0008- DPW Effort Report. Format changes can be implemented and/or approved by the COR as needed.

2.2.8. Warranty Program. The DPW PM Plan within GFEBS identifies warranty of all equipment, parts, components, where the manufacturers provide a warranty and shall be exercised for the duration of this contract. GFEB Records identify the item, the nature and expiration date of the warranty, and the name and location of the firm to contact about entitlement under the warranty. The Contractor shall update within GFEBS warranty records on any items of equipment or repair items to which the Government will take title, or which shall be installed on Government property.

2.2.8.1. Warranty Enforcement Manager. The Contractor shall appoint a Warranty Manager to monitor and track all Government-owned equipment as identified by the Government as having a warranty.

2.2.8.2. Warranty Management. The Warranty Manager shall receive a daily listing of all DMOs from the Warranty Record Database (WRD) and review all DMOs (including DMOs assigned to other service providers) in facilities under warranty for possible warranty items.

2.2.8.3. Routing of Warranty DMOs. The Contractor personnel shall be familiar with all facilities and equipment under warranty to notify the Warranty Manager of DMOs requests impacting warranties. For DMOs assigned to other service providers, the Warranty Manager shall notify the service provider, who shall then determine if the problem is a valid warranty item. If the item is a valid warranty request, the service provider shall route the DMO back to the Warranty Manager and the DMO shall be routed to the warranty provider for repair. If the repair requirement item is not covered by the warranty, the DMO shall be completed by the service provider. Warranty items that may have been overlooked by the DMO review may be flagged by technicians or workmen as warranty items. In such cases, the DMO shall be routed back to the Warranty Manager and the DMO shall be routed to the warranty provider for repair. Contractor shall place warranty calls and track status until warranty repair has been completed.

2.2.8.4. Warranty Records. The Contractor shall comply with standard Army execution and warranty claim action reporting programs as defined in AR 700-139.

2.2.8.5. Exceptions. The existence of a warranty does not alleviate the Contractor of his responsibility to perform work needed to prevent potential damage to personnel and property or to prevent unnecessary shutdown of facilities and functions.

2.2.8.6. Technical Document Library Operation. The Contractor shall store, maintain, and make technical documents available to all Government personnel and others approved by DPW upon request. If electronic versions are available, the Contractor shall

provide these via e-mail or other electronic media. If no electronic copy is available, the hardcopies will be scanned and sent to the Government personnel and others approved by DPW. Contractor shall obtain and record adequate contact information from the borrower, and the documents will be checked out for no longer than five (5) days. In the case where only one hardcopy exists, and the document cannot be scanned; the documents shall be made available for reference or for copies. The Contractor, to the maximum intent possible, shall maintain all warranty documents in an electronic data base.

2.3 As-Builts and Geospatial Information System (GIS). **Reserved**

2.4 Historic Property or Archaeological Site. Historic properties and archaeological sites are subject to the provisions of the *National Historic Preservation Act* (NHPA). The Contractor shall maintain the historic properties on the installation IAW the NHPA, 54 United States Code (U.S.C) § 300101, *National Preservation*; 36 Code of Federal Regulations (CFR) Part 800, *Advisory Council on Historic Preservation*; and United Facilities Guide Specifications (UFGS). The Contractor shall comply with all applicable Federal historical structure and archeological laws. TE A0009- Installation Maps provide more detail on historic facility locations at Fort Benning. Location map hardcopies can be found at the local DPW located in Building 6.

2.4.1 Repair and Replacement. The Contractor shall repair or replace parts with products similar in appearance to the original within thirty (30) days unless an alternate timeline is otherwise specified by the KO. The Contractor shall coordinate work through the Cultural Resources Manager via submission of the FB 144R, Record of Environmental Coordination. The Contractor shall comply with the appropriate provisions and stipulations of the Secretary of Interior's "Standards for Rehabilitation and Guidelines for Rehabilitating Historic Buildings" (Revised 1983) and TE A0010- Integrated Cultural Resources Management Plan.

2.4.2 Damages. The Contractor shall report any historical facility damage to the COR/ACOR within (4) hours.

2.5 Special Requirements.

2.5.1 Security.

2.5.1.1 Access and General Protection/Security Policy and Procedures. The Contractor and all associated subcontractors' employees shall comply with applicable installation, facility, and local security policies and procedures. The Contractor workforce shall comply with all personal identity verification (PIV) requirements as directed by Department of Defense (DOD), Headquarters Department of the Army (HQDA), and local policy. The COR/ACOR will request changes in Contractor security matters or processes if the Force Protection Condition (FPCON) at any individual facility or installation changes. The Contractor shall provide all information required for background checks to meet installation access requirements, to be accomplished by the installation Provost Marshall Office, Director of Emergency Services, or Security Office as requested.

2.5.1.2 Motor Vehicle Operators. Contractor's personnel, whose tasks require operation of any vehicles, shall possess a valid driver's license, certificates, and permits applicable for the type and class of vehicle being operated.

2.5.1.3 Contractor Vehicle Registration. Currently there is no requirement to register Contractor owned vehicles with the Provost Marshal or DES. However, the Contractor shall maintain a list of all Contractor-owned or operated vehicles and trailers operating on the installation at all times. The list may be used in case of emergency and/or another contingency. Evidence of all vehicle ownership and vehicle liability insurance must be presented upon request. All vehicles must be maintained IAW current state requirements.

2.5.1.4 The Contractor shall provide all information required for background checks to meet installation access requirements, to be accomplished by the installation Provost Marshall Office, Director of Emergency Services, or Security Office.

2.5.1.5 Physical Security. The Contractor shall safeguard all Government equipment, information, and property provided for Contractor use. The Contractor shall maintain a physical security checklist or log (e.g., Standard Form (SF) 701, *Activity Security Checklist*), which will be forwarded to the COR/ACOR, NLT the tenth (10th) of each month, following the month of surveillance. The Contractor shall secure Government facilities, equipment, and materials at the close of each work period.

The Contractor will be provided a Government furnished on-site staging area for necessary equipment and materials. The Contractor shall secure the area at the close of each work period. The Contractor shall be solely responsible for any loss or damage of equipment and material. The Contractor shall ensure debris of any type will be disposed of according to local policies and directives.

2.5.1.6 Secure Area Access. Portions of the work under the contract are performed in secure areas and all persons requiring access to a secure area will be escorted by the activity or Government personnel. In the case of escort, forty-eight (48) hours advance notice to the activity shall be required except in emergency or urgent work. Contractor employees requiring access to secure areas shall be free of felony convictions, and prior Military service members shall have an honorable discharge (See DD Form 254, *Department of Defense Contract Security Classification Specification*).

2.5.1.7 Employee Terminations. When an employee is terminated from employment on the contract for any reason, the Contractor shall have an out-processing checklist that identifies the Government issued CAC card and Installation Access Badge/Pass has been turned in to the COR and property items accounted for and back in proper custody. A signature shall be required on the checklist from the appropriate person acknowledging receipt of the items. Checklists shall be retained for the duration of the contract.

2.5.1.8 Departing Employees. The Contractor shall ensure Contractor employees return security photographic identification cards, permits, CAC, GFP, keys, photo passes, range passes, sensor access (slide) cards and that access to the LAN email has been canceled. All out-processing Contractor employee CACs must be returned to the COR no later than close of business on the last workday. A formal termination or departing memo must be submitted to the COR and security office with the requested items stating they have been collected.

2.5.1.9 Key Control. The Contractor shall establish a control system to ensure no keys issued to the Contractor by the Government are lost, misplaced, or used by unauthorized persons. Government keys shall not be duplicated by the Contractor without the COR's/ACOR's authorization. Procedures developed to control Government keys shall be included in the Contractor's QCP. The Contractor shall comply with AR 190-13 *The Army Physical Security Program* and AR 190-51 *Security of Unclassified Army Property (Sensitive and Non-sensitive, applicable to key and lock)*.

2.5.2 Security Training.

2.5.2.1 iWATCH Training. The Contractor shall brief the local iWATCH program (training standards provided by the RA's Anti-Terrorism Officer (ATO)) to all the Contractor's employees and associated subcontractors. This training is used to inform employees of the types of behavior to watch for and instruct employees to report suspicious activity to the COR/ACOR. The Contractor shall complete the training within thirty (30) calendar days of contract award and within five (5) calendar days of new employees commencing performance with the results reported to the COR/ACOR NLT thirty (30) calendar days after contract award.

2.5.2.2 Anti-Terrorism (AT) Training. All Contractor employees, to include subcontractor employees, requiring access to FBVA installation, facilities and controlled access areas shall complete AT Level I awareness training within thirty (30) calendar days of contract start date and within five (5) calendar days of new employees commencing performance and send to the COR via both electronic and paper copy. The Contractor shall complete the training within thirty (30) calendar days of contract award AT level I awareness training is available at the following website: <http://jko.jten.mil>.

2.5.2.3 Operational Security (OPSEC) Awareness Training. IAW AR 530-1, Operations Security, Contractor employees shall complete Level I OPSEC Awareness training within thirty (30) calendar days of contract award and send to the COR via both electronic and paper copies. All Contractor personnel shall complete Level I OPSEC Awareness training annually. Level I OPSEC training is available at the following website: <https://securityawareness.usalearning.gov/opsec/index.html>.

2.5.3 Safety. The Contractor shall safeguard and maintain all Government and Contractor property, as well as provide for the safety and well-being of personnel employed under this contract. The Contractor shall comply with AR 385-10, *The Army Safety Program*. All Contractor employees shall wear a reflective vest or suitable substitute while

working during darkness hours. Contractor shall be responsible for any injury to any Contractor's representative, or others, as well as for any damage to any personal or public property that occurs during the performance of this contract that is caused by the Contractor's fault or negligence.

2.5.3.1 Safety Plan. The Contractor shall develop and implement a safety program for its employees. The Contractor shall submit the Safety Plan to the KO for review and acceptance within ten (10) days of commencement of work. Revisions shall be submitted five (5) calendar days prior to the effective date of change.

2.5.3.2 Occupational Safety and Health. The Contractor shall comply with the Occupational Safety and Health Administration (OSHA) standards. The Contractor shall comply with all applicable Federal, State, and local laws, regulations, and directives. If the Contractor fails or refuses to comply promptly with safety requirements, the Government may issue an order stopping all or part of the work until satisfactory corrective action has been taken. No part of the time lost due to any such order shall be made the subject of claim for extension of time or for excess costs or damages to/by the Contractor. The Contractor shall be responsible for enforcement of all safety requirements by the Contractor and his subcontractors/teaming partners and/or joint venture partners.

2.5.4 Training, Physical Requirements, or other Expertise Required.

2.5.4.1 The Contractor shall ensure all Contractor's employees and associated subcontractors are certified or licensed in the specific areas required by the State of Georgia and/or Alabama as required. The Contractor shall ensure employees are certified or licensed in the appropriate Environmental Protection Agency (EPA) areas required. The Contractor shall ensure all required documentation of certification or licensure for Contractor personnel are filed with the COR/ACOR within twenty-four (24) hours prior to employees commencing performance.

2.5.5 Environmental Requirements.

2.5.5.1 Green Procurement. Section 6002 of the *Resource Conservation and Recovery Act of 1976* (RCRA) requires the use of recycled and recovered products identified in the EPA's Comprehensive Procurement Guidelines.

2.5.5.2 The Contractor shall use these recycled or recovered products unless they cannot be procured within a reasonable period not to exceed seven (7) calendar days; at prices not to exceed five (5) percent of prevailing rates; or the product(s) does not meet technical or performance standards. EPA Guidelines are the minimum requirement. The Contractor shall use materials and products commonly used in industry. The Contractor shall maintain records and submit an annual report to the COR/ACOR, along with the annual certification required by FAR 52.223-9 (*Certification and Estimate of Percentage of Recovered Material Content for EPA Designated Items*), upon completion of the base year and each option year.

2.5.5.3 Environmental Compliance. The Contractor shall comply with all Federal, State, local, and installation environmental laws, rules, plans, and policies. The Contractor shall use and store all materials, chemicals, and equipment used in the performance of services on the installation IAW with TE A0011- Installation Solid Waste Management Plan, industry standards, local, State and Federal laws, and according to manufacturers' recommendations. The Contractor shall be financially responsible for all fines and associated costs for hazardous waste management, transportation, and disposal of waste due to the Contractor's non-compliance. The Contractor shall provide upon request from the COR/ACOR all required data to meet environmental-mandated reporting requirements (e.g., air emission data, hazardous material storage/usage, herbicide/pesticide usage, solid/hazardous waste generation). The Contractor shall provide data to meet reporting deadlines and during compliance inspections upon request from the COR/ACOR.

2.5.5.4 Spill Plan. The Contractor shall notify the COR/ACOR within one (1) hour, if the Contractor spills or releases any hazardous substances, *i.e.*, substances listed in 40 CFR 302, *Designation, Reportable Quantities, and Notification*. The Contractor shall submit a Spill Plan to the KO for approval within thirty (30) days of contract award IAW Spill Prevention Control and Countermeasure Plan.

2.5.6 Contingency Plans.

2.5.6.1 General. The Contractor shall establish, maintain, and implement contingency plans for mobilization, disaster, and labor dispute contingencies. The plans shall assume no Government support to the Contractor workforce. The Contractor shall, within thirty (30) days of contract award, designate in writing a single contact Designated Contingency Coordinator (DCC) within the Contractor's organization. The DCC shall participate and coordinate with the installation contingency and mobilization planning activities. The DCC shall participate in the installation mobilization planning and execution conferences; and shall modify and maintain appropriate Contractor contingency plans to compliment or enhance corresponding installation plans. The Contractor shall submit all plans to the KO for approval.

2.5.6.2 Mobilization Contingency Plan. This plan shall establish procedures, personnel, and means of maintaining or expanding performance of all PWS requirements in the event of rapid deployment or sudden build-up of Military Forces. The Contractor shall submit a Mobilization Contingency Plan within (30) days of contract award.

2.5.6.3 Disaster Contingency Plan. This plan shall establish procedures, identify personnel, document essential PWS disaster services and identify the means of maintaining essential PWS services during disasters. Disaster means natural disaster (e.g., earthquake, major storm, flash flood, dam failure, or hurricane), utility outage, terrorist attack or other special circumstances identified by the Government. The Contractor shall submit a Disaster Contingency Plan within thirty (30) days of contract award.

2.5.6.4 Dispute Contingency Plan. This plan shall establish procedures and identify responsible personnel to provide the services below, with no interruption in the event of a labor dispute:

- a. Identify and address critical Preventive Maintenance and inspection tasks,
- b. Maintain electrical emergency generators, and
- c. Process and execute emergency and urgent service and work orders.

The plan shall establish procedures and time frame to secure replacement personnel in the event of a strike; and shall also record the Contractor's experience with and establish Contractor procedures for collective bargaining. The Contractor shall submit a Labor Contingency Plan NLT contract start date.

2.5.6.5 Plan Updates. The Contractor shall update these plans as changes occur and shall submit a copy of the proposed plan to the KO for approval at least thirty (30) days prior to the proposed effective date of the updated plan.

2.5.7 Special Events. The Contractor shall prepare for special events and ceremonies at various locations IAW Letters of Instruction; DA-PAM 290-5, Chapter 7-2, and as required by the COR. These requirements shall include but not be limited to, providing set-up and removal of flags, chairs, and podium. The Contractor shall provide decorating flags for Memorial Day (in May). The Contractor shall place decorating flags for the Italian and German Memorial Services (in November). The Contractor shall place the wreaths for Wreaths across America in December.

3.0 Performance Requirements and Standards.

3.1 Quality Assurance (QA). The Government will evaluate the Contractor's performance under the contract IAW the Government's Quality Assurance Surveillance Plan (QASP). QASPs are "living documents," dynamic, adaptable, and subject to modification based on Contractor performance surveillance results. The QASP is not part of the PWS and will not be issued with the solicitation. The QASP focuses on the procedures and processes the Government will implement to assure the Contractor is performing IAW the performance standards within the PWS. The Government plan defines the criteria of how the Contractor's performance will be evaluated, the frequency of surveillance, and the items to be inspected. Although the Government will develop a QASP, Government surveillance of Contractor performance is not limited to the QASP, or the performance objectives, outlined in the Performance Requirements Summary (PRS). The Government retains the right to evaluate all services required by the contract. The Government will perform inspections and tests in a manner that will not unduly delay the work. If any of the services performed do not conform to contract requirements, the Contractor shall perform the services again at no additional cost to the Government.

3.1.1 Quality Control Plan (QCP). Quality control is the responsibility of the Contractor. The Contractor shall develop, implement, and maintain an effective quality control program which shall be documented in a QCP to ensure services are performed IAW this

PWS. The Contractor shall develop and implement procedures to identify and prevent the recurrence of defective services. The Contractor's QCP is the means by which they assure themselves that the work conforms to contract requirements. The basic principle of the plan is that the Contractor is responsible for quality control. The QCP shall be constructed in such a manner that each CLS service can be extracted and used for that function only and not contain extraneous information. The Contractor's QCP shall include a separate section, which addresses the Contractor's method of managing quality of work. The QCP shall include a description of the inspection system to address services listed in this PWS, and a description of the methods to be used for identifying and preventing defects in the quality of services performed. The plan shall include a description of the Contractor's inspection system to include specifics as to areas to be inspected on a scheduled and unscheduled basis, frequency of inspections, and the title and organizational placement of the Contractor's inspectors. No lead person or first line supervisor shall be considered a Quality Control Inspector. The Contractor shall develop, maintain, and submit a QCP to the KO for acceptance within thirty (30) calendar days after the contract is awarded. The Contractor shall submit any proposed changes in the QCP to the KO for written approval five (5) working days prior to implementation.

3.2 Quality Control Files. The Contractor shall maintain files of all inspections or tests conducted by the Contractor, to include any corrective actions taken. These files shall be subject to Government review at the COR's discretion during the contract term, to include any extensions of contract term. The Quality Control Files will be the property of the Government and shall be turned over to the Government upon completion or termination of the contract.

3.3 Customer Feedback Program. The Contractor shall establish and operate a customer feedback program as part of the QCP.

4.0 Performance Requirements Summary (PRS) Matrix

Required Services/ Performance Objective	PWS Para- graph Number	Performance Standard	Maximum Allowable Degree of Deviation from Requirement (Acceptable Quality Level (AQL))	Method of Surveillance	Deduct Schedule
DMO (Service Order) Receipt and Documentation Outside of Normal Business Hours	2.2.3	Contractor acts on all Priority 1 DMOs received outside of normal business hours.	No more than one (1) defect per month allowed.	Random Sample	\$500 per defect above AQL
Priority 1 DMO	2.2.3.2	Execute 100% of Emergency DMOs within twenty-four (24) hours to alleviate the problem/situation.	No more than two percent (2%) defects per month.	Random Sample	\$1,500 per defect above AQL
Priority 2 Demand Maintenance Order (DMO)	2.2.3.2	Execute all Priority 2 DMOs within seven (7) calendar days.	No more than five percent (5%) defects per month allowed	Random Sample	\$1,000 per defect above AQL
Priority 3 Demand Maintenance Order (DMO)	2.2.3.2	Execute all Priority 3 DMOs with thirty (30) calendar days	No more than five percent (5%) defects per month allowed	Random Sample	\$100 per defect above AQL
PMO tasks	2.2.4	Execute all PMO tasks scheduled for the month	Two percent (2%) Deviation from performance standard	Random Sample	\$1,000 per defect above AQL

PWOs	2.2.7	Execute PWOs within the scheduled delivery date (defined at PWO creation).	No more than five (5) defects allowed per month.	100% Inspection	\$500 per defect above AQL
Workload Management in GFEBS	2.2.3 for DMOs 2.2.4 for PMOs 2.2.7 for PWOs	TECO DMOs, PMOs and PWOs in GFEBS within seven (7) calendar days.	No more than one percent (1) defects allowed per month.	Random Sample	\$500 per defect above AQL
GFEBS PM Program	2.2.4.1.	Develop and complete PM Program in GFEBS.	NLT ninety (90) days after contract award. No defects allowed.	100% Inspection	\$250 per day above AQL

5.0 Common Levels of Service (CLS)

Common Levels of Service (CLS). The Contractor shall provide overall management, supervision, personnel, labor, generalized or specialized equipment necessary to maintain, repair, operate, and perform all the CLS functions of the Base Operations specified below. This shall be done IAW all the terms, conditions, general and special provisions, specifications, drawings, attachments, and exhibits contained herein or incorporated by reference.

The Contractor shall ensure that all work meets or exceeds the specifications for the listed CLS.

CLS	Service Title	Attachment No.
400	Facilities Maintenance Instruction	Annex B
404	Grounds Maintenance	Annex F
411	Facility Maintenance – Vertical	Annex H
420	Facility Maintenance - Horizontal	Annex J
424	Cemetery Services	Annex O
501	Heating and Cooling Services	Annex K
502	Water Services	Annex N
503	Wastewater Services	Annex L

6.0 Deliverables. Reference TE A0012- Consolidated Listing of Contract Deliverables (CDRLs) and Technical Exhibits (TEs).

7.0 Related Documents.

7.1 Definitions and Acronyms.

7.1.1 Definitions.

7.1.1.1 Acceptable Quality Level (AQL). The AQL is the maximum percent defective (or the number of defects per hundred units) for the purposes of sampling inspection can be considered satisfactory.

7.1.1.2 Alternate Contracting Officer's Representative (ACOR). An employee of the U.S. Government appointed by the KO to provide support to CORs in monitoring and documenting the Contractor's performance. These alternate surveillance support personnel will serve as on-site representatives of the COR in performance of actual contract surveillance if they meet all COR training, experience requirements, and are appointed by the KO as an ACOR.

7.1.1.3 Ashes. The residue from burned wood, coal, coke, and other combustible material.

7.1.1.4 Bulk Waste. Large items of solid waste such as household appliances, furniture, auto parts, pallets, shelving, piping, stone, concrete rubble, brick, lumber, toys, and other wastes; the size or weight of which, precludes or complicates the handling by normal collection, processing, or disposal methods.

7.1.1.5 Bulky Waste. The waste placed at the collection point or curbside that doesn't fit or is too heavy to be placed in the routine collection container. These wastes include but are not limited to: lumber, scrap metals, bricks, blocks, concrete rubble, stones, toys, furniture, appliances, logs, limbs, televisions, cabinets, automotive components, power equipment, crates, wheels, de-rimmed tires, electronics and their components, etc.

7.1.1.6 Cannibalize. Remove parts from Government property for use or for installation on other Government property.

7.1.1.7 Carpet Care. Cleaning and maintenance to keep carpet reasonably free of all stains, soil, and dirt. Methods used for carpet care are vacuum cleaners and carpet shampoos.

7.1.1.8 Child, Youth and School Services (CYS). Overarching naming convention for Child Development Center (CDC), Youth Activity Center, and School Age Services (SAS). CYS is used when referencing all programs.

7.1.1.9 Cleaning. Removing stains, soil, and dirt; accomplished by chemical or mechanical means.

7.1.1.10 Collection. The pickup of accumulated recyclable material, solid waste, including bulky waste, from any collection point, regardless of quantity.

7.1.1.11 Collection Frequency. The number of times collection is performed during a specific time frame.

7.1.1.12 Collection Point. The location designated on the drawings or maps or described in this performance work statement where solid waste, including bulky materials, will be temporarily stored for collection by the Contractor.

7.1.1.13 Commercial Solid Waste. All types of solid waste generated by stores, offices, restaurants, warehouses, and other non-manufacturing activities, excluding residential and industrial waste.

7.1.1.14 Construction and Demolition (C&D) Waste. The waste building materials, packaging and rubble resulting from construction, remodeling, repair, and demolition operation on pavement, housing, commercial buildings and other structures.

7.1.1.15 Contract Administrator (CA). The official Government representative delegated authority by the KO to administer a contract. This individual, normally working in an appropriate contracting or procurement career field, advises on all technical contractual matters.

7.1.1.16 Contract Discrepancy. A failure of the Contractor to perform IAW contract requirements and specifications, *e.g.*, a failure of the Contractor to provide, or provide on time, the required contract products or services; or it may result because delivered products or services do not meet specific contract requirements.

7.1.1.17 Contract Discrepancy Report (CDR). A report used to document other than satisfactory Contractor performance. The CDR requires the Contractor to explain, in writing, why performance is other than satisfactory; how performance shall be returned to satisfactory levels; and how recurrence of the problem shall be prevented in the future.

7.1.1.18 Contractor. A supplier or vendor awarded a contract to provide specific supplies or service to the Government. The term used in this contract refers to the prime.

7.1.1.19 Contractor Acquired Property (CAP). Property acquired, fabricated, or otherwise provided by the Contractor for performing a contract. Contractor retains title.

7.1.1.20 Contracting Officer (KO). A person with authority to enter into, administer, and or terminate contracts, and make related determinations and findings on behalf of the Government. Note: The only individual who can legally bind the Government.

7.1.1.21 Contracting Officer's Representative (COR). An employee of the U.S. Government appointed by the KO to help administer the contract. Such appointment shall be in writing and shall state the scope of authority and limitations. This individual has authority to provide technical direction to the Contractor as long as that direction is within the scope of the contract, does not constitute a change, and has no funding implications. This individual does NOT have authority to change the terms and conditions of the contract.

7.1.1.22 Curb Side Pick-Up. Collection of solid waste or recyclable materials (to include bulky waste) that is placed next to curb, doorway or alley by the supported activity. This refers to locations that are not serviced by bulk containers (dumpsters or compactors).

7.1.1.23 Debris. Includes, but is not limited to, paper, cans, bottles, cigarette butts, cardboard, plastic, limbs and branches, pine straw and pine cones, leaves, rocks, and other similar items.

7.1.1.24 Defective Service. A service output that does not meet the standard of performance associated with the PWS.

7.1.1.25 Deliverable. Anything that can be delivered; can include non-manufactured things, such as meeting minutes or reports.

7.1.1.26 Equipment. A tangible item that is functionally complete for its intended purpose, durable, nonexpendable, and needed for the performance of a contract. Equipment is not intended for sale, and does not ordinarily lose its identity or become a component part of another article, when put into use. Equipment does not include material, real property, special test equipment or special tooling.

7.1.1.27 Fertilization. Fertilization is the process of applying nutrient elements to the soil where the soil has become deficient in nutrients essential for proper plant growth.

7.1.1.28 Food Waste. Organic residue generated by the handling, storage, sale, preparation, cooking and serving of foods.

7.1.1.29 Garbage. Animal and vegetable waste resulting from the handling, preparation, cooking and consumption of foods.

7.1.1.30 General Fund Enterprise Business System (GFEBS). GFEBS is the U.S. Army's web-based enabled financial, asset, and accounting management system that standardizes, streamlines, and shares critical financial data across the Active Army, the Army National Guard, and the Army Reserves. GFEBS is the work management system that the Directorate of Public Works uses for all order types and projects.

7.1.1.31 Generation. The act or process of producing refuse (solid waste) or recyclable materials.

7.1.1.32 Government-Furnished Property (GFP). Property in the possession of, or directly acquired by, the Government and subsequently furnished to the Contractor for performance of a contract. Government-furnished property includes, but is not limited to, spares and property furnished for repair, maintenance, overhaul, or modification. Government-furnished property also includes Contractor-acquired property if the Contractor-acquired property is a deliverable under a cost contract when accepted by the Government for continued use under the contract.

7.1.1.33 Government Property. All property owned or leased by the Government. Government property includes both Government-furnished property and Government purchased Contractor-acquired property. Government property includes material, equipment, special tooling, special test equipment, and real property. Government property does not include intellectual property and software.

7.1.1.34 Grass Cutting. Grass cutting includes cutting and trimming, within the designated area, all grasses, weeds, and other vegetation which is one inch or less in diameter (at ground level).

7.1.1.35 Hard Surface Floor Care. Hard surface floor care includes, but is not limited to tile, vinyl, rubber tile, mosaic tile, quarry tile, ceramic tile, marble, concrete, terrazzo, and linoleum. Floor care includes, but is not limited to dust mopping, wet mopping, scrubbing, stripping, waxing, re-finishing, or sealing.

7.1.1.36 Hazardous Material. Any item or chemical, which is a "health hazard", or "physical hazard", as reflected in Federal Standard (FED-STD) 313 *Material Safety Data and Disposal Data for Hazardous Materials Furnished to Government Activities*, defined in OSHA 29 CFR 1910, and pursuant to FAR 23.301 (Hazardous Materials) Definition. It also includes any other material designated by a Government COR/technical representative as potentially hazardous and requiring safety controls (e.g., pesticides, fertilizers).

7.1.1.37 Installation Design Guide (IDG). IDGs provide standards for site planning, buildings, vehicular and pedestrian circulation, landscaping, site elements (e.g., signage, utilities), force protection, and sustainable design. The IDGs are specific to each Army installation.

7.1.1.38 Institutional Solid Waste. Waste that is generated by educational, health care, correctional and other institutional facilities.

7.1.1.39 Key Personnel. Contractor personnel evaluated in a source selection process and are used in the performance of a contract. When key personnel are used as an evaluation factor in best value procurement, an offer can be rejected if it does not have

a firm commitment from the persons who are listed in the proposal. The prime Contractor is responsible for performance of all subcontractors.

7.1.1.40 Lavatories, Latrines, or Bathrooms. Commodes, urinals, wash basins, bathtubs, shower stalls, sinks, and shower curtains.

7.1.1.41 Loss of Government Property. Unintended, unforeseen or accidental loss, damage, or destruction of Government property that reduces the Government's expected economic benefits of the property. Loss of Government property does not include occurrences such as purposeful destructive testing, obsolescence, normal wear and tear, or manufacturing defects. Loss of Government property includes, but is not limited to:

- a. Items that cannot be found after a reasonable search,
- b. Theft,
- c. Damage resulting in unexpected harm to property requiring repair to restore the item to usable condition, or
- d. Destruction resulting from incidents that render the item useless for its intended purpose or beyond economical repair.

7.1.1.42 Lot. A collection of service outputs from which a sample is to be drawn and inspected to determine conformance with the standard. This definition applies to the Performance Requirements Summary (PRS), not the word "lot" in Section B of the contract.

7.1.1.43 Lot Size. The number of service outputs in a lot. This definition applies to the PRS, not the words "lot size" in Section B of the contract.

7.1.1.44 Material. Property that is consumed or expended during the performance of a contract, component parts of a higher assembly, or items that lose their individual identity through incorporation into an end-item. Material does not include equipment, special tooling, and special test equipment or real property.

7.1.1.45 Material Handling Area. The material handling area is used for the accumulation and preparation of bulk solid waste or recyclable materials for transportation to a solid waste management facility.

7.1.1.46 Non-Combustible Material. Material that doesn't burn at ordinary temperatures.

7.1.1.47 Non-Personal Services. The personnel rendering the services are not subject, either by the contract's terms or by the manner of its administration, to the supervision and control usually prevailing in relationships between the Government and its employees. Non-personal service contracts are authorized by the Government IAW FAR 37.104, under general contracting authority, and do not require specific statutory authorization.

7.1.1.48 Organic Storage Site. Area of accumulation for organic materials (e.g., leaves, logs, limbs, and grass clippings).

7.1.1.49 Performance Indicator. The characteristic of an output of a work process that can be measured.

7.1.1.50 Performance Requirements Summary (PRS). Identifies the key service outputs of the contract that will be evaluated by the Government to ensure contract performance standards are met by the Contractor (other services may also be inspected under the authority of the Inspection of Service Clause).

7.1.1.51 Physical Security. Actions that prevent the loss or damage of Government property.

7.1.1.52 Plant. A living organism, of the kind exemplified by trees, shrubs, herbs, grasses, ferns, and mosses, typically growing in a permanent site, absorbing water and inorganic substances through its roots.

7.1.1.53 Property. All tangible property, both real and personal.

7.1.1.54 Property Administrator (PA). An authorized representative of the KO, appointed IAW agency procedures, responsible for administering the contract requirements and obligations relating to Government property in the possession of a Contractor.

7.1.1.55 Property Records. Records created and maintained by the Contractor in support of its stewardship responsibilities for the management of Government property.

7.1.1.56 Provide. To furnish, as in Government-furnished property, or to acquire, as in Contractor-acquired property.

7.1.1.57 Pruning. Pruning is selectively removing unwanted growth to make a plant or tree grow or respond in a desired manner. Pruning differs from "shearing". Pruning involves selection and judgment. "Shearing" means clipping all growth on a plant at a uniform distance and shape.

7.1.1.58 Public Traffic Areas. Lobbies, hallways, corridors, stairwells, meeting rooms, and lavatories.

7.1.1.59 Quality Assurance (QA). Verification that services being performed by the Contractor are IAW acceptable standards.

7.1.1.60 Quality Assurance Evaluator (QAE). A Government representative responsible for performing surveillance and inspection of Contractor performance.

7.1.1.61 Quality Assurance Surveillance Plan (QASP). An organized document written by the Government specifying the surveillance methodology used for surveillance of Contractor performance.

7.1.1.62 Quality Control. All necessary measures taken by the Contractor to assure that the quality of an end product or service shall meet contract requirements.

7.1.1.63 Raise. Selective pruning of limbs, identified by the COR, or limbs that pose a public safety hazard with a minimum clearance of 14 feet over streets, parking lots, and driveways; eight (8) feet over walk areas; four (4) feet over buildings and three (3) feet from buildings and streetlights, IAW established industry standards.

6.1.1.64 Random Number Table. A table of numbers arranged in random fashion; a table used to select random samples.

6.1.1.65 Random Sample. A sampling method whereby each service output in a lot has an equal chance of being selected.

6.1.1.66 Random Sampling. A method for looking at a few individual items in a lot to measure the quality of that lot against a standard.

7.1.1.67 Real Property. DOD Lands, buildings, structures, utility systems, improvements, and appurtenances, thereto that includes equipment attached to and made part of buildings and structures, but not movable equipment. See Federal Management Regulation 102-71.20 (41 CFR 102-71.20).

7.1.1.68 Recycling. The act of recovering materials from the solid waste stream, separating them by commodity, and returned to the economic mainstream as raw material.

7.1.1.69 Recycling Materials. Commodities include corrugated cardboard, wood, and plastic pallets.

7.1.1.70 Recycling Facility. Any facility employed, beyond the initial collection processes and managing recycling which include, but not limited to electronics, organics, plastics, metals, paper, and cardboard.

7.1.1.71 Regulated Medical Waste. Waste not specifically excluded from the restrictions of Federal regulations and which meets the criteria listed in 40 CFR 259.

7.1.1.72 Refuse. All garbage, ashes, debris, trash, rubbish and items intended for disposal that are generated in conjunction with the activities in the areas covered in this contract. Items excluded are explosives, incendiary waste, hazardous waste, and pathological waste resulting from medical and radiological processes.

7.1.1.73 Refuse Collection. A system of collecting and transporting solid waste from pick-up stations to points of disposal.

7.1.1.74 Refuse/Recycling Storage Containers. Cans, drums, bins, bags, boxes, crates, sidewalk litter containers, dumpsters, roll-off containers, or similar receptacles which are used for the temporary storage of solid waste while awaiting collection. The term "container" used in this document shall have the same meaning as solid waste storage container.

7.1.1.75 Residential Solid Waste. Waste generated by the normal activities of households, including, but not limited to: food waste, rubbish, ashes and bulky waste.

7.1.1.76 Sample Size. The number of outputs in the sample; a group of one or more tasks drawn from the specified performance.

7.1.1.77 Sampling. A sample consists of one or more service outputs drawn from a lot IAW random sampling procedures to be evaluated by Government personnel.

7.1.1.78 Scavenging. The uncontrolled and unauthorized removal of materials at any point of the solid waste management stream.

7.1.1.79 Sensitive Property. Property potentially dangerous to the public safety or security if stolen, lost, or misplaced, or that shall be subject to exceptional physical security, protection, control, and accountability. Examples include weapons, ammunition, explosives, controlled substances, radioactive materials, hazardous materials or wastes, or precious metals.

7.1.1.80 Service/Maintain. These words are interchangeable.

7.1.1.81 Shrub. A woody plant with several perennial stems. It will usually have a height less of than 13 feet and stems no more than about three (3) inches in diameter.

7.1.1.82 Soil. Includes, but is not limited to dust, dirt, stains, grease, smudges, streaks, spots, lint, or odors. Soil can be removed chemically, mechanically, or by a combination of both. Mechanical soil removal is removing soil with a machine such as a vacuum cleaner. Chemical soil removal is removing soil with a liquid that contains cleaning agents such as detergents, surfactants, and emulsifiers. The combination of chemical and mechanical methods such as an automatic floor scrubbing machine, uses the chemical method to breakdown and loosen soil which then the mechanical method picks up and carries the soil away. Which soil removal method is used depends on the cleaning objectives and on size, location, and type of surface to be cleaned and is the prerogative of the Contractor.

7.1.1.83 Solid Waste. Garbage, refuse, sludge, and other waste materials not excluded by Federal regulations. Solid waste is any solid, liquid, semi-solid, or contained gaseous material resulting from institutional, industrial, commercial, mining, agricultural, or community operations and activities. Solid wastes are accumulated, stored, or treated before being discarded. A material is discarded if abandoned and not used,

reused, reclaimed, or recycled by being disposed of, burned, or treated. Regulated medical wastes are not included in this category.

7.1.1.84 Solid Waste Management Facility (SWMF). Any facility employed, beyond the initial collection processes and managing solid waste including, but not limited to: storage areas or facilities, transfer stations, rail haul or barge haul facilities, landfills, disposal facilities, solid waste facilities, surface impoundment and waste oil storage, repossessing, refining facilities, recyclable handling, recovery facilities and waste tire storage facilities.

7.1.1.87 Source Separation. Source separation is the act of separating recyclable materials at their point of generation by the waste generator.

7.1.1.88 Spray Buffing. Procedure to apply a light coat of wax to maintain the waxed floor after removing minor scratches and scuff marks.

7.1.1.89 Spot Cleaning. Cleaning small areas of carpet by vacuuming, hot water extraction, or shampooing due to accumulation of dirt or soil on heavy traffic patterns or due to leaks or spillage on small areas of floor surface. Spot cleaning is also removal of spots from walls, ceilings, floors, and furniture surfaces.

7.1.1.90 Standard. A measure of comparison; an acceptability criterion; a benchmark or yardstick against which a service will be measured.

7.1.1.91 Stairwell Cleaning. Cleaning of all stairwells in any building. This process includes steps, landing, walls, and handrails.

7.1.1.92 Street Wastes. Materials picked up by manual or mechanical sweepings of alleys, streets, and sidewalks. Waste from solid waste receptacles and catch basins.

7.1.1.93 Stripping. The removal of floor finishes down to the flooring material. Stripping of a floor means floor surfaces are free of dirt, stains, deposits, cleaning solutions, standing water, and have a uniform appearance when dry. Stripping of floor surfaces includes utilizing procedures and equipment to prevent safety hazards.

7.1.1.94 Subcontractor. One that enters into a contract with a prime Contractor. The Government does not have privity of contract with the subcontractor.

7.1.1.95 Tonnage. Weight measured in tons (not imperial).

7.1.1.96 Transfer Station. A transfer station is a facility which processes collected solid waste in a particular area for transportation to a solid waste management facility.

7.1.1.97 Trash Removal. Trash removal includes the pickup and removal of all papers and other debris in buildings. This includes but is not limited to wastebaskets, boxes, or any substance used for refuse.

7.1.1.98 Tree. A woody plant having one erect perennial stem (trunk), at least three inches in diameter, at a point 4-1/2 feet above the ground, a definitely formed crown of foliage, and mature height of at least 13 feet.

7.1.1.99 Trimming. Cutting of grass and other vegetation around grounds obstacles that prevent mowing.

7.1.1.100 Unit Acquisition Cost.

- a. For Government-furnished property, the dollar value assigned by the Government and identified in the contract; and
- b. For Contractor-acquired property, the cost derived from the Contractor's records that reflect consistently applied generally accepted accounting principles.

7.1.1.101 Vector. A carrier, usually an arthropod, which can transmit a pathogen from one organism to another.

7.1.1.102 Wash. The act of cleansing using water and soap or detergent.

7.1.1.103 Wide Area Work Flow (WAWF). A secure web based system for electronic invoicing, receipt, and acceptance. WAWF allows Government vendors to submit and track invoices and receipt or acceptance documents over the web allowing Government personnel to process those invoices in a real-time, paperless environment.

7.1.1.104 Work Day. The number of hours per day the Contractor provides services IAW the contract.

7.1.1.105 Work Week. Monday through Friday, unless specified otherwise.

7.1.1.106 Yard Wastes. Materials such as: tree and shrub branches, trimmings, brush, grass clippings, leaves, Christmas trees, weeds, etc.

7.1.2 Acronyms.

ACC	Army Contracting Command
ACOR	Alternate Contracting Officer's Representative
AFARS	Army Federal Acquisition Regulation Supplement
AMC	Army Materiel Command
ANSI	American National Standards Institute
AQL	Acceptable Quality Level
AR	Army Regulation
ARC	Army Resource Center
ATO	Anti-Terrorism Officer
CAP	Contractor Acquired Property
CDC	Child Development Center

CDRL	Contract Data Requirements List
CFE	Contractor Furnished Equipment
CFM	Contractor Furnished Material
CFP	Contractor Furnished Property
CFR	Code of Federal Regulations
CLIN	Contract Line Item Number
CMRA	Contractor Manpower Reporting Application
CONUS	Continental United States (excludes Alaska and Hawaii)
COR	Contracting Officer's Representative
CORT	Contracting Officer's Representative Tool
CPARS	Contractor Performance Assessment Reporting System
DA	Department of the Army
DCMA	Defense Contract Management Agency
DES	Directorate of Emergency Services
DFARS	Defense Federal Acquisition Regulation Supplement
DID	Data Item Description
DOD	Department of Defense
DOL	Department of Labor
DOT	Department of Transportation
DPW	Directorate of Public Works
ECO	Environmental Compliance Officer
EM	Engineering Manual, U.S. Army Corps of Engineers (USACE)
EO	Executive Order
EPA	Environmental Protection Agency
ERDC	Engineering Research Development Center
FAR	Federal Acquisition Regulation
FIPS	Federal Information Processing Standards
FPCON	Force Protection Condition
GFE	Government-Furnished Equipment
GFEBS	General Fund Enterprise Business System
GFM	Government-Furnished Material
GFP	Government-Furnished Property
HLO	High Level Objective
HQDA	Headquarters Department of the Army
HSPD	Homeland Security Presidential Directive
IAW	In Accordance With
IMCOM	Installation Management Command
IT	Information Technology
KO	Contracting Officer
N/A	Reserved
NGB	National Guard Bureau
NLT	Not Later Than
OCI	Organizational Conflict of Interest
OCONUS	Outside Continental United States (includes Alaska and Hawaii)
OMB	Office of Management and Budget
OSHA	Occupational Safety and Health Administration

PAM	Pamphlet
PM	Preventive Maintenance
POC	Point of Contact
PoP	Period of Performance
PPIRS	Past Performance Information Retrieval System
PRS	Performance Requirements Summary
PUB	Publication
PWS	Performance Work Statement
QA	Quality Assurance
QAP	Quality Assurance Program
QASP	Quality Assurance Surveillance Plan
QC	Quality Control
QCP	Quality Control Plan
RCRA	Resource Conservation and Recovery Act
SDS	Safety Data Sheets
SF	Standard Form
TE	Technical Exhibit
USARC	U.S. Army Reserve Command
U.S.C.	United States Code
VCE	Virtual Contracting Enterprise
VIP	Very Important Person
WAWF	Wide Area Work Flow
WD	Wage Determination

7.2 Applicable Directives, Publications.

ACC PAM 70-1	Interim Army Contracting Command – Contracting Officer's Representative Policy Guide
AASHTO-T11	Standard Method of Test for Materials Finer Than 75-µm (No. 200) Sieve in Mineral Aggregates by Washing
ANSI A300	Standard Practices for Tree Care Operations
ANSI Z60.1	American Standards for Nursery Stock
ANSI Z87.1-2003	Practice for Occupational and Educational Personal Eye and Face Protection Devices
ANSI Z133.1	Safety Requirements for Tree Care Operations
ANSI/ASQC-Z1.4	National American Standard
ANSI Z245.1	Mobile Refuse Collection and Compaction Equipment – Safety Requirements

AR 11-27	Army Energy Program
AR 40-5	Preventive-Medicine (Child Development Centers)
AR 40-400	Medical Services Patient Administration
AR 70-13	Management and Oversight of Service Acquisitions
AR 190-5	Motor Vehicles Traffic Supervision
AR 200-1	Environmental Protection and Enhancement
AR 200-3	Natural Resources; Land, Forest, and Wildlife Management
AR 200-4	Cultural Resources Management
AR 200-5	Pest Management
AR 290-5	Army Cemeteries
AR 385-10	Army Safety Program
AR 385-40	Army Accident Investigation and Reporting
AR 420-1	Army Facilities Management
AR 420-70	Facilities Engineering (Transportation Infrastructure and Dams)
AR 420-90	Fire Emergency Services
AR 530-1	Operations Security
AR 600-50	Standards of Conduct for Department of Army Personnel
AR 600-63	Army Health Promotion
AR 608-10	Child Development Services
AR 840-10	Flags, Guidons, Streamers, Tabards, and Automobile and Aircraft Plates
AR Directive 2014-23	Conduct of Screening and Background Checks for Individuals Who Have Regular Contact with Children in Army Programs

29 CFR Part 1910	Occupational Safety and Health Standards
40 CFR	Protection of the Environment
40 CFR Subchapter I	Solid Wastes
40 CFR 202	Motor Carriers Engaged in Interstate Commerce
40 CFR 257	Criteria for Classification of Solid Waste Disposal Facilities and Practices
40 CFR Part 302	Protection of Environment, Designation, Reportable Quantities and Notification
49 CFR 390-396	Motor Carrier Safety Standards
49 CFR 571	Federal Motor Vehicle Safety Standards
Clean Air Act (CAA)	
Clean Water Act (CWA)	Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)
DA PAM 290-5	Administration, Operation, and Maintenance of Army Cemeteries
DA PAM 385-40	Army Accident Investigations and Reporting
DA PAM 420-1-1	Housing Management*
DoD 4160.21-M	Defense Materiel Disposition Manual
DoD Directive 5500.7-R	Joint Ethics Regulation
DoDI 1402.5	Criminal History Background Checks On Individuals in Child Care Services
DoDI 4150.07	DoD Pest Management Program
DoDI 5000.72	DoD Standard for Contracting Officer's Representative (COR) Certification
EM-385-1-1	Safety and Health Requirements Manual

EO 13423	Strengthening Federal Environmental, Energy, and Transportation Management
EO 13693	Planning for Federal Sustainability in the Next Decade
EPA, Method 9095	Paint Liquids Filter Test
EPA, SW-846	Test Methods for Evaluating Solid Wastes, Physical/Chemical Methods
FC 3-260-06F	Air Force Design, Construction, Maintenance, and Evaluation of Snow and Ice Airfields in Antarctica 06-01-2015
Federal Standard #313	Material Safety Data and Disposal Data for Hazardous Materials Furnished to Government Activities
Federal Standard #595	Colors
FIFRA	Federal Insecticide, Fungicide, and Rodenticide Act
FIPS PUB 201-2	Personal Identity Verification (PIV) of Federal Employees and Contractors
Garrison's Snow, Ice, and Sand Removal Control Plan	
HSPD 12 Common	Homeland Security Presidential Directive 12 Policy for a Identification Standard for Federal Employees and Contractor
IDG	Installation Design Guide
NFPA 1.12-2	Combustible Fibers
OMB M-05-24	Office of Management and Budget (OMB) Guidance Implementation of Homeland Security Presidential Directive (HSPD) 12 – Policy for a Common Identification Standard for Federal Employees and Contractors
OPORD 13-153	Enterprise Municipal Services Performance Standards
SF 95	Position of Public Trust
TB MED 530 5-28,(h)(i)	Tri-Service Food Code
TM 5-623	Pavement Maintenance Management

TM 5-624	Maintenance and Repair of Surface Areas
TM 5-634	Solid Waste Management
TM 5-683	Electrical Interior Facilities
TM 5-820-4	Drainage for Areas other than Airfields
TM 9-6150-226-13	Electrical Feeder System
UFC 1-200-01	DoD Building Code (General Building Requirements)
UFC 4-010-1	DoD Minimum Antiterrorism Standards for buildings (Change 1)
UFC 4-021-01	Design and O&M for Mass Notification Systems
UFC 4-021-02NF	Security Engineering Electronic Security Systems
UFC 3-101-01	Architecture 11-28-2011
UFC 3-110-03	Roofing, with Change 1 05-01-2012
UFC 3-110-04	Roofing Maintenance and Repair 01-11-2007
UFC 3-120-01	Design: Sign Standards, with Change 2 03-01-2014
UFC 3-120-10	Interior Design, with Change 1 06-15-2006
UFC 3-190-06	Protective Coatings and Paints 01-16-2004
UFC 3-201-01	Civil Engineering 06-01-2013
UFC 3-201-02	Landscape Architecture, with Change 1 02-23-2009
UFC 3-210-10	Low Impact Development 07-01-2015
UFC 3-220-01	Geotechnical Engineering 11-01-2012
UFC 3-220-04	Backfill for Subsurface Structures 01-16-2004
UFC 3-220-05	Dewatering and Groundwater Control 01-16-2004
UFC 3-220-06	Grouting Methods and Equipment 01-16-2004

UFC 3-220-08	Engineering Use of Geotextiles 01-16-2004
UFC 3-220-10N	Soil Mechanics 06-08-2005
UFC 3-230-01	Water Storage, Distribution, and Transmission, with Change 2 11-01-2012
UFC 3-230-02	O&M: Water Supply Systems 07-10-2001
UFC 3-230-03	Water Treatment 11-01-2012
UFC 3-230-06A	Subsurface Drainage, with Changes 1-2 01-16-2004
UFC 3-240-01	Wastewater Collection, with Change 1 11-01-2012
UFC 3-240-02	Domestic Wastewater Treatment 11-01-2012
UFC 3-240-03N	Wastewater Treatment System Augmenting Handbook Operation and Maintenance 01-16-2004
UFC 3-240-05A	Solid Waste Incineration 01-16-2004
UFC 3-240-10A	Sanitary Landfill 01-16-2004
UFC 3-240-13FN	Industrial Water Treatment Operation and Maintenance 05-25-2005
UFC 3-250-01FA	Pavement Design for Roads, Streets, Walks, and Open Storage Areas 01-16-2004
UFC 3-250-03 2001	Standard Practice Manual for Flexible Pavements 05-15-2001
UFC 3-250-04	Standard Practice for Concrete Pavements, with Change 2 01-16-2004
UFC 3-250-06	Repair of Rigid Pavements Using Epoxy Resin Grouts, Mortars and Concretes 01-16-2004
UFC 3-250-07	Standard Practice for Pavement Recycling 01-16-2004
UFC 3-250-08FA	Standard Practice for Sealing Joints and Cracks in Rigid and Flexible Pavements 01-16-2004
UFC 3-250-09FA	Aggregate Surfaced Roads and Airfields Areas 01-16-2004

UFC 3-250-11	Soil Stabilization for Pavements 01-16-2004
UFC 3-260-01	Airfield and Heliport Planning and Design 11-17-2008
UFC 3-260-02	Pavement Design for Airfields 06-30-2001
UFC 3-260-03	Airfield Pavement Evaluation 04-15-2001
UFC 3-260-05A	Marking of Army Airfield Heliport Operational and Maintenance Facilities, with Change 1 01-16-2004
UFC 3-260-11 FA	Model Design-Build (D-B) Request for Proposal (RFP) For Airfield Contracts 05-25-2005
UFC 3-260-16 FA	FA Airfield Pavement Condition Survey Procedures Pavements 01-16-2004
UFC 3-260-17	Dust Control for Roads, Airfields and Adjacent Areas 01-16-2004
UFC 3-270-01	Asphalt Maintenance and Repair 03-15-2001
UFC 3-270-02	Asphalt Crack Repair 03-15-2001
UFC 3-270-03	Concrete Crack and Partial-Depth Spall Repair 03-15-2001
UFC 3-270-04	Concrete Repair 03-15-2001
UFC 3-270-05	Paver Concrete Surfaced Airfields Pavement Condition Index (PCI) 03-15-2001
UFC 3-270-06	Paver Asphalt Surfaced Airfields Pavement Condition Index (PCI) 03-15-2001
UFC 3-270-07 O&M	O&M: Airfield Damage Repair 08-12-2002
UFC 3-270-08	Pavement Maintenance Management 01-16-2004
UFC 3-280-01A	Guidance for Ground Water/Fuel Extraction and Ground Water Injection Systems 01-16-2004
UFC 3-280-04	Army Filtration of Liquids 12-17-2003
UFC 3-301-01	Structural Engineering, with Change 1 06-01-2013
UFC 3-310-04	Seismic Design for Buildings 06-01-2013

UFC 3-310-08	Non-Expeditionary Bridge Inspection, Maintenance and Repair, with Change 1 08-16-2010
UFC 3-320-06A	Concrete Floor Slabs on Grade Subjected to Heavy Loads 03-01-2005
UFC 3-340-01	Design and Analysis of Hardened Structures to Conventional Weapons Effects (FOUO) 06-30-2002
UFC 3-340-02	Structures to Resist the Effects of Accidental Explosions, with Change 2 12-05-2008
UFC 3-400-02	Design: Engineering Weather Data 02-28-2003
UFC 3-401-01	Mechanical Engineering 07-01-2013
UFC 3-410-01	Heating, Ventilating, and Air Conditioning Systems, with Change 1 07-01-2013
UFC 3-410-02	Lonworks (R) Direct Digital Control for HVAC and Other Local Building Systems, with Change 1 05-01-2012
UFC 3-410-04N	Industrial Ventilation 10-25-2004
UFC 3-420-01	Plumbing Systems, with Change 9 10-25-2004
UFC 3-420-02FA	Compressed Air, with Change 1 05-15-2003
UFC 3-430-01FA	Heating and Cooling Distribution Systems 07-25-2003
UFC 3-430-02FA	Central Steam Boiler Plants, with Change 1 05-15-2003
UFC 3-430-07	Operations and Maintenance: Inspection and Certification of Boilers and Unfired Pressure Vessels, with Change 4 07-24-2003
UFC 3-430-08N	Central Heating Plants 01-16-2004
UFC 3-430-09	Exterior Mechanical Utility Distribution, with Change 1 01-16-2004
UFC 3-430-11	Boiler Control Systems 02-14-2001
UFC 3-440-01	Facility-Scale Renewable Energy Systems 07-01-2015

UFC 3-440-05N	Tropical Engineering, with Changes 1-2 01-16-2004
UFC 3-450-01	Noise and Vibration Control 05-15-2003
UFC 3-470-01	Lonworks (R) Utility Monitoring and Control System (UMCS) 05-01-2012
UFC 3-460-01	Design: Petroleum Fuel Facilities, with Change 2 08-16-2010
UFC 3-460-03	O&M: Maintenance of Petroleum Systems 01-21-2003
UFC 3-501-01	Electrical Engineering, with Change 3 02-03-2010
UFC 3-510-01	Foreign Voltages and Frequencies Guide, with Change 2 03-01-2005
UFC 3-520-01	Interior Electrical Systems, with Change 3 02-03-2010
UFC 3-520-05	Stationary Battery Areas, with Change 1 05-01-2015
UFC 3-530-01	Interior and Exterior Lighting Systems and Controls 04-01-2015
UFC 3-535-01	Visual Air Navigation Facilities 11-17-2005
UFC 3-540-01	Engine-Driven Generator Systems for Backup Power Applications 08-01-2014
UFC 3-550-01	Exterior Electrical Power Distribution with Change 1 02-03-2010
UFC 3-555-01N	400 Hertz Medium Voltage Conversion/Distribution and Low Voltage Utilization Systems 01-16-2004
UFC 3-560-01	Electrical Safety, O&M, with Change 5 12-06-2006
UFC 3-570-02A	Cathodic Protection 03-01-2005
UFC 3-570-02N	Electrical Engineering Cathodic Protection 01-16-2004
UFC 3-570-06	O&M: Cathodic Protection Systems 01-31-2003
UFC 3-575-01	Lightning and Static Electricity Protection Systems 07-01-2012

UFC 3-580-01	Telecommunications Building Cabling Systems Planning and Design 06-22-2007
UFC 3-580-10	Navy and Marine Corps Intranet (NMCI) Standard Construction Practices, with Changes 1-3 07-14-2004
UFC 3-600-01	Fire Protection Engineering for Facilities, with Change 3 09-26-2006
UFC 3-601-02	Operations and Maintenance: Inspection, Testing, and Maintenance of Fire Protection Systems; 09-08-2010
42 U.S.C. 6901	Resource Conservation and Recovery Act (RCRA), Solid Waste Disposal Act (SWDA) of 1976, as amended, including Subtitle D

7.3 Technical Exhibits (TEs). Reference TE A0012- Consolidated Listing of Contract Deliverables (CDRLs) and Technical Exhibits (TEs).

7.4 Government-Furnished Property (GFP) and Equipment (GFE). The Government will furnish, or make available to the Contractor, facilities described in TE A0013- Government Furnished Property (GFP), and will provide the Contractor with Government furnished equipment listed in TE A0014- Government Furnished Equipment (GFE) Inventory. The Contractor shall submit to the COR within thirty (30) days after contract award a detailed *Utilization of Government-furnished Facilities Plan*, which details the manner in which the facilities will be utilized to meet the Contractor's need for on-site facilities. The plan shall also address contingencies should the space become unavailable. The Contractor shall assume responsibility for and accountability of the facilities and take adequate precautions to prevent fire hazards, odors, chemical spills and vermin. At the completion of the contract, all facilities shall be returned to the Government in the same condition as received, except for reasonable wear and tear. The Contractor shall be held responsible for the cost of any repairs caused by negligence or abuse. The Contractor shall maintain such spaces to the same standards as similar areas occupied by the Government, and use such space only in connection with performance under this contract. The Contractor shall not make any alterations to the space except with written permission of the COR/ACOR. Any approved Contractor requested alterations shall be made at no additional cost to the Government. The Contractor shall be responsible for all Government furnished non-expendable property IAW with AR 710-2 and DA Pam 710-2-1 and shall maintain work areas in a professional manner at all times. The Contractor shall prepare and submit to the KO and the PA a quarterly report, due NLT the fifteenth day for the following months: January, April, July, and October. The report shall list all GFE accountable under this contract for the purpose of modifying and updating TE A0014. Government-owned computers will be provided for Contractor personnel required to work on Government information systems. The Government will furnish base commercial equipment (BCE) and General Service Administration (GSA) vehicles for

work specified under this Contract, specified in the Fort Benning Table of Distributions and Allowances (TDA). The Fort Benning TDA is listed in TE A0015- Table of Distributions and Allowances for Government Furnished Equipment. The listing of GSA Vehicles is detailed in TE A0016- General Service Administration (GSA) GFE Vehicles.

7.4.1 Initial Inventory. An initial inventory of Government furnished property shall be made jointly by the Contractor and the COR/ACOR IAW DA PAM 710-2-1, *Using Unit Supply System: Manual Procedures*, on or before the contract start date. The operational or condition status shall be jointly determined. Any item found to be not in working order, or not suitable for its intended purpose, will be recorded and the COR/ACOR and the Contractor shall certify as accurate the joint inventory. All inventory listings will utilize DA Form 2062, *Hand Receipt/Annex Number*, to record inventory data. The Contractor shall keep current the inventory listing. The Contractor shall prepare applicable DA Form 3161, *Request for Issue or Turn-In*, for adjustments to the account IAW DA PAM 710-2-1.

7.4.2 Utilities. The Government will furnish electricity, water, sewer, natural gas, liquid propane gas, heat, air conditioning, and other utility services currently available in the Government furnished facilities. The Contractor shall obtain written approval from DPW prior to installing connections and meters. The Contractor shall instruct employees in utilities conservation practices. The Contractor shall be responsible for operating under conditions that preclude the waste of utilities, which include turning off the water faucets or valves after using the required amount to accomplish cleaning vehicles and equipment. The Contractor shall be responsible for furnishing all liquid fuels for emergency generators.

7.4.3 Damage Caused by Contractor. Damages caused by Contractor employees shall be repaired at no cost to the Government. In all instances where Contractor's employees damage Government property or equipment, the Contractor shall provide a verbal report to the KO within four (4) hours of occurrence. The Contractor shall notify the COR/ACOR and return the damaged area to its previous condition. All damage done by the Contractor and/or his sub-contractor/s shall become the Contractor's responsibility. The Contractor shall furnish all labor, materials and equipment to perform the repair work including cultivating and applying seed, sprigging, or placing sod. All turf repair work shall be maintained to ensure successful growth.

7.4.4 Third Party Repair Damaged Areas. In the event the Contractor discovers damages caused by another party, the Contractor shall notify the COR/ACOR of the extent of the damage and proposed corrective action. The Contractor shall make no repairs until authorized by the KO.

7.4.5 Equipment Replacement (Government Property). If an item of Government property is determined by the Contractor to be beyond economical repair, the Contractor shall recommend to the COR/ACOR in writing that such equipment be replaced. Substantiating data to support the recommended replacement shall be included. If the Government decides that such equipment should be replaced or repaired, and

replacement or repair is authorized, the Contractor shall accomplish the work IAW the appropriate work level criteria. Disposal instructions will be provided by the COR/ACOR.

7.4.6 Documentation. The Contractor shall provide justification documents with recommendations to purchase new and replacement equipment (Government property). The Contractor's justification shall include the following information:

- a. The age (purchase date) and original cost of the equipment recommended for replacement.
- b. Maintenance Control Designator (MCD).
- c. The cost of repair parts.
- d. The replacement cost and availability.
- e. The rationale for replacement rather than repair.
- f. Whether or not the replacement equipment will fit into the available space, perform the required function, and operate on available installed utility services.
- g. Facility Engineer Work Request (DA Form 4283).

7.4.7 Salvage of Government Property. The Contractor shall notify the COR/ACOR when any item of Government property that can no longer accomplish its designed purpose. If the item has salvage value, the Contractor shall notify the COR/ACOR for approval to salvage. The Contractor shall transfer and deliver the item to the Defense Reutilization Marketing Office or to the place designated by the COR/ACOR and ordered via a DMO. If the COR/ACOR determines that the item has no salvage value, the Contractor shall dispose of the item via a DMO.

7.4.8 Other Documents. Other documents, which the Government will provided to the Contractor, and which shall be updated and maintained by the Contractor, include:

- a. Engineering Drawings. The COR/ACOR will make available to the Contractor all DPW engineering drawings. The Contractor shall provide detailed engineering data to the COR/ACOR in each instance where the Contractor finds the drawings are not accurate or when the Contractor performs work that modifies data contained in the engineering drawings within thirty (30) days of completion of the modification. The data will be compatible with the Government system.
- b. Forms. It is the responsibility of the Contractor to obtain all required government forms on www.apd.army.mil. Any local required Government forms will be furnished by the Government. Initial supplies of these items will be available at contract start. The Contractor shall establish requirements for subsequent needs and prepare requisitions for such requirements and submit them to the COR/ACOR. Copies of new or revised forms and logs will be acquired by the Contractor.

7.4.9 Joint Inventory. A joint inventory of Government property shall be conducted by the Contractor and COR/ACOR annually and on completion or termination of the contract. Upon completion (including any extensions of contract term) or termination of the

contract, for any reason, and except for fair wear and tear, the Contractor shall return all Government property in the same condition as received.

7.5 Contractor-Furnished Material (CFM)/Property (CFP)/Equipment (CFE). All Contractor furnished, material, property and equipment shall meet applicable federal, State, local, DoD and Army laws, codes, and regulations. Examples are provided below: vehicles, computers and peripheral equipment (including printers and computers with interface cards), and fuel.

7.5.1 Contractor-Furnished Material and Responsibilities. The Contractor shall furnish all supplies, equipment, facilities, and services required to perform work under this contract. The Contractor shall provide all housekeeping and custodial services for the GFP provided to the Contractor. The Contractor shall provide all supplies, tools and clothing (including personal protective clothing and equipment for Contractor employees when required by OSHA regulations, 29 CFR 1910, SUBPART I) required to meet the terms of the contract.

7.5.1.1 Permits. The Contractor shall obtain all appointments, licenses, and permits required for performance of work and for complying with all applicable federal, State, and local laws. Permits and licenses shall be provided to the COR/ACOR before work commences.

7.5.2 Contractor-Furnished Items. The Contractor shall provide all facilities, vehicles, equipment, parts, tools, fuel, oil, materials and any other items required to perform all Contract requirements. The Contractor's property shall be operational as intended by the manufacturer, and be safe, clean, and suitable for use at a Military installation. All Contractor furnished property and equipment are always subject to KO inspection.

7.5.2.1 Identification of Contractor Vehicles and Trailers. The Contractor furnished vehicles and equipment shall be identified as Contractor property. All vehicles and equipment shall be in an operable condition and meet all local, Georgia, Alabama, and federal safety requirements. The company name shall be displayed on each of the Contractor's vehicles and trailers in a manner and size that is clearly visible. All vehicles and trailers shall display a valid state license plate and meet current local and state vehicle registration requirements. Vehicles and equipment identified as not meeting the above safety requirements, by inspection of the COR/ACOR or the Directorate of Emergency Services activity, shall be removed from service within one (1) hour of notification by the Provost Marshal or the COR/ACOR, and repaired or replaced at the Contractor's expense. Except for minor on site repairs, the Contractor shall move to the Contractor's maintenance area within two (2) hours any vehicle or equipment which becomes inoperative or which breaks down during operation. The Contractor shall perform only minor repairs to vehicles or equipment away from this maintenance area.

7.5.2.2 Unserviceable Contractor Equipment. Contractor furnished equipment or items, inoperable or unserviceable for whatever reason including failure to meet federal, state, or local safety requirements, shall be removed from the installation within twenty-four

(24) hours after failure except items undergoing maintenance by the Contractor in Government provided facilities. Equipment that is not repaired within thirty (30) calendar days will be removed from the installation.

7.5.2.3 Fuels. The Contractor shall furnish vehicle and equipment fuels for Contractor owned vehicles and equipment. The Contractor must handle fuels IAW all federal, state, and local regulations and Ft Benning Environmental Policy, petroleum program requirements, and Master Spill Plan.

7.5.3. Contractor Facilities. The Contractor shall secure the necessary office space and other facilities required for the performance of this contract, off the Military installation.

7.5.4 Damage Caused by Contractor. Damages caused by Contractor employees shall be repaired at no cost to the Government. In all instances where Contractor's employees damage Government property or equipment, the Contractor shall provide a verbal report to the KO within four (4) hours of occurrence. The Contractor shall notify the COR/ACOR and return the damaged area to its previous condition. All damage done by the Contractor and/or his sub-contractor/s shall become the Contractor's responsibility. The Contractor shall furnish all labor, materials and equipment to perform the repair work including cultivating and applying seed, sprigging, or placing sod. All turf repair work shall be maintained to ensure successful growth.

7.5.5 Third Party Repair Damaged Areas. In the event the Contractor discovers damages caused by another party, the Contractor shall notify the KO and COR of the extent of the damage and proposed corrective action. The Contractor shall make no repairs until authorized by the KO.

7.5.6 Equipment Replacement (Government Property). If an item of Government property is determined by the Contractor to be beyond economical repair, the Contractor shall recommend to the KO and COR in writing that such equipment be replaced. Substantiating data to support the recommended replacement shall be included. If the Government decides that such equipment should be replaced or repaired, and replacement or repair is authorized, the Contractor shall accomplish the work IAW the appropriate work level criteria. Disposal instructions will be provided by the KO and COR.

7.5.7 Permits. The Contractor shall obtain all appointments, licenses, and permits required for performance of work and for complying with all applicable federal, State, and local laws. Permits and licenses shall be provided to the COR/ACOR before work commences.

7.6 U.S. Department of Labor (DOL) Wage Determination (WD). The Contractor shall refer to <https://www.wdol.gov/dba.aspx> for U.S. Department of Labor Wage Determinations (DOL WD).

7.7 Rental Equipment. The Contractor shall provide quarterly updates on the amount, type, and cost of rental equipment used to execute this contract in accordance with the data required in TE A0017- Rental Equipment. If the rental item is replaced during the quarter, the sum of hours used shall be carried over as to capture the usage for the rental and not the specific item itself. The Contractor shall generate admin numbers for rental equipment and track it internally and make this information available upon request. Rental vehicles and equipment shall be designated as long-term or short-term rentals on this listing.

7.8 Cannibalization. Removal of component parts from any Government-furnished equipment (GFE) resulting in cannibalizing shall not be allowed unless approved in writing by the KO.

7.9 Periodic and Special Inventories. The Contractor shall conduct periodic inventories in accordance with their property management plan and special inventories as requested by the KO or the PA.

7.10 Periodic Inspections and Operations. The Contractor shall perform periodic inspections and scheduled operations IAW the requirements in the Technical Exhibits present in TE A0012.

7.10.1 Traffic and Building Sign Inspection. The Contractor shall inspect building and road signage at Fort Benning for damage and/or missing signs IAW TE A0018- Sign Inspections. As part of this inspection, the Contractor shall maintain a record of all road and building signs inspected, and the location of damaged and/or missing signs. The Contractor shall submit schedule change requests to the COR and ACOR for approval.

7.10.2 Playground Equipment. The Contractor shall inspect and perform services on playground equipment IAW TE A0019- Playground Inspections.

7.10.3 Annual Daycare Center Inspections. The Contractor shall provide annual inspections, floor-to-ceiling, for all daycare centers on the Installation in accordance with AR 608-10, *Child Development Services*. TE A0020- Child Development Center Inspections provides an inspection checklist for this task, and locations to perform inspections.

7.10.4 Installation Status Report Inspections. The Contractor shall establish an inspection schedule to complete Installation Status Report IAW AR 210-14 inspections each year. Inspection records shall be maintained, entered in the ISR database, and submitted electronically. Areas of inspection include, but are not limited to, the Real Property Inventory of Facilities, structures, and bridges. An annual inspection listing shall be provided by the Government. Historically these inspections covered approximately 200 Real Property Assets per year.

7.10.5 Unoccupied Facilities Management. The contractor shall provide key control IAW Section A2.5.1.9 of this Contract, and issue keys to contractors and other government personnel at the direction of the COR and ACOR. Procedures should follow

guidelines in this PWS and guidelines from the Contractor's Security Plan, Key Control Plan, and AR 190-11, *Physical Security of Arms, Ammunition, and Explosives*.

7.10.5.1 Inspections of Unoccupied Facilities. The Contractor shall perform inspection IAW TE A0021- Unoccupied Facilities Inspections, and submit work requests to address various maintenance tasks. Inspection reports shall be provided to the Government upon request.

7.10.6 Energy Savings and Facility Audits. The Contractor shall perform annual Energy Audit Inspections on locations provided by the Government. Contractor shall complete records and relevant photographs as applicable. A report for each facility shall be made available for inspection and use by the COR and ACOR. Contractor shall complete TE A0022- Energy Audit Worksheet for each building and utilize existing BUILDER SMS Facility Condition Index (FCI) data, as applicable. Contractor shall keep records of inspection for NLT the duration of this contract. The Government will provide access to the Energy Conservation database.

7.10.7 Inventory Management. The Contractor shall use the BUILDER Sustainment Management System (SMS) to track, monitor, and maintain Installed Building Equipment (IBE) in order to maintain an accurate Real Property inventory of Government assets in each facility. The Contractor shall provide repair records for items in the asset inventory to the Government upon request. The Contractor shall not use BUILDER SMS as a replacement for managing shop stock items, or other items that do not meet the equipment descriptions stated in TE A0023- Asset Tagging Sheet.

7.10.7.1 Asset Tagging. The Contractor shall perform asset tagging and inventory IAW TE A0023, the Army Asset Guide, and the BUILDER SMS Program, for installed building equipment in real property facilities as directed by The COR, ACOR, or his designee. All assets that have a make, model, serial number, and meet the equipment descriptions in TE A0023 shall be inventoried by the Contractor and tagged with a barcode and unique identifier for tracking maintenance and follow-on equipment inspections. Upon receipt of an approved 4283 from the Government, the Contractor shall perform asset tagging on all non-visible assets, and other assets not currently inventoried in the Fort Benning BUILDER SMS databased, to include but not limited to Variable Air Volume (VAV) boxes, Variable Refrigerant Flow (VRF) systems. Contractor shall tag and input all newly installed equipment into the BUILDER SMS program, and ensure all applicable new equipment are connected into the current UMCS system. The Contractor shall provide the Government with access to the asset inventory database and provide reports upon request.

7.10.7.2 Contractor Quality Control of Inventory Management. The Contractor's Quality Control Plan (QCP) shall include inspections of the inventory management system for data quality, data deficiency reports, nomenclature standardization, updated warranty information, updated equipment manuals, and asset identifier de-confliction. The Contractor shall submit a report of these inspections on a monthly basis detailing the assets tagged, data deficiencies identified, and the remedies taken to improve data quality.

7.10.8 Mechanical Room Inspections. The Contractor shall inspect mechanical rooms for deficiencies and place work orders for repairs IAW TE A0024- Mechanical Room Inspections. As part of this inspection, the Contractor shall tag assets IAW TE A0023 and update the Contractor's running record of these assets, to include updates to BUILDER SMS. The Contractor shall provide these records upon request of the Government. The Contractor shall perform mechanical room inspections in facilities not covered by TE A0024 upon receipt of an approved work order.

7.10.9 Utility Monitoring Control and System. The Contractor shall be responsible for Utility Monitoring and Control System application and workstations. The Contractor shall monitor controls as applicable for facilities as listed in the overview of the UMCS System in TE A0025- UMCS Detail Listing. Such controls include, but are not limited to, HVAC, smoke detectors, carbon dioxide detectors, school crossing lights, and lighting. Contractor shall operate the UMCS system in such a manner as to ensure energy efficiency, the health of building occupants, and in accordance with Fort Benning energy policies.

7.10.9.1 Functional Administrators. The Contractor shall provide no less than two technicians trained to the level of Functional Administrator of the UMCS System. Such administrators shall have copies of their qualifications on file and submitted to the COR, ACOR, and KO for review. Administrators make changes to commissioned JACEs, create and make changes to workstations, update graphics, reviewing naming and paths, updating application configurations, debugging issues, assist with backing up data, maintain users and user logs, maintain the file system and naming architecture, and other BAS programming as required. UMCS Administrators will oversee the total integrated control, supervision, data trending, scheduling, and alarming of the UMCS.

7.10.9.2 Training Required. The Contractor shall have no less than two personnel certified to the level of a COMPTIA Security+ or equivalent.

7.10.9.3 External Support. UMCS Administrators shall provide liaison support and technical support to other organizations through an OWO or PWO from the COR or ACOR.

7.10.9.4 UMCS System Access, Control Log, and Change Log. Contractor shall complete and submit a DA FORM 2875 for System Access for all users on the UMCS System. The Contractor shall maintain and update the roles on the UMCS system, and shall include the name, phone number, company, level of access, access date, and expiration date. The Contractor shall maintain a UMCS User Change Log which shall include all actions and changes made to the system by the User, with the name, phone number, description of change made, and date and time the change was made. The Contractor shall provide these User Access and Change Logs upon request by authorized Government personnel NLT forty-eight hours after the request has been made.

7.10.9.5 Integration from USACE and Other Contractors. Upon notification from the COR, ACOR, or their designee, Contractor shall cooperate with the integration of new facilities control systems into the UMCS and perform joint Point Verification Testing (PVT) with the installing contractor.

7.10.9.6 Data and Metrics. The Contractor shall maintain trending data and analysis IAW the Fort Benning Standards IAW TE H0024- UMCS Control Standards, and guidance from the COR or ACOR. The Contractor shall provide all trending data upon request via DVD.

7.10.9.7 Operations of the UMCS. The contractor shall operate and monitor the UMCS that is a computer-based system located in Building 497 and Building 312. This system includes a computer/operating system, graphics interface, logbook and operator notes integrated into controls systems throughout the installation. This system by operator interface has the capacity to run time of schedules and is the installation's primary controller during electrical load shedding periods. The UMCS System currently controls air conditioning systems, heating systems, school crossing lights, and field lighting and can be interfaced with all types of control systems where an "off-on" (binary) controller is required. The Contractor shall not override or reconfigure any sensors connected to the UMCS. The Contractor shall only provide temporary overrides to sequence of operation setpoints. Any problems experienced with the operation of the system are to be immediately brought to the attention of the KO, COR, and ACOR immediately.

7.10.9.8 Graphics Station Resource. Contractor shall utilize UMCS equipment resources and provide information as required to assist other service technicians in troubleshooting malfunctions and failures in equipment controlled or monitored by the UMCS. This shall include field visits, configuring UMCS software, and producing logs, trends, and graphs. Graphics Operators shall provide liaison support and technical support to other DPW contractors through an approved work order from the COR and ACOR.

7.10.9.9 Risk Management Framework (RMF) Compliance. The Contractor shall update and/or develop a list of inspections, maintenance duties/tasks, and submitted PWOs for the UMCS IAW DPW Risk Management Framework (RMF) Procedures. It shall be incorporated in a Standard Operating Procedure (SOP) and be submitted annually for approval by the COR and ACOR. The Contractor shall submit a change request form via TE A0026- UMCS Change Control Request to the DPW System Information Owner and the System Administrator, as applicable.

7.10.9.10 Security of UMCS Hardware. The Contractor shall develop and document an anti-counterfeit SOP that includes the means to detect and prevent counterfeit or prohibited procurement devices from entering the Fort Benning Utility Monitoring and Control System. These procedures shall be implemented into the Contractor's Procurement and Property Management Plans. The Government System Owner will appoint specific personnel and roles which can authorize removal of equipment from the UMCS and the Contractor shall retain records of all equipment removal. The Contractor shall submit a

DA FORM 4283 to remove or replace any IP-addressable devices connected to the UMCS. The Contractor UMCS Functional Administrators shall maintain users and change logs on the system to ensure quality control of information within the UMCS application.

7.10.9.11 Fort Benning Energy Management and Energy Conservation. The Contractor shall comply with changes in initiatives from the Fort Benning Energy Manager (FBEM). From time to time, the Contractor shall comply with curtailment of utility systems via the graphics station of the UMCS. Operators will confirm receipt of instructions from the Fort Benning Energy Manager and update the logbook to reflect compliance with guidance from the FBEM. When such guidance cannot be followed due to technical issues or interruptions by the DPW COR or ACOR, such occurrences shall be recorded in the logbook and the FBEM shall be notified.

7.10.9.12 Lighting and Facility Control Sequence Inspections. The Contractor shall perform visual inspections of all facilities on Post for improper lighting schedules or in-hand equipment and report non-compliance to the COR, ACOR, Energy Manager, and Facility Manager NLT the following business day.

7.10.9.13 Twenty-four (24) hours Operation of the UMCS. The Contractor shall monitor the UMCS in Building 497, twenty-four (24) hours per day, seven days per week and be responsible for remote monitoring of all utilities which are linked to the UMCS and IAW TE A0027- UMCS Operator Task Sheet. The Contractor shall report the status of the UMCS linked systems upon request. Using the UMCS, the Contractor shall adjust the HVAC systems to regulate room or building temperatures and control designated lighting around the Installation. Conserving Government resources is a criterion in the evaluation of the Contractor's cost management actions. The Contractor shall turn ON and OFF systems during maintenance actions, as necessary. The Contractor shall be responsible for the maintenance and repair of the UMCS with prior approval of all repairs or modifications requiring KO approval. Energy policy is the purview of the Government. The Contractor shall submit operator notes and graphics station notes the fifteenth working day of the month.

8.0 Solid Waste Compliance. The Contractor shall comply with all Federal, State, local, and installation environmental laws, rules, plans, and policies. Environmental and Compliance consideration include, but are not limited to, all specified tasks detailed below.

8.1 Mold. The Contractor shall record all Mold work in their work order system and provide information as testing is performed to the Post Industrial Hygienist, Post Safety, and the Environmental Division. In addition, in the month of December, Contractor shall submit a summary report for annual testing.

8.2 Asbestos. The Contractor shall record all Asbestos work in their work order system and provide information as testing is performed to the Post Industrial Hygienist, Post Safety, and the Environmental Division IAW TE A0028- Fort Benning Asbestos

Management Plan. Data for each asbestos sample collected shall be documented in accordance with TE A0029- Asbestos Sample Tracking Form. In addition, in the month of December, Contractor shall submit a summary report for annual testing.

8.3 Lead. The Contractor shall record all Lead work in their work order system and provide information as testing is performed to the Post Industrial Hygienist, Post Safety, and the Environmental Division IAW TE A0030- Fort Benning Lead Management Plan. Data for each asbestos sample collected shall be documented in accordance with TE A0031- Lead Sample Tracking Form. In addition, in the month of December, Contractor shall submit a summary report for annual testing.

8.3.1 Water Testing. Upon receipt of a valid work order from the COR or ACOR, the Contractor shall perform water lead testing at Child Development Centers and other facilities required. The Contractor shall coordinate with Fort Benning EMD, Post Safety, and the Post Industrial Hygienist for required materials.

8.4 Refrigerant Management. The Contractor shall maintain, service, and repair equipment that could release ozone depleting refrigerants. IAW EPA regulations (40 CFR Part 82, Subpart F) under Section 608 of the Clean Air Act. Contractor and subcontractor personnel performing tasks detailed in this section must be EPA 608 certified. These requirements also apply to appliances containing most substitute refrigerants, including Hydrofluorocarbons (HFCs). When adding refrigerant to equipment, and for all repairs and retrofits to equipment, Contractor shall complete the EPA Refrigeration Management sheet, TE A0032- Refrigerant Management Sheet. The Contractor shall create a perpetual summary listing for each submittal for the lifecycle of the equipment to meet the latest EPA Regulations. The Contractor shall provide the summary listing upon request. Refrigeration Management Sheets will be collected and submitted bi-weekly every Thursday. The Fort Benning EMD Air Quality Manager (AQM) will review the data and will initiate a work request when appliances, commercial and industrial or those units used for comfort cooling exceed their applicable leak rate(s).

8.4.1 Leak Checks. Following discovery and remediation of a leak, a leak check must be conducted within 30 days to validate that the repair has successfully returned the equipment to normal operating conditions. The verification or follow up leak check must be annotated on the Refrigerant Management Sheet and performed on an OWO. If the equipment cannot be brought under the applicable leak rate, then a retirement or retrofit plan must be submitted for the piece of equipment on a DA FORM 4283. The Contractor shall maintain a record of these PWOs.

8.4.2 Recordkeeping. The Contractor shall provide records of work performed such as a DMO or approved DA FORM 4283 and it will accompany the EPA Refrigerant Management sheet as applicable. The DPW Air Quality Manager will calculate the actual leak rates and notify the EPA if an extension is needed.

8.4.3 Disposition. The Contractor shall recycle or dispose of recovered refrigerant, as applicable, IAW local, state, and federal regulations. This includes packaging and shipping costs incurred.

8.4.4 Refrigerant Recovery from Non-Real Property. The Contractor will remove refrigerant from non-real property on an OWO as requested by customers on the Installation. This includes portable air conditioning, refrigerators, hand-receipted kitchen equipment, hand-receipted freezers, hand-receipted ice makers, etc. The Contractor shall tag the item, verifying the removal of refrigerant. Some of these appliances will be located at customer's facilities.

8.5 First Division Landfill. The Contractor shall provide grounds maintenance, inspections, evaluations, and reports for the First Division Landfill. A map of the area with well-heads is provided in TE A0033- First Division Landfill Map.

8.5.1 Methane Collection System and Meter Reading. On a scheduled basis, the Contractor shall perform routine adjustments to the piping and hardware that connects the gas vents to the flare system IAW TE A0034- Landfill Operations Manual. Gas lines shall be maintained, leveled, and adequately supported. Contractor shall perform a monthly evaluation of the existing blower, flare, condensation collection systems, vacuum check for leaks of the gases, and read the meter levels and inspect the thirty-nine vents and five additional ports along the 6,600 LF of piping. The Contractor shall also empty the condensate tanks to the surrounding in compliance with Fort Benning EMD guidance. The Contractor shall perform testing for each of the points, for methane, oxygen, carbon dioxide, vacuum pressure, and temperature. All inspection data and findings shall be reported on TE A0035- First Division Landfill Reporting Template.

8.5.2 Landfill Cap. The contractor shall provide routine grounds maintenance, no more than six times a year, to include mowing the perimeter of the landfill to the wood line, weed eating, filling in holes, and other groundskeeping tasks.

8.5.3 Reporting. The contractor shall provide a monthly report detailing the work performed, a list of deficiencies, equipment problems, gas flow, vacuum readings, and a list of all work orders submitted for the First Division Landfill and submit it to the KO, COR, ACOR, and Fort Benning EMD POC NLT than the fifteenth (15th) day of the month for the previous month.

8.5.4 Unscheduled Services. The Contractor shall perform services to the non-Real Property at the First Division Landfill on an approved PWO. A log of such services shall be kept and maintained for the duration of the Contract.

8.5.5 Disposal. The Contractor shall measure, document, characterize, and properly dispose of all waste products, including condensation, generated from the First Division Landfill. Any waste disposed from this site shall be reported by the Contractor to the KO, COR, ACOR, and Fort Benning EMD NLT than the fifteenth (15th) day of the month for the previous month.

8.6 Municipal Separate Storm Sewer System (MS4) Waste Disposal Report. The Contractor shall provide detailed disposal information for waste recovered during street sweeping operations and storm damage recovery operations IAW TE A0036- National Pollutant Discharge Elimination System Municipal Separate Storm Sewer System (MS4) Calculator. The Contractor shall submit report NLT the fifteenth (15th) day of each month for all forms and records completed.

8.7 Landfills in Camp Merrill. On a monthly basis, the Contractor shall mow the two landfills during the growing season and ensure that the ground cover for the landfills has not been compromised. Upon discovery of any bare spots within the landfill ground cover, the Contractor shall immediately re-establish cover in that area.

8.8 Borrow Pit Maintenance and Closure. Upon receipt of an approved work order, the Contractor shall close or perform maintenance as directed by the COR, ACOR, or their designee IAW the Fort Benning EMD NPDES permit, as applicable.

8.9 Retention Basins. The Contractor shall provide grounds maintenance, inspections, evaluations, and reports for water retention basins across Fort Benning. A Real property listing of the area with wellheads is provided in TE A0037- Retention Basins.