

PERFORMANCE WORK STATEMENT (PWS)
FOR
Tank Cleaning Services

1.0 General:

1.1 Scope: The contractor shall provide all personnel, equipment, tools, materials, supervision, and quality control necessary, except as specified in Paragraph 3.0 as Government Furnished, to perform tank cleaning services, as defined in this PWS.

1.2 Background: This requirement is to provide annual pump out and cleaning service of the oil water separator (OWS) in the POL facility and ensure proper working order of the OWS and the product recovery tank per the recommendations of the Multiservice Oil/Water Separator Guidance Manual published in June 1999 by the Department of Defense (DoD).

1.3 Period of Performance (PoP): The Period of Performance will be established in each Call. The standard PoP is typically one (1) business day. The historical number of Calls per year is one (1) per annually.

1.4 General Information:

1.4.1 Place and Performance of Services: The contractor can expect to provide the annual service between the hours of 0700 - 1600 on Monday through Friday, unless there is a recognized US holidays or when the Government facility/installation is closed due to local or national emergencies, administrative closings, or similar Government-directed facility/installation closings. Performance shall be at the bulk fuel storage facility located on Barnes ANGB. The contractor shall at all times maintain an adequate workforce for the uninterrupted performance of all tasks defined within this PWS when the Government facility/installation is not closed for the above reasons. When hiring personnel, the contractor shall keep in mind that the stability and continuity of the workforce are essential.

1.4.1.1 Telework: The Government does not permit the contractor to telework in support of this requirement.

1.4.1.2 Unscheduled gate closures by the Security Police may occur at any time causing all personnel entering or exiting a closed installation to experience a delay. This cannot be predicted or prevented. Contractors are not compensated for unexpected closures or delays. Vehicles operated by contractor personnel are subject to search pursuant to applicable regulations. Any moving violation of any applicable motor vehicle regulation may result in the termination of the contractor employee's installation driving privileges.

1.4.1.3 The contractor's employees shall become familiar with and obey the regulations of the installation; including fire, traffic, safety and security regulations while on the installation. Contractor employees should only enter restricted areas when required to do so and only upon prior approval. All contractor employees shall carry proper identification with them at all times and shall be subject to such checks as may be deemed necessary. The contractor shall ensure compliance with all regulations and orders of the installation, which may affect performance. The Government reserves the right to direct the removal of an employee from Government property or revoke access to Government systems for misconduct, security reasons, or any overt evidence of communicable disease. Removal of contractor employees for reasons stated above does not relieve the Contractor from responsibility for total performance of this contract.

1.4.2 Recognized Holidays: The following are recognized United States (US) holidays. The contractor shall not perform services on these days:

- 1.4.2.1 New Year's Day: January 1st
- 1.4.2.2 Martin Luther King, Jr.'s Birthday
- 1.4.2.3 President's Day
- 1.4.2.4 Memorial Day
- 1.4.2.5 Juneteenth National Independence Day: June 19th
- 1.4.2.6 Independence Day: July 4th
- 1.4.2.7 Labor Day
- 1.4.2.8 Columbus Day
- 1.4.2.9 Veteran's Day: November 11th
- 1.4.2.10 Thanksgiving Day
- 1.4.2.11 Christmas Day: December 25th

1.4.3 Quality Control (QC): The contractor shall develop and maintain an effective QC Plan (QCP) to ensure services are performed in accordance with this PWS. The contractor shall develop and implement procedures to identify, prevent, and ensure non-recurrence of defective services. The contractor's QCP is the means by which it assures itself that its work complies with the requirements of the contract. As a minimum, the contractor shall develop QC procedures that address the areas identified in Technical Exhibit 1, Performance Requirements Summary (PRS). A final QCP shall be submitted to the Contracting Officer Representative (COR) NLT 10 days after contract award. After acceptance of the QCP, the contractor shall obtain the Contracting Officer's (KO's) acceptance in writing of any proposed changes to its QCP.

1.4.4 Quality Assurance (QA): The Government will evaluate the contractor's performance under this contract in accordance with the Quality Assurance Surveillance Plan (QASP). This plan is primarily focused on what the Government will do to ensure that the contractor has performed in accordance with the performance standards. It defines how the performance standards will be applied, the frequency of surveillance, and acceptable quality level(s) or defect rate(s).

1.4.5.0 Access and General Protection/Security Policy and Procedures. The contractor shall comply with all applicable installation/facility access and local security policies and procedures, which may be obtained from the Contracting Officer's Representative (COR). The contractor shall also provide all information required for background checks to meet installation access requirements to be accomplished by the local installation's Security Forces, Director of Emergency Services or local Security Office. The contractor shall ensure compliance with all personal identity verification requirements as directed by DoD, Headquarters Air Force (HAF) and/or local policy. Should the Force Protection Condition (FPCON) change, the Government may require changes in contractor security matters or processes.

1.4.5.0.1 The contractor shall obtain base identification and vehicle passes, if required, for all contractor personnel who make frequent visits to or perform work on the Air Force installation(s) cited in the contract. Contractor personnel are required to wear or prominently display installation identification badges or contractor-furnished contractor identification badges while visiting or performing work on the installation.

1.4.5.0.2 The contractor shall submit a written request on the company letterhead to the contracting officer listing the following: contract number, location of work site, start and stop dates, and names of employees and subcontractor employees needing access to the base. The letter will also specify the individual(s) authorized to sign a request for base identification credentials or vehicle passes. The contracting officer will endorse the request and forward it to the issuing base pass and registration office or Security Forces for processing. When reporting to the installation, the authorized contractor individual(s) must provide a REAL ID-compliant or other federally approved form of identification, current vehicle registration, valid vehicle insurance certificate to obtain a vehicle pass.

1.4.5.0.3 During the performance of the contract, the contractor shall be responsible for obtaining required identification for newly assigned personnel and for prompt return of credentials and vehicle passes for any employee who no longer requires access to the work site.

1.4.5.0.4 When work under this contract requires unescorted entry to controlled or restricted areas, the contractor shall comply with the government escort.

1.4.5.0.5 Upon completion or termination of the contract or expiration of the identification passes, the prime contractor shall ensure that all base identification passes issued to employees and subcontractor employees are returned to the issuing office.

1.4.5.0.6 Failure to comply with these requirements may result in the withholding of final payment.

1.4.5.1. Reserved

1.4.5.2 For Contractors that do not require CAC but require access to a DoD Facility and/or Installation. Contractor and all associated sub-contractors employees shall comply with adjudication standards and procedures using the National Crime Information Center Interstate Identification Index (NCIC-III) and Terrorist Screening Database (TSDB) (Air Force Instruction (AFI) 10-245, AFI 31-101 and Air Force Manual (AFMAN) 31-113), applicable installation, facility and area commander installation/facility access and local security policies and procedures (provided by Government representative)

1.4.5.3 Reserved

1.4.5.4 Reserved.

1.4.5.5 Communications Security/Information Technology (COMSEC/IT) Security. All communications with DoD organizations are subject to COMSEC review. All telephone communications networks are continually subject to intercept by unfriendly intelligence organizations. DoD has authorized the military departments to conduct COMSEC monitoring and recording of telephone calls originating from, or terminating at, DoD organizations. Therefore, the contractor is advised that any time contractor personnel place or receive a call they are subject to COMSEC procedures. The contractor shall ensure wide and frequent dissemination of the above information to all employees dealing with DoD information. The contractor shall abide by all Government regulations concerning the authorized use of the Government's computer network, including the restriction against using the network to recruit Government personnel or advertise job openings.

1.4.5.6 Reserved

1.4.5.7 Reserved

1.4.5.8 Reserved

1.4.5.9 Reserved

1.4.5.10 Reserved

1.4.5.11 Reserved

1.4.5.12 Reserved

1.4.5.13 Reserved

1.4.5.14 Reserved

1.4.6 Physical Security. The contractor shall safeguard all Government property provided for contractor use. At the close of each work period, Government facilities, equipment and materials shall be secured.

1.4.6.1 Reserved

1.4.6.2 Reserved

1.4.7 Special Qualifications: The contractor to transport the waste materials must be a licensed transporter. Facility to which material is to be transported to for disposal shall be a licensed TSD facility. NOTE: The Government does not provide training to contractors. Contractors must ensure that any personnel performing under a contract are fully trained, licensed, certified, and otherwise qualified to provide services.

1.4.8 Post Award Conference/Periodic Progress Meetings: The contractor agrees to attend any post award conference convened by the KO in accordance with FAR 42.5. The KO, COR and other Government personnel, as appropriate, may meet periodically with the contractor to review the contractor's performance. At these meetings, the KO will apprise the contractor of how the Government views the contractor's performance and the contractor shall apprise the Government of problems, if any, being experienced. The contractor shall resolve outstanding issues raised by the Government. Contractor attendance at these meetings shall be at no additional cost to the Government.

1.4.9 Contract Manager (CM): The contractor shall designate a CM who shall ensure performance under this contract. The name of this person, and an alternate who shall act for the contractor when the CM is absent, shall be designated in writing to the KO. The CM or alternate shall have full authority to act for the contractor on all contract matters relating to daily operation of this contract. The CM shall work through the COR, to resolve issues, receive technical instructions, and ensure adequate performance of services. The CM shall ensure that contractor employees do not perform any services outside the scope of the contract without an official modification issued by the KO. The CM shall ensure contractor employees understand that services performed outside the scope of the contract are performed wholly at the expense of the contractor.

1.4.10 Identification of Contractor Employees: All contractor personnel attending meetings, answering Government telephones and working in other situations where their contractor status is not obvious to third parties are required to identify themselves as such to avoid creating an impression that they are Government employees. The contractor shall ensure that all documents or reports produced by contractor personnel are suitably marked as contractor products or that contractor participation is appropriately disclosed. The contractor's status as a "contractor" shall be predominantly displayed in all correspondence types (to include signature blocks on e-mail) and dealings with Government or non-Government entities. Contractor personnel shall wear identification badges distinguishing themselves as such. The badges shall have the company name, employee name and the word "contractor" displayed.

1.4.10.1 The contractor shall retrieve all identification media (including vehicle passes) from its employees who depart employment for any reason. The contractor shall return all identification media (i.e., badges and vehicles passes) to the KO within 14 days of an employee's departure.

1.4.11. Combating Trafficking in Persons: The United States Government has adopted a zero-tolerance policy regarding trafficking in persons. Contractors and contractor employees shall not engage in severe forms of trafficking in persons during the period of performance of the contract; procure commercial sex acts during the period of performance of the contract; or use forced labor in the performance of the contract. The Contractor shall notify its employees of the United States Government's zero tolerance policy, the actions that will be taken against employees for violations of this policy. The contractor shall take appropriate action, up to and including termination, against employees or subcontractors that violate the US Government policy as described at FAR 22.17.

1.4.12 Reserved

1.4.13 Reserved

1.4.14 Organizational Conflicts of Interest (OCI): The contractor and subcontractor personnel performing services under this contract may receive, have access to or participate in the development of proprietary or source selection information (e.g., cost or pricing information, budget information or analyses, specifications or work statements, etc.) or perform evaluation services which may create a current or subsequent OCIs, as defined in FAR Subpart 9.5. The contractor shall notify the KO immediately whenever it becomes aware that such access or participation may result in any actual or potential OCI and shall promptly submit a plan to the KO to avoid or mitigate any such OCI. The contractor's mitigation plan will be determined to be acceptable solely at the discretion of the KO. In the event the KO unilaterally determines that any such OCI cannot be satisfactorily avoided or mitigated, the KO may impose other remedies as he or she deems necessary, including prohibiting the contractor from participation in subsequent contracted requirements which may be affected by the OCI.

1.4.15 Reserved

2.0 Definitions and Acronyms:

2.1 Definitions:

2.1.1 Contractor: A supplier or vendor awarded a contract to provide specific supplies or service to the Government. The term used in this contract refers to the prime.

2.1.2 Defective Service: A service output that does not meet the standard of performance associated with the PWS.

2.1.3 Deliverable: Anything that can be physically delivered and includes non-manufactured things such as meeting minutes or reports.

2.1.4 Key Personnel: Contractor personnel that are evaluated in a source selection process and that may be required to be used in the performance of a contract by the PWS. When key personnel are used as an evaluation factor in best value procurement, an offer can be rejected if it does not have a firm commitment from the persons that are listed in the proposal.

2.1.5 Physical Security: Actions that prevent the loss or damage of Government property.

2.1.6 Quality Assurance: The Government procedures to verify that services being performed by the Contractor are performed according to acceptable standards.

2.1.7 Quality Assurance Surveillance Plan (QASP): An organized written document specifying the surveillance methodology to be used for surveillance of contractor performance.

2.1.8 Quality Control: All necessary measures taken by the Contractor to ensure that the quality of an end product or service shall meet contract requirements.

2.1.9 Subcontractor: One that enters into a contract with a prime contractor. The Government does not have privity of contract with the subcontractor.

2.2 Acronyms:

AEI	Army Enterprise Infostructure
AR	Army Regulation
AT/OPSEC	Antiterrorism/Operational Security
BI	Background Investigation
CM	Contract Manager
COR	Contracting Officer Representative
DA	Department of the Army
DD254	Department of Defense Contract Security Classification Specification
DFARS	Defense Federal Acquisition Regulation Supplement
DoD	Department of Defense
DSCA	Defense Counterintelligence and Security Agency
FAR	Federal Acquisition Regulation
GFP/M/E/S	Government Furnished Property/Material/Equipment/Services
HQDA	Headquarters, Department of the Army
HSPD	Homeland Security Presidential Directive
IA	Information Assurance
IS	Information System(s)
KO	Contracting Officer
NGB	National Guard Bureau

OCI	Organizational Conflict of Interest
PII	Personally Identifiable Information
PIPO	Phase In/Phase Out
POC	Point of Contact
PRS	Performance Requirements Summary
PWS	Performance Work Statement
QA	Quality Assurance
QASP	Quality Assurance Surveillance Plan
QC	Quality Control
QCP	Quality Control Program
SCR	Service Contract Reporting
SSN	Social Security Number
TE	Technical Exhibit
USD(I)	Under Secretary of Defense for Intelligence

3.0 Government Furnished Property, Material, Equipment and Services (GFP/M/E/S):
The Government will provide the property, material, equipment, and/or services listed below solely for the purpose of performance under this contract:

3.1 Property: Not Applicable

3.2 Materials: Not applicable

3.3 Equipment: Not applicable

3.4 Services: Not applicable

3.5 Utilities: All utilities in the facility will be available for the contractor's use in the performance of this contract. The contractor shall instruct employees in utilities conservation practices. The contractor shall operate under conditions that preclude the waste of utilities, which include turning off the water faucets or valves after using the required amount.

4.0 Contractor Furnished Property, Materials, and Equipment (CFP/M/E): Not applicable.

4.1 General: Except for those items specifically stated to be Government-Furnished in Paragraph 3.0, the contractor shall furnish everything required to perform these services as indicated in Paragraph 1.1.

4.2 Reserved

4.3 Reserved

5.0 Requirements: The contractor shall provide all management, tools, supplies, equipment, and labor/manpower and appropriate license(s)/qualification(s) (see para

1.4.7 & 5.6) necessary to perform pump out and cleaning services of one (1) OWS (Oil Water Separators), one (1) fuel/product recovery tank, twelve (12) concrete trench drains at the base POL facility. Work shall only be completed during good weather, i.e. no rain or days soon after heavy rain. Coordination after each Call is executed will be with the COR.

Tank ID	Location	Capacity	Confined Space Entry
CE-342-1-OWS	POL Facility	10,000 gal	Yes
CE-343-1-UST	POL Facility	1,000 gal	No

5.1 Oil Water Separators (OWS): The contractor shall gain access to the OWS. The contractor shall pump out all oil, oil residue, and other waste from the separator. The contractor shall drain separator completely from the separator and all associated equipment within the separators. Perform industrial-grade heated power washing (not to include hydro blasting/water blasting), scrubbing, wiping, squeegeeing, rinsing, wet vacuuming, dry vacuuming, and other means necessary to remove dirt, grease, grime and other readily and semi-readily removable materials from the internal and external hard surfaces of the tank.

5.2 The contractor shall inspect all parts for problems to include, but not limited to, corrosion, cracks, leaks, broken pipes, level sensor, or any other disrepair. If the contractor notices any problems during their inspection, they shall immediately provide the information to the COR. Upon completion, the contractor will refill each OWS with clean water provided by the 104th FW.

5.3 Product Recovery Tank (PRT): The contractor shall gain access to the PRT. The contractor shall pump out all oil, oil residue, and other waste from the PRT. The contractor will enter into the tank and physically wipe down the walls of the inside. No water is to be used in cleaning the product recovery tank. The contractor shall inspect all parts for problems to include corrosion, cracks, leaks, broken pipes, level sensor, or any other disrepair. If the contractor notices any problems during their inspection, they shall immediately provide the information to the COR. Upon completion, contractor will refill with clean water from base/location.

5.4 Trench Drains: The contractor shall remove all grates over the trench drains and pump all oil and sludge from each drain. The contractor shall remove waste build up from trench walls and all associated equipment within the pit. Perform industrial-grade heated power washing (not to include hydro blasting/water blasting), scrubbing, wiping, squeegeeing, rinsing, wet vacuuming, dry vacuuming, and other means necessary to remove dirt, grease, grime and other readily and semi-readily removable materials from the internal and external hard surfaces of the tank. The contractor shall inspect all parts for problems to include concrete walls and floors for cracks, leaks, broken pipes or other disrepair. Clear obstruction in inlet/outlet pipes to ensure unrestricted flow. If the

contractor notices any problems during their inspection, they shall immediately provide the information to the COR. The contractor shall reinstall all grates over the trench drains.

5.5 Waste Disposal: The contractor shall use a licensed transporter to transfer all waste materials generated from the work referenced above to a permitted off-base Treatment, Storage, and Disposal Facility (TSDF). The contractor will provide a Universal Hazardous Waste Manifest that will accompany the shipment of all hazardous waste generated by the tank cleaning off site; refer to paragraph 5.8.

5.6 Confined Space: This project requires entering a permit required confined space. All work shall be accomplished in accordance with OSHA 29 CFR 1910, OSHA 29 CFR 1926. The government contractor shall be responsible for providing the necessary equipment and instrumentation prior to entering the separator which is a designated confined space as defined under OSHA, 29 CFR 1910.146 "permitting of confined spaces". Prior to work, the government contractor will create their confined space entry plan and submit it to the COR. If in the event the confined space is not suitable to enter, i.e. explosive hazard, the contractor shall be responsible for rendering the confined space safe to enter.

5.7 Hazardous Waste Manifest: (EPA Form 8700-22) and associated land bans for all waste that is deemed hazardous. Solids, liquids, and sludge derived from tank and trench cleaning shall be containerized onsite in US DOT approved containers and removed by the contractor or by suitable sub within three calendar days (72 hours) of generation. The contractor will then arrange for transportation to a licensed TSD facility. The contractor will be responsible for disposal of waste that is deemed non-hazardous as well. The manifest will have the EPA ID of the installation and will only be signed by certified personnel from the installation Environmental Management office.

5.8 Report: Provide written report following cleaning and inspection of the above items. Ensure report covers the amount of sludge observed in the various tanks/trenches, all items inspected and documentation if any issues were noted or if there were no issues. Issues to include but not limited to corrosion, cracks, leaks, broken pipes, level sensor, damaged screens/divider plates, or any other disrepair.

6.0 Applicable Publications: Publications applicable to this PWS are listed below:

Publication (Chapter/Page)	Date of Publication	Mandatory or Advisory	Website
Federal Acquisition Regulation			https://www.acquisition.gov/?q=browsefar
Defense Federal Acquisition Regulation Supplement			http://www.acq.osd.mil/dpap/dars/dfarspgi/current/index.html or https://www.acquisition.gov/dfars
Joint Travel Regulation (JTR)			https://www.defensetravel.dod.mil/site/travelreg.cfm
DoDM 1000.13-M-V1 DoD Identification (ID) Cards (Enclosure 2, paragraph 3.b)	01/23/2014 (Change 1: 07/28/2020)		http://www.esd.whs.mil/Directives/issuances/dodm

Federal Information Processing Standards (FIPS) Publication 201-2 Personal Identity Verification (PIV) of Federal Employees and Contractors (paragraph 9)	August 2013		http://nvlpubs.nist.gov/nistpubs/FIPS/NIST.FIPS.201-2.pdf
DoDM 5200.2 Procedures for the DoD Personnel Security Program (PSP)	04/03/2017		https://www.esd.whs.mil/Directives/issuances/dodm/
DoDI 5200.46 DoD Investigative and Adjudicative Guidance for Issuing the Common Access Card (CAC)	09/09/14 (Change 1: 05/04/2018)		https://www.esd.whs.mil/Directives/issuances/dodi/
Homeland Security Presidential Directive (HSPD)-12 Policy for a Common Identification Standard for Federal Employees and Contractors	08/27/2004		https://www.dhs.gov/homeland-security-presidential-directive-12
DoDI 5400.11 Department of Defense Privacy and Civil Liberties Programs	01/29/2019		https://www.esd.whs.mil/Directives/issuances/dodi/
DoD 5400.11-R Department of Defense Privacy Program	05/14/2007		https://www.esd.whs.mil/Directives/issuances/dodm/
DoDD 8140.01 Cyberspace Workforce Management	10/05/2020		https://www.esd.whs.mil/Directives/issuances/dodd/
DoD 8570.01-M Information Assurance Workforce Improvement Program	12/19/2005 (Change 4: 11/10/2015)		https://www.esd.whs.mil/Directives/issuances/dodm/
DoD 5220.22-M National Industrial Security Program Operating Manual (NISPOM)	02/28/2006 (Change 2: 05/18/2016)		https://www.esd.whs.mil/Directives/issuances/dodm/
AFI 10-245 Antiterrorism	03/28/2013 (Certified current 03/30/2017)		https://www.e-publishing.af.mil/Product-Index/#/?view=pubs&orgID=10141&catID=1&series=-1&modID=449&tabID=131
AFI 31-101 Security Forces Standards and Procedures	08/18/2020		https://www.e-publishing.af.mil/Product-Index/#/?view=pubs&orgID=10141&catID=1&series=-1&modID=449&tabID=131
AFMAN 31-113 Security Forces Standards and Procedures	03/05/2013 Change 1: 12/02/2015		https://www.e-publishing.af.mil/Product-Index/#/?view=pubs&orgID=10141&catID=1&series=-1&modID=449&tabID=131
AFPD 17-1 Information Dominance Governance and Management	04/12/2016		https://www.e-publishing.af.mil/Product-Index/#/?view=pubs&orgID=10141&catID=1&series=-1&modID=449&tabID=131
AFMAN 17-1301 Computer Security (COMPUSEC)	02/12/2020		https://www.e-publishing.af.mil/Product-Index/#/?view=pubs&orgID=10141&catID=1&series=-1&modID=449&tabID=131
AFI 10-701 Operations Security	7/24/2019 (Change 1: 06/09/2020)		https://www.e-publishing.af.mil/Product-Index/#/?view=pubs&orgID=10141&catID=1&series=-1&modID=449&tabID=131

6.1 Applicable Forms: Forms applicable to the PWS are listed below:

Form	Date	Website
EPA 8700-22	As amended	https://www.epa.gov/hwgenerators/uniform-hazardous-waste-manifest-instructions-sample-form-and-continuation-sheet
Barnes ANG Base Entry Authorization List	As amended	N/A

TECHNICAL EXHIBIT 1

Performance Requirements Summary (PRS)

This PRS includes performance objectives the Government will use to determine contractor performance and will compare contractor performance to the Acceptable Quality Level (AQL).

PWS Paragraph	Task	Performance Standard	Acceptable Quality Levels (margin of error)	Surveillance Method / By Whom
5.5	Complete Confined Space Process within OSHA & 104 th Barnes regulations	OSHA 29 CFR 1910, OSHA 29 CFR 1926 and AFOSH Standard 91-25, Chapter 7	Zero failure – “safety first” each job	COR Periodic Inspection / Spot Checks
5.1 & 5.2	Perform each tank waste removal within the established timeframes	Provide documentation of waste removal disposal within established timeframes 95% time each job	Within 5% failure provide documentation of waste removal disposal within established timeframes each job	COR reviews and accepts Disposal Documentation
5.3	Perform each trench drains sludge removal within the established timeframes	Provide documentation of waste removal disposal within established timeframes 95% time each job	Within 5% failure provide documentation of waste removal disposal within established timeframes each job	COR reviews and accepts Disposal Documentation
5.1 & 5.2	Perform each tank cleaning within the established timeframes.	Perform tank cleaning within the established timeframes 95% of the time each job.	Within 5% failure to perform oil / water separator cleaning within the established timeframes of the time each job.	COR Inspection (24 hr notice prior to expected completion of work)

5.3	Perform each trench drains cleaning within the established timeframes.	Perform tank cleaning within the established timeframes 95% of the time each job.	Within 5% failure to perform tank cleaning within the established timeframes of the time each job.	COR Inspection (24 hr notice prior to expected completion of work)
-----	--	---	--	--

TECHNICAL EXHIBIT 2

Deliverables Schedule

PWS Reference / Deliverable Title	Frequency	Number of Copies	Medium/Format	Submit To
5.7 Report	At completion of work within 5 days completing work.	1	Electronic Submission	COR