

STATEMENT OF REQUIREMENTS

The Lancaster CMOP 763 is located at 2962 S Longhorn Drive Lancaster, Tx 75134, in support of new Tension Bottle Packing Machine Installation to enhance prescription fulfillment, is requesting the following consumables. The goal of this request is to have a continuous 6-month supply of these consumables delivered weekly. These supplies are necessary to operate the new Bottle Packing Machines being installed at CMOP and are being used to prepare and mail prescriptions for Veterans. This solicitation is for verified SDVOSB vendors who are able to provide the following supplies:

SPECIFICATION OF ITEMS: TECHNICAL REQUIREMENTS (shall meet or exceed)

POLY MAILER BAGS: External dimensions: Technical Requirements for Sealed Air 12x12 AutoPacker Bags:

- Manufacturers' Description: Autobag (R) Mailbag MBREM PLAIN 12"X12" NO HEADER 0.000" WITH SKIRT 0.25" 2.5MIL WHITE/GRAY NO ADDITIVE MAILBAG COMBO BAG BIB THROUGH PLAIN WITH FEATURES.
- All raw materials and bag manufacturing must be domestic to the United States of America.
- External bag dimensions: 12.25in LENGTH x 12.375in WIDTH.
- Internal bag dimensions: 12in width x 12in length.
- Bags shall have a thickness of 2.5mil.
- Film: Recycled eCommerce Mailer (REM) Film, white exterior, gray interior co-extruded (3-layer). Exterior must be matte finish with no sheen at all so sensors do not reject.
- Auto-bag films should contain at least 25% pre consumer recycled content resin but not to exceed 45%.
- Recyclable anywhere plastic bags are accepted.
- Finishing: Bags must have 0.188" thick side seams and 0.125" thick bottom seams for durability. Heat seal above the skirt and horizontal perforation between bags to assist with separation during packing.
- Vent holes: ¼ inch round punched thru vent holes located 1" from the bottom seam and 1.125" from the side seams to allow air to escape in lower corners of the bags.
- Corner notches: Notches in the side seams to help break perforation.
- Packaging: Bags must be fan folded in case, 1500 bags/case and 18 cases per pallet to minimize changing out cases so often which improves our quantity of prescriptions we mail out to veterans daily.
- Opacity is >85 (Lacking transparency)

- Technical Support: Tech support must be available (at no additional cost) to ensure films runs smoothly on various auto-bagging equipment during testing phase.
- *Usage: delivery of 72 cases per week.*

THERMAL TRANSFER RIBBON:

- Ribbon size: 4”/ 4.72” x 2001’, 120MM x 610M, Black, Sharp Ribbon part #'s (TSJ113ABQ), (3042845), (SH120610100), premium resin enhanced wax ribbon for Sharp Auto Bagger, Ink coated inside, prefer OEM-brand name only.
- *Usage: delivery of 52 cases; one shipment.*

TONER CARTRIDGE for LEXMARK PRINTER MS825DN:

- Toner cartridge for Lexmark MS825dn laser printer, Black ink, part number 58D1M0E (65K yield) or 58D1U00 (55K yield) toner.
- *Usage: deliver 10 cartridges weekly.*

IMAGING UNIT for LEXMARK PRINTER MS825DN:

- Lexmark 150K Imaging Unit, part number 58D0Z00 or 58D0Z0E.
- *Usage: deliver 5 units weekly.*

MAINTENANCE KIT for LEXMARK PRINTER MS825DN

- Maintenance Kit for Printer includes the fuser, 3 pick rollers, 1 transfer roller and 3 separation rollers. High Yield: 400K, part # 41X2250, 110-120V letter, Kit Type 32.
- *Usage: deliver 1 kit every 6 weeks.*

PRINTER/COPY PAPER: **Approved - Xerox® Vitality™ Multi-Use Printer; or like item**

- 20lb, White paper, 92 brightness, Letter size is 8 ½ x 11. 10 reams of 500 sheets per ream, 5000 per case, 40 cases per pallet.
- *Usage: delivery of 3 pallets (40 cases per pallet) weekly.*

OBJECTIVE/SCOPE:

- a) Vendor shall provide these consumable supplies to CMOP 763 as specified in previous paragraphs.
- b) Products will need to function properly. Exchanges and/or refunds will be required for any product that does not function as needed.
- c) Deliveries will need to be weekly or as requested by POC, due to limited storage space at CMOP. The vendor must be able to adjust these deliveries to meet possible changing production requirements. Fluctuations in workload can occur and may

sometimes double in a short period of time. Therefore, the vendor shall carry sufficient inventory.

- d) The Vendor must be able to meet the quantity requirements without delays.
- e) Deliveries under this contract must be accompanied by delivery tickets or sales slips that must contain the following information at a minimum:
 - Name of Vendor
 - Contract Number
 - CMOP Delivery order number
 - Date of purchase
 - Quantity, unit price, and name/model # of item
 - Date of shipment

PERIOD OF AGREEMENT: This agreement will become effective on the date signed by the Government as a 6-month agreement.