

2300MM	5. FINISHING OF WALLS AND FLOORS AROUND THE MACHINE ROOM.
PLASTIC DOORS	6. SHATTERING AND REPAIRING OF BASE OF THRESHOLD.
OPERATION	7. PROVISION OF WATERPROOFING IN THE PIT.
IN THE MACHINE ROOM, THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROVISION OF THE FOLLOWING:	8. PROVISION OF TEMPORARY ENTRANCE FOR CARPENTRY WORK (INCLUDES INSTALLATION AND RESTORATION WORK).
1. TO PROVIDE THE FOLLOWING:	9. PROVISION OF SUPPORTS FOR MACHINE BEAM AND RAILS.
2. TO PROVIDE THE FOLLOWING:	10. SHATTERING OF CINDER CONCRETE OF MACHINE ROOM FLOOR.
3. TO PROVIDE THE FOLLOWING:	11. PROVISION OF FILLING UP THE OPENINGS AND ANCHORS.
4. TO PROVIDE THE FOLLOWING:	12. PROVISION OF CINDER CONCRETE OF MACHINE ROOM FLOOR.
5. TO PROVIDE THE FOLLOWING:	13. PROVISION OF DUST-PROOFING ON THE MACHINE ROOM FLOOR.
6. TO PROVIDE THE FOLLOWING:	
7. TO PROVIDE THE FOLLOWING:	
8. TO PROVIDE THE FOLLOWING:	
9. TO PROVIDE THE FOLLOWING:	
10. TO PROVIDE THE FOLLOWING:	
11. TO PROVIDE THE FOLLOWING:	
12. TO PROVIDE THE FOLLOWING:	
13. TO PROVIDE THE FOLLOWING:	
14. TO PROVIDE THE FOLLOWING:	
15. TO PROVIDE THE FOLLOWING:	
16. TO PROVIDE THE FOLLOWING:	
17. TO PROVIDE THE FOLLOWING:	
18. TO PROVIDE THE FOLLOWING:	
19. TO PROVIDE THE FOLLOWING:	
20. TO PROVIDE THE FOLLOWING:	
21. TO PROVIDE THE FOLLOWING:	
22. TO PROVIDE THE FOLLOWING:	
23. TO PROVIDE THE FOLLOWING:	
24. TO PROVIDE THE FOLLOWING:	
25. TO PROVIDE THE FOLLOWING:	
26. TO PROVIDE THE FOLLOWING:	
27. TO PROVIDE THE FOLLOWING:	
28. TO PROVIDE THE FOLLOWING:	
29. TO PROVIDE THE FOLLOWING:	
30. TO PROVIDE THE FOLLOWING:	
31. TO PROVIDE THE FOLLOWING:	
32. TO PROVIDE THE FOLLOWING:	
33. TO PROVIDE THE FOLLOWING:	
34. TO PROVIDE THE FOLLOWING:	
35. TO PROVIDE THE FOLLOWING:	
36. TO PROVIDE THE FOLLOWING:	
37. TO PROVIDE THE FOLLOWING:	
38. TO PROVIDE THE FOLLOWING:	
39. TO PROVIDE THE FOLLOWING:	
40. TO PROVIDE THE FOLLOWING:	
41. TO PROVIDE THE FOLLOWING:	
42. TO PROVIDE THE FOLLOWING:	
43. TO PROVIDE THE FOLLOWING:	
44. TO PROVIDE THE FOLLOWING:	
45. TO PROVIDE THE FOLLOWING:	
46. TO PROVIDE THE FOLLOWING:	
47. TO PROVIDE THE FOLLOWING:	
48. TO PROVIDE THE FOLLOWING:	
49. TO PROVIDE THE FOLLOWING:	
50. TO PROVIDE THE FOLLOWING:	
51. TO PROVIDE THE FOLLOWING:	
52. TO PROVIDE THE FOLLOWING:	
53. TO PROVIDE THE FOLLOWING:	
54. TO PROVIDE THE FOLLOWING:	
55. TO PROVIDE THE FOLLOWING:	
56. TO PROVIDE THE FOLLOWING:	
57. TO PROVIDE THE FOLLOWING:	
58. TO PROVIDE THE FOLLOWING:	
59. TO PROVIDE THE FOLLOWING:	
60. TO PROVIDE THE FOLLOWING:	
61. TO PROVIDE THE FOLLOWING:	
62. TO PROVIDE THE FOLLOWING:	
63. TO PROVIDE THE FOLLOWING:	
64. TO PROVIDE THE FOLLOWING:	
65. TO PROVIDE THE FOLLOWING:	
66. TO PROVIDE THE FOLLOWING:	
67. TO PROVIDE THE FOLLOWING:	
68. TO PROVIDE THE FOLLOWING:	
69. TO PROVIDE THE FOLLOWING:	
70. TO PROVIDE THE FOLLOWING:	
71. TO PROVIDE THE FOLLOWING:	
72. TO PROVIDE THE FOLLOWING:	
73. TO PROVIDE THE FOLLOWING:	
74. TO PROVIDE THE FOLLOWING:	
75. TO PROVIDE THE FOLLOWING:	
76. TO PROVIDE THE FOLLOWING:	
77. TO PROVIDE THE FOLLOWING:	
78. TO PROVIDE THE FOLLOWING:	
79. TO PROVIDE THE FOLLOWING:	
80. TO PROVIDE THE FOLLOWING:	
81. TO PROVIDE THE FOLLOWING:	
82. TO PROVIDE THE FOLLOWING:	
83. TO PROVIDE THE FOLLOWING:	
84. TO PROVIDE THE FOLLOWING:	
85. TO PROVIDE THE FOLLOWING:	
86. TO PROVIDE THE FOLLOWING:	
87. TO PROVIDE THE FOLLOWING:	
88. TO PROVIDE THE FOLLOWING:	
89. TO PROVIDE THE FOLLOWING:	
90. TO PROVIDE THE FOLLOWING:	
91. TO PROVIDE THE FOLLOWING:	
92. TO PROVIDE THE FOLLOWING:	
93. TO PROVIDE THE FOLLOWING:	
94. TO PROVIDE THE FOLLOWING:	
95. TO PROVIDE THE FOLLOWING:	
96. TO PROVIDE THE FOLLOWING:	
97. TO PROVIDE THE FOLLOWING:	
98. TO PROVIDE THE FOLLOWING:	
99. TO PROVIDE THE FOLLOWING:	
100. TO PROVIDE THE FOLLOWING:	
101. TO PROVIDE THE FOLLOWING:	
102. TO PROVIDE THE FOLLOWING:	
103. TO PROVIDE THE FOLLOWING:	
104. TO PROVIDE THE FOLLOWING:	
105. TO PROVIDE THE FOLLOWING:	
106. TO PROVIDE THE FOLLOWING:	
107. TO PROVIDE THE FOLLOWING:	
108. TO PROVIDE THE FOLLOWING:	
109. TO PROVIDE THE FOLLOWING:	
110. TO PROVIDE THE FOLLOWING:	
111. TO PROVIDE THE FOLLOWING:	
112. TO PROVIDE THE FOLLOWING:	
113. TO PROVIDE THE FOLLOWING:	
114. TO PROVIDE THE FOLLOWING:	
115. TO PROVIDE THE FOLLOWING:	
116. TO PROVIDE THE FOLLOWING:	
117. TO PROVIDE THE FOLLOWING:	
118. TO PROVIDE THE FOLLOWING:	
119. TO PROVIDE THE FOLLOWING:	
120. TO PROVIDE THE FOLLOWING:	
121. TO PROVIDE THE FOLLOWING:	
122. TO PROVIDE THE FOLLOWING:	
123. TO PROVIDE THE FOLLOWING:	
124. TO PROVIDE THE FOLLOWING:	
125. TO PROVIDE THE FOLLOWING:	
126. TO PROVIDE THE FOLLOWING:	
127. TO PROVIDE THE FOLLOWING:	
128. TO PROVIDE THE FOLLOWING:	
129. TO PROVIDE THE FOLLOWING:	
130. TO PROVIDE THE FOLLOWING:	
131. TO PROVIDE THE FOLLOWING:	
132. TO PROVIDE THE FOLLOWING:	
133. TO PROVIDE THE FOLLOWING:	
134. TO PROVIDE THE FOLLOWING:	
135. TO PROVIDE THE FOLLOWING:	
136. TO PROVIDE THE FOLLOWING:	
137. TO PROVIDE THE FOLLOWING:	
138. TO PROVIDE THE FOLLOWING:	
139. TO PROVIDE THE FOLLOWING:	
140. TO PROVIDE THE FOLLOWING:	
141. TO PROVIDE THE FOLLOWING:	
142. TO PROVIDE THE FOLLOWING:	
143. TO PROVIDE THE FOLLOWING:	
144. TO PROVIDE THE FOLLOWING:	
145. TO PROVIDE THE FOLLOWING:	
146. TO PROVIDE THE FOLLOWING:	
147. TO PROVIDE THE FOLLOWING:	
148. TO PROVIDE THE FOLLOWING:	
149. TO PROVIDE THE FOLLOWING:	
150. TO PROVIDE THE FOLLOWING:	
151. TO PROVIDE THE FOLLOWING:	
152. TO PROVIDE THE FOLLOWING:	
153. TO PROVIDE THE FOLLOWING:	
154. TO PROVIDE THE FOLLOWING:	
155. TO PROVIDE THE FOLLOWING:	
156. TO PROVIDE THE FOLLOWING:	
157. TO PROVIDE THE FOLLOWING:	
158. TO PROVIDE THE FOLLOWING:	
159. TO PROVIDE THE FOLLOWING:	
160. TO PROVIDE THE FOLLOWING:	
161. TO PROVIDE THE FOLLOWING:	
162. TO PROVIDE THE FOLLOWING:	
163. TO PROVIDE THE FOLLOWING:	
164. TO PROVIDE THE FOLLOWING:	
165. TO PROVIDE THE FOLLOWING:	
166. TO PROVIDE THE FOLLOWING:	
167. TO PROVIDE THE FOLLOWING:	
168. TO PROVIDE THE FOLLOWING:	
169. TO PROVIDE THE FOLLOWING:	
170. TO PROVIDE THE FOLLOWING:	
171. TO PROVIDE THE FOLLOWING:	
172. TO PROVIDE THE FOLLOWING:	
173. TO PROVIDE THE FOLLOWING:	
174. TO PROVIDE THE FOLLOWING:	
175. TO PROVIDE THE FOLLOWING:	
176. TO PROVIDE THE FOLLOWING:	
177. TO PROVIDE THE FOLLOWING:	
178. TO PROVIDE THE FOLLOWING:	
179. TO PROVIDE THE FOLLOWING:	
180. TO PROVIDE THE FOLLOWING:	
181. TO PROVIDE THE FOLLOWING:	
182. TO PROVIDE THE FOLLOWING:	
183. TO PROVIDE THE FOLLOWING:	
184. TO PROVIDE THE FOLLOWING:	
185. TO PROVIDE THE FOLLOWING:	
186. TO PROVIDE THE FOLLOWING:	
187. TO PROVIDE THE FOLLOWING:	
188. TO PROVIDE THE FOLLOWING:	
189. TO PROVIDE THE FOLLOWING:	
190. TO PROVIDE THE FOLLOWING:	
191. TO PROVIDE THE FOLLOWING:	
192. TO PROVIDE THE FOLLOWING:	
193. TO PROVIDE THE FOLLOWING:	
194. TO PROVIDE THE FOLLOWING:	
195. TO PROVIDE THE FOLLOWING:	
196. TO PROVIDE THE FOLLOWING:	
197. TO PROVIDE THE FOLLOWING:	
198. TO PROVIDE THE FOLLOWING:	
199. TO PROVIDE THE FOLLOWING:	
200. TO PROVIDE THE FOLLOWING:	
201. TO PROVIDE THE FOLLOWING:	
202. TO PROVIDE THE FOLLOWING:	
203. TO PROVIDE THE FOLLOWING:	
204. TO PROVIDE THE FOLLOWING:	
205. TO PROVIDE THE FOLLOWING:	
206. TO PROVIDE THE FOLLOWING:	
207. TO PROVIDE THE FOLLOWING:	
208. TO PROVIDE THE FOLLOWING:	
209. TO PROVIDE THE FOLLOWING:	
210. TO PROVIDE THE FOLLOWING:	
211. TO PROVIDE THE FOLLOWING:	
212. TO PROVIDE THE FOLLOWING:	
213. TO PROVIDE THE FOLLOWING:	
214. TO PROVIDE THE FOLLOWING:	
215. TO PROVIDE THE FOLLOWING:	
216. TO PROVIDE THE FOLLOWING:	
217. TO PROVIDE THE FOLLOWING:	
218. TO PROVIDE THE FOLLOWING:	
219. TO PROVIDE THE FOLLOWING:	
220. TO PROVIDE THE FOLLOWING:	
221. TO PROVIDE THE FOLLOWING:	
222. TO PROVIDE THE FOLLOWING:	
223. TO PROVIDE THE FOLLOWING:	
224. TO PROVIDE THE FOLLOWING:	
225. TO PROVIDE THE FOLLOWING:	
226. TO PROVIDE THE FOLLOWING:	
227. TO PROVIDE THE FOLLOWING:	
228. TO PROVIDE THE FOLLOWING:	
229. TO PROVIDE THE FOLLOWING:	
230. TO PROVIDE THE FOLLOWING:	
231. TO PROVIDE THE FOLLOWING:	
232. TO PROVIDE THE FOLLOWING:	
233. TO PROVIDE THE FOLLOWING:	
234. TO PROVIDE THE FOLLOWING:	
235. TO PROVIDE THE FOLLOWING:	
236. TO PROVIDE THE FOLLOWING:	
237. TO PROVIDE THE FOLLOWING:	
238. TO PROVIDE THE FOLLOWING:	
239. TO PROVIDE THE FOLLOWING:	
240. TO PROVIDE THE FOLLOWING:	
241. TO PROVIDE THE FOLLOWING:	
242. TO PROVIDE THE FOLLOWING:	
243. TO PROVIDE THE FOLLOWING:	
244. TO PROVIDE THE FOLLOWING:	
245. TO PROVIDE THE FOLLOWING:	
246. TO PROVIDE THE FOLLOWING:	
247. TO PROVIDE THE FOLLOWING:	
248. TO PROVIDE THE FOLLOWING:	
249. TO PROVIDE THE FOLLOWING:	
250. TO PROVIDE THE FOLLOWING:	
251. TO PROVIDE THE FOLLOWING:	
252. TO PROVIDE THE FOLLOWING:	
253. TO PROVIDE THE FOLLOWING:	
254. TO PROVIDE THE FOLLOWING:	
255. TO PROVIDE THE FOLLOWING:	
256. TO PROVIDE THE FOLLOWING:	
257. TO PROVIDE THE FOLLOWING:	
258. TO PROVIDE THE FOLLOWING:	
259. TO PROVIDE THE FOLLOWING:	
260. TO PROVIDE THE FOLLOWING:	
261. TO PROVIDE THE FOLLOWING:	
262. TO PROVIDE THE FOLLOWING:	
263. TO PROVIDE THE FOLLOWING:	
264. TO PROVIDE THE FOLLOWING:	
265. TO PROVIDE THE FOLLOWING:	
266. TO PROVIDE THE FOLLOWING:	
267. TO PROVIDE THE FOLLOWING:	
268. TO PROVIDE THE FOLLOWING:	
269. TO PROVIDE THE FOLLOWING:	
270. TO PROVIDE THE FOLLOWING:	
271. TO PROVIDE THE FOLLOWING:	
272. TO PROVIDE THE FOLLOWING:	
273. TO PROVIDE THE FOLLOWING:	
274. TO PROVIDE THE FOLLOWING:	
275. TO PROVIDE THE FOLLOWING:	
276. TO PROVIDE THE FOLLOWING:	
277. TO PROVIDE THE FOLLOWING:	
278. TO PROVIDE THE FOLLOWING:	
279. TO PROVIDE THE FOLLOWING:	
280. TO PROVIDE THE FOLLOWING:	
281. TO PROVIDE THE FOLLOWING:	
282. TO PROVIDE THE FOLLOWING:	
283. TO PROVIDE THE FOLLOWING:	
284. TO PROVIDE THE FOLLOWING:	
285. TO PROVIDE THE FOLLOWING:	
286. TO PROVIDE THE FOLLOWING:	
287. TO PROVIDE THE FOLLOWING:	
288. TO PROVIDE THE FOLLOWING:	
289. TO PROVIDE THE FOLLOWING:	
290. TO PROVIDE THE FOLLOWING:	
291. TO PROVIDE THE FOLLOWING:	
292. TO PROVIDE THE FOLLOWING:	
293. TO PROVIDE THE FOLLOWING:	
294. TO PROVIDE THE FOLLOWING:	
295. TO PROVIDE THE FOLLOWING:	
296. TO PROVIDE THE FOLLOWING:	
297. TO PROVIDE THE FOLLOWING:	
298. TO PROVIDE THE FOLLOWING:	
299. TO PROVIDE THE FOLLOWING:	
300. TO PROVIDE THE FOLLOWING:	
301. TO PROVIDE THE FOLLOWING:	
302. TO PROVIDE THE FOLLOWING:	
303. TO PROVIDE THE FOLLOWING:	
304. TO PROVIDE THE FOLLOWING:	
305. TO PROVIDE THE FOLLOWING:	
306. TO PROVIDE THE FOLLOWING:	
307. TO PROVIDE THE FOLLOWING:	
308. TO PROVIDE THE FOLLOWING:	
309. TO PROVIDE THE FOLLOWING:	
310. TO PROVIDE THE FOLLOWING:	
311. TO PROVIDE THE FOLLOWING:	
312. TO PROVIDE THE FOLLOWING:	
313. TO PROVIDE THE FOLLOWING:	
314. TO PROVIDE THE FOLLOWING:	
315. TO PROVIDE THE FOLLOWING:	
316. TO PROVIDE THE FOLLOWING:	
317. TO PROVIDE THE FOLLOWING:	
318. TO PROVIDE THE FOLLOWING:	
319. TO PROVIDE THE FOLLOWING:	
320. TO PROVIDE THE FOLLOWING:	
321. TO PROVIDE THE FOLLOWING:	
322. TO PROVIDE THE FOLLOWING:	
323. TO PROVIDE THE FOLLOWING:	
324. TO PROVIDE THE FOLLOWING:	
325. TO PROVIDE THE FOLLOWING:	
326. TO PROVIDE THE FOLLOWING:	
327. TO PROVIDE THE FOLLOWING:	
328. TO PROVIDE THE FOLLOWING:	
329. TO PROVIDE THE FOLLOWING:	
330. TO PROVIDE THE FOLLOWING:	
331. TO PROVIDE THE FOLLOWING:	
332. TO PROVIDE THE FOLLOWING:	
333. TO PROVIDE THE FOLLOWING:	
334. TO PROVIDE THE FOLLOWING:	
335. TO PROVIDE THE FOLLOWING:	
336. TO PROVIDE THE FOLLOWING:	
337. TO PROVIDE THE FOLLOWING:	
338. TO PROVIDE THE FOLLOWING:	
339. TO PROVIDE THE FOLLOWING:	
340. TO PROVIDE THE FOLLOWING:	
341. TO PROVIDE THE FOLLOWING:	
342. TO PROVIDE THE FOLLOWING:	
343. TO PROVIDE THE FOLLOWING:	
344. TO PROVIDE THE FOLLOWING:	
345. TO PROVIDE THE FOLLOWING:	
346. TO PROVIDE THE FOLLOWING:	
347. TO PROVIDE THE FOLLOWING:	
348. TO PROVIDE THE FOLLOWING:	
349. TO PROVIDE THE FOLLOWING:	
350. TO PROVIDE THE FOLLOWING:	
351. TO PROVIDE THE FOLLOWING:	
352. TO PROVIDE THE FOLLOWING:	
353. TO PROVIDE THE FOLLOWING:	
354. TO PROVIDE THE FOLLOWING:	
355. TO PROVIDE THE FOLLOWING:	
356. TO PROVIDE THE FOLLOWING:	
357. TO PROVIDE THE FOLLOWING:	
358. TO PROVIDE THE FOLLOWING:	
359. TO PROVIDE THE FOLLOWING:	
360. TO PROVIDE THE FOLLOWING:	
361. TO PROVIDE THE FOLLOWING:	
362. TO PROVIDE THE FOLLOWING:	
363. TO PROVIDE THE FOLLOWING:	
364. TO PROVIDE THE FOLLOWING:	
365. TO PROVIDE THE FOLLOWING:	
366. TO PROVIDE THE FOLLOWING:	
367. TO PROVIDE THE FOLLOWING:	
368. TO PROVIDE THE FOLLOWING:	
369. TO PROVIDE THE FOLLOWING:	
370. TO PROVIDE THE FOLLOWING:	
371. TO PROVIDE THE FOLLOWING:	
372. TO PROVIDE THE FOLLOWING:	
373. TO PROVIDE THE FOLLOWING:	
374. TO PROVIDE THE FOLLOWING:	
375. TO PROVIDE THE FOLLOWING:	
376. TO PROVIDE THE FOLLOWING:	
377. TO PROVIDE THE FOLLOWING:	
378. TO PROVIDE THE FOLLOWING:	
379. TO PROVIDE THE FOLLOWING:	
380. TO PROVIDE THE FOLLOWING:	
381. TO PROVIDE THE FOLLOWING:	
382. TO PROVIDE THE FOLLOWING:	
383. TO PROVIDE THE FOLLOWING:	
384. TO PROVIDE THE FOLLOWING:	
385. TO PROVIDE THE FOLLOWING:	
386. TO PROVIDE THE FOLLOWING:	
387. TO PROVIDE THE FOLLOWING:	
388. TO PROVIDE THE FOLLOWING:	
389. TO PROVIDE THE FOLLOWING:	
390. TO PROVIDE THE FOLLOWING:	
391. TO PROVIDE THE FOLLOWING:	
392. TO PROVIDE THE FOLLOWING:	
393. TO PROVIDE THE FOLLOWING:	
394. TO PROVIDE THE FOLLOWING:	
395. TO PROVIDE THE FOLLOWING:	
396. TO PROVIDE THE FOLLOWING:	
397. TO PROVIDE THE FOLLOWING:	
398. TO PROVIDE THE FOLLOWING:	
399. TO PROVIDE THE FOLLOWING:	
400. TO PROVIDE THE FOLLOWING:	
401. TO PROVIDE THE FOLLOWING:	
402. TO PROVIDE THE FOLLOWING:	
403. TO PROVIDE THE FOLLOWING:	
404. TO PROVIDE THE FOLLOWING:	
405. TO PROVIDE THE FOLLOWING:	
406. TO PROVIDE THE FOLLOWING:	
407. TO PROVIDE THE FOLLOWING:	
408. TO PROVIDE THE FOLLOWING:	
409. TO PROVIDE THE FOLLOWING:	
410. TO PROVIDE THE FOLLOWING:	
411. TO PROVIDE THE FOLLOWING:	
412. TO PROVIDE THE FOLLOWING:	
413. TO PROVIDE THE FOLLOWING:	
414. TO PROVIDE THE FOLLOWING:	
415. TO PROVIDE THE FOLLOWING:	
416. TO PROVIDE THE FOLLOWING:	
417. TO PROVIDE THE FOLLOWING:	
418. TO PROVIDE THE FOLLOWING:	
419. TO PROVIDE THE FOLLOWING:	
420. TO PROVIDE THE FOLLOWING:	
421. TO PROVIDE THE FOLLOWING:	
422. TO PROVIDE THE FOLLOWING:	
423. TO PROVIDE THE FOLLOWING:	
424. TO PROVIDE THE FOLLOWING:	
425. TO PROVIDE THE FOLLOWING:	
426. TO PROVIDE THE FOLLOWING:	
427. TO PROVIDE THE FOLLOWING:	
428. TO PROVIDE THE FOLLOWING:	
429. TO PROVIDE THE FOLLOWING:	
430. TO PROVIDE THE FOLLOWING:	
431. TO PROVIDE THE FOLLOWING:	
432. TO PROVIDE THE FOLLOWING:	
433. TO PROVIDE THE FOLLOWING:	
434. TO PROVIDE THE FOLLOWING:	
435. TO PROVIDE THE FOLLOWING:	
436. TO PROVIDE THE FOLLOWING:	
437. TO PROVIDE THE FOLLOWING:	
438. TO PROVIDE THE FOLLOWING:	
439. TO PROVIDE THE FOLLOWING:	
440. TO PROVIDE THE FOLLOWING:	
441. TO PROVIDE THE FOLLOWING:	
442. TO PROVIDE THE FOLLOWING:	
443. TO PROVIDE THE FOLLOWING:	
444. TO PROVIDE THE FOLLOWING:	
445. TO PROVIDE THE FOLLOWING:	
446. TO PROVIDE THE FOLLOWING:	
447. TO PROVIDE THE FOLLOWING:	
448. TO PROVIDE THE FOLLOWING:	
449. TO PROVIDE THE FOLLOWING:	
450. TO PROVIDE THE FOLLOWING:	
451. TO PROVIDE THE FOLLOWING:	
452. TO PROVIDE THE FOLLOWING:	
453. TO PROVIDE THE FOLLOWING:	
454. TO PROVIDE THE FOLLOWING:	
455. TO PROVIDE THE FOLLOWING:	
456. TO PROVIDE THE FOLLOWING:	
457. TO PROVIDE THE FOLLOWING:	
458. TO PROVIDE THE FOLLOWING:	
459. TO PROVIDE THE FOLLOWING:	
460. TO PROVIDE THE FOLLOWING:	
461. TO PROVIDE THE FOLLOWING:	
462. TO PROVIDE THE FOLLOWING:	
463. TO PROVIDE THE FOLLOWING:	
464. TO PROVIDE THE FOLLOWING:	
465. TO PROVIDE THE FOLLOWING:	
466. TO PROVIDE THE FOLLOWING:	
467. TO PROVIDE THE FOLLOWING:	
468. TO PROVIDE THE FOLLOWING:	
469. TO PROVIDE THE FOLLOWING:	
470. TO PROVIDE THE FOLLOWING:	
471. TO PROVIDE THE FOLLOWING:	
472. TO PROVIDE THE FOLLOWING:	
473. TO PROVIDE THE FOLLOWING:	
474. TO PROVIDE THE FOLLOWING:	
475. TO PROVIDE THE FOLLOWING:	
476. TO PROVIDE THE FOLLOWING:	
477. TO PROVIDE THE FOLLOWING:	
478. TO PROVIDE THE FOLLOWING:	
479. TO PROVIDE THE FOLLOWING:	
480. TO PROVIDE THE FOLLOWING:	
481. TO PROVIDE THE FOLLOWING:	
482. TO PROVIDE THE FOLLOWING:	
483. TO PROVIDE THE FOLLOWING:	
484. TO PROVIDE THE FOLLOWING:	
485. TO PROVIDE THE FOLLOWING:	
486. TO PROVIDE THE FOLLOWING:	
487. TO PROVIDE THE FOLLOWING:	
488. TO PROVIDE THE FOLLOWING:	
489. TO PROVIDE THE FOLLOWING:	
490. TO PROVIDE THE FOLLOWING:	
491. TO PROVIDE THE FOLLOWING:	
492. TO PROVIDE THE FOLLOWING:	
493. TO PROVIDE THE FOLLOWING:	
494. TO PROVIDE THE FOLLOWING:	
495. TO PROVIDE THE FOLLOWING:	
496. TO PROVIDE THE FOLLOWING:	
497. TO PROVIDE THE FOLLOWING:	
498. TO PROVIDE THE FOLLOWING:	
499. TO PROVIDE THE FOLLOWING:	
500. TO PROVIDE THE FOLLOWING:	
501. TO PROVIDE THE FOLLOWING:	
502. TO PROVIDE THE FOLLOWING:	
503. TO PROVIDE THE FOLLOWING:	
504. TO PROVIDE THE FOLLOWING:	
505. TO PROVIDE THE FOLLOWING:	
506. TO PROVIDE THE FOLLOWING:	
507. TO PROVIDE THE FOLLOWING:	
508. TO PROVIDE THE FOLLOWING:	
509. TO PROVIDE THE FOLLOWING:	
510. TO PROVIDE THE FOLLOWING:	
511. TO PROVIDE THE FOLLOWING:	
512. TO PROVIDE THE FOLLOWING:	
513. TO PROVIDE THE FOLLOWING:	
514. TO PROVIDE THE FOLLOWING:	
515. TO PROVIDE THE FOLLOWING:	
516. TO PROVIDE THE FOLLOWING:	
517. TO PROVIDE THE FOLLOWING:	
518. TO PROVIDE THE FOLLOWING:	
519. TO PROVIDE THE FOLLOWING:	
520. TO PROVIDE THE FOLLOWING:	
521. TO PROVIDE THE FOLLOWING:	
522. TO PROVIDE THE FOLLOWING:	
523. TO PROVIDE THE FOLLOWING:	
524. TO PROVIDE THE FOLLOWING:	
525. TO PROVIDE THE FOLLOWING:	
526. TO PROVIDE THE FOLLOWING:	
527. TO PROVIDE THE FOLLOWING:	
528. TO PROVIDE THE FOLLOWING:	
529. TO PROVIDE THE FOLLOWING:	
530. TO PROVIDE THE FOLLOWING:	
531. TO PROVIDE THE FOLLOWING:	
532. TO PROVIDE THE FOLLOWING:	
533. TO PROVID	

UCMP CERTIFICATION NUMBER: ENNNUN-2470

WORK BY BUILDING CONSTRUCTOR

- WORK BY ELECTRICIAN


- ## NOTES


- [illegible]

AFO AP 96343-5010
FY20 MCA PN77833 VEHICLE MAINTENANCE SHOP
ELEVATOR SPECIFICATIONS

SHEET ID

A-A721






A1


1:2

Technical drawing of a rectangular box. The drawing shows the front and side views. The front view is a rectangle with a width of 90 and a height of 175. The side view is a rectangle with a depth of 3 and a height of 160. The top edge of the side view is labeled "CHAMFER". The bottom edge of the side view is labeled "17.5". The top edge of the front view is labeled "10". The bottom edge of the front view is labeled "10". The left edge of the front view is labeled "BOX HEIGHT". The top edge of the front view is labeled "BOX DEPTH".



ACCESS SWITCH FOR 1ST AND 2ND FLOORS

SCALE: 1 : 2



ALL DIMENSIONS AND/OR DIMENSIONS SHOWN IN
CALLOUT/ NOTES ARE IN MILLIMETERS UNLESS
OTHERWISE NOTED.

[illegible]


US ARMY CORPS OF ENGINEERS JAPAN ENGINEER DISTRICT OKINAWA AREA OFFICE APO AF 96376-0132	DESIGNED BY: K. ELLINGWOOD	ISSUE DATE:
DESIGN PARTNERS INCORPORATED 1580 MAKALOA STREET, SUITE 1100 HONOLULU, HAWAII 96814	DRAWN BY: I. ROLLO, J. MANUIA	SOLICITATION NO.:
	D. CHECKED BY: D. MOATS	CONTRACT NO.:
	SUBMITTED BY:	W912HV-17-D-0003
	SIZE: ANSI D	

APO AP 96343-5010
FY20 MCA PN77833 VEHICLE MAINTENANCE SHOP

ACCESS SWITCH DRAWING

SHEET ID

A-A726





19 165 19

DEDICATED TELEPHONE
1 SET



SPECIFICATION	
NAMEPLATE BODY	STAINLESS STEEL HAIRLINE FINISH
LETTER	SILK PRINTING BLACK TEXT (ROUND GOTHIC FONT)
MOUNTING POSITION	UPPER PART OF INTERCOM





CAGE FLOOR PLAN

CAGE CEILING PLAN

VOICE SYNTHESIS GUIDANCE BROADCAST CONTENT		
NO.	BROADCAST CONTENT	CLASSIFICATION
1.	EARTHQUAKE! PLEASE EXIT AS SOON AS THE DOOR OPENS.	EARTHQUAKE DRIVING GUIDANCE
2.	POWER FAILURE! PLEASE EXIT AS SOON AS THE DOOR OPENS.	GUIDANCE DURING POWER OUTAGE OPERATION.
3.	FIRE! PLEASE EXIST AS SOON AS THE DOOR OPENS.	GUIDANCE IN CASE OF FIRE OPERATION.
4.	FAILURE! PLEASE CONTACT US BY USING THE EMERGENCY CALL.	EMERGENCY INFORMATION
5.	GOING UP.	DIRECTIONAL GUIDANCE
6.	GOING DOWN.	DIRECTIONAL GUIDANCE
7.	SORRY, OVERLOAD. PLEASE GET OFF THE ELEVATOR	OVERBOARDING INFORMATION
8.	THE DOOR WILL CLOSE.	DOOR CLOSING INFORMATION
9.	THE DOOR WILL OPEN.	DOOR OPENING GUIDE
10.	FIRST FLOOR.	FLOOR GUIDE
11.	SECOND FLOOR.	FLOOR GUIDE
12.	CALLING OPERATOR. PLEASE WAIT.	INTERCOM CALL NOTIFICATION

	SPECIFICATION
TYPE	STANDARD
CAR CEILING	SHEET TEEL PAINT FINISH
CAR PANEL	STAINLESS STEEL HAIRLINE FINISH
ENTRANCE COLUMN	STAINLESS STEEL HAIRLINE FINISH
DOORS	STAINLESS STEEL HAIRLINE FINISH
UPPER PANEL	STAINLESS STEEL HAIRLINE FINISH
LIGHTING	LED CEILING LIGHTING BASE LIGHT WITH MILKY WHITE ACRYLIC COLOR
EMERGENCY LIGHT	2 LIGHT (BUILT-IN CEILING) BUILT-IN STORAGE BATTERY LED EMERGENCY LIGHT
KICK PLATE	STAINLESS STEEL HAIRLINE FINISH
HANDRAIL	STAINLESS STEEL HAIRLINE FINISH
CAR SILL	STAINLESS STEEL
CAR FLOOR	VINYL TILE FLOOR
ESCAPE HATCH	EXISTENCE (600 X 600)
VENTILATION SYSTEM	2-STAGE SWITCHING

A1

1 : 1



ALL DIMENSIONS AND/OR DIMENSIONS SHOWN IN
CALLOUT/ NOTES ARE IN MILLIMETERS UNLESS
OTHERWISE NOTED.

[illegible]

DESIGNED BY: U.S. ARMY CORPS OF ENGINEERS JAPAN ENGINEER DISTRICT OKINAWA AREA OFFICE APO AP 96376-5132	DRAWN BY: R. J. WOOD ROLLO J. MANUIA	SOLUTION NO.: 	ISSUE DATE:
	CHECKED BY: D. MOATS	CONTRACT NO.: W912HV-17-D-0003	
SUBMITTED BY:			
SIZE: ANSI D			


APO AP 96343-5010
FY20 MCA PN77833 VEHICLE MAINTENANCE SHOP

FLOOR DISPLAY BOARDS


SHEET ID

A-A735





LEGEND	



CLIN 0002


GRAPHIC SCALE

PLAN
NORTH





SCALE: 1 : 100






ALL DIMENSIONS AND/OR DIMENSIONS SHOWN IN
 CALLOUT/ NOTES ARE IN MILLIMETERS UNLESS
 OTHERWISE NOTED


 US Army Corps of Engineers®		DATE	
ISSUE DATE:		MARK	
DESIGNED BY: KELLINGWOOD LULL, J. L. LROLO, J. MANUIA		DESCRIPTION	
SOLICITATION NO.:			
CONTRACT NO.: W912HJ-17-D-0009			
CHECKED BY: D. MOATS			
SUBMITTED BY:			
SIZE: ANSI D			
US ARMY CORPS OF ENGINEERS KELLINGWOOD JAPAN ENGINEER DISTRICT OKINAWA AREA OFFICE APO AP 96376-5132			
DESIGN PARTNERS INCORPORATED 1580 MAKALOA STREET, SUITE 1100 HONOLULU, HAWAII 96814			




(K1) OS - EXTERIOR ELEVATION - NORTH (CLIN 0002)
1 : 100



F1 OS - EXTERIOR ELEVATION - EAST (CLIN 0002)



F10 OS - EXTERIOR ELEVATION - WEST (CLIN 0002)



A1 OS - EXTERIOR ELEVATION - SOUTH (CLIN 0002)

GENERAL NOTES

1. SEE SHEET A-200 FOR EXTERIOR FINISH SCHEDULE
2. ALL DOWNSPOUTS SHALL BE PROVIDED WITH BOOTS 1200MM HIGH WITH AIR GAP AND CLEANOUTS. ALL DOWNSPOUTS SHALL BE CONNECTED TO THE DRAINAGE SYSTEM. REFER TO CIVIL DRAWINGS.
3. CONTRACTOR OR RESPONSIBLE PARTY TO FIELD VERIFY AND CONFIRM ALL DIMENSIONS AND LAYOUT INFORMATION. NOTIFY DESIGNER OF ANY CONFLICTS OR DISCREPENCIES PRIOR TO CONSTRUCTION.
4. DO NOT SCALE DRAWINGS.
5. DIMENSIONS MARKED "CLR" ARE FROM FINISH SURFACE TO FINISH SURFACE
6. SEE STRUCTURAL DRAWINGS FOR CONCRTE WALL THICKNESSES



US Army Corps
of Engineers ®

[illegible]

US ARMY CORPS OF ENGINEERS JAPAN ENGINEER DISTRICT CHINA OFFICE APO AP 96376-5132	DESIGNED BY:	K. ELLINGWOOD	ISSUE DATE:
	DRAWN BY:	I. ROLLO, J. MANUJA	SOLICITATION NO.:
	CHECKED BY:	D. MOROS	CONTRACT NO.:
	SUBMITTED BY:		W912HV-17-D-0093
DESIGN PARTNERS INCORPORATED 1580 MAKALOA STREET, SUITE 1100 HONOLULU, HAWAII 96814	SIZE:	ANSI D	

FY20 MCA PN77833 VEHICLE MAINTENANCE SHOP

OS - EXTERIOR ELEVATIONS (CLIN 0002)

CLIN 0002

GRAPHIC SCALE

SCALE: 1 : 100



ALL DIMENSIONS AND/OR DIMENSIONS SHOWN IN
CALLOUT/ NOTES ARE IN MILLIMETERS UNLESS
OTHERWISE NOTED.

SHEET ID


A-B201

INTERMEDIATE DESIGN

Plot Date: 12/17/2025 5:21:10 AM

File Path:

Autodesk Docs://SSFM JED IDC VEHICLE MAINTENANCE SHOP/511758_TEMF_ARCH_v2022.rvt



GENERAL NOTES

1. CONTRACTOR OR RESPONSIBLE PARTY TO FIELD VERIFY AND CONFIRM ALL DIMENSIONS AND LAYOUT INFORMATION. NOTIFY DESIGNER OF ANY CONFLICTS OR DISCREPENCIES PRIOR TO CONSTRUCTION.
2. DO NOT SCALE DRAWINGS.
3. DIMENSIONS MARKED "CLR" ARE FROM FINISH SURFACE TO FINISH SURFACE.
4. SEE STRUCTURAL DRAWINGS FOR CONCRETE WALL THICKNESSES.
5. REFER TO SHEET A-101 TO A-103 FOR AIR BARRIER PLANS.



US Army Corps
of Engineers ®

MARK	DESCRIPTION	DATE


DESIGNED BY: K. LELAND	ISSUE DATE: 12/17/2025
DRAWN BY: J. MANUJA	SOLICITATION NO.: W72WY17-D-0003
CHECKED BY: J. MANUJA	CONTRACT NO.: W72WY17-D-0003
SUBMITTED BY: J. MANUJA	
SIZE: ANSI D	

US ARMY CORPS OF ENGINEERS JAPAN ENGINEER DISTRICT OKINAWA AREA OFFICE APO AP 96376-5132	OS - BUILDING SECTIONS (CLIN 0002)
DESIGN PARTNERS INCORPORATED 1580 MAKALOA STREET, SUITE 1100 HONOLULU, HAWAII 96814	


SHEET ID A-B301

CLIN 0002

GRAPHIC SCALE



ALL DIMENSIONS AND/OR DIMENSIONS SHOWN IN
CALLOUT/ NOTES ARE IN MILLIMETERS UNLESS
OTHERWISE NOTED.



A1 OS - WALL SECTION 3 (CLIN 0002)
1 : 25

GENERAL NOTES

1. CONTRACTOR OR RESPONSIBLE PARTY TO FIELD VERIFY AND CONFIRM ALL DIMENSIONS AND LAYOUT INFORMATION. NOTIFY DESIGNER OF ANY CONFLICTS OR DISCREPENCIES PRIOR TO CONSTRUCTION.
2. DO NOT SCALE DRAWINGS.
3. DIMENSIONS MARKED "CLR" ARE FROM FINISH SURFACE TO FINISH SURFACE.
4. SEE STRUCTURAL DRAWINGS FOR CONCRETE WALL THICKNESSES.
5. REFER TO SHEET A-101 TO A-103 FOR AIR BARRIER PLANS.



US Army Corps
of Engineers ®

MARK		DESCRIPTION	DATE

DESIGNED BY: Designer DRAWN BY: Author CHECKED BY: SUBMITTED BY: SIZE: ANSI/D	ISSUE DATE:	
	SOLICITATION NO.:	
	CONTRACT NO.:	
	W/24V-17-D-0003	
US ARMY CORPS OF ENGINEERS JAPAN ENGINEER DISTRICT OKINAWA AREA OFFICE APO AP 96376-5132 DESIGN PARTNERS INCORPORATED 1580 MAKALOA STREET, SUITE 1100 HONOLULU, HAWAII 96814		

APO AP 96343-5010 FY20 MCA PN77833 VEHICLE MAINTENANCE SHOP	OS - WALL SECTIONS (CLIN 0002)
--	--------------------------------

SHEET ID
A-B312

CLIN 0002

GRAPHIC SCALE




SCALE: 1 : 100
0 2000 4000

ALL DIMENSIONS AND/OR DIMENSIONS SHOWN IN
CALLOUT/ NOTES ARE IN MILLIMETERS UNLESS
OTHERWISE NOTED.

C102A

POL
STORAGE
C102


ALL DIMENSIONS AND/OR DIMENSIONS SHOWN IN
CALLOUT/ NOTES ARE IN MILLIMETERS UNLESS
OTHERWISE NOTED.



0 1000 2000

SCALE: 1 : 50


ALL DIMENSIONS AND/OR DIMENSIONS SHOWN IN
CALLOUT/NOTES ARE IN MILLIMETERS UNLESS
OTHERWISE NOTED.



0 1000 2000

SCALE: 1 : 50


ALL DIMENSIONS AND/OR DIMENSIONS SHOWN IN
CALLOUT/NOTES ARE IN MILLIMETERS UNLESS
OTHERWISE NOTED.




0 1000 2000

SCALE: 1 : 50

ALL DIMENSIONS AND/OR DIMENSIONS SHOWN IN
CALLOUT/NOTES ARE IN MILLIMETERS UNLESS
OTHERWISE NOTED.



H1 POL & HAZMAT - BUILDING SECTION (CLIN 0002)
1:50



A1 POL & HAZMAT - BUILDING SECTION (CLIN 0002)
1:50

GENERAL NOTES

1. CONTRACTOR OR RESPONSIBLE PARTY TO FIELD VERIFY AND CONFIRM ALL DIMENSIONS AND LAYOUT INFORMATION. NOTIFY DESIGNER OF ANY CONFLICTS OR DISCREPENCIES PRIOR TO CONSTRUCTION.
2. DO NOT SCALE DRAWINGS.
3. DIMENSIONS MARKED "CLR" ARE FROM FINISH SURFACE TO FINISH SURFACE.
4. SEE STRUCTURAL DRAWINGS FOR CONCRETE WALL THICKNESSES.
5. REFER TO SHEET A-101 TO A-103 FOR AIR BARRIER PLANS.



**U.S. Army Corps
of Engineers®**

[illegible]

US ARMY CORPS OF ENGINEERS JAPAN ENGINEER DISTRICT OKAWA ENGINEER OFFICE APO AP 96376-5132	DESIGN PARTNERS INCORPORATED 1580 MANOKA STREET, SUITE 1100 HONOLULU, HAWAII 96814	DRAWN BY: I. ROLLO J. MANUJA	CHECKED BY: O. J.	SUBMITTED BY:	CONTRACT NO.: W912WY-17-0-0060	ISSUE DATE:
---	--	---------------------------------	----------------------	---------------	-----------------------------------	-------------

FY20 MCA PN177833 VEHICLE MAINTENANCE SHOP


SHEET ID

A-C301

CLIN 0002

GRAPHIC SCALE

SCALE: 1 : 50




ALL DIMENSIONS AND/OR DIMENSIONS SHOWN IN
CALLOUT/ NOTES ARE IN MILLIMETERS UNLESS
OTHERWISE NOTED.

Autodesk Docs://SSFM JED IDC VEHICLE MAINTENANCE SHOP/51758_TEMF_ARCH_v2022.rvt

File Path:

Plot Date: 12/17/2025 5:21:24 AM

INTERMEDIATE DESIGN



1. CONTRACTOR OR RESPONSIBLE PARTY TO FIELD VERIFY AND CONFIRM ALL DIMENSIONS AND LAYOUT INFORMATION. NOTIFY DESIGNER OF ANY CONFLICTS OR DISCREPANCIES PRIOR TO CONSTRUCTION.
2. DO NOT SCALE DRAWINGS.
3. DIMENSIONS MARKED "CLR" ARE FROM FINISH SURFACE TO FINISH SURFACE.
4. SEE STRUCTURAL DRAWINGS FOR CONCRETE WALL THICKNESSES.
5. REFER TO SHEET A-101 TO A-103 FOR AIR BARRIER PLANS.

[illegible]

US ARMY CORPS OF ENGINEERS JAPAN ENGINEER DISTRICT KINAWA AREA OFFICE APO AF 96376-5132	DESIGNED BY:	ISSUE DATE:
	Designer	
	DRAWN BY:	SOLICITATION NO.:
	Checker	CONTRACT NO.: W812HV-17-D-0003
DESIGN PARTNERS, INCORPORATED 1560 MAKALOA STREET, SUITE 1100 HONOLULU, HAWAII 96814	SUBMITTED BY:	
	SIZE: ANSI D	

APO AP 96343-5010
 FY20 MCA PN77833 VEHICLE MAINTENANCE SHOP
 POL & HAZMAT - WALL SECTIONS (CLIN 0002)

SHEET ID

A-C311

Autodesk Docs://SSFM JED IDC VEHICLE MAINTENANCE SHOP/511758 TEMF ARCH v2022.rvt

File Path:

Plot Date: 12/17/2025 5:21:25 AM

INTERMEDIATE DESIGN

[illegible]

- | | | |
|---|------------------------------------|---|
| US ARMY CORPS OF ENGINEERS
JAPAN ENGINEER DISTRICT
OKINAWA AREA OFFICE
APO AF 96376-5132 | DESIGNED BY:
Designer
Author | ISSUE DATE: |
| DESIGN PARTNERS INCORPORATED
1580 MAKALOA STREET, SUITE 1100
HONOLULU, HAWAII 96814 | CHECKED BY:
Checker | SOLICITATION NO.:
CONTRACT NO.:
W912HVF-77-D-0003 |
| | SUBMITTED BY: | |
| | SIZE:
ANSI/D | |

Plot Date: 12/17/2025 5:21:26 AM File Path:


ATO AP 08343-5010
FY20 MCA PN77833 VEHICLE MAINTENANCE SHOP
POL & HAZMAT - WALL SECTIONS (CLIN 0002)

A-C312

INTERMEDIATE DESIGN

GRAPHIC SCALE

ALL DIMENSIONS AND/OR DIMENSIONS SHOWN IN
CALLOUT/ NOTES ARE IN MILLIMETERS UNLESS
OTHERWISE NOTED.



GENERAL NOTES

1. CONTRACTOR OR RESPONSIBLE PARTY TO FIELD VERIFY AND CONFIRM ALL DIMENSIONS AND LAYOUT INFORMATION. NOTIFY DESIGNER OF ANY CONFLICTS OR DISCREPANCIES PRIOR TO CONSTRUCTION.

2. DO NOT SCALE DRAWINGS.

3. DIMENSIONS MARKED "CLR" ARE FROM FINISH SURFACE TO FINISH SURFACE.

4. SEE STRUCTURAL DRAWINGS FOR CONCRETE WALL THICKNESSES.

AREA - GSF - SSA WAREHOUSE

BUILDING	AREA (SM)	AREA (SF)
SSA WAREHOUSE	1916 m ²	20624 ft ²

CLIN 0004

KEY PLAN

SSAW

N.T.S.

GRAPHIC SCALE

PLAN NORTH

SCALE: 1 : 200

0

4000

8000

ALL DIMENSIONS AND/OR DIMENSIONS SHOWN IN CALLOUT/ NOTES ARE IN MILLIMETERS UNLESS OTHERWISE NOTED.

US Army Corps of Engineers®

ISSUE DATE:

DESIGNED BY:
KELLINGWOOD

DRAWN BY:
JANUJA

CHECKED BY:
JANUJA

SUBMITTED BY:

SIZE:
ANSI D

CONTRACT NO.:

CONTRACT NO.:

CONTRACT NO.:

CONTRACT NO.:

DESIGN PARTNERS INCORPORATED

1580 MAKALOA STREET, SUITE 1100

HONOLULU, HAWAII 96814

AP0 AP 96343-5010

FY20 MCA PN77833 VEHICLE MAINTENANCE SHOP


SSAW - OVERALL FLOOR PLAN (CLIN 0004)

SHEET ID

A-D101

Autodesk Docs/ISSUED DC VEHICLE MAINTENANCE SHOP11795_TEMPL_A001_0002.rvt File Path: 12/17/2025 5:21:28 AM Plot Date: 12/17/2025 5:21:28 AM

INTERMEDIATE DESIGN



GENERAL NOTES

1. PRIMARY ROOFING TO BE "V" TYPE RIBBED METAL ROOFING.
2. ROOFING SUBCONTRACTOR TO VERIFY ALL DIMENSIONS AND CONDITIONS ON SITE.
3. ROOF SLOPE SHALL MAINTAIN SLOPE AS NOTED OVER THE ENTIRE ROOF AREA.
4. ROOF GUTTERS SHALL MAINTAIN A 0.5:10 SLOPE TO ROOF DRAINS.
5. PAINT ALL ROOF TOP EQUIPMENT, ACCESSORIES AND PENETRATIONS TO MATCH ROOF.
6. REFER TO ELECTRICAL FOR LIGHTING PROTECTION LAYOUT.
7. REFER TO REFLECTED CEILING PLANS FOR CONCRETE EYEBROW DIMENSIONS.
8. PROVIDE PERMANENT ROOF ANCHOR FALL ARREST SYSTEM AS REQUIRED PER OSHA. CONTRACTOR TO RETAIN A COMPANY SPECIALIZING IN FALL PROTECTION SYSTEMS TO DESIGN, SUPPLY, INSTALL, AND CERTIFY THE ROOF ANCHOR FALL ARREST SYSTEM.



US Army Corps
of Engineers ®


MARK	DESCRIPTION	DATE

DESIGNED BY: KELLINGWOOD	ISSUE DATE:
DRAWN BY: JASON LEONARD DISTRICT ENGINEER OKINAWA AREA OFFICE	SOLICITATION NO.: W72HW-17-D-0003
CHECKED BY: W72HW-17-D-0003	CONTRACT NO.:
SUBMITTED BY:	DESIGN PARTNERS INCORPORATED 1580 MAKALOA STREET, SUITE 1100 HONOLULU, HAWAII 96814
SIZE: ANSI D	

CLIN 0004

KEY PLAN

SSAW
N.T.S.



GRAPHIC SCALE


PLAN
NORTH



SCALE: 1 : 200

0 4000 8000

ALL DIMENSIONS AND/OR DIMENSIONS SHOWN IN
CALLOUT/ NOTES ARE IN MILLIMETERS UNLESS
OTHERWISE NOTED.



APO AP 96343-5010
FY20 MCA PN77833 VEHICLE MAINTENANCE SHOP

SSAW - OVERALL ROOF PLAN (CLIN 0004)

SHEET ID


A-D102

INTERMEDIATE DESIGN


Plot Date: 12/17/2025 5:21:29 AM

File Path:

Autodesk Docs/ISSUED DC VEHICLE MAINTENANCE SHOP/17783_TEMPL_A-D102_0002.rvt



INTERMEDIATE DESIGN



GENERAL NOTES

1. CONTRACTOR OR RESPONSIBLE PARTY TO FIELD VERIFY AND CONFIRM ALL DIMENSIONS AND LAYOUT INFORMATION. NOTIFY DESIGNER OF ANY CONFLICTS OR DISCREPANCIES PRIOR TO CONSTRUCTION.
2. DO NOT SCALE DRAWINGS.
3. DIMENSIONS MARKED "CLR" ARE FROM FINISH SURFACE TO FINISH SURFACE.
4. SEE STRUCTURAL DRAWINGS FOR CONCRETE WALL THICKNESSES.



US Army Corps
of Engineers ®


MARK	DESCRIPTION	DATE

DESIGNED BY: KELLINGWOOD	ISSUE DATE:
DRAWN BY: I. HOLLAND	SOLICITATION NO.:
CHECKED BY: J. MANUJA	CONTRACT NO.:
SUBMITTED BY:	W72WY-17-D-0003
SIZE: ANSI D	

US ARMY CORPS OF ENGINEERS JAPAN ENGINEER DISTRICT OKINAWA AREA OFFICE APO AP 96376-5132	DESIGN PARTNERS INCORPORATED 1580 MAKALOA STREET, SUITE 1100 HONOLULU, HAWAII 96814
---	---


CLIN 0004

KEY PLAN



GRAPHIC SCALE


PLAN
NORTH



SCALE: 1 : 100



ALL DIMENSIONS AND/OR DIMENSIONS SHOWN IN
CALLOUT/ NOTES ARE IN MILLIMETERS UNLESS
OTHERWISE NOTED.



SSAW
N.T.S.

SSAW - PARTIAL FLOOR PLAN - ZONE B (CLIN 0004)

SHEET ID


A-D112

INTERMEDIATE DESIGN

Plot Date: 12/17/2025 5:21:32 AM

File Path:

Autodesk Docs/ISSUED DC VEHICLE MAINTENANCE SHOP/11795_TEMF_ARCH_0002.rvt



GENERAL NOTES

- | | |
|----|--|
| 1. | ALL ITEMS INDICATED ON REFLECTED CEILING PLAN ARE SHOWN IN DESIRED LOCATIONS. COORDINATE RELATED WORK TO AVOID CONFLICTS AND ASSURE COMPLIANCE WITH CONTRACT DOCUMENTS AND THE DESIGN INTENT. ANY CONFLICTS SHALL BE BROUGHT TO THE ATTENTION OF THE CONTRACTING OFFICER BEFORE WORK PROCEEDS. |
| 2. | REFER TO SHEETS A_621 FOR ROOM FINISH SCHEDULES. |
| 3. | REFER TO MECHANICAL, ELECTRICAL, AND FIRE PROTECTION FOR DIFFUSERS, LIGHT FIXTURE, ALARM SPEAKER, AND OTHER CEILING ELEMENTS. |




LEGEND

- | | |
|---|-------------------------------------|
|  | OPEN TO SLAB |
|  | GYPSUM BOARD |
|  | ACOUSTICAL CEILING TILE |
|  | LIGHTING FIXTURES,
SEE ELEC DWGS |
|  | |
|  | RETURN DIFFUSER,
SEE MECH DWGS |
|  | EXHAUST GRILL,
SEE MECH DWGS |
|  | EXHAUST GRILL,
SEE MECH DWGS |
|  | SUPPLY DIFFUSER,
SEE MECH DWGS |
|  | SUPPLY DIFFUSERS,
SEE MECH DWGS |

CLIN 0004

KEY PLAN

SSAW
N.T.S.




GRAPHIC SCALE



SCALE: 1 : 200



ALL DIMENSIONS AND/OR DIMENSIONS SHOWN IN
CALLOUT/ NOTES ARE IN MILLIMETERS UNLESS
OTHERWISE NOTED.



U.S. ARMY CORPS OF ENGINEERS JAPAN ENGINEER DISTRICT OKINAWA AREA OFFICE APO AP 96376-5132	DESIGN PARTNERS INCORPORATED 1580 MAKALOA STREET, SUITE 1100 HONOLULU, HAWAII 96814	SOLICITATION	
		K ELLINGWOOD DRAWN BY: I ROLLO, J MANUIA CHECKED BY: D MOATS	CONTRACT NO. W912HV-17-D-0001
		SUBMITTED BY:	
		SIZE:	ANSI D

FY20 MCA PN77833 VEHICLE MAINTENANCE SHOP

SSAW - OVERALL REFLECTED CEILING PLAN (CLIN 0004)

SHEET ID

A-D121

INTERMEDIATE DESIGN

Plot Date: 12/17/2025 5:21:38 AM

File Path:

Autodesk Docs://SSFM JED IDC VEHICLE MAINTENANCE SHOP/511758_TEMF_ARCH_v2022.rvt




1. ALL ITEMS INDICATED ON REFLECTED CEILING PLAN ARE SHOWN IN DESIRED LOCATIONS. COORDINATE RELATED WORK TO AVOID CONFLICTS AND ASSURE COMPLIANCE WITH CONTRACT DOCUMENTS AND THE DESIGN INTENT. ANY CONFLICTS SHALL BE BROUGHT TO THE ATTENTION OF THE CONTRACTING OFFICER BEFORE WORK PROCEEDS.
2. REFER TO MECHANICAL, ELECTRICAL, AND FIRE PROTECTION FOR DIFFUSERS, LIGHT FIXTURE, ALARM SPEAKER, AND OTHER CEILING ELEMENTS.



	OPEN TO SLAB
	GYPSUM BOARD
	ACOUSTICAL CEILING TILE
	LIGHTING FIXTURES, SEE ELEC DWGS
	RETURN DIFFUSER, SEE MECH DWGS
	EXHAUST GRILL, SEE MECH DWGS
	EXHAUST GRILL, SEE MECH DWGS
	SUPPLY DIFFUSER, SEE MECH DWGS
	SUPPLY DIFFUSERS, SEE MECH DWGS

SSAW
N.T.S.



PLAN
NORTH

SCALE: 1 : 100



ALL DIMENSIONS AND/OR DIMENSIONS SHOWN IN
CALLOUT/ NOTES ARE IN MILLIMETERS UNLESS
OTHERWISE NOTED.

[illegible]

U.S. ARMY CORPS OF ENGINEERS JACKSONVILLE DISTRICT CIVIL WORKS OFFICE CIVILIAN BEE OFFICE APO AF 96376-5132	K. ELLINGWOOD DRAWN BY: ROLLO J. MANUJA CHECKED BY: D. MOATS SUBMITTED BY:	SOLICITATION NO.: CONTRACT NO.: W912HW-17-D-0003
DESIGN PARTNERS INCORPORATED 1536 KALANANU'U DRIVE, SUITE 1100 HONOLULU, HAWAII 96814	SIZE: ANSI D	

SSAW - PARTIAL REFLECTED CEILING PLAN - ZONE A (CLIN 0004)

SHEET ID

A-D122

Autodesk Docs://SSFM JED IDC VEHICLE MAINTENANCE SHOP/51758_TEMF_ARCH_v2022.rvt

Plot Date: 12/17/2025 5:21:40 AM
File Path:


INTERMEDIATE DESIGN



1. ALL ITEMS INDICATED ON REFLECTED CEILING PLAN ARE SHOWN IN DESIRED LOCATIONS. COORDINATE RELATED WORK TO AVOID CONFLICTS AND ASSURE COMPLIANCE WITH CONTRACT DOCUMENTS AND THE DESIGN INTENT. ANY CONFLICTS SHALL BE BROUGHT TO THE ATTENTION OF THE CONTRACTING OFFICER BEFORE WORK PROCEEDS.
2. REFER TO MECHANICAL, ELECTRICAL, AND FIRE PROTECTION FOR DIFFUSERS, LIGHT FIXTURE, ALARM SPEAKER, AND OTHER CEILING ELEMENTS.

	OPEN TO SLAB
	GYPSUM BOARD
	ACOUSTICAL CEILING TILE
	LIGHTING FIXTURES, SEE ELEC DWGS
	RETURN DIFFUSER, SEE MECH DWGS
	EXHAUST GRILL, SEE MECH DWGS
	EXHAUST GRILL, SEE MECH DWGS
	SUPPLY DIFFUSER, SEE MECH DWGS
	SUPPLY DIFFUSERS, SEE MECH DWGS

KEY PLAN

SSAW
N.T.S.

PLAN
NORTH

SCALE: 1 : 100

ALL DIMENSIONS AND/OR DIMENSIONS SHOWN IN
CALLOUT/ NOTES ARE IN MILLIMETERS UNLESS
OTHERWISE NOTED

[illegible]

U.S. ARMY CORPS OF ENGINEERS JANUARY OFFICE OKINAWA BEA OFFICE APO AF 96376-5132	K. LLEWELLYN DRAWN BY C. ROLLO J. MANUUA CHECKED BY D. MONTS	SOLICITATION NO.: CONTRACT NO.: W912WH-17-D-0003
DESIGN PARTNERS, INCORPORATED 1360 KANAKA STREET, SUITE 1100 HONOLULU, HAWAII 96814	SUBMITTED BY:	
	SIZE:	
	A3/D	

FY20 MCA PN77833 VEHICLE MAINTENANCE SHOP

SHEET ID


A-D123


Autodesk Docs://SSFM JED IDC VEHICLE MAINTENANCE SHOP/511758_TEMF_ARCH_v2022.rvt


File Path:

Plot Date: 12/17/2025 5:21:42 AM

INTERMEDIATE DESIGN







GENERAL NOTES

- SEE SHEET A-200 FOR EXTERIOR FINISH SCHEDULE
- ALL DOWNSPOUTS SHALL BE PROVIDED WITH BOOTS 1200MM HIGH WITH AIR GAP AND CLEANOUTS. ALL DOWNSPOUTS SHALL BE CONNECTED TO THE DRAINAGE SYSTEM. REFER TO CIVIL DRAWINGS.
- CONTRACTOR OR RESPONSIBLE PARTY TO FIELD VERIFY AND CONFIRM ALL DIMENSIONS AND LAYOUT INFORMATION. NOTIFY DESIGNER OF ANY CONFLICTS OR DISCREPENCIES PRIOR TO CONSTRUCTION.
- DO NOT SCALE DRAWINGS.
- DIMENSIONS MARKED "CLR" ARE FROM FINISH SURFACE TO FINISH SURFACE
- SEE STRUCTURAL DRAWINGS FOR CONCRTE WALL THICKNESSES



US Army Corps
of Engineers ®

MARK	DESCRIPTION	DATE

DESIGNED BY: KELLINGWOOD	ISSUE DATE:
DRAWN BY: T. HOLLOWAY	SOLICITATION NO.:
CHECKED BY: J. MANUJA	CONTRACT NO.:
SUBMITTED BY:	W72WY-17-D-0003
SIZE: ANSI D	
US ARMY CORPS OF ENGINEERS JAPAN ENGINEER DISTRICT OKINAWA AREA OFFICE APO AP 96376-5132	
DESIGN PARTNERS INCORPORATED 1580 MAKALOA STREET, SUITE 1100 HONOLULU, HAWAII 96814	


APO AP 96343-5010 FY20 MCA PN77833 VEHICLE MAINTENANCE SHOP
SSAW - EXTERIOR ELEVATIONS (CLIN 0004)

SHEET ID
A-D201

CLIN 0004

GRAPHIC SCALE

SCALE: 1 : 100




ALL DIMENSIONS AND/OR DIMENSIONS SHOWN IN
CALLOUT/ NOTES ARE IN MILLIMETERS UNLESS
OTHERWISE NOTED.



INTERMEDIATE DESIGN

- ALL DIMENSIONS AND/OR DIMENSIONS SHOWN IN
CALLOUT/ NOTES ARE IN MILLIMETERS UNLESS
OTHERWISE NOTED.



GENERAL NOTES

1. CONTRACTOR OR RESPONSIBLE PARTY TO FIELD VERIFY AND CONFIRM ALL DIMENSIONS AND LAYOUT INFORMATION. NOTIFY DESIGNER OF ANY CONFLICTS OR DISCREPANCIES PRIOR TO CONSTRUCTION.
2. DO NOT SCALE DRAWINGS.
3. DIMENSIONS MARKED "CLR" ARE FROM FINISH SURFACE TO FINISH SURFACE.
4. SEE STRUCTURAL DRAWINGS FOR CONCRETE WALL THICKNESSES.
5. REFER TO SHEET A-101 TO A-103 FOR AIR BARRIER PLANS.



US Army Corps
of Engineers ®

MARK	DESCRIPTION	DATE

DESIGNED BY: KELLINGWOOD	ISSUE DATE:
DRAWN BY: T. HOLLO, J. MANUJA	SOLICITATION NO.:
CHECKED BY:	CONTRACT NO.:
SUBMITTED BY:	W912WY-17-D-0003
SIZE: ANSI D	

US ARMY CORPS OF ENGINEERS JAPAN ENGINEER DISTRICT OKINAWA AREA OFFICE APO AP 96376-5132	DESIGN PARTNERS INCORPORATED 1580 MAKALOA STREET, SUITE 1100 HONOLULU, HAWAII 96814
---	---

CLIN 0004

GRAPHIC SCALE

SCALE: 1 : 100

ALL DIMENSIONS AND/OR DIMENSIONS SHOWN IN
CALLOUT/ NOTES ARE IN MILLIMETERS UNLESS
OTHERWISE NOTED.

SHEET ID


A-D302

INTERMEDIATE DESIGN

Plot Date: 12/17/2025 5:22:08 AM


File Path:

Autodesk Docs/ISSUED DC VEHICLE MAINTENANCE SHOP/1709_TEMF_ARCH_V020214



GENERAL NOTES

1. REFER TO A-551 FOR SIGN TYPES, SIGNAGE MOUNTING TYPES AND NOTES.
2. REFER TO A-652 FOR SIGNAGE SCHEDULE.



**S Army Corps
f Engineers ®**

[illegible]

DESIGNED BY: US ARMY CORPS OF ENGINEERS	ISSUE DATE:
DRAWN BY: JAPAN ENGINEER DISTRICT	SOLICITATION NO.:
OKINAWA AREA OFFICE	CONTRACT NO.:
APO AF 96376-1532	W912HV-17-D-0003
CHECKED BY:	SUBMITTED BY:
DATE:	DATE:
SIZE:	ANSI D
DESIGN PARTNERS, INCORPORATED 1980 MAKALOA STREET SUITE 1100 HONOLULU, HAWAII 96814	

833 VEHICLE MAINTENANCE SHOP

(+)(S)-N-methyl-1-phenylpropan-2-amine

SHEET ID


A-E151

Autodesk Docs://SSFM JED IDC VEHICLE MAINTENANCE SHOP/511758_TEMF_ARCH_v2022.m

File Path:

Plot Date: 12/17/2025 5:22:27 AM

INTERMEDIATE DESIGN



GENERAL NOTES

1. SEE SHEET A-200 FOR EXTERIOR FINISH SCHEDULE
2. ALL DOWNSPOUTS SHALL BE PROVIDED WITH BOOTS 1200MM HIGH WITH AIR GAP AND CLEANOUTS. ALL DOWNSPOUTS SHALL BE CONNECTED TO THE DRAINAGE SYSTEM. REFER TO CIVIL DRAWINGS.
3. CONTRACTOR OR RESPONSIBLE PARTY TO FIELD VERIFY AND CONFIRM ALL DIMENSIONS AND LAYOUT INFORMATION. NOTIFY DESIGNER OF ANY CONFLICTS OR DISCREPENCIES PRIOR TO CONSTRUCTION.
4. DO NOT SCALE DRAWINGS.
5. DIMENSIONS MARKED "CLR" ARE FROM FINISH SURFACE TO FINISH SURFACE
6. SEE STRUCTURAL DRAWINGS FOR CONCRTE WALL THICKNESSES



US Army Corps
of Engineers ®

MARK	DESCRIPTION	DATE

DESIGNED BY: KELLINGWOOD	ISSUE DATE:
DRAWN BY: IROLLO J. MANUJA	SOLICITATION NO.:
CHECKED BY: WY24V-17-D-0003	CONTRACT NO.:
SUBMITTED BY:	
SIZE: ANSI D	

US ARMY CORPS OF ENGINEERS
JAPAN ENGINEER DISTRICT
OKINAWA AREA OFFICE
APO AP 96376-5132

DESIGN PARTNERS INCORPORATED
1580 MAKALOA STREET, SUITE 1100
HONOLULU, HAWAII 96814

SS - EXTERIOR ELEVATIONS AND BUILDING SECTION (CLIN 0004)

SHEET ID
A-E201

CLIN 0004

GRAPHIC SCALE

SCALE: 1 : 100




ALL DIMENSIONS AND/OR DIMENSIONS SHOWN IN
CALLOUT/ NOTES ARE IN MILLIMETERS UNLESS
OTHERWISE NOTED.


INTERMEDIATE DESIGN

Plot Date: 12/17/2025 5:22:35 AM

File Path:

Autodesk Docs/ISSUED DC VEHICLE MAINTENANCE SHOP/17795_TEMF_ARCH_0002.rvt





- ### GENERAL NOTES
- CONTRACTOR OR RESPONSIBLE PARTY TO FIELD VERIFY AND CONFIRM ALL DIMENSIONS AND LAYOUT INFORMATION. NOTIFY DESIGNER OF ANY CONFLICTS OR DISCREPANCIES PRIOR TO CONSTRUCTION.
 - DO NOT SCALE DRAWINGS.
 - DIMENSIONS MARKED "CLR" ARE FROM FINISH SURFACE TO FINISH SURFACE.
 - SEE STRUCTURAL DRAWINGS FOR CONCRETE WALL THICKNESSES.

- ### GENERAL NOTES - RCP
- ALL ITEMS INDICATED ON REFLECTED CEILING PLAN ARE SHOWN IN DESIRED LOCATIONS. COORDINATE RELATED WORK TO AVOID CONFLICTS AND ASSURE COMPLIANCE WITH CONTRACT DOCUMENTS AND THE DESIGN INTENT. ANY CONFLICTS SHALL BE BROUGHT TO THE ATTENTION OF THE CONTRACTING OFFICER BEFORE WORK PROCEEDS.
 - REFER TO MECHANICAL, ELECTRICAL, AND FIRE PROTECTION FOR DIFFUSERS, LIGHT FIXTURE, ALARM SPEAKER, AND OTHER CEILING ELEMENTS.

- ### GENERAL NOTES - ROOF
- PRIMARY ROOFING TO BE FLUID APPLIED ELASTOMERIC ROOFING.
 - ROOFING SUBCONTRACTOR TO VERIFY ALL DIMENSIONS AND CONDITIONS ON SITE.
 - ALL SPOT ELEVATIONS ON PLAN INDICATE THE APPROXIMATE ROOF SURFACE U.N.O. AND ARE BASED ON FINISH FLOOR HEIGHT OF 0MM.
 - ROOF SLOPE SHALL MAINTAIN SLOPE AS NOTED OVER THE ENTIRE ROOF AREA.
 - ROOF GUTTERS SHALL MAINTAIN A MINIMUM 0.5:10 SLOPE TO ROOF DRAINS.
 - PAINT ALL ROOF TOP EQUIPMENT, ACCESSORIES AND PENETRATIONS TO MATCH ROOF.
 - REFER TO ELECTRICAL FOR LIGHTING PROTECTION LAYOUT.
 - REFER TO REFLECTED CEILING PLANS FOR CONCRETE EYEBROW DIMENSIONS.
 - PROVIDE PERMANENT ROOF ANCHOR FALL ARREST SYSTEM AS REQUIRED PER OSHA. CONTRACTOR TO RETAIN A COMPANY SPECIALIZING IN FALL PROTECTION SYSTEMS TO DESIGN, SUPPLY, INSTALL, AND CERTIFY THE ROOF ANCHOR FALL ARREST SYSTEM.

AREA - GSF - FIRE PUMP		
BUILDING	AREA (SM)	AREA (SF)
FIRE PUMP	36 m²	385 ft²

LEGEND

- OPEN TO SLAB
- LIGHTING FIXTURES, SEE ELEC DWGS

CLIN 0001

GRAPHIC SCALE

PLAN NORTH

SCALE: 1 : 50

ALL DIMENSIONS AND/OR DIMENSIONS SHOWN IN CALLOUT/ NOTES ARE IN MILLIMETERS UNLESS OTHERWISE NOTED.

INT ELEV KEY

US Army Corps of Engineers®

ISSUE DATE:	DESIGNED BY:	US ARMY CORPS OF ENGINEERS
SOLICITATION NO.:	DRAWN BY:	JAPAN ENGINEER DISTRICT
CONTRACT NO.:	CHECKED BY:	OKINAWA AREA OFFICE
W/24V-17-0-0003	SUBMITTED BY:	PO AP 96376-5132
SIZE: ANSI D		DESIGN PARTNERS INCORPORATED
		1580 MAKALOA STREET, SUITE 1100
		HONOLULU, HAWAII 96814


FP - FLOOR PLAN, REFLECTED CEILING PLAN AND ROOF PLAN (CLIN 0001)

SHEET ID

A-F101

GENERAL NOTES

1. REFER TO A-551 FOR SIGN TYPES, SIGNAGE MOUNTING TYPES AND NOTES.
2. REFER TO A-651 FOR SIGNAGE SCHEDULE.



**US Army Corps
of Engineers ®**

[illegible]

US ARMY CORPS OF ENGINEERS JAPAN ENGINEER DISTRICT OKINAWA AREA OFFICE APO AF 96376-5132	DESIGNED BY:	K. ELLINGWOOD	ISSUE DATE:
	DRAWN BY:	MANUJIA	SOLICITATION NO.:
	CHECKED BY:	D. MCATS	CONTRACT NO.:
	SUBMITTED BY:		W912H-17-D-0003
DESIGN PARTNERS INCORPORATED 1580 MAKALOA STREET, SUITE 1100 HONOLULU, HAWAII 96814	SIZE:	ANSI D	

Autodesk Docs://SSFM JED IDC VEHICLE MAINTENANCE SHOP/511758_TEMF_ARCH_v2022.rvt

File Path:

Plot Date: 12/17/2025 5:22:40 AM

INTERMEDIATE DESIGN

APO AP 96343-5010
FY20 MCA PN77833 VEHICLE MAINTENANCE SHOP

FP - SIGNAGE FLOOR PLAN (CLIN 0001)

SHEET ID

A-F151



SCALE: 1 : 150



ALL DIMENSIONS AND/OR DIMENSIONS SHOWN IN
CALLOUT/ NOTES ARE IN MILLIMETERS UNLESS
OTHERWISE NOTED.


CLIN 0001

GRAPHIC SCALE


PLAN
NORTH

FP - SIGNAGE FLOOR PLAN (CLIN 0001)


1 : 50



12 CH - ROOF PLAN (CLIN 0001)
1 : 50



A2 CH - FLOOR PLAN (CLIN 0001)
1:50



19 CH - REFLECTED CEILING PLAN (CLIN 0001)
1:50

GENERAL NOTES

1. CONTRACTOR OR RESPONSIBLE PARTY TO FIELD VERIFY AND CONFIRM ALL DIMENSIONS AND LAYOUT INFORMATION. NOTIFY DESIGNER OF ANY CONFLICTS OR DISCREPANCIES PRIOR TO CONSTRUCTION.
2. DO NOT SCALE DRAWINGS.
3. DIMENSIONS MARKED "CLR" ARE FROM FINISH SURFACE TO FINISH SURFACE.
4. SEE STRUCTURAL DRAWINGS FOR CONCRETE WALL THICKNESSES.



US Army Corps
of Engineers®

GENERAL NOTES - RCP

1. ALL ITEMS INDICATED ON REFLECTED CEILING PLAN ARE SHOWN IN DESIRED LOCATIONS. COORDINATE RELATED WORK TO AVOID CONFLICTS AND ASSURE COMPLIANCE WITH CONTRACT DOCUMENTS AND THE DESIGN INTENT. ANY CONFLICTS SHALL BE BROUGHT TO THE ATTENTION OF THE CONTRACTING OFFICER BEFORE WORK PROCEEDS.
2. REFER TO MECHANICAL, ELECTRICAL, AND FIRE PROTECTION FOR DIFFUSERS, LIGHT FIXTURE, ALARM SPEAKER, AND OTHER CEILING ELEMENTS.

1. PRIMARY ROOFING TO BE FLUID APPLIED ELASTOMERIC ROOFING.
2. ROOFING SUBCONTRACTOR TO VERIFY ALL DIMENSIONS AND CONDITIONS ON SITE.
3. ALL SPOT ELEVATIONS ON PLAN INDICATE THE APPROXIMATE ROOF SURFACE U.N.O. AND ARE BASED ON FINISH FLOOR HEIGHT OF 0MM.
4. ROOF SLOPE SHALL MAINTAIN SLOPE AS NOTED OVER THE ENTIRE ROOF AREA.
5. ROOF GUTTERS SHALL MAINTAIN A MINIMUM 0.5:10 SLOPE TO ROOF DRAINS.
6. PAINT ALL ROOF TOP EQUIPMENT, ACCESSORIES AND PENETRATIONS TO MATCH ROOF.
7. REFER TO ELECTRICAL FOR LIGHTING PROTECTION LAYOUT.
8. REFER TO REFLECTED CEILING PLANS FOR CONCRETE EYEBROW DIMENSIONS.
9. PROVIDE PERMANENT ROOF ANCHOR FALL ARREST SYSTEM AS REQUIRED PER OSHA. CONTRACTOR TO RETAIN A COMPANY SPECIALIZING IN FALL PROTECTION SYSTEMS TO DESIGN, SUPPLY, INSTALL, AND CERTIFY THE ROOF ANCHOR FALL ARREST SYSTEM.


AREA - GSF - CABLE HUT

BUILDING	AREA (SM)	AREA (SF)
CABLE HUT	8 m ²	81 ft ²

LEGEND



OPEN TO SLAB




LIGHTING FIXTURES,
SEE ELEC DWGS

CLIN 0001

GRAPHIC SCALE



PLAN
NORTH



SCALE: 1 : 50

ALL DIMENSIONS AND/OR DIMENSIONS SHOWN IN
CALLOUT/ NOTES ARE IN MILLIMETERS UNLESS
OTHERWISE NOTED.

APO AP 96343-5010
FY20 MCA PN77833 VEHICLE MAINTENANCE SHOP

CH - FLOOR PLAN, REFLECTED CEILING PLAN AND ROOF PLAN
(CLIN 0001)

SHEET ID

A-G101

INTERMEDIATE DESIGN

Plot Date: 12/17/2025 5:22:50 AM

File Path:


Autodesk Docs://SSFM JED IDC VEHICLE MAINTENANCE SHOP/51758_TEMF_ARCH_v2022.rvt

A-G141		SHEET ID		
APO AP 96345-5010 FY20 MCA PN7833 VEHICLE MAINTENANCE SHOP CH - AIR BARRIER PLANS (CLIN 0001)				
US ARMY CORPS OF ENGINEERS JAPAN ENGINEER DISTRICT OKINAWA AREA OFFICE APO AP 96376-5132		DESIGNED BY: KELLINGWOOD DRAWN BY: DRAVO MANUJIA CHECKED BY: D.MOATS	ISSUE DATE:	
DESIGN PARTNERS INCORPORATED 1350 KALANIKULANI DRIVE SUITE 1100 HONOLULU, HAWAII 96814		SUBMITTED BY:	SOLICITATION NO.:	
			CONTRACT NO.:	
			W912HV-17-D-0003	
		SIZE: ANSI D	MARK:	
			DESCRIPTION	
				DATE

Autodesk Docx / \$S\$M-BED VEHICLE MAINTENANCE SHOPS / 1708_TBMF_ARCH_002224

Plot Date: 12/17/2025 5:22:40 AM File Path:

INTERMEDIATE DESIGN



GENERAL NOTES

- REFER TO A-551 FOR SIGN TYPES, SIGNAGE MOUNTING TYPES AND NOTES.
- REFER TO A-651 FOR SIGNAGE SCHEDULE.



US Army Corps
of Engineers ®


MARK	DESCRIPTION	DATE

DESIGNED BY: KELLINGWOOD	ISSUE DATE:
DRAWN BY: I. ROLLO, J. MANUJA	SOLICITATION NO.:
CHECKED BY:	CONTRACT NO.:
SUBMITTED BY:	W712AV-17-D-0003
SIZE: ANSI D	

US ARMY CORPS OF ENGINEERS JAPAN ENGINEER DISTRICT OKINAWA AREA OFFICE APO AP 96376-5132	
DESIGN PARTNERS INCORPORATED 1580 MAKALOA STREET, SUITE 1100 HONOLULU, HAWAII 96814	

APO AP 96343-5010 FY20 MCA PN77833 VEHICLE MAINTENANCE SHOP
CH - SIGNAGE FLOOR PLAN (CLIN 0001)

SHEET ID
A-G151



- ### GENERAL NOTES
- SEE SHEET A-200 FOR EXTERIOR FINISH SCHEDULE
 - ALL DOWNSPOUTS SHALL BE PROVIDED WITH BOOTS 1200MM HIGH WITH AIR GAP AND CLEANOUTS. ALL DOWNSPOUTS SHALL BE CONNECTED TO THE DRAINAGE SYSTEM. REFER TO CIVIL DRAWINGS.
 - CONTRACTOR OR RESPONSIBLE PARTY TO FIELD VERIFY AND CONFIRM ALL DIMENSIONS AND LAYOUT INFORMATION. NOTIFY DESIGNER OF ANY CONFLICTS OR DISCREPENCIES PRIOR TO CONSTRUCTION. DO NOT SCALE DRAWINGS.
 - DIMENSIONS MARKED "CLR" ARE FROM FINISH SURFACE TO FINISH SURFACE
 - SEE STRUCTURAL DRAWINGS FOR CONCRTE WALL THICKNESSES
 - REFER TO SHEET A-101 TO A-103 FOR AIR BARRIER PLANS

US Army Corps of Engineers®	
DATE	
DESCRIPTION	
MARK	

DESIGNED BY: KELLINGWOOD	ISSUE DATE:
DRAWN BY: I. HOLLIS	SOLICITATION NO.:
CHECKED BY: J. MANUJA	CONTRACT NO.:
SUBMITTED BY:	W72WY-17-D-0003
SIZE: ANSI D	

US ARMY CORPS OF ENGINEERS JAPAN ENGINEER DISTRICT OKINAWA AREA OFFICE APO AP 96376-5132	DESIGN PARTNERS INCORPORATED 1580 MAKALOA STREET, SUITE 1100 HONOLULU, HAWAII 96814
---	---


APO AP 96343-5010 FY20 MCA PN77833 VEHICLE MAINTENANCE SHOP
CH - ELEVATIONS AND SECTIONS (CLIN 0001)

CLIN 0001

GRAPHIC SCALE

SCALE: 1 : 50
0 1000 2000
ALL DIMENSIONS AND/OR DIMENSIONS SHOWN IN
CALLOUT/ NOTES ARE IN MILLIMETERS UNLESS
OTHERWISE NOTED.

SHEET ID
A-G201



GENERAL NOTES

- 1. CONTRACTOR OR RESPONSIBLE PARTY TO FIELD VERIFY AND CONFIRM ALL DIMENSIONS AND LAYOUT INFORMATION. NOTIFY DESIGNER OF ANY CONFLICTS OR DISCREPENCIES PRIOR TO CONSTRUCTION.
- 2. DO NOT SCALE DRAWINGS.
- 3. DIMENSIONS MARKED "CLR" ARE FROM FINISH SURFACE TO FINISH SURFACE.
- 4. SEE STRUCTURAL DRAWINGS FOR CONCRETE WALL THICKNESSES.
- 5. REFER TO SHEET A-101 TO A-103 FOR AIR BARRIER PLANS.



US Army Corps of Engineers ®

MARK	DESCRIPTION	DATE

DESIGNED BY: Designer DRAWN BY: Author CHECKED BY: SUBMITTED BY: SIZE: ANSI D	ISSUE DATE:	
	SOLICITATION NO.:	
	CONTRACT NO.:	
	W/24V-17-D-0003	
US ARMY CORPS OF ENGINEERS JAPAN ENGINEER DISTRICT OKINAWA AREA OFFICE APO AP 96376-5132		
DESIGN PARTNERS INCORPORATED 1580 MAKALOA STREET, SUITE 1100 HONOLULU, HAWAII 96814		


APO AP 96343-5010 FY20 MCA PN77833 VEHICLE MAINTENANCE SHOP	CH - WALL SECTIONS (CLIN 0001)
--	--------------------------------

SHEET ID
A-G311


CLIN 0001

GRAPHIC SCALE


SCALE: 1 : 100



ALL DIMENSIONS AND/OR DIMENSIONS SHOWN IN CALLOUT/ NOTES ARE IN MILLIMETERS UNLESS OTHERWISE NOTED.



I1 COF SS - OVERALL SECOND FLOOR PLAN (CLIN 0004)
1:100



A1 COF SS - OVERALL FIRST FLOOR PLAN (CLIN 0004)
1:100

GENERAL NOTES

1. CONTRACTOR OR RESPONSIBLE PARTY TO FIELD VERIFY AND CONFIRM ALL DIMENSIONS AND LAYOUT INFORMATION. NOTIFY DESIGNER OF ANY CONFLICTS OR DISCREPANCIES PRIOR TO CONSTRUCTION.
2. DO NOT SCALE DRAWINGS.
3. DIMENSIONS MARKED "CLR" ARE FROM FINISH SURFACE TO FINISH SURFACE.
4. SEE STRUCTURAL DRAWINGS FOR CONCRETE WALL THICKNESSES.
5. REFER TO CIVIL, STRUCTURAL, FIRE PROTECTION, MECHANICAL, PLUMBING, ELECTRICAL & TELECOMMUNICATIONS DWGS FOR ADDITIONAL SCOPE OF WORK.
6. REFER TO SHEET A-601 TO A-603 FOR DOOR SCHEDULE, TYPES AND NOTES.
7. REFER TO SHEET A-604 FOR WINDOW SCHEDULE, TYPES AND NOTES.
8. REFER TO SHEET A-604 FOR LOUVER SCHEDULE.
9. REFER TO SHEET A-622 FOR ROOM FINISH SCHEDULES.



DATE
MARK
DESCRIPTION

DESIGNED BY: K. LELAND	ISSUE DATE:
DRAWN BY: J. MANUJA	SOLICITATION NO.:
CHECKED BY:	CONTRACT NO.:
SUBMITTED BY:	W724V-17-D-0003
SIZE: ANSI D	

US ARMY CORPS OF ENGINEERS
JAPAN ENGINEER DISTRICT
OKINAWA AREA OFFICE
APO AP 96376-5132

DESIGN PARTNERS INCORPORATED
1580 MAKALOA STREET, SUITE 1100
HONOLULU, HAWAII 96814

CLIN 0004


GRAPHIC SCALE



SCALE: 1:100



ALL DIMENSIONS AND/OR DIMENSIONS SHOWN IN CALLOUT/NOTES ARE IN MILLIMETERS UNLESS OTHERWISE NOTED.




SHEET ID

A-H101

INTERMEDIATE DESIGN

Plot Date: 12/17/2025 5:23:00 AM File Path: AutoCAD Dwg/ISSUED DC VEHICLE MAINTENANCE SHOP/11795_TEMF_ARCH_V002.rvt



A1 COF SS - ROOF PLAN (CLIN 0004)
1 : 100

GENERAL NOTES

- REFER TO CIVIL, STRUCTURAL, FIRE PROTECTION, MECHANICAL, PLUMBING, ELECTRICAL & TELECOMMUNICATIONS DWGS FOR ADDITIONAL SCOPE OF WORK.
- REFER TO SHEET A-200 FOR EXTERIOR FINISH SCHEDULE.



US Army Corps
of Engineers ®

MARK	DESCRIPTION	DATE

LEGEND

DESIGNED BY: KELLINGWOOD	ISSUE DATE:
DRAWN BY: T. ROLLO, J. MANUJA	SOLICITATION NO.:
CHECKED BY:	CONTRACT NO.:
SUBMITTED BY:	W72BY-17-D-0003
SIZE: ANSI D	

US ARMY CORPS OF ENGINEERS JAPAN ENGINEER DISTRICT OKINAWA AREA OFFICE APO AP 96376-5132	DESIGN PARTNERS INCORPORATED 1580 MAKALOA STREET, SUITE 1100 HONOLULU, HAWAII 96814
---	---

APO AP 96343-50110 FY20 MCA PN77833 VEHICLE MAINTENANCE SHOP	COF SS - ROOF PLAN (CLIN 0004)
---	--------------------------------

SHEET ID

A-H103

CLIN 0004


GRAPHIC SCALE



SCALE: 1 : 100



ALL DIMENSIONS AND/OR DIMENSIONS SHOWN IN
CALLOUT/ NOTES ARE IN MILLIMETERS UNLESS
OTHERWISE NOTED.





GENERAL NOTES

- REFER TO A-551 FOR SIGN TYPES, SIGNAGE MOUNTING TYPES AND NOTES.
- REFER TO A-652 FOR SIGNAGE SCHEDULE.

 US Army Corps of Engineers ®	
DATE	
MARK	
DESCRIPTION	

DESIGNED BY: KELLYWOOD	ISSUE DATE:
DRAWN BY: T. HOLLAND	SOLICITATION NO.:
CHECKED BY: J. MANUJA	CONTRACT NO.:
SUBMITTED BY:	W72BY-17-D-0003
SIZE: ANSI D	

US ARMY CORPS OF ENGINEERS
JAPAN ENGINEER DISTRICT
OKINAWA AREA OFFICE
APO AP 96376-5132
DESIGN PARTNERS INCORPORATED
1580 MAKALOA STREET, SUITE 1100
HONOLULU, HAWAII 96814

Plot Date: 12/17/2025 5:23:08 AM File Path: AutoCAD\Drawings\SS\CLIN 0004\SS\CLIN 0004.dwg

CLIN 0004

GRAPHIC SCALE




SCALE: 1 : 100
ALL DIMENSIONS AND/OR DIMENSIONS SHOWN IN
CALLOUT/ NOTES ARE IN MILLIMETERS UNLESS
OTHERWISE NOTED.

SHEET ID

A-H151

INTERMEDIATE DESIGN



GENERAL NOTES

1. DIMENSIONS MARKED "CLR" ARE FROM FINISH SURFACE TO FINISH SURFACE.
2. FURNITURE AND EQUIPMENT ARE SHOWN IN DASHED FOR REFERENCE ONLY.
3. REFER TO SHEET A-601 AND A-602 FOR DOOR SCHEDULES.
4. REFER TO SHEET A-611 FOR WINDOW AND LOUVER SCHEDULES.
5. REFER TO SHEET A-621 FOR MATERIAL FINISH SCHEDULES.
6. REFER TO SHEET A-622 FOR ROOM FINISH SCHEDULES.

LEGEND



US Army Corps
of Engineers ®

MARK	DESCRIPTION	DATE

DESIGNED BY: KELLINGWOOD	ISSUE DATE:
DRAWN BY: I. ROLLO, J. MANUJA	SOLICITATION NO.:
CHECKED BY:	CONTRACT NO.:
SUBMITTED BY:	W712AV-17-D-0003
SIZE: ANSI D	

US ARMY CORPS OF ENGINEERS JAPAN ENGINEER DISTRICT OKINAWA AREA OFFICE APO AP 96376-5132	DESIGN PARTNERS INCORPORATED 1580 MAKALOA STREET, SUITE 1100 HONOLULU, HAWAII 96814
---	---

APO AP 96343-5010 FY20 MCA PN77833 VEHICLE MAINTENANCE SHOP	COF SS - EXTERIOR ELEVATIONS AND SECTIONS - MECH YARD (CLIN 0004)	SHEET ID A-H211
--	--	---------------------------

CLIN 0004

GRAPHIC SCALE


PLAN
NORTH



SCALE: 1 : 50



ALL DIMENSIONS AND/OR DIMENSIONS SHOWN IN
CALLOUT/ NOTES ARE IN MILLIMETERS UNLESS
OTHERWISE NOTED.





1. CONTRACTOR OR RESPONSIBLE PARTY TO FIELD VERIFY AND CONFIRM ALL DIMENSIONS AND LAYOUT INFORMATION. NOTIFY DESIGNER OF ANY CONFLICTS OR DISCREPANCIES PRIOR TO CONSTRUCTION.
2. DO NOT SCALE DRAWINGS.
3. DIMENSIONS MARKED "CLR" ARE FROM FINISH SURFACE TO FINISH SURFACE.
4. SEE STRUCTURAL DRAWINGS FOR CONCRETE WALL THICKNESSES.
5. REFER TO SHEET A-101 TO A-103 FOR AIR BARRIER PLANS.




US ARMY CORPS OF ENGINEERS JAPAN ENGINEER DISTRICT OKINAWA AREA OFFICE APO AF 96376-5132	DESIGNED BY:		ISSUE DATE:
	Designer	Author	SOLICITATION NO.:
	Checked By:	Checker	CONTRACT NO.:
	SUBMITTED BY:		W912HJV-17-D-0009
DESIGN PARTNERS INCORPORATED 1580 MAKALOA STREET, SUITE 1100 HONOLULU, HAWAII 96814	SIZE:		
	HONOLULU, HAWAII 96814		

SHEET ID

A-H311



GRAPHIC SCALE



Autodesk Docs://SSFM JED IDC VEHICLE MAINTENANCE SHOP/511758_TEMF_ARCH_v2022.m

Plot Date: 12/17/2025 5:23:20 AM File Path:

INTERMEDIATE DESIGN



GENERAL NOTES

1. CONTRACTOR OR RESPONSIBLE PARTY TO FIELD VERIFY AND CONFIRM ALL DIMENSIONS AND LAYOUT INFORMATION. NOTIFY DESIGNER OF ANY CONFLICTS OR DISCREPENCIES PRIOR TO CONSTRUCTION.
2. DO NOT SCALE DRAWINGS.
3. DIMENSIONS MARKED "CLR" ARE FROM FINISH SURFACE TO FINISH SURFACE.
4. SEE STRUCTURAL DRAWINGS FOR CONCRETE WALL THICKNESSES.
5. REFER TO SHEET A-101 TO A-103 FOR AIR BARRIER PLANS.



US Army Corps
of Engineers ®

[illegible]

DESIGNED BY: Designer	ISSUE DATE:	
	SOLICITATION NO.:	
DRAWN BY:	CHECKED BY:	CONTRACT NO.:
JAPAN ENGINEER DISTRICT OKINAWA AREA OFFICE APO AP 96376-5132	Checker	W912H-V-7-5-0003
DESIGN PARTNERS INCORPORATED 1580 MAKALOLA STREET, SUITE 1100 HONOLULU, HAWAII 96814	SUBMITTED BY:	
	SIZE:	ANSI D

FY20 MCA PN77833 VEHICLE MAINTENANCE SHOP

COF SS - WALL SECTIONS (CLIN 0004)

SHEET ID

A-H312

Autodesk Docs://SSFM JED IDC VEHICLE MAINTENANCE SHOP/511753_TEMF_ARCH_v2022.rvt

File Path:


Plot Date: 12/17/2025 5:23:22 AM

INTERMEDIATE DESIGN



CLIN 0004

GRAPHIC SCALE



SCALE: 1 : 100



ALL DIMENSIONS AND/OR DIMENSIONS SHOWN IN
CALLOUT/ NOTES ARE IN MILLIMETERS UNLESS
OTHERWISE NOTED.



C




C

J1


1 : 50

(J10)


1 : 50



A




B




C

A1

1 : 50



D



A9

1:50

US Army Corps
of Engineers®

1. DIMENSIONS MARKED "CLR" ARE FROM FINISH SURFACE TO FINISH SURFACE.
2. FURNITURE AND EQUIPMENT ARE SHOWN IN DASHED FOR REFERENCE ONLY.
3. REFER TO SHEET A-601 AND A-602 FOR DOOR SCHEDULES.
4. REFER TO SHEET A-611 FOR WINDOW AND LOUVER SCHEDULES.
5. REFER TO SHEET A-621 FOR MATERIAL FINISH SCHEDULES.
6. REFER TO SHEET A-622 FOR ROOM FINISH SCHEDULES.

MARK	DESCRIPTION
LAV	LAVATORY
MBH	MOP AND BROOM WITH SHELF
MG	MIRROR, GLASS
PTDWR	PAPER TOWEL DISPENSER & WASTE RECEPTACLE
SD	SOAP DISPENSER, WALL MOUNTED
SND	SANITARY NAPKIN DISPOSAL
TPTN	TOILET PARTITION
TSCD	TOILET SEAT CIVER DISPENSER
TTD	TOILET TISSUE DISPENSER
UPTN	URINAL PARTITION
UR	URINAL
WC	WATER CLOSET

DESIGNED BY: E. FELLINGWOOD	ISSUE DATE:
DRAWN BY: ROLLO, J. MANUJA	SOLICITATION NO:
CHECKED BY: D. MOATS	CONTRACT NO:
SUBMITTED BY:	W912HV-17-D-0-0
SIZE:	

[illegible]

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

[illegible]

APO AP 96343-5010
EY20 MCA PN77833 VEHICLE MAINTENANCE SHOP


COF SS - ENLARGED FLOOR PLAN AND INTERIOR ELEVATIONS -
TOILETS AND WATER HEATER/JANITOR ROOM (CLIN 0004)

SHEET ID

A-H401


CLIN 0004


GRAPHIC SCALE




SCALE: 1 : 50

ALL DIMENSIONS AND/OR DIMENSIONS SHOWN IN
CALLOUT/ NOTES ARE IN MILLIMETERS UNLESS
OTHERWISE NOTED





19 1 : 50



A9 1 : 50

INTERMEDIATE DESIGN

J

COF SS - ENLARGED
STAIR 2 PLAN - LEVEL 2

J1

1 : 50

J6 COF SS - STAIR 2 SECTION 1
1 : 50

J12 COF SS - STAIR 2 SECTION 2
1 : 50

B

A

COF SS - ENLARGED
STAIR 2 PLAN - LEVEL 1

A1

1:50

0

A6 COF SS - STAIR 2 SECTION 3
1 : 50




0

A12 COF SS - STAIR 2 SECTION 4

1:50

GENERAL NOTES

1.	DIMENSIONS MARKED "CLR" ARE FROM FINISH SURFACE TO FINISH SURFACE.
2.	FURNITURE AND EQUIPMENT ARE SHOWN IN DASHED FOR REFERENCE ONLY.
3.	REFER TO SHEET A-601 AND A-602 FOR DOOR SCHEDULES.
4.	REFER TO SHEET A-611 FOR WINDOW AND LOUVER SCHEDULES.
5.	REFER TO SHEET A-621 FOR MATERIAL FINISH SCHEDULES.
6.	REFER TO SHEET A-622 FOR ROOM FINISH SCHEDULES.



**US Army Corps
of Engineers®**

[illegible]

DESIGNED BY: KELLINGWOOD JAPAN ENGINEER DISTRICT OKINAWA AREA OFFICE APO AF 96376-5132	ISSUE DATE:
CHECKED BY: D.MOATS	SOLICITATION NO.: CONTRACT NO.: W912HV-77-D-0003
SUBMITTED BY:	
SIZE: ANSI/D	
DESIGN PARTNERS INCORPORATED 1580 MAKALOA STREET, SUITE 1100 HONOLULU, HAWAII 96814	

Autodesk Docs://SSFM JED IDC VEHICLE MAINTENANCE SHOP/511758_TEMF_ARCH_v2022.rvt

Plot Date: 12/17/2025 5:23:41 AM


File Path:

APD AP 86343-5010
FY20 MCA PN77833 VEHICLE MAINTENANCE SHOP


SHEET ID

A-H722

INTERMEDIATE DESIGN



12 WATER TANK - ROOF PLAN (CLIN 0001)
1 : 100



A1 WATER TANK - FLOOR PLAN (CLIN 0001)
1 : 100

GENERAL NOTES

1. DIMENSIONS MARKED "CLR" ARE FROM FINISH SURFACE TO FINISH SURFACE.
2. REFER TO SHEET A-621 FOR MATERIAL FINISH SCHEDULES.
3. REFER TO SHEET A-622 FOR ROOM FINISH SCHEDULES.
4. REFER TO STRUCTURAL AND CIVIL DRAWINGS FOR ADDITIONAL SCOPE OF WORK.



**US Army Corps
of Engineers®**

[illegible]

US ARMY CORPS OF ENGINEERS JAPAN ENGINEER DISTRICT OKINAWA AREA OFFICE APO AF 96376-5132	DESIGNED BY: DRAWN BY: IROLLO J. MANUJA	ISSUE DATE:
DESIGN PARTNERS INCORPORATED 1560 MAKALOA STREET, SUITE 1100 HONOLULU, HAWAII 96814	CHECKED BY: D.MORIS	SOLICITATION NO.: CONTRACT NO.: W912HJ-77-D-0093
	SUBMITTED BY: SIZE:	

File Path:


Plot Date: 12/17/2025 5:23:12 AM

CLIN 0001


GRAPHIC SCALE



SCALE: 1 : 50



ALL DIMENSIONS AND/OR DIMENSIONS SHOWN IN
CALLOUT/ NOTES ARE IN MILLIMETERS UNLESS
OTHERWISE NOTED




APO AP 96343-5010
FY20 MCA PN77833 VEHICLE MAINTENANCE SHOP

WATER TANK -FLOOR PLAN AND ROOF PLAN (CLIN 0001)

SHEET ID


A-I101

INTERMEDIATE DESIGN



GENERAL NOTES

1. DIMENSIONS MARKED "CLR" ARE FROM FINISH SURFACE TO FINISH SURFACE.
2. REFER TO SHEET A-621 FOR MATERIAL FINISH SCHEDULES.
3. REFER TO SHEET A-622 FOR ROOM FINISH SCHEDULES.
4. REFER TO STRUCTURAL AND CIVIL DRAWINGS FOR ADDITIONAL SCOPE OF WORK.



**S Army Corps
f Engineers ®**

[illegible]

US ARMY CORPS OF ENGINEERS JANITOR ENGINEER DISTRICT OKINAWA APOA 96319-5132	ISSUE DATE:
DESIGN PARTNERS INCORPORATED 1580 HONOLULU STREET 1 SUITE 1100 HONOLULU, HAWAII 96814	CONTRACT NO.: W912TN-17-D-0063
	SIZE: ANSI/D
	SUBMITTED BY:
	CHECKED BY: D
	DRAWN BY: J ROLLO, J MANUNIA
	KELLINGWOOD
	SOLICITATION NO.:


F-Y20 MCA PN77833 VEHICLE MAINTENANCE SHOP

SHEET ID


A-I201

CLIN 0001

GRAPHIC SCALE

PLAN
NORTH

SCALE: 1 : 50



ALL DIMENSIONS AND/OR DIMENSIONS SHOWN IN
CALLOUT/ NOTES ARE IN MILLIMETERS UNLESS
OTHERWISE NOTED.


Autodesk Docs://SSFM JED IDC VEHICLE MAINTENANCE SHOP/511758_TEMF_ARCH_v2022.rvt


File Path:

Plot Date: 12/17/2025 5:23:45 AM

INTERMEDIATE DESIGN




 US Army Corps of Engineers®		DATE	
MARK		DESCRIPTION	
ISSUE DATE:			
DESIGNED BY: KELLINGWOOD JAPAN ENGINEER DISTRICT OKINAWA AREA OFFICE APO AP 96343-5132			
SOLICITATION NO.: LROLO J MANUIA			
CONTRACT NO.: W912HV-17-D-0003			
CHECKED BY: D.MOATS			
SUBMITTED BY:			
SIZE: ANSI D		MARK	
DESIGN PARTNERS INCORPORATED 1580 MAKALOA STREET, SUITE 1100 HONOLULU, HAWAII 96814			



SHEET ID

I-A111



GENERAL NOTES



US Army Corps
of Engineers ®

LEGEND


FURNITURE LEGEND

ID CODE	ITEM DESCRIPTION
A01	Bulletin Board
A02	Bulletin Board, Enclosed
A03	Marker Board 72" x 48"
A04	Marker Board 48" x 48"
A05	Clock, Wall
A06	Receptacle, Recycling, Large
A07	Receptacle, Recycling, Set
A08	Receptacle, Trash, Industrial
A09	Receptacle, Trash, Large
A10	Receptacle, Trash, Personal
A11	Refrigerator with Ice Maker
A12	Refrigerator, Undercounter, Front Venting
A13	Shredder
A14	Lectern
A15	PA Cabinet
A16	Tool boxes
A17	Workbench
A18	Workbench Stool
A19	Workbench, 72" wide x 30" deep
A20	Workbench, Industrial
CH01	Chair, Guest
CH02	Chair, Lounge
CH03	Chair, Stacking
CH04	Chair, Stool
CH05	Chair, Task
CH06	Chair, Training
CH07	Chair, Waiting
D01	Desk
D02	Desk, Double Pedestal
D03	Desk, L-shape, Metal
S01	Bookcase, 2 Shelf
S02	Cabinet, Storage with Lock
S03	File, Lateral, 4 High
S04	File, Lateral 5 High
S05	Industrial Shelving, 120" wide x 24" deep x 72" high
S06	Shelving, Industrial
S07	Shelving, Industrial 120" wide x 48" deep x 72" high
S08	Storage Tower
T01	Table, Flip Top
T02	Table, Side
T03	Table, Training
T04	Table, Training/Conference
T04A	Table, Training/Conference
WS1	Workstation A
WS2	Workstation, L-shape A
WS3	Workstation, L-shape B
WS4	Workstation, Reception

CLIN 0001


KEY PLAN

VMS - LEVEL 1
N.T.S.



GRAPHIC SCALE


PLAN
NORTH



SCALE: 1 : 100



ALL DIMENSIONS AND/OR DIMENSIONS SHOWN IN
CALLOUT/ NOTES ARE IN MILLIMETERS UNLESS
OTHERWISE NOTED.



DESIGNED BY: XXX	ISSUE DATE:
DRAWN BY: XXX	SOLICITATION NO.:
CHECKED BY: XXX	CONTRACT NO.:
SUBMITTED BY: XXX	DATE:
SIZE: ANSI D	MARK:

US ARMY CORPS OF ENGINEERS
JAPAN ENGINEER DISTRICT
OKINAWA AREA OFFICE
APO AP 96376-5132

DESIGN PARTNERS INCORPORATED
1580 MAKALOA STREET, SUITE 1100
HONOLULU, HAWAII 96814

APO AP 96343-5010
FY20 MCA PN77833 VEHICLE MAINTENANCE SHOP

VMS - PARTIAL FIRST FLOOR FURNITURE PLAN - ZONE B (CLIN 0001)


SHEET ID


I-A112

INTERMEDIATE DESIGN

Plot Date: 10/23/2025 10:33:32 AM File Path:

Autodesk Docs / RSPM / JED / DC VEHICLE MAINTENANCE SHOP / 17FSF_TEMP / JARCH_L0002_04





LEGEND

FURNITURE LEGEND

ID CODE	ITEM DESCRIPTION
A01	Bulletin Board
A02	Bulletin Board, Enclosed
A03	Marker Board 72" x 48"
A04	Marker Board 48" x 48"
A05	Clock, Wall
A06	Receptacle, Recycling, Large
A07	Receptacle, Recycling, Set
A08	Receptacle, Trash, Industrial
A09	Receptacle, Trash, Large
A10	Receptacle, Trash, Personal
A11	Refrigerator with Ice Maker
A12	Refrigerator, Undercounter, Front Venting
A13	Shredder
A14	Lectern
A15	PA Cabinet
A16	Tool boxes
A17	Workbench
A18	Workbench Stool
A19	Workbench, 72" wide x 30" deep
A20	Workbench, Industrial
CH01	Chair, Guest
CH02	Chair, Lounge
CH03	Chair, Stacking
CH04	Chair, Stool
CH05	Chair, Task
CH06	Chair, Training
CH07	Chair, Waiting
D01	Desk
D02	Desk, Double Pedestal
D03	Desk, L-shape, Metal
S01	Bookcase, 2 Shelf
S02	Cabinet, Storage with Lock
S03	File, Lateral, 4 High
S04	File, Lateral 5 High
S05	Industrial Shelving, 120" wide x 24" deep x 72" high
S06	Shelving, Industrial
S07	Shelving, Industrial 120" wide x 48" deep x 72" high
S08	Storage Tower
T01	Table, Flip Top
T02	Table, Side
T03	Table, Training
T04	Table, Training/Conference
T04A	Table, Training/Conference
WS1	Workstation A
WS2	Workstation, L-shape A
WS3	Workstation, L-shape B
WS4	Workstation, Reception

CLIN 0004

KEY PLAN

SSAW
N.T.S.

GRAPHIC SCALE

PLAN
NORTH

SCALE: 1 : 100

ALL DIMENSIONS AND/OR DIMENSIONS SHOWN IN
CALLOUT/ NOTES ARE IN MILLIMETERS UNLESS
OTHERWISE NOTED.

INT
ELEV
KEY

US ARMY CORPS
OF ENGINEERS ®

ISSUE DATE:

DESIGNED BY:

XXX

DRAWN BY:

XXX

CHECKED BY:

XXX

SUBMITTED BY:

XXX

SIZE:

ANSI D

ISSUE DATE:

SOLICITATION NO.:

CONTRACT NO.:

W72AW17D-0003


US ARMY CORPS OF ENGINEERS
JAPAN ENGINEER DISTRICT
OKINAWA AREA OFFICE
APO AP 96376-5132

DESIGN PARTNERS INCORPORATED
1580 MAKALOA STREET, SUITE 1100
HONOLULU, HAWAII 96814

SSAW - PARTIAL FURNITURE FLOOR PLAN - ZONE A (CLIN 0004)

SHEET ID

I-D111



AFPO AP 96343-3010 FY20 MCA PN77833 VEHICLE MAINTENANCE SHOP SSAW - PARTIAL FURNITURE FLOOR PLAN - ZONE B (CLIN 0004)		US ARMY CORPS OF ENGINEERS JAPAN ENGINEER DISTRICT OKINAWA AREA OFFICE APO AP 96376-5132		DESIGNED BY: XXX	ISSUE DATE: XXX
		DRAWN BY: XXX	SOLICITATION NO.: XXX		
		CHECKED BY: XXX	CONTRACT NO.: W912HW-17-D-0003		
		SUBMITTED BY: DESIGN PARTNERS INCORPORATED 1580 MAKALOA STREET, SUITE 1100 HONOLULU, HAWAII 96814	SIZE: ANSI D	MARK	DATE

12

13

14

15

16

17

18

19

20

21

P

O

N

M

L

K

J

I

H

G

F

E

D

C

B

A

MECHANICAL GENERAL NOTES:

1. THE DRAWINGS AND SPECIFICATIONS ARE INTENDED TO COVER THE COMPLETE INSTALLATION OF SYSTEMS TO FUNCTION AS DESCRIBED AND SPECIFIED. THE OMISSION OF REFERENCE TO ANY NECESSARY ITEM OF LABOR OR MATERIAL SHALL NOT RELIEVE THE CONTRACTOR FROM PROVIDING SUCH LABOR AND MATERIAL.

2. ALL EQUIPMENT SHALL BE CAPABLE OF FITTING INTO THE SPACES ALLOCATED WHILE MEETING THE MANUFACTURER'S RECOMMENDED CLEARANCES. THE CONTRACTOR SHALL VERIFY ALL CLEARANCES FOR EQUIPMENT TO BE INSTALLED PRIOR TO ORDERING OF EQUIPMENT AND NOTIFY THE CONTRACTING OFFICER OF ANY INADEQUATE CLEARANCES OR CONDITIONS THAT WILL PREVENT THE PROPER INSTALLATION, MAINTENANCE, AND OPERATION OF THE EQUIPMENT.

3. FOR MECHANICAL WORK, PROVIDE SHOP DRAWINGS FOR THE LAYOUT OF EQUIPMENT, PIPING, AND DUCTWORK SHOWING COORDINATION OF ALL WORK WITH ALL OTHER TRADES, INCLUDING PLUMBING, FIRE SPRINKLER, FIRE ALARM, CONTROLS, ELECTRICAL, AND COMMUNICATION SYSTEMS. COORDINATION DRAWINGS SHALL OVERLAY HVAC, PLUMBING, FIRE SPRINKLER, ELECTRICAL, AND FIRE ALARM SYSTEMS, AND ALL CONFLICTS BETWEEN TRADES SHALL BE NOTED AND RESOLVED BY THE CONTRACTOR.

4. VERIFY AND COORDINATE ALL ROOF, WALL, AND FLOOR PENETRATIONS WITH THE STRUCTURAL AND ARCHITECTURAL DRAWINGS PRIOR TO THE START OF CONSTRUCTION.

5. OBTAIN APPROVAL FROM THE CONTRACTING OFFICER BEFORE MAKING ANY PENETRATIONS THROUGH STRUCTURAL MEMBERS, WALLS, AND SLABS.

6. DRAWINGS DO NOT ATTEMPT TO SHOW EXACT DETAILS OF PIPING PROVIDE OFFSETS AS NECESSARY TO AVOID LOCAL OBSTRUCTIONS OR INTERFERENCE WITH OTHER TRADES. REVIEW ALL PIPING RUNS PRIOR TO FABRICATION AND IMMEDIATELY NOTIFY THE CONTRACTING OFFICER OF ANY INTERFERENCE AND/OR LACK OF ADEQUATE CLEARANCES.

7. SHOULD PROJECT CONDITIONS REQUIRE REARRANGEMENT OF WORK, MARK SUCH CHANGES ON THE AS-BUILT DRAWINGS. IF THESE CHANGES REQUIRE ALTERNATE METHODS TO THOSE APPROVED BY THE CONTRACT DOCUMENTS, SUBMIT SHOP DRAWINGS SHOWING THE PROPOSED ALTERNATE METHODS TO THE CONTRACTING OFFICER FOR REVIEW. DO NOT PROCEED UNTIL REVIEWED.

8. PATCH AND PAINT ALL EXPOSED MATERIAL, INCLUDING DUCTWORK, AND EXTERIOR PIPING TO MATCH ADJACENT SURFACES AS INDICATED.

9. PROPERLY FIRESTOP ALL PENETRATIONS THROUGH FIRE RATED WALLS, FLOORS, OR PARTITIONS WITH A UL APPROVED SYSTEM APPROPRIATE FOR THE PENETRATION TYPE AND FIRE RATING. FIRESTOP ALL PENETRATIONS BETWEEN FLOORS. SEE ARCH. DRAWINGS FOR FIRE RATED WALL LOCATIONS.

10. ROUTE ALL CONTROL AND MOTOR STARTER WIRING IN CONDUIT, INCLUDING ALL PLUMBING CONTROL WIRING.

11. ENSURE ADEQUATE CLEARANCES ARE PROVIDED TO SERVICE ALL MECHANICAL EQUIPMENT.

12. PROVIDE VOLUME DAMPERS ON ALL BRANCH DUCTWORK WHETHER INDICATED OR NOT FOR BALANCING PURPOSES. CONTRACTOR SHALL NOT USE OPPOSED BLADE VOLUME DAMPERS AT REGISTERS FOR GENERAL BALANCING.

13. DX PIPING SHALL BE SIZED AND INSTALLED IN ACCORDANCE WITH THE MANUFACTURE'S RECOMMENDATIONS. THE EQUIPMENT MANUFACTURE SHALL CONFIRM DX PIPE SIZES PRIOR TO INSTALLATION. PIPE SIZES SHALL BE SUBMITTED WITH THE AIR CONDITIONING EQUIPMENT SUBMITTAL.

14. PROVIDE DUCT SMOKE DETECTORS FOR ALL AIR HANDLING UNITS OVER 940 L/S IN CAPACITY OR GREATER IN ACCORDANCE WITH NFPA 90A.

15. ALL FLOOR MOUNTED AHU'S AND EXTERIOR CONDENSING EQUIPMENT SHALL BE LOCATED ON 100MM HIGH CONCRETE PADS. CONCRETE PAD SHALL EXTEND 150MM BEYOND EQUIPMENT FOOT PRINT.

16. INSULATE ALL SEWER PIPING RECEIVING AIR CONDITIONING CONDENSATE DRAINS, OR ANY OTHER COLD LIQUID WHICH MAY CREATE CONDENSATION FROM POINT OF CONNECTION TO TOP OF CONCRETE SLAB-ON-GRADE.

17. ALL DUCT DIMENSIONS SHOWN ARE NET DIMENSIONS.

18. DUCTWORK SHALL BE CONSTRUCTED AND TESTED TO MEET DUCT PRESSURE CLASSIFICATION IN ACCORDANCE WITH SMACNA HVAC SYSTEM STANDARDS.

19. INSULATE BACK OF A/C GRILLES IN DRYWALL CEILING TO PREVENT SWEATING. INSULATE AS SPECIFIED FOR DUCTWORK.

20. COORDINATE WITH STRUCTURAL DRAWINGS FOR EXACT LOCATION OF ALL ROOF OPENINGS AND WALL OPENINGS.

21. COORDINATE WITH ARCHITECTURAL REFLECTED CEILING PLAN FOR EXACT LOCATION OF ALL CEILING AIR DEVICES.

22. TO MEET ATF/FP REQUIREMENTS ALL OA INTAKES SHALL BE MINIMUM 3M AFG.

23. EXTERIOR EXPOSED DUCTWORK. DUCTWORK FOR UNCONDITIONED OUTSIDE AIR, AND ALL EXTERIOR EXPOSED HARDWARE SHALL BE 316 STAINLESS STEEL.

24. SEISMICALLY BRACE ALL EQUIPMENT, DUCTWORK, AND PIPING IN ACCORDANCE WITH THE SPECIFICATIONS. BRACE SYSTEMS IN ACCORDANCE WITH SMACNA STDS. TAKE INTO CONSIDERATION SEISMIC BRACING WHEN INSTALLING MECHANICAL COMPONENTS. SEE ADDITIONAL SEISMIC NOTES BELOW.

25. PROVIDE ACCESS PANELS TO ALL CONCEALED VALVES, EQUIPMENT, FILTERS, ETC WHERE ANY OF THEIR WORK NEEDS ACCESS TO SERVICE OR RESET. THE ACCESS PANELS SHALL MATCH THE FIRE RATING FOR THE WALLS OR CEILINGS THAT THEY ARE PENETRATING. FOR AREAS WITH LAY IN CEILING, ENSURE CLEARANCES ARE ADEQUATE. CONTRACTOR SHALL COORDINATE CONCEALED ITEMS WITH PLUMBING CONTRACTOR TO MAKE AN ATTEMPT TO CO-LOCATE/SHARE PANELS AS MUCH AS POSSIBLE.

26. SLOPE CONDENSATE PIPE AT A MINIMUM OF 15MM PER METER.

27. FLEX DUCTS SHALL NOT EXCEED 1500MM IN LENGTH.

28. THERMOSTATS SHALL BE MOUNTED 1200MM AFF.

29. CONTRACTOR IS RESPONSIBLE FOR PROVIDING ALL NECESSARY FITTINGS, ACCESSORIES, AND ADAPTERS BETWEEN INTERNATIONAL PRODUCT INTERFACES. IF EQUIPMENT IS PROCURED WITH VOLTAGES DEVIATING FROM THE EQUIPMENT SCHEDULE, CONTRACTOR SHALL PROVIDE TRANSFORMERS AND OTHER NECESSARY ACCESSORIES TO PROVIDE A FUNCTIONAL SYSTEM.

30. ALL NAMEPLATES/LABELS FOR EQUIPMENT ABOVE CEILING SHALL BE CLEARLY VISIBLE FROM THE POINT OF ACCESS.

31. INCIDENTAL CONDUIT AND WIRING REQUIRED FOR A COMPLETE AND OPERATIONAL SYSTEM MAY NOT BE INDICATED IN THE DRAWINGS OR SPECIFICATIONS. CONTRACTOR SHALL COORDINATE INCIDENTAL CONDUIT AND WIRING REQUIREMENTS BETWEEN ALL TRADES TO ENSURE THE INCIDENTAL CONDUIT AND WIRING IS PROVIDED

SEISMIC NOTES:

1. 600x600 AND GREATER DIFFUSERS REQUIRE CABLING PER SMACNA SEISMIC RESTRAINT MANUAL, FIGURE 10-14 AND BE POSITIVELY ATTACHED PER ASCE 7-16, 13.6.7.

2. MECHANICAL COMPONENTS SHALL MEET THE SEISMIC BRACING REQUIREMENTS OF ASTM E580, 5.4.1, 5.4.2, AND 5.4.3

3. ASCE 7-16, 13.6.5.5 WHERE POST INSTALLED MECHANICAL ANCHORS ARE USED FOR NON-VIBRATION ISOLATED EQUIPMENT RATED OVER 10 HP, THEY SHALL BE QUALIFIED IN ACCORDANCE WITH ACI 355.2.

4. ASCE 7-16, 13.4.6 FRICTION CLIPS. C-TYPE BEAM CLAMPS ARE PERMITTED FOR HANGERS PROVIDED THEY ARE EQUIPPED WITH RESTRAINING STRAPS.

5. POST INSTALLED ANCHORS IN CONCRETE SHALL BE PREQUALIFIED FOR SEISMIC APPLICATION IN ACCORDANCE WITH ACI 355.2, ASCE 7-10, 13.4.2.3

6. FOR MECHANICAL EQUIPMENT REQUIRING SEISMIC BRACING, SEE SPECIFICATION SECTIONS 13 48 00 SEISMIC PROTECTION FOR MISC. EQUIP. AND SECTION 23 05 48.19 SEISMIC BRACING FOR HVAC.

MECHANICAL LEGEND

SYMBOL	ABBREV.	DESCRIPTION	SYMBOL	ABBREV.	DESCRIPTION
	AHU	AIR HANDLING UNIT		LAT	LEAVING AIR TEMPERATURE
	ABV	ABOVE		L	LIQUID
	ACCH	AIR COOLED CHILLER		LMD	LOW LEAKAGE MOTORIZED DAMPER
	ACCU	ABOVE	L/M	LPM	LITERS PER MINUTE
	AFF	ABOVE FINISHED FLOOR	L/S	LPS	LITERS PER SECOND
	AFG	ABOVE FINISHED GRADE		LVG	LEAVING
	AFM	AIRFLOW MEASUREMENT STATION		MAF	MAKEUP AIR FAN
	ARCH.	ARCHITECT		MAX.	MAXIMUM
	AS	AIR SEPERATOR		MCA	MINIMUM CIRCUIT AMPACITY
	BD	BACKDRAFT DAMPER		MD	MOTORIZED DAMPER
	BT	BUFFER TANK		MIN.	MINIMUM
	BV	BALL VALVE		MOP	MAXIMUM OVER-CURRENT PROTECTION
		CAPPED/STUBOUT PIPE		NO	NORMALLY OPEN
	CAV	CONSTANT AIR VOLUME		NC	NORMALLY CLOSED
	CD	CONDENSATE DRAIN		OA	OUTSIDE AIR
	CH	CHILLER		OAG	OUTSIDE AIR GRILLE
	CHWP	CHILLED WATER PUMP			
	CONC	CONCRETE		OL	THERMAL OVERLOAD
	CV	CHECK VALVE			PRESSURE GAUGE
	CWS	CHILLED WATER SUPPLY		P	PRESSURE SENSOR
	CWR	CHILLED WATER RETURN		PA	PASCAL
	DB	DRY BULB TEMPERATURE		PH	PHASE
	DBA	DECIBELS		PF	POT FEEDER
	DDC	DIGITAL DIRECT CONTROL		RA	RETURN AIR
	DH	DEHUMIDIFIER			RETURN/EXHAUST AIR THROW
	DIA.	DIAMETER		RAR	RETURN AIR REGISTER
	DN	DOWN		RAT	RETURN AIR TEMPERATURE
	DOAS	DEDICATED OUTSIDE AIR SYSTEM		RECIRC.	RECIRCULATING
	DP	DIFFERENTIAL PRESSURE		RH	RELATIVE HUMIDITY SENSOR
	EA	EXHAUST AIR		SA	SUPPLY AIR
	EAR	EXHAUST AIR REGISTER		SAD	SUPPLY AIR DIFFUSER
	EAT	ENTERING AIR TEMPERATURE		SAR	SUPPLY AIR REGISTER
	EF	EXHAUST FAN		SAT	SUPPLY AIR TEMPERATURE
	ENT	ENTERING			SUPPLY DIFFUSER THROW
	ESP	EXTERNAL STATIC PRESSURE		SD	SMOKE DETECTOR
	ET	EXPANSION TANK		SS	STAINLESS STEEL
	EXH.	EXHAUST		SW	SWITCH
	EXIST.	EXISTING		TD	TIME DELAY
	FCU	FAN COIL UNIT		TEMP	TEMPERATURE
	FD	FIRE DAMPER		TG	TRANSFER GRILLE
	FIN	FINISH			THERMOMETER
	FLA	FULL LOAD AMPS		TS	TEMPERATURE SENSOR
	FLEX. CONN.	FLEXIBLE CONNECTION (DUCTWORK)			THREE-WAY VALVE
		FLEXIBLE DUCT			TWO-WAY VALVE
	FLR	FLOOR		T-STAT	THERMOSTAT
	GV	GATE VALVE			TURNING VANES
	HLP	HIGH/LOW PRESSURE		TYP.	TYPICAL
		HYDROGEN GAS SENSOR		U/G	UNDERGROUND
	H-O-A	HAND-OFF-AUTO		V	VOLTS
	HP	HEAT PUMP		VAV	VARIABLE AIR VOLUME
	HWCP	HOT WATER RECIRCULATION PUMP		VD	VOLUME DAMPER
	HWP	DOMESTIC HOT WATER PUMP		VFD	VARIABLE FREQUENCY DRIVE
	HWRP	HOT WATER RETURN PUMP		VHR	VEHICLE EXHAUST HOSE REEL
	HVLS	HIGH VOLUME LOW SPEED		WB	WET BULB TEMPERATURE
	HZ	HERTZ			

US Army Corps of Engineers®

ISSUE DATE:

SOLICITATION NO.:

CONTRACT NO.:

SCALE:

AS SHOWN

DESIGNED BY:

DRAWN BY:

CHECKED BY:

SUBMITTED BY:

SIZE:

ANSI D

US ARMY CORPS OF ENGINEERS

JAPAN ENGINEER DISTRICT

OKINAWA AREA OFFICE

APO AP 96376-5132

DESIGN PARTNERS INCORPORATED

1580 MAKALOA STREET, SUITE 1100

HONOLULU, HAWAII 96814

APO AP 96343-5010


FY20 MCA PN77833 VEHICLE MAINTENANCE SHOP

GENERAL NOTES AND LEGEND

SHEET ID


M-001

INTERMEDIATE DESIGN



CLIN 0001

KEY PLAN





US Army Corps
of Engineers ®

ISSUE DATE:		SHEET ID	
DESIGNED BY:	ISSUE DATE:	M-A101	DATE
DRAWN BY:	SOLICITATION NO.:		
CHECKED BY:	CONTRACT NO.:		
SUBMITTED BY:	W72WY-17-D-0003		
SIZE: ANSI D			

US ARMY CORPS OF ENGINEERS
JAPAN ENGINEER DISTRICT
OKINAWA AREA OFFICE
APO AF 96376-5132

DESIGN PARTNERS INCORPORATED
1580 MAKALOA STREET, SUITE 1100
HONOLULU, HAWAII 96814

FY20 MCA PN7833 VEHICLE MAINTENANCE SHOP
KADENA AIR BASE, OKINAWA, JAPAN

VMS - OVERALL 1ST FLOOR MECHANICAL PLAN
(CLIN 0001)

SHEET ID

M-A101

Plot Date: 12/15/2025 1:14:32 PM


File Path: C:\Users\jagray\Documents\1178_1_TBMF_MECH_0002_jagray.rvt

INTERMEDIATE DESIGN



Category	Value
People who did not vote for any of the candidates	4000

VMS - LEVEL 2
N.T.S.



**US Army Corps
of Engineers ®**

[illegible]

US ARMY CORPS OF ENGINEERS JAPAN ENGINEER DISTRICT KINAWA AREA OFFICE APO AP 96376-5132	ISSUED BY:	ISSUE DATE:
	I. TSANG R. BALUNASAY CHECKED BY: O. CRABTREE	SOLICITATION NO.: CONTRACT NO.: W912H-V-17-D-0003
DESIGN PARTNERS INCORPORATED 1580 MAKALOA STREET, SUITE 1100 HONOLULU, HAWAII 96814	SIZE: ANS/D	

FY20 MCA PN77833 VEHICLE MAINTENANCE SHOP
KADENA AIR BASE, OKINAWA, JAPAN

SHEET ID


M-A102

Plot Date: 12/15/2025 1:14:36 PM File Path: C:\Users\baiginasay\Documents\S11758_TEME_MECH_v2022_baiginasay.rvt

INTERMEDIATE DESIGN



US Army Corps of Engineers®			
DESIGNED BY: T. TSANG DRAWN BY: J. L. HANSEN CHECKED BY: O. GRABTREE SUBMITTED BY:		ISSUE DATE: SOLICITATION NO.: CONTRACT NO.: W9124V-17-D-0003	
US ARMY CORPS OF ENGINEERS JAPAN ENGINEER DISTRICT OKINAWA AREA OFFICE APO AP 96376-5132		DATE:	
DESIGN PARTNERS INCORPORATED 1380 MAKALOA STREET, SUITE 1100 HONOLULU, HAWAII 96814		MARK:	
SIZE:		DESCRIPTION:	
VMS - PARTIAL 1ST FLOOR MECHANICAL HVAC PLAN (ZONE A) (CLIN 0001)		DATE:	



**US Army Corps
of Engineers®**

- [illegible]

FY20 MCA PN77833 VEHICLE MAINTENANCE SHOP
 KADEMA AIR BASE, OKINAWA, JAPAN


INTERMEDIATE DESIGN

Plot Date: 12/15/2025 1:14:52 PM File Path:

C:\Users\rbalignasay\Documents\511758_TEMF_MECH_v2022_tbalgnasay.rvt

SHEET ID

M-A112



- 1 3000x3000 EA LOUVER, 12,965 LPS, MINIMUM 3.65 SQ M FREE AREA.
- 2 EA DUCT UP FROM 12" AFF, 2470 LPS, TYPICAL OF 4.
- 3 4750x2000 OA LOUVER AT 8600MM SILL HEIGHT, 16,815 LPS, MINIMUM 4.73 SQ M FREE AREA.

[illegible]

US ARMY CORPS OF ENGINEERS JAPAN ENGINEER DISTRICT 15300 HONOLULU, HAWAII 96814 APO AP 96376-5132	DESIGNED BY:	I T SANG	ISSUE DATE:
	DRAWN BY:	R. BALIGANSAY	SOLICITATION NO.:
DESIGN PARTNERS INCORPORATED 15300 HONOLULU, HAWAII 96814 APO AP 96376-5132	CHECKED BY:	O. CRABTREE	CONTRACT NO.:
	SUBMITTED BY:		W912H-17-D-0003
SIZE:	A		


FY20 MCA PN71833 VEHICLE MAINTENANCE SHOP
KADENA AIR BASE, OKINAWA, JAPAN

SHEET ID

M-A113


KEY PLAN

VMS - LEVEL 2
N.T.S.



Plot Date:	12/15/2025 1:14:54 PM	File Path:	C:\Users\rballignasy\Documents\51758_TENF_MECH_v2022_rballignasy.rvt
------------	-----------------------	------------	--

INTERMEDIATE DESIGN



**US Army Corps
of Engineers ®**

- 1 VAV TERMINAL UNIT, PROVIDE 120V TO UNIT. PROVIDE UNIT WITH 24V TRANSFORMER, TYPICAL.
- 2 250x250 OA LOUVER, 60 LPS, MIN. 0.03 SQ M FREE AREA.
- 3 450x300 EA LOUVER, 95 LPS, MIN. 0.04 SQ M FREE AREA.
- 4 300x300 EA LOUVER, 60 LPS, MIN. 0.02 SQ M FREE AREA.

[illegible]

DESIGNED BY: J. T. SANG R. BALKANASAY	ISSUE DATE:
BY: J. T. SANG R. BALKANASAY	SOLICITATION NO.:
CHECKED BY: O. CRABTREE	CONTRACT NO.:
SUBMITTED BY:	W9 12HV-17-D-0063
SIZE:	
ASIN/D	

FY20 MCA PN7833 VEHICLE MAINTENANCE SHOP
KADENA AIR BASE, OKINAWA, JAPAN


SHEET ID

M-A114

INTERMEDIATE DESIGN

Plot Date: 12/15/2025 1:14:58 PM File Path:

C:\Users\rbalignasay\Documents\511758_TEMF_MECH_v2022_tbalgnasay.rvt



- 1 RG AND RE PIPING UP TO SECOND FLOOR FCU-A3.
- 2 20MM CD TO TERMINATE AT MECH ROOM FLOOR SINK.
- 3 32MM CD TO TERMINATE AT JAN MOP SINK.
- 4 20MM CD TO CONNECT TO SINK TAILPIPE.

[illegible]

US ARMY CORPS OF ENGINEERS JAPAN ENGINEER DISTRICT OKINAWA AREA OFFICE APO AP 96376-5132	DESIGNED BY:	ISSUE DATE:
	DRAWN BY: KINAWA AREA OFFICE	SOLICITATION NO.:
	CHECKED BY: O. CRABTREE	CONTRACT NO.:
DESIGN PARTNERS, INCORPORATED 1560 MAKALOA STREET, SUITE 1100 HONOLULU, HAWAII 96814	SUBMITTED BY:	W812HV-17-D-0003 SIZE: ANSI D

FY20 MCA PN7833 VEHICLE MAINTENANCE SHOP
KADENA AIR BASE, OKINAWA, JAPAN


SHEET ID

M-A115

INTERMEDIATE DESIGN

Plot Date: 12/15/2025 1:15:05 PM File Path:

C:\Users\rbalignasay\Documents\511758_TEMF_MECH_v2022_rbalignasay.mt



KEY NOTES

1

RG AND RL PIPING DN TO FIRST FLOOR CEILING.

2

32MM CD TO TERMINATE AT JAN MOP SINK.

CLIN 0001

KEY PLAN

VMS - LEVEL 2

N.T.S.



US Army Corps
of Engineers ®

MARK	DESCRIPTION	DATE

DESIGNED BY:	ISSUE DATE:
I. TSANG	

DRAWN BY:	SOLICITATION NO.:
R. BALIGANASAY	

CHECKED BY:	CONTRACT NO.:
	W712NY-17-D-0003

SUBMITTED BY:	SIZE:
	ANSI D

US ARMY CORPS OF ENGINEERS JAPAN ENGINEER DISTRICT OKINAWA AREA OFFICE APO AF 96376-5132	DESIGN PARTNERS INCORPORATED 1580 MAKALOA STREET, SUITE 1100 HONOLULU, HAWAII 96814
---	---

FY20 MCA PN7833 VEHICLE MAINTENANCE SHOP KADENA AIR BASE, OKINAWA, JAPAN	VMS - PARTIAL 2ND FLOOR MECHANICAL HVAC PIPING PLAN (ZONE B) (CLIN 0001)
---	---


SHEET ID

M-A116

Plot Date: 12/15/2025 1:15:07 PM


File Path: C:\Users\tsangay\Documents\51178_Temp_MECH_0002_halfpage.rvt

INTERMEDIATE DESIGN



KEY NOTES

- 1 750x600 EA LOUVER, 660 LPS, MINIMUM 0.19 SQ M FREE AREA.
- 2 4750 x 2000 OA LOUVER AT 8600MM SILL HEIGHT, 16,815 LPS, MINIMUM 4.73 SQ M FREE AREA.



**US Army Corps
of Engineers®**

[illegible]

US ARMY CORPS OF ENGINEERS JAPAN ENGINEER DISTRICT OKINAWA AREA OFFICE APO AP 96374-5132	DESIGNED BY: I T SANG	ISSUE DATE:
DESIGN PARTNERS INCORPORATED 1580 KALANANUI ALEI DRIVE, SUITE 100 HONOLULU, HAWAII 96814	DRAWN BY: KIMBERLY KIM	SOLICITATION NO.:
	CHECKED BY: O GRABTREE	CONTRACT NO.:
	SUBMITTED BY:	W912HV-17-D-0003
	SIZE:	

FY20 MCA PN77833 VEHICLE MAINTENANCE SHOP
KADENA AIR BASE, OKINAWA, JAPAN

VMS - MECHANICAL SECTIONS (CLIN 0001)

SHEET ID

M-A302

CLIN 0001


INTERMEDIATE DESIGN

Plot Date: 12/15/2025 1:15:16 PM

File Path:

C:\Users\balignasay\Documents\511758_TEMF_MECH_v2022_rbalignasay.rvt



 US Army Corps of Engineers®		DESIGNED BY: U. TSANG DESIGNED BY: R. BALIGNASAY CHECKED BY: O. CRABTREE SUBMITTED BY:		ISSUE DATE: SOLICITATION NO.: CONTRACT NO.: W912HW-17-D-0003 SIZE: ANSI D		MARK DESCRIPTION	
--	--	---	--	---	--	--	--

DATE

| FY20 MCA INV78933 VEHICLE MAINTENANCE SHOP KADENA AIR BASE, OKINAWA, JAPAN | | US ARMY CORPS OF ENGINEERS JAPAN ENGINEER DISTRICT OKINAWA AREA OFFICE APO AF 96376-5132 | | | | | |
| VMS - MECHANICAL SECTIONS (CLIN 0001) | | DESIGN PARTNERS INCORPORATED 1580 MAKALOA STREET, SUITE 1100 HONOLULU, HAWAII 96814 | | | | | |



