

Air Education & Training Command (AETC)

Special Warfare Training Wing (SWTW)

Performance Work Statement (PWS)

for

Fixed Wing Airlift Support

1. General

1.1. Introduction

The work shall be performed in accordance with all Sections of this PWS. The purpose of this PWS is to establish a contract for Fixed Wing (FW) airlift support services. This service is required by the Department of Defense (DoD) and the United States Air Force (USAF) AETC for training purposes within the scope of this PWS. The contractor shall provide fuel, personnel, equipment, tools, material, maintenance, and supervision necessary to perform air operations located within the Continental United States (CONUS).

1.2. Agency Mission/Background

The Air Education and Training Command (AETC) mission is to recruit, train, and educate Airmen to provide air power for the United States. The Special Warfare Training Wing (SWTW) of the Air Education and Training Command (AETC) at Joint Base San Antonio-Lackland, Texas has a mission to assess, select, and develop ground combat forces for the Air Force. The SWTW's mission focuses on three areas of specialization: global access, precision strike, and personnel recovery. The SWTW's training pipeline includes pararescue men, combat controllers, special reconnaissance Airmen, special tactics officers, and combat rescue officers. The SWTW's training also includes: Assessment and selection, Human Performance Adjunct Faculty Course, and Athletic trainers.

Current DoD military FW training air support does not have the capacity to support DoD, AETC training requirements. Additionally, military air support is tasked with operational requirements that prevent consistent access to training assets. This makes it increasingly difficult to schedule and plan training with local assets that have higher operational priorities resulting in the inability to meet training requirements. Contracted aircraft support shall provide access to mission-capable aircraft meeting all PWS requirements with a minimum of 95% availability for all scheduled missions, measured monthly. The contractor shall support day/night air operations that include: air support for air traffic control training, Static Line (SL) parachuting and Military Free Fall (MFF) parachuting operations on land and over water. The contractor shall provide the specific personnel listed in the approved training schedule for each mission, including pilots, parachute riggers, and maintenance staff, to successfully execute all scheduled airlift support operations. All technical coordination for services under this contract shall be conducted through the COR; however, all matters with cost, schedule, or contractual implications must be directed to the Contracting Officer (CO).

1.3. Non-personal Services

This contract is a non-personal services contract as defined by FAR Subpart 37.101. contractor personnel rendering services under this contract are not subject to supervision or control by Government personnel. The contractor shall be responsible for the supervision of the contractor employees.

1.4. Objectives

The main objective of the airlift contract is to provide the AF consistent and safe aircraft support to the Special Warfare (SW) Apprentice Course and Major Command (MAJCOM) training. This program shall provide aircraft support that achieves a 95% availability rate for all scheduled missions, measured monthly, is operated in accordance with all applicable FAA, DoD, and USAF safety regulations, and maintains a mission-capable rate of no less than 95% that will allow the AF to meet their Air Force Specialty Code (AFSC) curriculum and SW instructor training/proficiency requirements. FW aircraft will conduct: air support for air traffic control training and day/night airdrop operations over land and water, for up to 18 personnel. FW aircraft

must meet safety requirements and be listed on the Air Mobility Command (AMC) Paratroop Commercial Operator Part 91 list. FW aircraft must also meet the training and configurations required for paratroop airdrop and training bundle operations. FW platform must maintain the applicable certificates for airdrop services during contract performance.

1.5. Scope

The contractor shall provide all services necessary to conduct aircraft lift support to the Pararescue (PJ)/Combat Rescue Officer (CRO) and Combat Control (CCT)/Special Tactics Officer (STO) Schoolhouses. The purpose of this contract is to ensure that all required PJ / CCT / CRO / STO candidates and SW instructors receive the required air support for air traffic day/night, land/water, S/L or MFF (including High Altitude, Low Opening (HALO), High Altitude, High Opening (HAHO), and Double Bag Static Line (DBSL)) parachute operations, Container Delivery Systems, mission planning, real world support to medical emergencies (life, limb, eyesight or urgent transport during training iterations), to complete the curriculum and upgrade requirements provided in the Career Field Education and Training Plan (CFETP). Additionally, the contractor shall provide all services necessary to conduct aircraft lift support for AETC assigned SW instructors to meet parachuting related training/proficiency requirements. The aircraft shall be provided to the Government fully configured for the scheduled operations. All hardware connected to the aircraft will be contractor configured and provided to the activity supported. In the event additional hardware or hardware configuring services become required for the performance of this contract, the contractor shall acquire said hardware/hardware configuration services through the contract established Consent To Purchase (CTP) processes.

2. Program Objectives/Description of Work

2.1. Objective

The contractor shall support AETC in the performance of training services as defined herein. The contractor shall be responsible for providing all startup costs, airlift support (flying hours), aircraft, employee payroll, maintenance, and fuel necessary for training.

2.2. Course Requirements

2.2.1. Air Lift schoolhouse STS requirements PJ Course FW requirements; IAW PJ, 1Z1, CFETP Line Items (specific reference cited below) included, but not limited to:

3.3.1 Day Water Full Equipment SL Round

3.3.3 Day Water Full Equipment MFF

3.3.7 Day Land Full Equipment SL Round

3.3.9 Day Land Full Equipment O2 HALO

3.3.1.7 Canopy Control

2.2.2. Air Lift schoolhouse STS requirements CRO Course FW requirements; IAW CRO, 19Z, CFETP Line Items (specific reference cited below) included, but not limited to:

3.3.1 Day Water Full Equipment SL Round

3.3.3 Day Water Full Equipment MFF

3.3.7 Day Land Full Equipment SL Round

3.3.9 Day Land Full Equipment O2 HALO

3.3.1.7 Canopy Control

2.2.3. CCT/STO Course FW Requirements IAW CCT/STO, 1C2/13C, CFETP Line Items (specific reference cited below) included, but not limited to:

6.1.1 Perform S/L day combat equipment jump

6.1.2 Perform S/L night combat equipment jump

- 16.5.4.5 Compute and mark Ground Marked Release points (GMRS)
- 16.5.4.6 Perform verbally initiated release system
- 17.4.36 Apply additional services, includes traffic advisories, weather information and other needed information.
- 17.4.39 Issue Traffic Advisories
- 17.4.48 Issue Takeoff/Landing clearances
- 17.4.50 Issue Landing Information
- 17.4.73 Issue Departure Information
- 17.4.52 Issue Restricted Low Approaches
- 17.4.64 Simulated Flameout (SFO) Approaches /Emergency Landing Pattern (ELP) Operations /Practice Precautionary Approaches
- 17.4.91 Issue Approach/Arrival Information

2.3. Specific Tasks

- 2.3.1. The contractor shall provide all FW aircraft including personnel, equipment, tools, material, maintenance, and supervision necessary to perform CONUS air operations. The contractor shall manage personnel and resources to accommodate schedule and mission changes in accordance with the timelines established in Sections 3.2, 3.3, and 3.4 of this PWS.
- 2.3.2. The contractor shall provide all direct labor, supervision, FW aircraft, maintenance, and all other items and services (not specifically identified herein to be Government- furnished). In addition, the contractor shall provide all support personnel in the numbers and roles specified in the approved training schedule for each mission to provide ATC/airdrop training IAW this PWS and in compliance with all applicable regulations and standards, including AFI 13-217, "Airdrop and Parachute Operations," and USSOCOM Manual 350-3, "Special Operations Forces Airdrop Operations."
- 2.3.3. The contractor shall attend aircrew briefings. Aircrew briefings and mission planning requirements shall consist of pre-mission analysis, safety planning, cargo planning, training scenario, and mission specific considerations. The Government will provide a minimum of 20 minutes for the contractor to participate in mission planning for each scheduled sortie. The contractor shall ensure its aircrew are available for the entire duration of the planned briefing. The Government is responsible for any final mission planning products for training scenarios. Contractor aircrew, military instructors, and military students are expected to participate in the aircrew briefings and mission planning.
- 2.3.4. This PWS sets forth the requirements for providing aircraft lift support for two separate schoolhouse courses at separate locations, conducting up to three classes annually. There are estimated six total classes, with up to 45 students per class each year. Both courses (Kirtland AFB and Pope AAF) run three times a year. The PJ/CRO course requires 120-150 working/training days, while the CCT/STO course requires 75-100 working/training days. The PJ/CRO course is located at Kirtland AFB, however, requires aircraft support at multiple locations away from Kirtland AFB, NM. The CCT/STO/SR course is located at and around Pope AAF. Additionally, this PWS sets forth the requirements for providing aircraft lift support for SW instructors assigned to AETC to maintain currency/proficiency in RW related tasks for professional development /upgrade training.

- 2.3.5. AETC requires a baseline of 395 Wet Blade FW hours and 310 FW Ferry Hours annually to support mission qualification, and currency training. The Government guarantees that a minimum of 80% of the baseline hours will be funded per option year. The contractor shall be able to support ATC and paratroop airdrop operations with aircraft at two geographically separated locations, simultaneously. contractor shall ensure the pilots and aircrew are trained and current in day/night parachute airdrop operations.
- 2.3.6. Task 1 - FW Airdrop Requirements
- 2.3.6.1. Operating Instructions
- 2.3.6.1.1. Aircraft will operate primarily out of airfields with improved surfaces but shall be capable of conducting air operations out of unimproved surfaces as defined in the Federal Aviation Regulations (FARs) / Aeronautical Information Manual (AIM). Aircraft support durations will be a standard of 2 hours prior to refueling. This duration is subject to adjustment, which will be calculated and mutually agreed upon in writing by the COR and the contractor prior to each mission, based on DZ altitude, airdrop altitude, temperature, and cargo/passenger weight. Refer to section below (Flight Duration).
- 2.3.6.2. Operation of Aircraft
- 2.3.6.2.1. All systems shall be maintained IAW the aircraft, airframe, engine and avionics as per manufacturers' specifications. contractor shall maintain Original Equipment Manufacturer (OEM)/FAA technical bulletin documentation on the aircraft provision for annual inspection.
- 2.3.6.2.2. The contractor shall be AMC Paratroop Commercial Operator and aircraft listed and approved for Part 91 operations on the date of contract award. and they shall maintain these certifications for the duration of the contract period of performance.
- 2.3.6.2.3. A Government Flight Representative and/or their designated representative shall perform a bi-annual inspection of aircraft operations, flight crew certification/currency and qualifications, and aircraft maintenance procedures. The inspection shall be conducted under the general guidelines and procedures contained in the Department of Defense Intrastate Contract Aviation Paratroop Survey Checklist. Subcontracted aircraft, if used, must also be listed as an AMC Paratroop Commercial Operator and approved for Part 91 operations.
- 2.3.6.2.4. Definitions contained in 14 Code of Federal Regulations (CFR) Part 1 apply to all situations and conditions related to flight operations, aircraft maintenance, and flight crew certifications and qualifications, except as noted or defined otherwise herein.
- 2.3.6.2.5. The aircraft shall carry a valid FAA airworthiness certificate for non-public use activities that are similar to the mission required to be performed under this PWS for the duration of the contract. The aircraft shall be operated and maintained as civil aircraft and follow current FAR and DODI 4500.53 "The DoD Commercial Air Transportation Quality and Safety Review Program pursuant to Section 2640 of Title 10, United States Code (U.S.C.)." All pilots and crew shall be FAA certified.

- 2.3.6.2.6. All aircraft shall be operated IAW applicable Government aeronautical regulations, including U.S Air Force (USAF), U.S. Navy (USN), United States Marine Corps (USMC), and local military flying directives. The contractor shall comply with DoD requirements for operation of civil aircraft in support of military operations. contractor shall submit the DD Form 2400 "Civil Aircraft Certificate of Insurance;" DD Form 2401 "Civil Aircraft Landing Permit;" and DD Form 2402 "Civil Aircraft Hold Harmless Agreement" through the (to be determined at TO award). These agreements and any other that may be specified shall be kept current during the entire period of operations under the contract. Aircraft approved under this contract are considered transient military aircraft and not subject to landing fees at DoD controlled airfields.
- 2.3.6.2.7. The Pilot In Charge (PIC), or PM designated alternate, shall provide initial telephonic notification of all aircraft accidents and incidents to the PM, AETC COR/Quality Assurance Program Coordinator (QAPC), and CO within 15 minutes of the event, followed by a written report within 2 hours IAW the Mishap/Incident Response Guidance (M/IRG).
- 2.3.6.2.8. This procedure provides a standardization guide for initial reporting required in the event of an aviation mishap/incident, non-aviation mishap, or event requiring special reporting involving aircraft or personnel under the cognizance of HQ AETC. The M/IRG covers mishap reporting procedures and is applicable during periods of supporting tasking directed by the HQ AETC when operating from military bases for transit or permanent basing. The PM, or designated representative, at the mishap/incident site shall contact the supported location Customer Lead, COR, and CO listed in the TO. These individuals, in turn, will contact the appropriate offices. Any person who has knowledge of a mishap or incident involving injury to personnel, damage to Government property or aircraft operating under AETC Commercial Air Services' contract and/or TO shall also report the facts.
- 2.3.6.2.9. The contractor shall provide the following information at a minimum to the PM, COR, CO, and unit supported: name of person reporting; a direct contact telephone number and a secondary method of communication; what happened; type of incident; number of people involved; numbers and types of injuries (as applicable); location, date, and time of incident (local time and Zulu time); describe actions taken; and any other details as they appeared to the person reporting the incident.
- 2.3.6.2.10. The aircraft contractor Site Manager shall demonstrate knowledge of unit mishap/incident procedures by completing the Government-provided training on these procedures within 15 days of contract start and annually thereafter.
- 2.3.6.2.11. All costs to repair or replace aircraft parts, and any additional ferry or travel costs that occur as a result of an accident/damage to the aircraft, shall be the responsibility of the contractor if the incident is determined to

be a result of contractor or subcontractor fault or negligence.

2.3.6.3. Equipment Requirements

2.3.6.3.1. The contractor shall use aircraft meeting the required standards to execute this contract. If the contractor uses more than one type of aircraft then instructors, JMs, and students will require familiarization training on each type of aircraft prior to operations. All aircraft (unless otherwise specified) shall be capable of the following:

2.3.6.3.1.1. FW aircraft shall conduct SL, MFF, and CDS parachute operations from a tail ramp. Aircraft will have an inward folding side paratroop door that is able to be opened/closed in flight for spotting and exit. Aircraft will be equipped with an electric powered static line retrieval system. Aircraft shall be capable of flying at 18,000 feet MSL and have a minimum of 18 seats installed (e.g. approved side fold-up seats), rigged for SL/MFF/CDS paratroop operations as required, with an allowable cabin floor load capable of transporting 16 combat equipped jumpers, two jumpmasters (300 lbs. ea.), and 100 lbs. of additional equipment per mission/flight iteration. Additionally, the aircraft must be capable of deploying six water-equipped SL/MFF jumpers (300 lbs ea.) with a CDS bundle (up to 900 lbs) and 2 jumpmasters (275 lbs. ea.).

2.3.6.3.1.2. FW aircraft shall meet the FAA and AMC safety requirements for paratroop airdrop operations and shall be listed on the AMC Paratroop Commercial Operator Part 91 listing at time of award.

2.3.6.3.1.3. The FW aircraft shall be capable of transporting parachutists and cargo weighing a minimum of 5,500 lbs. at +10 degrees Celsius for two hours non-stop during Instrument Flight Rules (IFR) conditions. Flight duration may be adjusted based on the following factors only: aircraft weight, fuel load, DZ elevation, and density altitude. Any other factors must be mutually agreed upon in writing by the COR and the contractor prior to the flight. Airdrop delivery will be limited to less than 25 miles from point of takeoff. At times, aircraft will operate from an airfield that normally experiences density altitudes above 8,000 feet. For example: Belen Municipal Airport, NM regularly experiences increased density altitudes during the summer months. Aircraft shall be able to operate from an unimproved, 3500ft. runway at +10 degrees Celsius at sea level.

2.3.6.3.1.4. FW aircraft shall be equipped with communications and navigation capability as required by the FAA and International Civil Aviation Organization (ICAO) equipment pre-requisites. The contractor shall be solely responsible to provide such equipment:

2.3.6.3.1.5. One type of FAA approved navigation system such as a Tactical Air Navigation (TACAN), Automatic Direction Finder (ADF) Receiver System, with ADF indicator; Very High Frequency (VHF) Omni Directional Range (VOR); Global Positioning Systems

(GPS)/Long Range Navigation (LORAN), etc. A GPS shall be available for operations in remote areas where other navigational aids are not available.

- 2.3.6.3.1.6. At least two VHF radios
- 2.3.6.3.1.7. At least one Ultra High Frequency (UHF) radio
- 2.3.6.3.1.8. Air-to-Air TACAN
- 2.3.6.3.1.9. Intercom system with at least one headset available for JM/AJM
- 2.3.6.3.1.10. Aircrew and cabin configuration shall be configured in a safe manner suitable to support night operations with NVGs by parachutists/jumpmasters when required.
- 2.3.6.3.1.11. Aircraft takeoff and landing requirements: During takeoff and landings, each jumper/passenger is required to have a seat belt.
- 2.3.6.3.1.12. The contractor shall supply one headset per aircraft if intercom connections do not match instructor headset connections. The contractor shall maintain and repair this supply.

2.3.6.4. Aircraft Maintenance Management

- 2.3.6.4.1. Aircraft Maintenance and Inspection Policies. The contractor shall be responsible for complete maintenance and logistics for their aircraft IAW FAA regulations. The contractor shall follow all aircraft manufacturer's recommended maintenance procedures / time change / overhaul requirements. This includes all manufacturer / vendor required maintenance IAW airframe, engine, and propeller maintenance manuals, and any maintenance required by applicable CFR.
- 2.3.6.4.2. Aircraft Emergencies. The contractor shall respond to any lift-related aircraft emergency within 5 minutes of notification. The contractor shall initiate procedures to remove lift aircraft from the runway within 15 minutes of the aircraft coming to a complete stop and being released by incident command. The contractor shall be responsible for their aircraft that land off field.
- 2.3.6.4.3. Replacement Aircraft. If an aircraft is determined to not be mission-capable due to aircraft maintenance issues, the contractor shall provide a replacement aircraft (AMC Part 91 certified) within 36 hours to allow for mission continuation. If no AMC Part 91 certified aircraft is available, the contractor may provide a CARB certified aircraft as a replacement, provided the Government incurs no additional costs. The contractor will be responsible for all cost associated with providing a replacement aircraft, including ferrying cost.
- 2.3.6.4.4. Maintenance Documentation. The contractor shall be solely responsible for maintaining all maintenance records. The contractor shall use approved documentation for each aircraft that meets the FAA standard for maintenance documents, forms, and procedures. Maintenance forms and documentation shall be maintained by aircraft registration number and shall include dates, page numbers, all pilot reported discrepancies, corrective actions and / or deferred discrepancies. The contractor shall retain ownership of these records. All maintenance records/logbooks shall

be available for Government review upon request.

2.3.6.5. Aircraft Servicing

2.3.6.5.1. Aircraft Fuel. The contractor shall provide all aircraft fuel.

2.3.6.5.2. Fuel/Oil Storage. All oil drained from aircraft engines during scheduled inspections, or any other interval shall be collected and disposed of IAW airfield environmental requirements.

2.3.6.5.3. Aircraft Movement In/Out of Hangars. Contractor personnel shall supervise and guide aircraft movement into or out of hangars. Contractor personnel shall supervise and guide aircraft movement into or out of hangars. Government personnel (students) shall not assist in aircraft movement. Aircraft shall be pushed out of the hangars to a position that provides a minimum of 25 feet of clearance from all obstacles, allowing for safe taxi operations.

2.3.6.6. Personnel Requirements

2.3.6.6.1. All contractor personnel shall be evaluated and qualified by the contractor as meeting USAF minimum standards as stated herein for technical proficiency. The training courses that the contract supports are considered "high-risk," and as such, the AETC SWTS/Commander retains the authority to interrupt or delay contractor operations when there is a direct and immediate risk to the safety of personnel or equipment. If such an interruption is due to contractor fault or negligence, it shall be at no additional cost to the Government. In such cases, the CO must be notified immediately, and further action will be coordinated between the contractor's POC and the AETC/COR. In all cases, AETC personnel will work with the aircrew to determine work priorities for the contractor.

2.3.6.6.2. The contractor shall provide fully qualified pilots and co-pilots who demonstrate experience in military parachute operations found in support services as designated in the contract. Services support consists of aircraft, flight crew (pilot and co-Pilot), FAA certified riggers, maintenance, and fuel for AETC support. The contractor will coordinate with the COR, or representative, prior to each training event to ensure that pilots and aircrew are qualified and experienced in the type of operation being supported. USAF or other DoD personnel receiving training under this contract will possess the necessary, prerequisite training and skills for the courses. The contractor shall ensure their pilots demonstrate knowledge of local range procedures and processes by attending all pre-mission briefings and documenting their attendance.

2.3.6.6.3. Pilots: All pilots for DoD airdrop operations, at a minimum, shall possess the following qualifications:

2.3.6.6.3.1. Pilots shall carry a current FAA Commercial Pilot's license, be familiar and certified to meet the USPA pilot airdrop qualification and be instrument and multi-engine rated (not limited to center line thrust). The contractor will provide a pilot and co-pilot on each aircraft for all flight operations.

2.3.6.6.3.2. FW pilots shall receive a contractor developed airdrop check ride that meets the intent of the United States Parachute

Association (USPA) and Federal Aviation Administration (FAA) at least once every 18 months, or as specified by FAA regulations.

2.3.6.6.3.3. The Pilot in Command (PIC) shall have a minimum of 200 hours as PIC in aircraft type. The PIC must have performed the required airborne operations or have received instruction and a currency signoff and deemed safe to conduct the operation from the CFI, Government instructor pilot, or company check pilot prior to execution of the task.

2.3.6.6.3.4. The co-pilot/first officer will be held to the same requirements as the PIC, except for the total hours required in type of aircraft. The minimum hours required in type of aircraft for the co-pilot/first officer is 50 hours.

2.3.6.6.3.5. Pilots shall pass the contractor developed check ride for the type of aircraft flown. The airdrop check ride will evaluate flight planning, briefings, aircraft maintenance, flight operations (pre-, in-, and post-flight), and airdrop operations. The check ride will evaluate safety, compliance to contractor developed checklists, and USPA pilot airdrop qualification standards.

2.3.6.6.4. Aircrew: If additional aircrew is required, they shall possess the same qualifications and currency as the primary aircrew specified in this PWS and receive a documented check ride from a Government-approved CFI or company check pilot prior to execution of the task.

2.3.6.6.5. Program Manager: The contractor shall provide program management support. This includes management and oversight of all activities performed by contractor personnel, including subcontractors, to satisfy the requirements identified in this Performance Work Statement (PWS). The contractor shall provide a PM responsible for performance. The primary PM shall be designated in writing to the COR and CO NLT 15 days prior to contract and/or performance start. The PM shall designate the Pilot in Charge (PIC) or other designated Aircrew flying member during the training event as the PM's alternate (Site Lead) at the training location. The PM shall provide the COR, or representative, the PIC or Site Lead's name seven days prior to the training event for final event coordination. The PM, or Site Lead, shall have full authority to act for the contractor on all contract matters relating to daily management of this contract. The Site Lead shall be on-site during normal hours of operation and available within two hours to meet with Government personnel. The PM may travel to attend planning/coordination meetings or to duty performance locations to observe training, when required and authorized by the COR.

2.3.7. Task 2 - FW Air Traffic Control/Paratroop Airdrop Requirements

2.3.7.1. Operating Instructions

2.3.7.1.1. Aircraft will operate primarily out of airfields with improved surfaces but shall be capable of conducting air operations out of unimproved surfaces as defined in the Federal Aviation Regulations (FARs) / Aeronautical Information Manual (AIM). Aircraft support

durations will be 2 hours prior to refueling (This may change based on DZ altitude, airdrop altitude, temperature, cargo/passenger weight). Refer to section below (Flight Duration).

2.3.7.2. Operation of Aircraft

2.3.7.2.1. All systems shall be maintained in accordance with (IAW) the aircraft, airframe, engine and avionics as per manufacturers' specifications. contractor shall maintain Original Equipment Manufacturer (OEM)/FAA technical bulletin documentation on the aircraft provision for annual inspection.

2.3.7.2.2. The contractor shall be AMC Paratroop Commercial Operator and aircraft listed and approved for Part 91 operations on the date of contract award. and they shall maintain these certifications for the duration of the contract period of performance.

2.3.7.2.3. A Government Flight Representative and/or their designated representative shall perform a bi-annual inspection of aircraft operations, flight crew certification/currency and qualifications, and aircraft maintenance procedures. The inspection shall be conducted under the general guidelines and procedures contained in the Department of Defense Intrastate Contract Aviation Paratroop Survey Checklist. Subcontracted aircraft, if used, must also be listed as an AMC Paratroop Commercial Operator and approved for Part 91 operations.

2.3.7.2.4. Definitions contained in 14 Code of Federal Regulations (CFR) Part 1 apply to all situations and conditions related to flight operations, aircraft maintenance, and flight crew certifications and qualifications, except as noted or defined otherwise herein.

2.3.7.2.5. The aircraft shall carry a valid FAA airworthiness certificate for non-public use activities that are similar to the mission required to be performed under this PWS for the duration of the contract. The aircraft shall be operated and maintained as civil aircraft and follow current FAR and DODI 4500.53 "The DoD Commercial Air Transportation Quality and Safety Review Program pursuant to Section 2640 of Title 10, United States Code (U.S.C.)." All pilots and crew shall be FAA certified.

2.3.7.2.6. All aircraft shall be operated IAW applicable Government aeronautical regulations, including U.S Air Force (USAF), U.S. Navy (USN), United States Marine Corps (USMC), and local military flying directives. The contractor shall comply with DoD requirements for operation of civil aircraft in support of military operations. contractor shall submit the DD Form 2400 "Civil Aircraft Certificate of Insurance;" DD Form 2401 "Civil Aircraft Landing Permit;" and DD Form 2402 "Civil Aircraft Hold Harmless Agreement" through the (to be determined at TO award). These agreements and any other that may be specified shall be kept current during the entire period of operations under the contract. Aircraft approved under this contract are considered transient military aircraft and not subject to landing fees at DoD controlled airfields.

2.3.7.2.7. The Pilot In Charge (PIC), or PM designated alternate, shall provide initial telephonic notification of all aircraft accidents and

incidents to the PM, AETC COR/Quality Assurance Program Coordinator (QAPC), and CO within 15 minutes of the event, followed by a written report within 2 hours IAW the Mishap/Incident Response Guidance (M/IRG).

2.3.7.2.8. This procedure provides a standardization guide for initial reporting required in the event of an aviation mishap/incident, non-aviation mishap, or event requiring special reporting involving aircraft or personnel under the cognizance of HQ AETC. The M/IRG covers mishap reporting procedures and is applicable during periods of support tasking directed by the HQ AETC when operating from military bases for transit or permanent basing. The PM, or designated representative, at the mishap/incident site shall contact the supported location Customer Lead, COR, and CO listed in the TO. These individuals, in turn, will contact the appropriate offices. Any person who has knowledge of a mishap or incident involving injury to personnel, damage to Government property or aircraft operating under AETC Commercial Air Services' contract and/or TO shall also report the facts.

2.3.7.2.9. The contractor shall provide the following information at a minimum to the PM, COR, CO, and unit supported: name of person reporting; best method of communications; what happened; type of incident; number of people involved; numbers and types of injuries (as applicable); location, date, and time of incident (local time and Zulu time); describe actions taken; and any other details as they appeared to the person reporting the incident.

2.3.7.2.10. The aircraft contractor Site Manager shall demonstrate knowledge of unit mishap/incident procedures by completing the Government-provided training on these procedures within 15 days of contract start and annually thereafter.

2.3.7.2.11. Any and all accidents/damage to the aircraft which occur during operation of the aircraft and contributing factor shall be the responsibility of the contractor. All costs to repair or replace aircraft parts and all additional ferry costs or travel costs that occur as a result of the accident shall be borne by the contractor. All costs to repair or replace aircraft parts as a result of contractor fault or negligence shall be borne by the contractor.

2.3.7.3. Equipment Requirements

2.3.7.3.1. The contractor shall use aircraft meeting the required standards to execute this contract. If the contractor uses more than one type of aircraft then instructors, JMs, and students will require familiarization training on each type of aircraft prior to operations. Aircraft supporting ATC/Paratroop Airdrop operations shall be capable of the following:

2.3.7.3.1.1. FW aircraft shall conduct air traffic control take off, landings and patterns. Additionally, aircraft will support MFF parachute operations from a side door or tail ramp when required. Aircraft will have a side paratroop door or ramp that is able to be opened/closed in flight for spotting and exit. Aircraft shall be

capable of flying at 13,000 feet MSL and have a minimum of 12 seats installed (e.g. approved side fold-up seats with seatbelts), rigged for MFF paratroop operations as required, with an allowable cabin floor load capable of transporting 12 jumpers/jumpmasters (250 lbs. ea.), and 100 lbs. of additional equipment per mission/flight iteration.

2.3.7.3.1.2. FW aircraft shall meet the FAA and AMC safety requirements for paratroop airdrop operations and shall be listed on the AMC Paratroop Commercial Operator Part 91 listing at time of award.

2.3.7.3.1.3. Aircraft shall have the flexibility to transport parachutists and cargo weighing a minimum of 3500 lbs. at +10 degrees Celsius for two hours non-stop during Instrument Flight Rules (IFR) conditions. Flight duration may be adjusted based on aircraft weight, fuel load, DZ elevation, density altitude, etc. Airdrop delivery will be limited to less than 25 miles from point of takeoff. At times, aircraft will operate from an airfield that normally experiences density altitudes above 8,000 feet. For example: Belen Municipal Airport, NM regularly experiences increased density altitudes during the summer months. Aircraft shall be able to operate from an unimproved, 3000 ft. runway at +10 degrees Celsius at sea level.

2.3.7.3.1.4. Be equipped with communications and navigation capability as required by the FAA and International Civil Aviation Organization (ICAO) equipment pre-requisites. The contractor shall be solely responsible to provide such equipment:

2.3.7.3.1.4.1. One type of FAA approved navigation system such as a Tactical Air Navigation (TACAN), Automatic Direction Finder (ADF) Receiver System, with ADF indicator; Very High Frequency (VHF) Omni Directional Range (VOR); Global Positioning Systems (GPS)/Long Range Navigation (LORAN), etc. A GPS shall be available for operations in remote areas where other navigational aids are not available.

2.3.7.3.1.4.2. At least two VHF radios capable of maintaining contact with ATC and ground control simultaneously.

2.3.7.3.1.4.3. Air-to-Air TACAN (desired, not required).

2.3.7.3.1.4.4. Aircraft takeoff and landing requirements: During takeoff and landings, each jumper/passenger is required to have a seat belt.

2.3.7.4. Aircraft Maintenance Management

2.3.7.4.1. Aircraft Maintenance and Inspection Policies. The contractor shall be responsible for complete maintenance and logistics for their aircraft IAW FAA regulations. The contractor shall follow all aircraft manufacturer's recommended maintenance procedures / time change / overhaul requirements. This includes all manufacturer / vendor required maintenance IAW airframe, engine, and propeller maintenance manuals, and any maintenance required by applicable CFR.

- 2.3.7.4.2. Aircraft Emergencies. In the event of a lift-related aircraft emergency, the contractor shall respond to the initial notification within 5 minutes and initiate procedures to remove the aircraft from the runway within 15 minutes of being released by incident command. The contractor shall be ready to immediately remove lift aircraft from the runway. The contractor shall be responsible for their aircraft that land off field.
- 2.3.7.4.3. Replacement Aircraft. If an aircraft is unable to support flight objectives due to aircraft maintenance issues, the contractor shall provide a replacement aircraft (AMC Part 91 certified) within 24 hours to allow for mission continuation. If no AMC Part 91 certified aircraft is available, the contractor may provide a CARB certified aircraft as a replacement, provided the Government incurs no additional costs. The contractor will be responsible for all cost associated with providing a replacement aircraft, including ferrying cost.
- 2.3.7.4.4. Maintenance Documentation. The contractor shall be solely responsible for maintaining all maintenance records. The contractor shall use approved documentation for each aircraft that meets the FAA standard for maintenance documents, forms, and procedures. Maintenance forms and documentation shall be maintained by aircraft registration number and shall include dates, page numbers, all pilot reported discrepancies, corrective actions and / or deferred discrepancies. The contractor shall retain ownership of these records. All maintenance records/logbooks shall be available for Government review upon request.
- 2.3.7.5. Aircraft Servicing
- 2.3.7.5.1. Aircraft Fuel. The contractor shall provide all aircraft fuel.
- 2.3.7.5.2. Fuel/Oil Storage. All oil drained from aircraft engines during scheduled inspections, or any other interval shall be collected and disposed of IAW airfield environmental requirements.
- 2.3.7.5.3. Aircraft Movement In / Out of Hangars. contractor personnel shall supervise and guide aircraft movement into or out of hangars. Under no circumstances shall Government personnel, including students, assist in contractor aircraft movement activities. Aircraft shall be pushed out of the hangars to a position that provides a minimum of 25 feet of clearance from all obstacles, allowing for safe taxi operations.
- 2.3.7.6. Personnel Requirements
- 2.3.7.6.1. All contractor personnel shall be evaluated and qualified by the contractor as meeting USAF minimum standards as stated herein for technical proficiency. The training courses that the contract supports are considered "high-risk," and as such, the AETC SWTS/Commander retains the authority to interrupt or delay contractor operations when there is a direct and immediate risk to the safety of personnel or equipment. If such an interruption is due to contractor fault or negligence, it shall be at no additional cost to the Government. In such cases, the CO must be notified immediately, and further action will be coordinated between the contractor's POC and the AETC/COR. In all cases, AETC personnel will

work with the aircrew to determine work priorities for the contractor.

2.3.7.6.2. The contractor shall provide fully qualified pilots and co-pilots who demonstrate experience in military parachute operations found in support services as designated in the contract. Services support consists of aircraft, flight crew (pilot and co-Pilot), FAA certified riggers, maintenance, and fuel for AETC support. The contractor will coordinate with the COR, or representative, prior to each training event to ensure that pilots and aircrew are qualified and experienced in the type of operation being supported. USAF or other DoD personnel receiving training under this contract will possess the necessary, prerequisite training and skills for the courses. The contractor shall ensure their pilots are familiar with local range procedures and processes, to ensure the aircraft are providing safe and properly coordinated operations and support.

2.3.7.6.3. Pilots: All pilots for DoD airdrop operations, at a minimum, shall possess the following qualifications:

2.3.7.6.3.1. Pilots shall carry a current FAA Commercial Pilot's license, be familiar and certified to meet the USPA pilot airdrop qualification and be instrument and multi-engine rated (not limited to center line thrust). The contractor will provide a pilot and co-pilot on each aircraft for all flight operations.

2.3.7.6.3.2. FW pilots shall receive a contractor developed airdrop check ride that meets the intent of the United States Parachute Association (USPA) and Federal Aviation Administration (FAA) at least once every 18 months, or as specified by FAA regulations.

2.3.7.6.3.3. The Pilot in Command (PIC) shall have a minimum of 200 hours as PIC in aircraft type. The PIC must have performed the required airborne operations or have received instruction and a currency signoff and deemed safe to conduct the operation from the CFI, Government instructor pilot, or company check pilot prior to execution of the task.

2.3.7.6.3.4. The co-pilot/first officer will be held to the same requirements as the PIC, except for the total hours required in type of aircraft. The minimum hours required in type of aircraft for the co-pilot/first officer is 50 hours.

2.3.7.6.3.5. Pilots shall pass the contractor developed check ride for the type of aircraft flown. The airdrop check ride will evaluate flight planning, briefings, aircraft maintenance, flight operations (pre-, in-, and post-flight), and airdrop operations. The check ride will evaluate safety, compliance to contractor developed checklists, and USPA pilot airdrop qualification standards.

2.3.7.6.4. Aircrew: If additional aircrew is required, they shall successfully complete a documented proficiency check ride administered by a Government-approved CFI or company check pilot, covering all applicable flight operations and emergency procedures for the assigned mission profile, prior to execution of the task.

2.3.7.6.5. Program Manager: The contractor shall provide program

management support. This includes management and oversight of all activities performed by contractor personnel, including subcontractors, to satisfy the requirements identified in this Performance Work Statement (PWS). The contractor shall provide a PM responsible for performance. The primary PM shall be designated in writing to the COR and CO NLT 15 days prior to contract and/or performance start. The PM shall designate the Pilot in Charge (PIC) or other designated Aircrew flying member during the training event as the PM's alternate (Site Lead) at the training location. The PM shall provide the COR, or representative, the PIC or Site Lead's name seven days prior to the training event for final event coordination. The PM, or Site Lead, shall have full authority to act for the contractor on all contract matters relating to daily management of this contract. The Site Lead shall be on-site during normal hours of operation and available within two hours to meet with Government personnel. The PM may travel to attend planning/coordination meetings or to duty performance locations to observe training, when required and authorized by the COR.

2.3.8. Task 3 – Air Support Personnel Requirements

2.3.8.1. Operating Instructions

2.3.8.1.1. The contractor PM will coordinate with the COR, or representative, prior to each training event to ensure parachute riggers are FAA certified as Senior or Master Riggers and have documented experience packing a minimum of 50 of the specific parachute systems (e.g., Military Freefall, NTRAPS) to be used in the supported training event. The contractor shall source parachute riggers from within a 50-mile radius of the designated training location to minimize travel costs. If qualified riggers are not available within this radius, the contractor must obtain written approval from the COR before sourcing riggers from outside this defined local area.

2.3.8.1.2. Contract parachute riggers will provide air support services primarily at training locations/drop zones where parachute training is being conducted. Packing locations may not be climate controlled. When the training schedule or logistics prevent rigging/packing from occurring at the training location, contract riggers may be required to pack at an alternate location. If the contract riggers are required to pack on a military installation, the COR, or representative, will arrange for installation pass, so that the contractor may have access to the base. When required to work on a military installation, contractors must have a REAL ID or valid passport to enter the base.

2.3.8.2. 2.1.5.3.2 Equipment Requirements

2.3.8.2.1. All equipment required to perform parachute rigging/packing in support of this PWS will be supplied by the Government.

2.3.8.3. Personnel

2.3.8.3.1. Contract Rigger: All prospective contractor personnel must be evaluated and qualified by the contractor as meeting USAF minimum standards as stated herein for technical proficiency. The training courses

that the contract will support are considered “high-risk,” and as such, AETC SWTS Commanders (CCs) retain the right to assess the contractor’s behavior and, if appropriate, has the authority to interrupt/delay the contractor from conducting operations for safety reasons at no additional cost to the Government. In such cases, the CO shall be notified immediately, and further action will be coordinated between the contractor’s POC and the AETC/COR. In all cases, AETC personnel will work with the riggers to determine work priorities for the contractor.

- 2.3.8.3.2. The contractor shall provide FAA certified Senior or Master Riggers who demonstrate experience in military and civilian parachute packing/rigging and have successfully inspected, packed, and assembled the types of parachutes being used in the supported training event. Parachutes may include, but are not limited to, Military Freefall, Non-Tactical Ram Air (NTRAPS) and Tandem Parachute Systems. The Government will notify the contractor in advance of the specific parachute systems to be used in each training event to ensure the contract riggers have the appropriate experience. Services support consists of assembling, packing, and inspecting main/reserve parachutes for AETC parachute operations. Air Force or other DoD personnel receiving training under this contract will possess the necessary, prerequisite training and skills for the courses.
- 2.3.8.3.3. The contractor shall provide all direct labor, supervision, and all other items and services (not specifically identified herein to be Government-furnished). The contractor shall provide the required number of riggers for each training event as listed in the training schedule system. In addition, the contractor shall provide the number of support personnel for each training event as specified in the training schedule system to provide parachute training IAW this PWS and all applicable regulations and standards, including AFI 13-217 and USSOCOM Manual 350-3.
- 2.3.8.3.4. Contract riggers packing and MFF parachutes will receive a packing class from qualified military rigger at the start of each training event and their training will be documented as required by USAF regulations/instructions. All MFF parachutes packed by contract riggers are subject to in-progress and final quality control inspections by a qualified military/DoD rigger prior to being jumped. NTRAPS will be packed in accordance with AFI 10-3503.
- 2.3.8.3.5. Lead Rigger: The contractor shall provide a Lead Rigger responsible for performance. The Lead Rigger shall be designated in writing to the COR, or their representative, NLT 7 days prior to contract and/or TO performance start. The Lead Rigger shall be physically present during packing operations. The Lead Rigger shall have full authority to act for the contractor on all contract matters relating to parachute packing/rigging for the duration of each training event. The Lead Rigger shall be on-site during normal hours of operation and available within two hours to meet with Government personnel.

3. Program Administration

- 3.1. Student Load. The projected student load and master schedule estimates are provided below. Student loads may be accelerated, or decelerated within Government financial and student scheduling constraints, when the contractor is capable of accepting an increased student load. In spite of the best forecasting efforts, deviations may occur. The contractor shall honor short-term (calendar quarter) variations of up to and including 20 students above or below the planned student load for that quarter. Should variations exceed 20 students; a 60-calendar day notification will be given to the contractor to allow time to adjust personnel and schedules. Should the student load estimate increase by more than 40 students per event, the Government will provide a 30-day extension to the 60-day notification period specified in Section 3.1 or negotiate an equitable adjustment with the contractor. The contractor is expected to coordinate with the Government to handle these deviations as they occur. See Attachment 1a.
- 3.2. Course Scheduling. The Government shall prepare a flying/training schedule designed to maximize student-training opportunities and to make best use of available aircraft, landing zones, and airspace. Scheduling will be maintained digitally on an online calendar shared with the contractor and Government. The COR will establish and maintain the online training schedule. Access to the web-based program will be provided to the contractor for coordination/approval. The initial tentative schedule will be created/shared at the start of the fiscal year and updated as needed. The schedule will provide approximate training dates, locations, aircraft required, type of operations to be performed, and approximate flight hours to be flown. Dates/flight hours for training support will be finalized/approved by the COR and contractor 60 days prior to the date when training support is expected. Except for High Priority Events defined in Section 3.4, the Government shall provide no less than 60 days' notice for any unscheduled mission iterations. Normally, training days are Monday through Friday, however some training does occur on weekends and holidays. The contractor may request that the number of training days scheduled be modified to improve efficiency of operations. Occasionally, minor shifts in the training schedule (1-3days) may be required, due to aircraft availability, weather or range scheduling. Such changes will be discussed between the COR, or representative, and the contractor to determine feasibility. If the change can be accommodated, the training schedule will be adjusted. This may result in last-minute changes in travel arrangements and additional costs. Such changes require technical validation from the COR and final cost approval from the CO prior to travel.
- 3.3. Training Event Flying Schedule. The SWTW training event POC or representative, shall prepare a Training Event Flying Schedule for the contractor PM NLT one week prior to the training event. Final coordination will be made between the SWTW training event POC & the PIC/Site Lead NLT 24 hours prior to execution.
- 3.4. High Priority Events. Occasionally a higher priority event may preclude a student (or entire class) from accomplishing a training event. The Government will identify deviations and communicate them to the contractor via email no less than 72 hours prior to the scheduled training event, except in cases of bona fide operational emergencies.
- 3.5. Long-Term Variation. The Government projects a baseline student throughput of 300 students per calendar year, with a potential increase to a maximum of 450 students per calendar year based on Government requirements. The Government reserves the right to change, by contract modification, adding up to an additional 300 students per year,

dependent on the needs of the Government.

4. Other Requirements:

- 4.1. Risk Mitigation Plan A risk mitigation plan shall be provided. The contractor shall define the risk management methodology to be used, identify the risk assumptions, and establish the roles and responsibilities, and the timeframes upon award of contract. The contractor shall define the risk communications and risk tracking process.
- 4.2. Quality Control Plan (QCP) The contractor shall develop a QCP providing methods of surveillance the contractor will utilize to monitor performance. The QCP shall be developed using the contractor's internal quality control methods and shall address the surveillance of all deliverables. The contractor shall develop and implement procedures to identify, prevent, and ensure nonrecurrence of defective services. The contractor shall develop and maintain a quality process to ensure services are performed in accordance with the standards set forth in this PWS, all applicable Federal Aviation Regulations (FARs), and the aircraft manufacturer's maintenance manuals. The contractor may modify the Performance Requirements Summary (PRS) minimum standards of performance compliance as appropriate to improve the required compliance level; however, the compliance levels may not be adjusted down. The contractor shall maintain substantiating evidence that services conform to contract quality requirements and furnish such information to the Government if requested. The QCP shall be revised, updated and submitted to the CO and COR for approval NLT 15 days after the contract award.

4.3. Travel

The Government may require the contractor to travel in the Continental United States (CONUS) in support of the requirements for the purpose of program reviews, training support, and unscheduled aircraft maintenance in accordance with (IAW) FAR 31.205-46, and the Federal Travel Regulations (FTR). Travel requests shall be coordinated using the Travel Authorization Request Form (or similar) and submitted to the COR for approval. Travel must be approved by the COR before a trip begins. If prior Government approval is not obtained, the contractor will not be reimbursed. The contractor will not be reimbursed for travel that occurs in their local area before/after ferrying aircraft to training locations. Locations and duration of travel cannot be fully defined at this time. All travel shall be scheduled and submitted to the COR for approval no less than 14 calendar days in advance of the travel date. Exceptions for emergency travel requirements must be technically validated by the COR as mission-essential before being submitted to the CO for final approval.

All travel shall be IAW the Federal Travel Regulation (FTR) and all lodging shall be at or below allowable, published lodging rates for the respective locality. The contractor shall locate and utilize the airport that will provide the lowest total cost of travel. Travel costs that exceed the authorized per diem rates as specified in the Federal Travel Regulation (FTR) or the pre-approved amount in the Travel Authorization Request Form are considered "excessive" and shall not be allowed for reimbursement.

When Government-rate lodging that meets aircrew rest requirements is unavailable, the contractor shall request approval for alternate lodging. Aircrew rest lodging must, at a minimum, be a single-occupancy room in a commercial hotel rated two stars or higher that provides for 8 hours of uninterrupted sleep. Travel charges over and above allowable lodging rates and/or per diem, without proper approval, shall be paid at the expense of the contractor. The contractor shall book all travel IAW the Federal Travel Regulation (FTR) and must document in the Trip Report

(Section 4.4) the justification for any travel costs that exceed the established government per diem or are not the lowest available logical fare.

NOTE: The Government reserves the right to audit, thus; the contractor shall keep on file all support documentation for travel made on behalf of the Government.

Contractor costs for travel will be reimbursed at the limits set in the following regulations (see FAR 31.205-46): Federal Travel Regulation (FTR) - prescribed by the 338 ESS, for travel in the continental United States (U.S.).

4.4. Trip Reports

The contractor shall submit a trip report NLT one week following the last day of operations, including ferrying the aircraft back to home station. The Trip Report will be in two parts and shall include the following information:

4.4.1. Travel Summary including: Number and names of personnel who traveled, dates of travel, destination(s), travel cost total; receipts for airfare, lodging, rental vehicles, rental vehicle fuel.

4.4.2. Training Summary including: Trip location, aircraft type, wet blade hour total, ferrying cost, training accomplished, summary of events (as required, describe any challenges experienced, issues, discussions, recommendations); and any proposed improvements that could make the overall process more effective and efficient.

4.5. Kick-Off Meeting

The contractor shall schedule, coordinate, and host a Project Kick-Off Meeting at a location approved by the Government. The meeting shall provide an introduction between the contractor personnel and Government personnel who will be involved. The meeting shall provide the opportunity to discuss technical, management, and security issues, and travel authorization and reporting procedures. At a minimum, the attendees shall include the contractor's Key Personnel, AETC, Technical Point of Contact (TPOC), other relevant Government personnel, the 338 ESS CO, and the COR.

The contractor shall provide a Project Kick-Off Meeting Agenda for review and approval by the CO/COR (Section 6.5 Deliverables). The agenda shall include, at a minimum, the following topics/deliverables:

- Points of Contact (POCs) for all parties.
- Personnel discussion (e.g., roles and responsibilities and lines of communication between contractor and Government).
- Risk Mitigation Plan (Section 5.1 and 6.5 Deliverables)
- Transition-In Plan (Section 6.5) and discussion.
- Security discussion and requirements (e.g., building access, badges, Common Access Cards (CACs) if applicable.
- Financial reporting and invoicing requirements.
- Quality Control Plan (QCP) (Section 5.2 and 6.5 Deliverables).

The Government will provide the contractor with the number of Government participants for the Project Kick-Off Meeting, and the contractor shall provide copies of the presentation for all present.

The contractor shall draft and provide a Project Kick-Off Meeting Minutes Report documenting the Project Kick-Off Meeting discussion and capturing any action items (Section 6.5)

4.6. Quarterly Status Report (QSR)

The contractor shall develop and provide an QSR that shall include the following:
Activities during the reporting period, by task (include ongoing activities, new activities,

activities completed, and progress to date on all above-mentioned activities). Each section shall start with a brief description of the task.

- Problems and corrective actions taken. Also include issues or concerns and proposed resolutions to address them.
- Government actions required.
- Schedule (show major tasks, milestones, and deliverables; planned and actual start and completion dates for each).
- Summary of trips taken (attach Trip Reports to the QSR for the reporting period).
- Accumulated invoiced cost for each CLIN for the previous quarter.

5. Deliveries/Performance

5.1. Place of Performance/Hours of Performance

Work shall be performed on military installations and commercial airports in the CONUS, and/or at commercial facilities within a 25-mile radius of the primary locations listed in Section 5.2.1, unless otherwise approved by the COR. See list of potential primary and alternate locations below. These locations are subject to change based on AETC/SWTW mission requirements. If the use of the alternate locations listed becomes necessary, the COR will coordinate with the contractor as far in advance as possible.

5.2. Performance Locations:

5.2.1. Primary Locations:

- Pope AAF / Fort Liberty / Camp Mackall (ICAO: KPOB / KFBG / KHFF)
 - KPOB – Pope AAF, 12 miles NW of Fayetteville, North Carolina
 - KFBG – Simmons AAF, 1 mile East of Fort Liberty, NC
 - KHFF – Camp Mackall AAF, 1 mile E of Camp Mackall, NC
- Coolidge, AZ. (ICAO: P08)
 - P08 – Coolidge Municipal Airport, 5 miles SE of Coolidge, AZ
- 1AZ0 – Bishop Airfield, 13.2 miles NNW of Maricopa, AZ
- Hondo, TX. (ICAO: KHDO) - 350 SWTS INPUTS (MFF and SL)
 - KHDO – South Texas Regional Airport, 2 miles NW of Hondo, TX
- Belen Regional Airport, NM (ICAO: KBRG)
 - KBRG – Belen Regional Airport, 3 miles W of Belen, NM
- Lake Havasu, AZ (ICAO: KHII)
 - KHII – Lake Havasu City Airport, 6 miles N of Lake Havasu City, AZ

5.2.2. Alternate Locations:

- Marana, AZ (ICAO: KAVQ/KMZJ)
 - KMZJ – Pinal Airpark, 7 miles NW of Marana, AZ
 - KAVQ – Marana Regional Airport, 15 miles NW of Marana, AZ
- Lackland AFB, TX (ICAO: KSKF)
 - KSKF – Kelly Field Airport, 4 miles SW of S San Antonio, TX
- Patrick SFB, FL (ICAO: KCOF)
 - KCOF – Patrick Space Force Base, 3 miles S of Cocoa Beach, FL

Note: The above is an estimate of performance locations and may be subject to change depending on program requirements

5.3. Hours of Performance

A period (the start of the training) starts when students or instructors report for a mission briefing or other official duty and ends when the engine is shut down at the end of the last mission of the day. Normal operating hours for airlift operations are Monday through Friday, though training

does sometimes occur on weekends and holidays. Day and nighttime operations will be required; sunrise and sunset are recorded by the National Almanac Office, U.S. Naval Observatory, Washington DC, 20390. Saturday and / or Sunday training, while not normally planned, may be authorized by the COR or their representative. The contractor may be required to train on a weekend/holiday. The maximum Hours of Operation (HOO) is 12 hours. The contractor may bill a minimum of two flight hours for each scheduled training day unless the requirement is canceled by the Government with at least 24 hours' notice. (e.g. aircraft were not needed or flown to training location during a scheduled down day or holiday.)

- 5.3.1. Contractor personnel will not report to Government facilities to work nor remain at the work locations any time the Government is unexpectedly required to close their offices. The contractor shall be responsible for notifying their staff during times of closure.
- 5.3.2. The contractor shall coordinate daily reporting and departure times. When variations to the normal schedule are necessary, they shall be made at least 24 hours in advance unless circumstances do not allow advanced coordination. The contractor shall immediately notify the COR when factors change the training schedule. Reporting and departure times shall allow for adequate crew rest.
- 5.3.3. Airlift Crew Rest. Crew rest is required for students, instructors, and aircrew prior to in-flight duties. The crew rest period is normally a minimum 12-hour non-duty period before the HOO begins. Its purpose is to ensure the students, instructors, and aircrew are adequately rested before performing flight or flight related duties. Crew rest is free time, which includes time for meals, transportation, physical training, and rest. Rest is defined as a condition that allows an individual the opportunity to sleep. USAF aircrews require an opportunity for at least eight hours of uninterrupted sleep during the 12 hours immediately prior to the duty period. If an instructor or student remains after operations to perform official duties, the crew rest period begins after termination of these duties. Crew rest is required prior to any of the following flight related duties: mission planning and briefing, preflight, start, taxi, and operation of the aircraft.
- 5.3.4. Long Range Training Schedule. The Government shall prepare a training schedule designed to maximize student-training opportunities and to make best use of available landing zones, and airspace. The long-range training schedule, which is an 8-12 month forecast, will provide approximate training dates, locations, aircraft required, type of operations to be performed, and approximate flight hours to be flown. The flying/training schedule shall be maintained with a computer-based program and access will be provided to the contractor for coordination/approval. Dates/flight hours for training support will be finalized/approved by the COR/contractor PM at least 60 days prior to the date when training support is expected. Occasionally, minor shifts in the training schedule (1-3days) may be required, due to weather or range scheduling. Such changes will be discussed between the COR, or representative, and the contractor to determine feasibility. If the change can be accommodated, the training schedule will be adjusted. This may require last-minute changes in travel arrangements, which must be approved by the COR prior to travel.
- 5.3.5. Event Flying Schedule. The SWTW training event POC or representative, shall prepare an Event Flying Schedule for the contractor PM NLT one week prior to the

training event. Final coordination will be made between the SWTW training event POC & the contractors' PM/PIC and COR. This will be accomplished NLT 24 hours prior to execution.

- 5.3.6. High Priority Events. Occasionally a higher priority event may preclude a student (or entire class) from accomplishing a training event. The Government will communicate deviations for High Priority Events via email no less than 72 hours prior to the scheduled training event, except in cases of bona fide operational emergencies.

5.4. Performance Standards and Performance Requirements Summary

This contract is a performance-based contract with measurable standards in terms of quality and timeliness of deliverables and compliances. Deliverables shall be provided to the Government COR and other persons as designated by the Government. Deliverables shall be delivered electronically using Microsoft Office Products, such as Word, Excel, Project, etc. and/or Adobe format unless otherwise agreed upon.

- 5.4.1. Service Summary (SS). The following service summary reflects the objectives and thresholds used to track contractor performance. The COR will evaluate all or part of the following elements:

Performance Objective	Performance Threshold	Method of Surveillance
PO-1: Provide FW aircraft, including maintenance and fuel, that meet the requirements for AETC training as specified in the PWS, and ensure employees are qualified, trained, and certified to perform their assigned duties and able to meet requirements for airdrop/ATC operations.	100% Compliance with AFI 10-3503, AFI 13-217, TC 3-21-220, ATP 3-18.11, USSOCOM Manual 350-3, and other applicable regulations to meet schoolhouse training needs	Periodic Inspection
PO-2: Provide 2 hours of on station time prior to refuel with variables for altitude and weather. The contractor shall have sufficient platforms and fuel (including fuel reserves) to provide the required support. *Variations in training location altitudes and conditions can cause support times to be less	100% Compliance	Periodic Inspection
PO-3: Provide sufficient numbers of aircraft to meet training requirements and scheduled support dates at each training location.	100% Compliance	Periodic Inspection
PO-4: Follow crew rest IAW Applicable FAA guidance	100% Compliance	Periodic Inspection
PO-5: Provide AMC Part 91 certified aircraft that meet requirements for FW operations as specified in the PWS.	100% Compliance	Periodic Inspection
PO-6: Maintain appropriate insurance coverage. Ensure insurance coverage is	100% Compliance	Periodic Inspection

maintained for the duration of the contract sufficient for the contract as described in 14 CFR 205.		
PO-7: Repair aircraft or provide replacement within 36 hours of maintenance issue preventing support of airdrop/ATC operations.	100% Compliance	Periodic Inspection
PO-8 Submit Trip Reports NLT 7 days after each training event	100% Compliance	Periodic Inspection
PO-9 Submit Quarterly Status Report as required in the PWS	100% Compliance	Quarterly Review

Table 1 - Service Summary

5.4.2. Deliverables

- 5.4.2.1. Provide the COR with a Trip Report (see 4.4) following delivery of contractor services. This report should include days operated, itemized costs, lessons learned (if applicable), after- action report, and flight hours per day. Submittal shall be NLT seven (7) days after services are received.
- 5.4.2.2. Annual program reviews shall be held at the location and/or method determined best suited for both the contractor and the user. These reviews may be held at an AETC location, at the contractor's facility, telephonically, by video teleconference, or as directed by the COR. The contractor shall attend all annual program reviews and make a presentation consisting of the following:
 - 5.4.2.2.1. Overview of work accomplished during period of performance. Review all trip reports and summarize totals by CLIN.
 - 5.4.2.2.2. Identification and discussion of problems encountered, if any, and action taken to resolve problems.
 - 5.4.2.2.3. Identification and discussion of problems anticipated and contractor's plan of action to resolve problems.
 - 5.4.2.2.4. Long Range schedule forecast. Review long range flying schedule forecast via online calendar/schedule.
 - 5.4.2.2.5. Recommendations for more effective or efficient use of the resources.
 - 5.4.2.2.6. Additional Program Reviews. In special cases, additional program reviews may be held covering a portion of the activity when directed by the COR.

5.5. Contract Compliance Deliverables Table

Quality will be measured IAW meeting the objectives stated in the PWS. Inspection and acceptance of all work performance, reports, and other deliverables under this TO will be performed by the COR and COR TPOC. The Government requires a period NTE 15 workdays after receipt of deliverable items for inspection and acceptance or rejection.

The basis for acceptance shall be compliance with the requirements and relevant terms and conditions of the contract. Deliverable items rejected shall be corrected in accordance with the applicable clauses.

Acceptance will occur when all discrepancies, errors, or other deficiencies identified in writing by the Government have been resolved. If the contractor and Government cannot agree on a resolution, the matter shall be referred to the Contracting Officer for a final determination.

Reports, documents, and narrative-type deliverables will be accepted when all discrepancies, errors, or other deficiencies identified in writing by the Government have been corrected. If the deliverable meets all requirements outlined in this PWS and its attachments, the Government may accept it or provide comments for incorporation.

All of the Government's comments on deliverables shall either be incorporated in the succeeding version of the deliverable, or the contractor shall explain to the Government's satisfaction why such comments should not be incorporated.

If the Government finds that a deliverable contains spelling errors, grammatical errors, or improper format, or otherwise does not conform to the quality assurance requirements stated, the document may be rejected without further review and returned to the contractor for correction and resubmission. If the contractor requires additional Government guidance to produce an acceptable version, the contractor shall arrange a meeting with the COR.

5.6. Delivery Instructions

Copies of deliverables shall be furnished to the appropriate Government personnel.

Deliverables	Due Date / Performance Objective	Method of Surveillance	Acceptable Quality Level
Project Kick-Off Meeting Agenda	NLT 15 Calendar days after award	100% Govt Review of the plan	100% Compliance / On-time delivery
Project Kick-Off Meeting Agenda Minutes Report	NLT 5 Calendar days after Meeting	100% Govt Review of the plan	100% Compliance / On-time delivery
Final Risk Mitigation Plan	NLT 15 Calendar days after Kick Off Meeting	100% Govt Review of the plan	100% Compliance / On-time delivery
Final Quality Control Plan	NLT 15 Calendar days after Kick-Off Meeting. Provide an updated QCP plan 15 calendar days after each Option is exercised. The contractor shall ensure that a CO has approved the QCP on file NLT 30 calendar days after award.	100% Govt Review of the plan	100% Compliance / On-time delivery
Trip Report / Email / PDF Reference Section 4.4 Trip Reports	The contractor shall submit Trip Reports to the COR NLT one week following operational support	95% Govt Review of the plan	95% Compliance / On-time delivery

Annual Program Review	The contractor shall present (in-person or via teleconference) Annual Review NLT 30 days after end of Period of Performance	Government Inspection	100% compliance
Reporting Executive Compensation and First-Tier Subcontract Awards; Federal Funding Accountability and Transparency Act (FFATA) Sub-Award Report	NLT the end of the month following the month in which the prime contractor awards any sub-contract greater than \$25,000 into the FFATA Sub-Award Reporting System (FSRS); Electronically via FSRS website and notify the CO via email	Government Inspection	100% compliance
Certificate of Insurance (Sec, 3.2.1.2.6, Sec 6.3.1 PO-10)	NLT 15 calendar days after contract award, or before first flying event, and each subsequent option period award date.	Government Inspection	100% compliance

Table 2 - Deliverables

6. Special Requirements

6.1. Security Requirements

In general, all necessary facility and employee security clearances shall be at the expense of the contractor. The contractor shall comply with all security requirements.

6.2. Contractor Observance of Federal Holidays

The holidays recognized by the Federal Government are found on the Office of Personnel Management (OPM) Website: <https://www.opm.gov/policy-data-oversight/pay-leave/federalholidays/#url=Overview>

In addition to the days designated as holidays, the Government may also observe the following days: any day designated by Federal Statute; Executive Order; or President's Proclamation. Operations on Federal holidays, while not normally planned, may be authorized by the COR. contractor may be required to perform duties during Federally Recognized Holidays based on mission requirements.

6.3. Ethics and Conduct

Personal services are not authorized under the terms of this contract. This contract is strictly a non- personal services contract which means the personnel rendering the services are not subject, either by the contract's terms or by the manner of its administration, to the supervision and control usually prevailing in relationships between the Government and its employees.

The contractor and its employees must conduct themselves with the highest degree of integrity

and honesty and adhere to the policies and procedures as specified in FAR Part 3.

6.3.1. Administrative

The contractor shall adhere to the following guidelines in the performance of the task: contractor provides for direct supervision of all contract employees assigned to the task. Refrain from discussing the issues such as skill levels and hours, salaries, cost and funding data, or administrative and personnel matters affecting contractor employees with the client. Ensure communication/coordination with the COR by reporting any performance problems or potential issues via email within 24 hours of identification and by participating in a weekly status teleconference to discuss contract performance.

Do not permit Government officials to do any of the following for contractor personnel: interview applicants; discuss individual performance; approve leave or work scheduling; terminate; assist with doing their jobs; nor obtain assistance to perform a Government function/job.

Do not assign contractor personnel to work under direct Government supervision.

Maintain a professional distance from Government employees.

Provide contractor employees with badges, if appropriate, identifying them as contractors.

Ensure proper communications with the Government (technical discussion and Government surveillance is okay, but the Government cannot tell the contractor how to do the job).

6.4. Contractor Identification (DoD ONLY)

As stated in 48 Code of Federal Regulations (CFR) 211.106, Purchase Descriptions for Service Contracts, contractor personnel shall identify themselves as contractor personnel by introducing themselves or being introduced as contractor personnel and by displaying distinguishing badges or other visible identification for meetings with Government personnel. contractor personnel shall appropriately identify themselves as contractor employees in telephone conversations and in formal and informal written correspondence.

6.5. Supervision

The contractor shall not supervise, direct, or control the activities of Government personnel or the employee of any other contractor working under any other contract and the Government will not exercise any supervision or control over the contractor in the performance of contractual services. The contractor is accountable to the Government for the actions of its personnel.

Contractor employees shall not represent themselves as Government employees, agents, or representatives or state orally or in writing at any time that they are acting on behalf of the Government. In all communications with third parties in connection with services performed under the terms of this contract, the contractor must ensure that all contractor employees identify themselves as contractor employees. They shall identify the name of the company for which they work and must not carry out any direction that violates the terms and conditions of this contract, or other laws and regulations.

The contractor shall ensure that all of its employees, including subcontractor employees, working under this contract are informed of the substance of this section.

6.5.1. Contractor Employee Guidelines

The contractor shall not employ persons on this contract if they are identified as a potential threat to the health, safety, security, general well-being, or operational mission of the installation and its population (includes OSHA, FAA, and AMC CARB).

6.6. Transition Plan (Phase In and Out of Contract)

The contractor shall provide a transition plan that outlines the designated time period and strategy to transition into the duties as the contractor and to transition out of the contract at the

end of the period of performance. It is anticipated that there will be a 60-day transition period in which the awardee will be required to work cooperatively with the incumbent to ensure continuity of services is provided and a smooth transition occurs.

6.6.1. Phase-In Period Requirements

6.6.1.1. The contractor shall draft, coordinate and execute a transition plan as a deliverable of this PWS. All of the systems covered by this PWS are essential programs that require high availability and dependable performance. To the extent that the Government is highly dependent on the contractor to meet those obligations, it is important that continuity of operations and support are assured during any transition of the support contractor. Therefore, the Government program office requires that the selected contractor assume full contractual responsibility in minimum time for the entire proposed PWS without degradation of high-quality services. As such, the contractor shall provide a Transition Plan that details the schedule, activities, and metrics for assuming all responsibilities with no service degradation below the performance thresholds defined in Section 5.4. In addition, the contractor shall identify any costs associated with implementing the transition plan in the pricing volume as a separate category. The selected contractor shall identify in the plan how they plan to work with the incumbent contractor to transfer all Government owned hardware, software, services, operational processes, and documentation. The transition also includes transferring knowledge of the information systems' design, implementation, and operations.

6.6.1.2. The contractor shall assume transfer of all Government-owned computer software products including all software, data, system artifacts, operations information, licenses, certificates, and other items within scope of this PWS.

6.6.1.3. The contractor shall document the detailed planning necessary to ensure successful transition of contractor roles and responsibilities from the incumbent support contractor to the subsequent contractor with no service interruption or degradation of performance. The contractor shall describe in detail, the process for an orderly transition of work from the incumbent to a newly awarded contractor. The contractor shall provide a phase-in strategy to assume responsibility for tasks described in the PWS to acquire qualified, cleared personnel. Within 14 calendar days after contract/TO award, the contractor shall accomplish the following phase-in transition tasks:

- Provide an organization chart identifying all program personnel.
- Implement the proposed methods, processes, procedures, and tools in a transition plan to be approved by the PM
- Assume technical support responsibilities
- Assume all implementation, sustainment and any upgrade/update responsibilities
- Assume software verification/validation responsibilities
- Assume user support and site visit responsibilities

6.6.2. Phase-Out Period Requirements

At the conclusion of the contract period of performance, the contractor shall establish lines of communication with the follow-on services contractor. The contractor shall provide a phase-out transition plan to the PM and COR to facilitate the transition. The plan shall be delivered NLT

than 90 calendar days prior to the end of the contract period of performance. The contractor shall describe those actions necessary for the transition, including but not limited to: data, GFP/Base Support, identification and disposition of contractor owned inventory, identification of warranty information for current inventory, identification of assets in repair cycle by part number, physical location and expected return date, all information and documentation related to the program, and out-brief successor contractor on status of all program components. Note: The transition period shall not exceed 60 calendar days.

6.7. Privacy Act

Work on this project may require that personnel have access to Privacy Information. Personnel shall adhere to the Privacy Act, Title 5 of the U.S. Code, Section 552a and applicable agency rules and regulations.

6.8. Records/Data

All software (databases/code) produced at the request of the Government under this contract becomes the sole property of the Government, which shall receive unlimited rights to its use. The Government shall have unlimited rights to all data, software, and deliverables developed under this contract. Any subsequent use of the software for commercial purposes by the contractor must be requested and approved by the Contracting Officer, which may require a separate licensing agreement. Any such subsequent use shall attribute the origin of the software to the client.

All deliverables become the sole property of the Government. The Government, for itself and such others as it deems appropriate, will have unlimited rights under this contract to all information and materials developed under this contract and furnished to the Government and documentation thereof, reports and listings, and all other items pertaining to the work and services pursuant to this agreement including any copyright. Unlimited rights under this contract are rights to use, duplicate, or disclose data, and information, in whole or in part in any manner and for any purpose whatsoever without compensation to or approval from the contractor. The Government will, at all reasonable times, have the right to inspect the work and will have access to and the right to make copies of the above-mentioned items. All digital files and data, and other products generated under this contract, shall become the property of the Government.

Copyright: Any software and computer data/information developed, as a component of this contract, shall have the following statement attached to documentation:

“This computer program is a work effort for the United States Government and is not protected by copyright (17 U.S. Code 105). Any person who fraudulently places a copyright notice on or does any other act contrary to the provisions of 17 USC 506(c) shall be subject to the penalties provided therein. This notice shall not be altered or removed from this software or digital media and is to be on all reproductions.”

6.9. Clearances and Access

6.9.1. Frequency clearance. The Contract COR will provide local radio clearance for air to ground use by the contractor during training in sovereign U.S. territory only. The local unit supported will provide the allotted frequency for the training area used at the time of the crew brief.

6.9.2. Access/copies of all pertinent range regulations, Standard Operating Procedures (SOPs) and publications. The local supported unit will provide the range procedures for the training area used prior to the range familiarization briefing. The contractor shall be responsible for following the rules and procedures established by the local training area.

- 6.9.3. Contactor access to Government installations:
- 6.9.3.1. The COR will arrange for access to all necessary military installations
 - 6.9.3.2. The contractor shall submit a written request on company letterhead to the COR listing the following: contract number, location of work site, start and stop dates, and names of employees and subcontractor employees needing access to the base at least 7 days prior to the planned training dates. The letter will also specify the individual(s) authorized to sign for a request for base identification credentials or vehicle passes. The COR will endorse the request and forward it to the issuing base pass and registration office or security police for processing. When reporting to the registration office, the authorized contractor individual(s) should provide a REAL ID or passport, valid driver's license, current vehicle registration, valid vehicle insurance certificate, and any additional requirements to comply with local security procedures to obtain a vehicle pass.
 - 6.9.3.3. During performance of the contract, the contractor shall be responsible for obtaining required identification and background checks for newly assigned personnel and for prompt return of credentials and vehicle passes for any employee who no longer requires access to the work site.
- 6.9.4. When work under this contract requires unescorted entry to controlled or restricted areas, the contractor shall be familiar and comply with AFI 31-101, Volume 1, The Air Force Installation Security Program, AFI 31-501, Personnel Security Program Management, and host base directives, as applicable.
- 6.9.5. Upon completion or termination of the contract or expiration of the identification passes, the prime contractor shall ensure that all base identification passes issued to employees and subcontractor employees are returned to the issuing office.
- 6.9.6. Failure to comply with these requirements may result in withholding of final payment.

APPENDIX 1: Applicable Regulations, Policies, and Procedures

Regulation / Policy / Procedure	Title
14 CFR Part 1	CFR: Title 14: Aeronautics and Space
AFFARS 5352.223-9000	Elimination of use of Class I Ozone Depleting Substances
AFFARS 5352.223-9001	Health and Safety on Government Installations
AFFARS 5352.242-900	Contractor Access to Air Force Installations
AFI 16-1406	Air Force Industrial Security Program
AFI 31-101	Volume 1, The Air Force Installation Security Program
AFI 31-501	Personnel Security Program Management
CRO, 13D, CFETP	Combat Rescue Officer, AFSC 13DX
DCMA Tri-Service Instruction 8210 series	Contractor's Flight and Ground Operations and AFI 10-220 IP
DODI 8510.01	Risk Management Framework (RMF) for DoD Information Technology (IT)
DFAR 252.243-7002	Requests for Equitable Adjustments
DODI 4500.53	DOD Commercial Transportation Quality and Safety Review Program
DoDM 5220.22	National Industrial Security Program Operating Manual - DoD 5220.22-M
Employment Reports on Veterans, the Vietnam Era Veterans' Readjustment Assistance Act (VEVRAA)	Employment Reports on Veterans, the Vietnam Era Veterans' Readjustment Assistance Act (VEVRAA)
Energy Independence and Security Act of 2007	Energy Independence and Security Act of 2008
Executive Order (E.O.) 13221	Energy Efficient Standby Power Devices
EO 13423	Revoked by EP 13693
EO 13514	Revoked by EP 13693
DoD 5220.222-R	National Industrial Security Program
HQ AETC/A3T supplemental CFETP	Air Force Specialty Code (AFSC) 1Z2X1 Combat Control
Privacy Act, Title 5 of the U.S. Code, Section 552a	Records Maintained on Individuals
Resource Conservation and Recovery Act Section 6002	Solid Waste Disposal Act
T.C. 3-21.220	Static Line Parachuting Techniques and Training

APPENDIX 2: Acronyms

ACOR	Alternate Contracting Officer's Representative
AETC	Air Education and Training Command
AFSC	Air Force Specialty Code
AIE	Alternate Insertion/Extraction (AIE)
AIM	Aeronautical Information Manual
AMC	Air Mobility Command
CAP	contractor Acquired Property
CARB	Commercial Air Review Board
CCE	Contracting Center of Excellence
CCT	Combat Control
CFETP	Career Field Education and Training Plan
CFR	Code of Federal Regulations
CFF	Call for Fire
CLIN	Contract Line Item/Contract Line-Item Number
CO	Contracting Officer
CONUS	Continental United States (excludes Puerto Rico, Alaska and Hawaii)
COR	Contracting Officer Representative
COTS	Commercial-Off-the-Shelf
CR	Client Representative
CRO	Combat Rescue Officer
DCMA	Defense Contract Management Agency
DAR	Designated Airworthiness Representative
DD-254	Department of Defense Contract Security Requirement List
DER	Designated Engineering Representative
DFARS	Defense Federal Acquisition Regulation Supplement
DoD	Department of Defense
FAA	Federal Aviation Administration
FAPIIS	Federal Awardee Performance and Integrity Information System ()
FAS	Federal Acquisition Services
FAR	Federal Acquisition Regulation
FFATA	Federal Funding Accountability and Transparency Act
FFUP	Firm Fixed Unit Price
FSRS	FFATA Subaward Reporting System
FW	Fixed Wing
FY	Fiscal Year
G&A	General and Administrative
GFR	Government Flight Representative
GGFR	Ground Government Flight Representative
338 ESSR	General Services Administration Regulation
HAHO	High Altitude, High Opening
HALO	High Altitude, Low Opening
HIPAA	Health Insurance Portability and Accountability Act of 1996
HOO	Undefined term.
ICAO	International Civil Aviation Organization
M/IRG	Mishap/Incident Response Guidance
MAJCOM	Major Command

MFF	Military Free Fall
MLO	Undefined Term
NACLC	National Agency Check with Local Agency Checks and Credit Check
NVG	Night Vision Goggles
OCI	Organizational Conflict of Interest
OCONUS	Outside Continental United States (includes Puerto Rico, Alaska and Hawaii)
ODC	Other Direct Costs
OEM	Original Equipment Manufacturer
OH	Overhead
PIPO	Phase In/Phase Out
PJ	Pararescue
PM	Project Manager / Acquisition Project Manager
POC	Point of Contact
PRS	Performance Requirements Summary
PS	Project Start
PWS	Performance Work Statement
QA	Quality Assurance
QAP	Quality Assurance Program
QASP	Quality Assurance Surveillance Plan
QC	Quality Control
QCP	Quality Control Program
RW	Rotary Wing
SOF	Special Operation Forces
SL	Static Line
SOP	Standard Operating Procedures
STC	Supplemental Type Certificates
STO	Special Tactics Officer
TAC	Terminal Area Control
TE	Technical Exhibit
TPS	Training Planning System
VEVRAA	Vietnam Era Veterans' Readjustment Assistance Act
WBS	Work Breakdown Structure

APPENDIX 3: Definitions

Contractor. A supplier or vendor awarded a contract to provide specific supplies or service to the Government. The term used in this contract refers to the prime.

Contracting Officer. A person with authority to enter, administer, and or terminate contracts, and make related determinations and findings on behalf of the Government. Note: The only individual who can legally bind the Government.

Contracting Officer's Representative (COR). An employee of the U.S. Government appointed by the contracting officer to administer the contract. Such appointment shall be in writing and shall state the scope of authority and limitations. This individual has authority to provide technical direction to the contractor as long as that direction is within the scope of the contract, does not constitute a change, and has no funding implications. This individual does NOT have authority to change the terms and conditions of the contract.

Defective Service. A service output that does not meet the standard of performance associated with the Performance Work Statement.

Deliverable. Anything that can be physically delivered but may include non-manufactured things such as meeting minutes or reports.

Key Personnel. Key personnel are contractor personnel that are proposed and evaluated in a source selection process which may be required to be used in the performance of a contract by the Key Personnel listed in the PWS. When key personnel are used as an evaluation factor in best value procurement, an offer can be rejected if it does not have a firm commitment from the persons that are listed in the proposal.

Physical Security. Actions that prevent the loss or damage of Government property.

Quality Assurance. The Government procedures to verify that services being performed by the contractor are performed according to acceptable standards.

Quality Control. All necessary measures taken by the contractor to assure that the quality of an end product or service shall meet contract requirements.

Subcontractor. One that enters into a contract with a prime contractor. The Government does not have privity of contract with the subcontractor.

Workday. The number of hours per day the contractor provides services in accordance with the contract.

Work Week. Monday through Friday, unless specified otherwise.