

Health and Human Services – Indian Health Services 3AZ0295

Agency Specific Requirements
Pinetop-Lakeside-Show Low, AZ

The Agency Specific Requirements (ASRs) do not reduce the minimum requirements contained within the Lease. These ASRs provide specific agency requirements, which may be complementary, more specific, or more stringent than those of the Lease minimum requirements.

TABLE OF CONTENTS

SECTION 1 - AGENCY UNIQUE REQUIREMENTS.....	3
SECTION 2 - ROOM SCHEDULE AND SPACE DETAIL.....	3
2.01 ROOM SCHEDULE – See Room Data Matrix.....	3
2.02 SPACE DETAILS	3
A. Open Office Area: 43 Workstations x 110 ABOA (4,730 total)	3
B. Private Offices: 32 x 150 ABOA (4,800 total)	3
C. Break Room and Kitchenette Areas: 2 x 400 ABOA (800 total)	4
D. Reception Area: 1 x 120 ABOA	4
E. Storage Rooms: 1 x 170 ABOA (quantity and/or size determined by location) ..	4
F. File Room	4
G. Conference/Training Rooms: 3 x 300 ABOA (900 total).....	5
H. Copier Room/Areas: 3 x 100 ABOA (300 total)	5
I. Computer/LAN Room: 1 x 100 ABOA	5
SECTION 3 - ADDITIONAL SPACE DETAILS.....	6
3.01 ROOM LAYOUT	6
SECTION 4 – SECURITY AND IT REQUIREMENTS.....	6
4.01 SECURITY	6
4.02 INFORMATION TECHNOLOGY.....	6

SECTION 1 - AGENCY UNIQUE REQUIREMENTS

- Building Criteria:
 - Space can be non-contiguous (site specific)
 - Accessible 24/7/365
 - Able to provide a minimum of **10,500 ABOA** to maximum **13,566 ABOA**
- Parking requirements: 6 surface/reserved spaces

SECTION 2 - ROOM SCHEDULE AND SPACE DETAIL

2.01 ROOM SCHEDULE – See Room Data Matrix

2.02 SPACE DETAILS

Refer to the GSA Lease for the construction standards applicable to the interior tenant area build-out. These standards provide a general outline of the interior build-out requirements. For a complete list of office standards refer to the GSA Lease.

A. Open Office Area: 43 Workstations x 110 ABOA (4,730 total)

- Flooring – Carpet tile
- Walls – Paint
- Door – Building standard
- Ceiling – Building standard
- Electrical, Data, Voice – To be determined at design
- Window Coverings – Building standard

B. Private Offices: 32 x 150 ABOA (4,800 total)

- Flooring - Carpet tile
- Walls – Paint
- Door – Building standard with keyed lock
- Ceiling – Building standard
- Electrical, Data, Voice – To be determined at design
- Window Coverings – Vertical blinds

Executive Office: 1 x 300 ABOA

- Flooring - Carpet tile
- Walls – Paint with one accent wall
- Walls should be STC 50 rating (studs and insulation)
- Door – Building standard with compressible seal
- Ceiling – Building standard
- Electrical, Data, Voice – To be determined at design
- Window Coverings – Vertical blinds

C. Break Room and Kitchenette Areas: 2 x 400 ABOA (800 total)

- Flooring – VCT
- Walls – Paint
- Ceiling – Building standard
- Electrical and Data– To be determined at design
- Sink with garbage disposal
- Refrigerator
- Microwave
- Seating for at least 10 people
- Exhaust Fan
- Window Coverings – Building standard (if applicable)
- Countertop and cabinets – To be determined at design

D. Reception Area: 1 x 120 ABOA

- Flooring – Carpet tile
- Walls – Paint with one accent wall
- Door – Building standard with electric strike
- Ceiling - Building standard
- Electrical, Data, Voice – To be determined at design
- Window Coverings – Building standard
- ADDITIONAL REQUIREMENTS:
 - Airphone
 - Video Monitor and buzzer release button to control the electric strike
 - Card reader
 - Transaction counter with clear glass window
 - Duress alarm

E. Storage Rooms: 1 x 170 ABOA (quantity and/or size determined by location)

- Flooring – VCT
- Walls – Paint
- Door – Building standard
- Ceiling – Building standard
- Electrical, Data – To be determined in design

F. File Rooms: 2 x 200 ABOA (400 total)

- Flooring – VCT
- Walls – Paint
- Door – Building standard
- Ceiling – Building standard
- Electrical, Data – To be determined in design

G. Conference/Training Rooms: 3 x 300 ABOA (900 total)

- Flooring – Carpet tile
- Walls – Paint with one accent wall
- STC rating should meet 45 or better
- Doors – Building standard
- Ceiling – Building standard
- Lighting – should have dimmable switches
- Window Coverings – Building standard
- Electrical, Data, Voice – To be determined in design
- ADDITIONAL REQUIREMENTS:
 - Flat screen or monitor with data and wiring
 - Wall to be capable to support a mounted flat screen monitor.

H. Copier Room/Areas: 3 x 100 ABOA (300 total)

- Flooring – Carpet tile
- Walls – Paint
- Door – Building standard
- Ceiling – Building standard
- Electrical, Data, Voice – To be determined in design

I. Computer/LAN Room: 1 x 100 ABOA

- Flooring – Anti-static VCT
- Walls – At least one with plywood, paint for the others
- Door – Building standard with regular latch and deadbolt
- Ceiling – Building standard
- Power – Two (2) x 30 AMP 208v circuits
- Conduit – 2-inch, shortest route through roof
- Electrical, Data, Voice
 - 1000 Mbps data connection with associate hardware
 - Router and 3 network switches
 - Room for network rack
 - CAT 6A cabling
- Connection to Dmarc – To be determined at design
- 24/7 Conditioned
 - Not to exceed 70 degrees F
 - 2,000 BTU per hour
- Details to be determined at design

SECTION 3 - ADDITIONAL SPACE DETAILS

3.01 ROOM LAYOUT

- Internal Adjacencies – To be determined at design

SECTION 4 – SECURITY AND IT REQUIREMENTS

4.01 SECURITY

The following security standards are listed in addition to those listed in the Lease document and the building specific security attachment.

- Facility Security Level I
- CCTV system
- Badge Access to space

4.02 INFORMATION TECHNOLOGY

The following IT standards are listed in addition to those listed in the Lease document OR see attached specifications from the agency.

- CAT 6A cable throughout
- 2 drops per station

Exhibit B

Room Data Matrix - IHS White River Medical Facility

Dept: Executive Administration	TYPE	REQUIRED
Health System Admin (CEO)	Enclosed	170
Health System Admin	Enclosed	170
Health System Admin (AO)	Enclosed	170
Administrative Support Assistant	Open	170
Administrative Support Assistant	Open	170
SUPPORT SPACE	SF	850
Dept: Disc Planning	TYPE	REQUIRED
Clinic Manager	Enclosed	170
Providers (6)	Enclosed	170
RN CCC	Enclosed	170
CMA/LPN (6)	Enclosed	170
MSA (2)	Enclosed	170
Clinical Diabetes Educator	Enclosed	170
SUPPORT SPACE	SF	1,020
Dept: Preventative Medicine	TYPE	REQUIRED
Medical Officer	Enclosed	170
Director Preventative Medicine Med Offcr	Enclosed	170
Epi/Surveillance NP Medical Informaticis	Enclosed	170
SUPPORT SPACE	SF	510
Dept: Finance	TYPE	REQUIRED
Supervisory Financial Mgmt Spec	Enclosed	170
Budget Analyst	Open	170
Budget Analyst	Open	170
Management Analyst	Open	170
Accounting Technician	Open	170
Accounting Technician	Open	170
SUPPORT SPACE	SF	1,020
Dept: Health Information Management	TYPE	REQUIRED
Supv Med Rec Admin Specialist	Enclosed	170
Medical Record Tech (OA)	Open	170
Medical Record Tech (OA)	Open	170
Medical Record Tech (OA)	Open	170
Medical Record Tech (OA)	Open	170
Medical Record Tech (OA)	Open	170
Medical Record Tech (OA)	Open	170
Medical Record Tech (OA)	Open	170
Medical Record Tech (OA)	Open	170
Medical Record Tech (OA)	Open	170
Medical Record Tech (OA)	Open	170
Lead Medical Records Technician (Coder)	Open	170
Medical Records Technician	Open	170
Medical Records Technician	Open	170
SUPPORT SPACE	SF	2,380

Exhibit B

Dept: Human Resources	TYPE	REQUIRED
Human Resources Specialist (RPC)	Open	170
Supervisory HR Specialist	Enclosed	170
Human Resources Specialist (RPC)	Open	170
Human Resources Assistant (OA)	Open	170
Civilian Pay Technician	Open	170
Human Resources Assistant (OA)	Enclosed	170
Human Resources Specialist (ER-LR)	Enclosed	170
Human Resources Specialist (RPC)	Open	170
HR Specialist	Open	170
SUPPORT SPACE	SF	1,530
Dept: Purchased Referred Care	TYPE	REQUIRED
Supv Health System Specialist	Open	170
Medical Assistant	Open	170
Medical Assistant	Open	170
Medical Support Asst. (OA)	Open	170
Medical Support Asst. (OA)	Open	170
Medical Support Asst. (OA)	Open	170
Medical Support Assistant	Open	170
Medical Support Asst. (OA)	Open	170
Medical Support Assistant	Open	170
Contact Representative	Open	170
Contact Representative	Open	170
SUPPORT SPACE	SF	1,870
Dept: Quality Management	TYPE	REQUIRED
Management Analyst	Open	170
Management Analyst	Open	170
Quality Assurance Officer	Open	170
Compliance Officer	Open	170
Administrative Support Assistant	Open	170
Administrative Support Assistant	Open	170
SUPPORT SPACE	SF	1,020
Dept: Revenue	TYPE	REQUIRED
Supv Health System Specialist	Enclosed	170
Supervisory Health System Specialist	Open	170
Supervisory Health System Specialist	Enclosed	170
Supv Medical Clerk(OA)	Enclosed	170
Accounting Technician A/R	Open	170
Voucher Examiner	Open	170
Voucher Examiner	Open	170
Billing Technician	Open	170
Lead Billing Technician	Enclosed	170
Billing Technician	Open	170
Billing Technician	Open	170
Medical Support Asst (Insurance Verifier)	Open	170
Medical Assistant	Open	170

Exhibit B

SUPPORT SPACE	SF	2,210
Dept: Staff Development	TYPE	REQUIRED
Administrative Support Assistant	Open	170
Nurse Specialist	Open	170
Nurse Educator	Open	170
SUPPORT SPACE	SF	510
TOTAL	SF	12,920