

687-24-101 Demolish and Regrade Connecting Corridor
STATEMENT OF WORK FOR CONSTRUCTION SERVICES
Jonathon M. Wainwright Memorial Medical Center
Walla Walla, Washington
February 23, 2026

1. General

This corridor structure at the Walla Walla VA has exceeded its useful life and needs to be demolished for future facility plans. This project aims to completely demolish the connecting corridor, restore or repair the exterior features that are touching the corridor and relocate all utilities that are still active from underneath the corridor in trenches below grade. Sidewalks, staircases, ramps and some landscaping will be added where indicated after demolition and utility relocation has occurred.

2. Scope

The scope of work for this project includes the following for the corridor structure:

- a. Demolition of the structure identified in the plans as the connecting corridor
- b. Demolition of inactive and active utility lines underneath the corridor and relocating active utility lines under grade
- c. Demolition of fire sprinkler systems, mechanical, and electrical where identified in the contract drawings
- d. Installation of architectural repairs, ramps, staircases and sidewalk
- e. Installation of security cameras for camera coverage
- f. Installation of landscaping materials in areas identified by the contract drawings

3. Deliverables

Inspection, testing documents, manuals and warranty documents per Specifications.

4. Period of Performance

The contractor has 365 days to perform all described work.

5. Performance Monitoring

The COR assigned to the contract will evaluate all work and testing performed. Items must be in a clean state and in a proper and acceptable working condition.

6. Inspection and Acceptance Criteria

As part of final construction acceptance, a functionality demonstration is required per Specifications.

7. Work Hours

Work hours will be coordinated with COR per Specification.

8. Place of Performance

Walla Walla VA Medical Center - Jonathon M. Wainwright Memorial Medical Center located at 77 Wainwright Drive, Walla Walla, WA 99362-3975.

DRAFT